1.3

Length of Stay by Diagnosis, North Central Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — see Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  - gangrenous (*see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  - suppurative (*see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — see Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — see Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	6	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	52	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315858	3.5	13	1	1	3	4	5	7	16
20-34	181045	4.1	25	<1	1	3	4	7	11	28
35-49	55379	6.0	42	1	1	4	7	13	19	32
50-64	50872	6.4	42	1	1	5	8	13	18	32
65+	47094	6.9	43	1	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	111908	3.1	12	<1	1	2	3	6	8	17
20-34	198773	3.7	10	1	1	3	5	7	8	15
35-49	89332	4.9	19	1	1	4	6	10	13	21
50-64	86413	5.6	28	1	2	4	7	12	15	25
65+	86060	6.3	40	1	2	4	8	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267694	4.9	35	1	2	4	5	8	12	34
20-34	150077	6.2	50	1	1	4	7	13	21	36
35-49	147804	7.1	48	1	2	5	9	14	20	35
50-64	240956	7.6	47	1	2	6	9	15	20	35
65+	461862	9.1	54	2	3	7	11	17	22	37
B. *Operated*										
0-19 YRS	87432	5.6	78	1	1	3	5	11	19	55
20-34	212133	5.8	39	1	2	4	6	10	15	34
35-49	153669	7.7	59	1	2	6	9	15	21	42
50-64	207621	9.7	92	2	2	7	12	20	27	52
65+	289369	12.3	126	2	2	9	16	25	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	660248	4.4	25	1	1	3	5	8	12	28
B. *Operated*	572486	4.5	20	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	1268393	7.3	50	1	2	5	9	15	20	36
B. *Operated*	950224	8.9	91	1	2	6	11	19	27	51
1. SINGLE DX	1232734	4.4	23	1	1	3	5	9	12	25
2. MULTIPLE DX	2218617	8.0	68	1	2	6	10	17	23	43
A. NOT OPERATED	1928641	6.3	43	1	2	4	8	13	18	34
B. OPERATED	1522710	7.2	69	1	2	5	9	16	22	43
TOTAL 0-19 YRS	782892	4.1	28	1	1	3	4	7	10	29
20-34	742028	4.9	31	1	1	3	6	9	13	30
35-49	456184	6.7	47	1	2	5	8	13	19	35
50-64	585862	7.9	62	1	2	6	10	16	22	41
65+	884385	9.7	79	2	2	7	12	20	26	46
GRAND TOTAL	**3451351**	**6.7**	**55**	**1**	**2**	**4**	**8**	**14**	**20**	**38**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142653	3.8	26	1	1	3	4	7	9	29
20-34	181045	4.1	25	<1	1	3	4	7	11	28
35-49	65379	6.0	42	1	1	4	7	13	19	32
50-64	50872	6.4	42	1	1	5	8	13	18	32
65+	47094	6.9	43	1	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	111827	3.1	12	<1	1	2	3	6	8	17
20-34	198773	3.7	10	1	1	3	5	7	8	15
35-49	89332	4.9	19	1	1	4	6	10	13	21
50-64	86413	5.6	28	1	2	4	7	12	15	25
65+	86060	6.3	40	1	2	4	8	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156877	5.0	43	1	1	3	5	9	13	38
20-34	150077	6.2	50	1	1	4	7	13	21	36
35-49	147804	7.1	48	1	2	5	9	14	20	35
50-64	240956	7.6	47	1	2	6	9	15	20	35
65+	461862	9.1	54	2	3	7	11	17	22	37
B. *Operated*										
0-19 YRS	83833	4.9	50	1	1	3	5	10	16	40
20-34	212133	5.8	39	1	2	4	6	10	15	34
35-49	153669	7.7	59	1	2	6	9	15	21	42
50-64	207621	9.7	92	2	2	7	12	20	27	52
65+	289369	12.3	126	2	2	9	16	25	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487043	4.8	33	1	1	3	5	9	14	30
B. *Operated*	572405	4.5	20	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	1157576	7.6	52	1	2	6	9	15	21	37
B. *Operated*	946625	8.9	89	1	2	6	11	19	26	50
1. SINGLE DX	1059448	4.6	26	1	1	3	5	9	13	26
2. MULTIPLE DX	2104201	8.2	69	1	2	6	10	17	23	43
A. NOT OPERATED	1644619	6.8	48	1	2	5	8	14	19	35
B. OPERATED	1519030	7.2	67	1	2	5	9	16	22	43
TOTAL 0-19 YRS	495190	4.2	33	1	1	3	5	8	11	32
20-34	742028	4.9	31	1	1	3	6	9	13	30
35-49	456184	6.7	47	1	2	5	8	13	19	35
50-64	585862	7.9	62	1	2	6	10	16	22	41
65+	884385	9.7	79	2	2	7	12	20	26	46
GRAND TOTAL	**3163649**	**7.0**	**57**	**1**	**2**	**5**	**8**	**15**	**21**	**39**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	6	2.2	2	<1	<1	2	3	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	6	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	221	2.0	1	<1	<1	2	2	3	4	6
20-34	456	2.3	4	<1	<1	2	3	4	5	8
35-49	144	2.3	3	<1	<1	2	3	4	5	10
50-64	53	2.4	4	<1	1	2	3	4	8	9
65+	5	3.2	4	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	1	<1	<1	1	2	4	4	4
20-34	13	2.5	5	<1	<1	2	3	7	8	8
35-49	5	2.6	3	<1	<1	3	4	5	5	5
50-64	4	1.8		<1	<1	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	75	2.6	3	<1	1	2	3	5	7	8
20-34	221	2.9	4	1	1	2	3	5	7	11
35-49	103	3.4	10	<1	1	2	4	6	8	19
50-64	64	4.8	23	<1	1	3	6	9	16	26
65+	23	5.8	20	2	3	4	7	11	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	879	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	32	2.2	3	<1	<1	2	3	4	7	8
B. *Operated*	486	3.4	9	<1	1	2	4	6	8	17
1. SINGLE DX	898	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	518	3.3	9	<1	1	2	4	6	8	16
A. NOT OPERATED	51	1.9	2	<1	<1	1	2	4	5	8
B. OPERATED	1365	2.6	6	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	310	2.1	2	<1	<1	2	2	4	5	7
20-34	696	2.5	4	<1	1	2	3	4	6	10
35-49	253	2.8	6	<1	<1	2	3	5	7	10
50-64	127	3.5	15	<1	<1	2	4	8	9	22
65+	30	5.0	18	1	1	4	6	9	13	22
GRAND TOTAL	**1416**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2445	3.0	4	1	1	3	4	5	6	10
20-34	597	3.5	5	1	1	3	4	7	9	12
35-49	195	4.2	8	1	2	3	5	8	10	15
50-64	126	4.0	7	1	2	3	5	8	10	14
65+	90	5.1	27	1	2	4	6	9	11	34
B. *Operated*										
0-19 YRS	53	4.0	9	1	1	3	5	9	10	13
20-34	19	4.9	17	1	1	4	7	14	58	99+
35-49	11	9.1	44	2	2	7	13	19	22	22
50-64	10	7.3	10	3	3	8	10	11	12	12
65+	5	7.6	35	2	2	4	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2994	3.3	6	1	1	3	4	5	7	12
20-34	966	4.0	8	1	2	3	5	7	9	15
35-49	589	5.0	17	2	2	4	6	9	12	21
50-64	613	5.1	11	2	2	4	6	9	11	19
65+	947	6.1	28	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	99	5.7	19	2	2	5	7	10	13	66
20-34	58	9.2	80	2	2	6	12	21	31	42
35-49	59	9.2	38	3	3	8	11	18	21	33
50-64	63	12.0	132	3	4	9	13	28	31	97
65+	64	12.3	153	3	4	9	15	21	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3453	3.2	5	1	1	3	4	6	7	12
B. *Operated*	98	5.3	18	1	1	4	8	12	14	62
2. MULTIPLE DX										
A. *Not Operated*	6109	4.2	12	1	2	3	5	8	10	17
B. *Operated*	343	9.3	84	2	3	7	11	19	28	80
1. SINGLE DX	3551	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	6452	4.5	18	1	2	3	5	8	11	20
A. NOT OPERATED	9562	3.9	10	1	1	3	5	7	9	15
B. OPERATED	441	8.4	72	2	2	6	11	16	24	80
TOTAL 0-19 YRS	5591	3.2	5	1	1	3	4	5	7	12
20-34	1640	4.0	11	1	2	3	5	7	9	16
35-49	854	5.1	18	1	2	4	6	10	13	21
50-64	812	5.5	23	2	2	4	7	10	13	23
65+	1106	6.4	37	2	2	5	7	11	15	29
GRAND TOTAL	**10003**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2951	3.3	5	1	1	3	4	6	7	11
20-34	1077	3.3	5	1	1	3	4	6	7	12
35-49	440	3.7	7	1	1	3	5	7	8	14
50-64	250	4.2	9	1	1	3	5	8	11	14
65+	218	4.4	8	1	2	4	5	7	10	15
B. *Operated*										
0-19 YRS	56	5.7	20	2	2	5	6	10	12	30
20-34	72	5.8	8	2	3	5	7	10	12	16
35-49	27	6.5	17	2	2	6	8	11	15	20
50-64	11	8.3	43	1	2	7	9	17	25	26
65+	7	7.1	25	1	1	4	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4439	3.8	6	1	2	3	5	7	8	13
20-34	1471	3.8	7	1	1	3	5	7	9	14
35-49	843	4.6	10	1	2	4	6	8	11	16
50-64	1016	5.1	13	1	2	4	6	9	11	19
65+	1660	6.4	25	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	70	6.5	27	3	3	6	8	10	17	34
20-34	95	8.5	36	2	3	7	11	17	20	31
35-49	86	9.2	40	3	3	8	12	18	23	34
50-64	95	10.6	116	2	3	8	11	19	24	61
65+	148	14.0	98	4	5	11	18	26	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4936	3.4	6	1	1	3	4	6	7	12
B. *Operated*	173	6.1	16	2	3	5	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	9429	4.5	12	1	2	4	5	8	10	17
B. *Operated*	494	10.5	75	3	3	8	13	20	25	51
1. SINGLE DX	5109	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	9923	4.8	17	1	2	4	6	9	11	20
A. NOT OPERATED	14365	4.1	10	1	1	3	5	7	9	16
B. OPERATED	667	9.3	64	2	3	7	11	19	24	45
TOTAL 0-19 YRS	7516	3.7	7	1	1	3	4	6	8	13
20-34	2715	3.8	8	1	1	3	5	7	9	15
35-49	1396	4.7	13	1	2	4	6	8	11	19
50-64	1372	5.4	22	1	2	4	6	9	13	21
65+	2033	6.7	33	2	2	5	8	12	16	29
GRAND TOTAL	**15032**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	9.1	41	2	3	9	13	17	23	26
20-34	37	12.5	110	2	4	11	16	20	33	58
35-49	30	14.6	209	4	5	12	19	22	26	83
50-64	27	11.6	52	3	5	11	15	20	26	34
65+	33	11.8	61	4	4	10	16	22	28	36
B. *Operated*										
0-19 YRS	6	17.2	510	5	5	8	12	58	63	63
20-34	14	11.7	29	6	6	9	15	21	22	22
35-49	20	13.3	81	4	6	10	17	21	33	44
50-64	17	11.1	58	3	4	8	17	25	27	27
65+	21	19.0	117	3	6	18	22	34	42	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.7	27	1	2	5	8	16	18	19
20-34	40	16.3	152	3	4	13	21	33	46	53
35-49	54	14.7	107	3	5	13	17	36	47	99+
50-64	94	12.7	77	2	3	10	18	25	33	99+
65+	141	15.4	161	3	5	12	19	27	38	74
B. *Operated*										
0-19 YRS	5	25.8	615	4	4	10	50	58	58	58
20-34	22	11.5	30	3	5	11	16	19	20	21
35-49	40	19.6	359	5	6	13	21	42	75	80
50-64	61	17.3	221	3	5	15	20	30	61	98
65+	129	21.8	244	6	7	17	28	42	54	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	12.1	98	3	4	10	16	21	26	58
B. *Operated*	78	14.3	111	4	5	11	19	25	34	59
2. MULTIPLE DX										
A. *Not Operated*	342	14.3	126	3	4	12	18	29	39	99+
B. *Operated*	257	19.6	251	4	6	15	24	40	54	82
1. SINGLE DX	228	12.9	103	3	4	10	17	22	27	59
2. MULTIPLE DX	599	16.6	186	3	5	13	21	34	51	83
A. NOT OPERATED	492	13.6	118	3	4	11	17	25	36	79
B. OPERATED	335	18.4	223	4	6	14	22	39	53	80
TOTAL 0-19 YRS	47	11.3	171	2	3	8	12	21	49	63
20-34	113	13.5	101	3	5	11	17	22	35	55
35-49	144	15.8	196	4	5	12	18	32	40	99+
50-64	199	13.8	120	2	4	11	19	26	34	99+
65+	324	17.8	193	4	5	14	23	36	50	74
GRAND TOTAL	**827**	**15.6**	**166**	**3**	**5**	**12**	**19**	**30**	**44**	**81**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	48	3	3	5	14	19	20	20
20-34	3	6.3	24	3	3	4	10	12	12	12
35-49	2	14.0	200	4	4	14	24	24	24	24
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	15	12.5	421	2	2	4	9	48	67	74
20-34	15	7.5	61	1	1	5	8	19	27	30
35-49	6	17.8	309	1	1	14	34	41	42	42
50-64	7	11.6	97	1	1	7	20	26	27	27
65+	3	6.7	41	2	2	4	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	11.8	139	3	3	8	12	33	35	35
20-34	12	10.1	57	1	2	9	11	20	29	31
35-49	5	10.2	81	<1	<1	9	14	25	25	25
50-64	25	7.8	51	1	2	6	9	13	21	37
65+	30	12.9	111	3	4	9	15	23	34	51
B. *Operated*										
0-19 YRS	6	17.5	219	2	3	14	20	42	45	45
20-34	11	23.4	552	1	3	15	53	78	97	99+
35-49	6	25.5	869	5	5	11	34	77	82	82
50-64	18	19.6	213	2	3	19	29	41	47	50
65+	28	23.8	508	2	3	22	35	83	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.9	50	3	3	5	14	20	23	24
B. *Operated*	46	11.0	212	1	1	5	13	30	43	74
2. MULTIPLE DX										
A. *Not Operated*	78	10.6	83	2	3	8	12	23	33	47
B. *Operated*	69	22.2	422	2	3	16	35	64	89	99+
1. SINGLE DX	60	10.6	173	1	2	5	13	25	38	71
2. MULTIPLE DX	147	16.1	275	2	3	10	22	4[illegible]	63	99+
A. NOT OPERATED	92	10.3	78	2	3	8	13	22	30	45
B. OPERATED	115	17.8	366	1	2	11	25	49	76	99+
TOTAL 0-19 YRS	33	12.6	255	2	2	7	14	37	48	74
20-34	41	12.4	223	1	2	8	15	35	65	99+
35-49	19	17.8	394	<1	1	10	25	39	64	82
50-64	52	12.3	137	2	2	8	17	31	38	50
65+	62	17.6	313	2	3	13	23	51	81	99+
GRAND TOTAL	**207**	**14.5**	**251**	**2**	**2**	**9**	**20**	**36**	**54**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	313	2.9	14	1	1	2	3	5	5	8
20-34	115	3.1	2	1	2	3	4	5	6	9
35-49	15	3.9	2	2	2	4	5	5	6	6
50-64	15	3.9	4	1	1	4	4	6	8	9
65+	7	2.7	1	2	2	3	3	4	4	4
B. *Operated*										
0-19 YRS	44	1.6		1	1	2	2	2	3	3
20-34	8	1.4		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	749	3.3	3	1	2	3	4	5	7	9
20-34	214	3.7	4	2	2	3	4	6	8	11
35-49	76	4.4	5	2	2	[illegible]	5	7	9	14
50-64	44	5.8	11	2	3	5	7	9	11	20
65+	25	7.0	17	2	3	5	10	12	16	17
B. *Operated*										
0-19 YRS	27	3.4	6	1	1	2	5	8	8	9
20-34	9	7.7	27	2	2	9	10	15	17	17
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	5	13.4	87	3	3	15	20	25	25	25
65+	5	18.2	138	12	12	12	22	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	3.0	10	1	1	3	4	5	5	9
B. *Operated*	52	1.6		1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	1108	3.6	4	1	2	3	4	6	7	11
B. *Operated*	48	7.0	52	1	1	5	9	16	20	39
1. SINGLE DX	517	2.8	9	1	1	2	3	5	5	8
2. MULTIPLE DX	1156	3.7	7	1	2	3	4	6	8	14
A. NOT OPERATED	1573	3.4	6	1	2	3	4	6	7	11
B. OPERATED	100	4.2	32	1	1	2	4	11	15	32
TOTAL 0-19 YRS	1133	3.1	6	1	1	3	4	5	6	9
20-34	346	3.6	4	1	2	3	4	6	8	12
35-49	93	4.3	5	2	2	4	5	7	9	13
50-64	64	5.9	19	1	3	5	7	10	16	24
65+	37	7.7	47	2	2	5	11	15	17	39
GRAND TOTAL	**1673**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	5.1	12	1	2	4	7	10	12	16
20-34	41	6.0	13	2	2	5	8	10	13	18
35-49	17	6.9	12	3	3	6	9	12	13	14
50-64	32	7.3	14	2	2	7	10	12	14	17
65+	81	9.9	57	4	4	8	12	15	22	88
B. *Operated*										
0-19 YRS	9	9.8	11	3	4	10	12	13	13	13
20-34	5	19.0	157	7	7	13	32	33	33	33
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	7	15.0	53	7	8	12	18	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	680	7.1	29	2	2	6	9	13	17	29
20-34	271	10.0	71	3	3	8	12	20	26	43
35-49	257	10.6	57	3	4	9	13	19	28	43
50-64	563	12.5	80	4	5	10	15	22	27	47
65+	2255	13.4	69	4	6	12	16	23	30	43
B. *Operated*										
0-19 YRS	60	13.2	86	3	4	11	15	28	36	39
20-34	103	17.6	161	4	5	14	25	40	48	76
35-49	103	19.8	211	5	6	15	32	45	54	99+
50-64	233	20.3	202	6	7	17	26	38	53	98
65+	558	23.2	239	8	10	19	28	44	61	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	552	6.1	21	1	2	5	8	11	14	20
B. *Operated*	24	12.9	62	4	6	11	13	29	32	33
2. MULTIPLE DX										
A. *Not Operated*	4026	11.8	69	3	4	10	15	21	27	43
B. *Operated*	1057	21.1	219	5	7	17	27	41	54	96
1. SINGLE DX	576	6.3	25	1	2	5	8	12	14	28
2. MULTIPLE DX	5083	13.7	114	3	4	11	17	26	35	60
A. NOT OPERATED	4578	11.1	67	2	3	9	14	20	26	42
B. OPERATED	1081	21.0	217	5	7	17	27	40	53	94
TOTAL 0-19 YRS	1130	6.8	29	2	2	5	9	12	16	29
20-34	420	11.6	102	3	3	8	14	25	32	52
35-49	378	12.9	115	3	4	10	15	30	36	62
50-64	830	14.5	125	4	5	11	17	26	38	64
65+	2901	15.2	117	5	6	13	18	28	36	64
GRAND TOTAL	**5659**	**13.0**	**110**	**3**	**4**	**10**	**16**	**25**	**33**	**59**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	330	6.7	17	2	2	6	10	12	14	19
20-34	65	5.8	13	2	2	5	8	11	14	15
35-49	41	6.4	20	2	3	4	9	14	17	18
50-64	37	5.8	17	2	3	4	8	12	15	20
65+	28	7.0	27	2	3	6	9	11	15	29
B. *Operated*										
0-19 YRS	22	[illegible]	93	<1	1	5	12	16	28	45
20-34	7	14.8	138	1	2	11	26	29	29	29
35-49	8	7.9	10	4	4	8	10	12	13	13
50-64	7	7.3	50	1	1	4	14	18	18	18
65+	2	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	319	7.5	28	1	2	6	11	14	16	29
20-34	92	7.3	69	2	2	5	8	12	22	51
35-49	84	8.3	66	2	3	6	9	16	24	50
50-64	135	8.7	50	3	3	7	10	14	21	39
65+	217	11.1	94	3	4	8	14	20	32	54
B. *Operated*										
0-19 YRS	33	16.3	162	3	6	11	19	37	51	53
20-34	30	15.8	168	2	3	11	24	41	42	99+
35-49	33	19.8	228	3	4	15	28	37	45	72
50-64	57	20.7	387	2	4	15	30	49	58	90
65+	72	22.5	222	5	7	20	27	43	57	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	6.5	17	2	2	5	9	12	14	19
B. *Operated*	46	9.3	79	1	1	7	13	18	28	45
2. MULTIPLE DX										
A. *Not Operated*	847	8.7	59	2	3	7	11	16	21	40
B. *Operated*	225	19.9	251	3	4	16	26	42	53	84
1. SINGLE DX	547	6.7	23	2	2	5	9	13	15	22
2. MULTIPLE DX	1072	11.0	119	2	3	8	13	23	34	58
A. NOT OPERATED	1348	7.9	44	2	2	6	10	14	18	34
B. OPERATED	271	18.1	237	2	4	14	24	40	52	82
TOTAL 0-19 YRS	704	7.6	35	1	2	6	10	14	16	30
20-34	194	8.4	79	2	2	5	9	20	30	54
35-49	166	10.1	107	2	3	6	13	21	34	56
50-64	236	11.1	155	2	3	7	13	21	35	62
65+	319	13.4	142	3	4	9	18	28	38	60
GRAND TOTAL	**1619**	**9.6**	**91**	**2**	**3**	**7**	**11**	**19**	**28**	**53**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1414	3.5	4	1	2	3	4	6	7	11
20-34	706	4.1	6	1	2	3	5	7	8	13
35-49	143	4.8	10	1	2	4	6	9	11	17
50-64	23	4.7	9	2	2	3	6	10	11	11
65+	11	5.5	11	1	1	5	8	10	11	11
B. *Operated*										
0-19 YRS	13	7.6	43	3	3	5	9	16	25	27
20-34	6	8.2	18	4	4	7	10	15	15	15
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	3	7.7	12	4	4	8	10	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	560	4.5	10	2	2	4	5	8	10	16
20-34	373	5.0	12	2	2	4	6	9	11	18
35-49	102	6.0	13	2	2	5	8	11	13	19
50-64	34	8.3	41	3	3	7	10	14	18	37
65+	22	12.7	145	3	4	10	16	19	37	61
B. *Operated*										
0-19 YRS	18	7.0	40	1	2	4	10	14	22	27
20-34	11	9.5	35	3	4	8	13	47	92	99+
35-49	6	11.7	31	7	7	9	16	20	21	21
50-64	7	32.1	561	6	8	19	54	66	68	68
65+	6	19.0	154	5	5	18	30	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2297	3.8	5	1	2	3	5	7	8	12
B. *Operated*	24	7.8	29	3	3	6	10	13	19	27
2. MULTIPLE DX										
A. *Not Operated*	1091	5.1	16	2	2	4	6	9	12	19
B. *Operated*	48	13.3	189	3	3	9	17	32	59	99+
1. SINGLE DX	2321	3.8	6	1	2	3	5	7	8	13
2. MULTIPLE DX	1139	5.4	26	2	2	4	6	10	13	27
A. NOT OPERATED	3388	4.2	9	1	2	3	5	7	10	16
B. OPERATED	72	11.5	142	3	3	8	14	27	38	93
TOTAL 0-19 YRS	2005	3.8	7	1	2	3	5	7	9	13
20-34	1096	4.5	9	1	2	4	6	8	10	17
35-49	253	5.5	13	2	2	5	7	10	13	19
50-64	67	9.5	138	2	3	6	10	17	37	66
65+	39	11.7	124	2	3	9	14	24	32	61
GRAND TOTAL	**3460**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	491	3.5	8	1	1	3	4	6	8	13
20-34	86	4.8	7	1	2	4	7	8	9	14
35-49	40	5.5	11	2	2	4	7	10	13	17
50-64	80	6.9	32	1	2	6	8	13	16	32
65+	204	7.4	25	2	2	6	9	14	17	23
B. *Operated*										
0-19 YRS	4	3.5	7	<1	<1	3	5	7	7	7
20-34	6	4.2	2	2	2	4	5	6	6	6
35-49	6	7.2	53	1	1	5	8	20	21	21
50-64	4	6.8	20	3	3	6	10	12	12	12
65+	14	7.3	22	2	2	6	11	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	944	3.8	6	1	1	3	5	7	9	13
20-34	176	6.0	15	2	2	5	7	10	13	23
35-49	146	6.8	15	2	3	6	8	11	12	24
50-64	365	7.7	32	2	3	6	10	14	19	31
65+	1279	9.8	55	2	3	8	12	19	25	37
B. *Operated*										
0-19 YRS	23	11.0	84	2	2	9	15	30	55	99+
20-34	25	6.2	8	2	3	5	7	10	12	15
35-49	14	11.9	97	2	2	9	14	29	34	35
50-64	57	14.6	282	2	3	9	16	33	57	83
65+	127	14.9	149	3	4	12	19	28	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	4.9	17	1	1	4	6	9	13	22
B. *Operated*	34	6.2	22	1	2	5	9	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	2910	7.2	39	2	2	6	9	14	19	32
B. *Operated*	246	13.4	162	2	3	10	17	28	37	83
1. SINGLE DX	935	4.9	17	1	1	4	6	9	13	22
2. MULTIPLE DX	3156	7.7	51	2	2	6	10	15	21	36
A. NOT OPERATED	3811	6.7	35	1	2	5	8	13	18	31
B. OPERATED	280	12.5	150	2	3	9	16	25	36	81
TOTAL 0-19 YRS	1462	3.8	9	1	1	3	5	7	9	15
20-34	293	5.6	12	2	2	5	7	9	11	19
35-49	206	6.9	22	2	2	6	8	11	15	28
50-64	506	8.3	65	2	3	7	10	15	21	45
65+	1624	9.9	61	2	3	8	12	19	25	41
GRAND TOTAL	**4091**	**7.1**	**45**	**1**	**2**	**5**	**9**	**14**	**19**	**34**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	5.7	13	2	2	5	7	9	12	20
20-34	472	7.1	18	2	3	6	9	12	16	24
35-49	135	7.4	19	2	3	7	9	13	16	22
50-64	60	7.9	38	2	3	6	10	16	18	32
65+	20	6.4	10	2	3	6	9	10	12	14
B. *Operated*										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	14	8.7	79	<1	1	7	10	22	31	33
35-49	14	9.4	42	1	1	8	14	18	23	24
50-64	6	6.7	23	1	1	7	7	14	15	15
65+	3	11.3	56	4	4	11	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	6.1	14	2	2	5	8	11	14	17
20-34	317	8.3	55	2	3	6	11	15	20	34
35-49	151	8.8	24	3	4	8	11	15	17	22
50-64	129	10.1	39	3	4	8	13	17	22	32
65+	116	10.7	58	3	4	9	13	18	24	44
B. *Operated*										
0-19 YRS	3	11.3	54	3	3	14	16	17	17	17
20-34	40	12.7	170	1	2	10	15	23	44	61
35-49	30	12.9	109	2	2	10	17	31	33	35
50-64	27	14.0	89	3	6	12	16	31	33	40
65+	29	18.8	344	3	3	14	23	35	61	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	6.9	19	2	3	6	9	12	16	24
B. *Operated*	38	9.4	62	1	1	7	12	20	28	33
2. MULTIPLE DX										
A. *Not Operated*	803	8.8	44	3	3	7	11	16	19	33
B. *Operated*	129	14.4	177	2	3	12	18	30	35	67
1. SINGLE DX	928	7.0	21	2	3	6	9	12	16	25
2. MULTIPLE DX	932	9.6	66	2	3	8	12	17	22	38
A. NOT OPERATED	1693	7.8	32	2	3	6	10	14	17	26
B. OPERATED	167	13.2	154	1	2	11	17	28	33	61
TOTAL 0-19 YRS	297	6.0	16	2	2	5	8	10	14	20
20-34	843	7.9	41	2	3	6	10	14	19	29
35-49	330	8.6	32	2	3	7	11	16	19	32
50-64	222	9.9	47	2	3	8	13	17	25	35
65+	168	11.6	112	3	4	9	14	20	24	59
GRAND TOTAL	**1860**	**8.3**	**45**	**2**	**3**	**7**	**10**	**15**	**19**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	861	4.2	5	1	2	4	5	7	8	12
20-34	253	5.0	8	2	2	4	6	9	10	14
35-49	47	4.9	8	2	2	5	7	8	9	16
50-64	10	7.7	9	4	4	7	8	12	13	13
65+	3	8.7	32	4	4	7	13	15	15	15
B. *Operated*										
0-19 YRS	8	6.4	25	1	1	5	9	14	16	16
20-34	8	4.5	9	1	1	3	7	9	9	9
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1051	4.6	7	2	2	4	6	8	9	14
20-34	327	5.7	24	2	2	5	7	10	13	21
35-49	47	7.0	21	2	3	6	9	13	15	26
50-64	25	7.9	28	2	3	7	9	15	19	23
65+	9	6.9	7	2	3	8	8	10	11	11
B. *Operated*										
0-19 YRS	30	5.9	14	1	2	5	6	11	15	16
20-34	23	8.5	31	1	3	7	11	15	22	23
35-49	2	16.0	98	9	9	16	23	23	23	23
50-64	2	10.5	1	10	10	10	11	11	11	11
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1174	4.4	6	1	2	4	5	8	9	13
B. *Operated*	18	5.3	15	1	1	4	8	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	1459	5.0	12	2	2	4	6	9	11	16
B. *Operated*	58	7.5	25	1	2	6	10	13	19	23
1. SINGLE DX	1192	4.4	6	1	2	4	5	8	9	14
2. MULTIPLE DX	1517	5.1	13	2	2	4	6	9	11	16
A. NOT OPERATED	2633	4.8	10	2	2	4	6	8	10	15
B. OPERATED	76	7.0	23	1	2	6	10	12	16	23
TOTAL 0-19 YRS	1950	4.5	6	2	2	4	6	8	9	14
20-34	611	5.5	18	2	2	4	7	10	12	20
35-49	98	6.1	18	2	2	5	8	10	14	25
50-64	37	8.0	21	2	3	7	10	14	17	23
65+	13	7.5	11	2	4	8	9	12	14	15
GRAND TOTAL	**2709**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.0	10	1	2	4	7	9	10	16
20-34	25	3.9	4	1	2	3	4	7	8	9
35-49	11	6.3	14	2	2	5	10	11	13	13
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	10.0	32	6	6	10	14	14	14	14
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.0	7	2	2	4	7	9	10	10
20-34	15	3.9	5	2	2	3	5	7	9	10
35-49	13	6.5	13	2	2	6	8	11	14	15
50-64	10	6.9	44	2	2	4	7	19	21	21
65+	6	8.7	13	4	4	8	9	14	15	15
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	3	9.7	41	5	5	7	14	17	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.9	10	1	2	4	6	9	10	16
B. *Operated*	3	7.0	28	3	3	5	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	55	5.8	17	2	2	4	7	10	15	21
B. *Operated*	7	7.3	24	3	3	6	9	16	17	17
1. SINGLE DX	74	5.6	10	1	2	4	6	10	12	16
2. MULTIPLE DX	62	6.0	17	2	2	5	7	10	16	21
A. NOT OPERATED	126	5.3	13	2	2	4	7	10	13	18
B. OPERATED	10	7.2	22	3	3	6	10	15	17	17
TOTAL 0-19 YRS	46	5.0	9	2	2	4	7	8	10	16
20-34	43	4.0	5	1	2	3	5	7	9	10
35-49	28	7.0	17	2	2	6	10	13	15	17
50-64	11	6.5	41	2	2	3	7	19	21	21
65+	8	9.0	14	4	5	8	12	15	15	15
GRAND TOTAL	**136**	**5.4**	**14**	**2**	**2**	**4**	**7**	**10**	**14**	**18**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	4.6	5	1	2	4	6	8	10	11
20-34	185	5.0	9	1	2	4	6	9	10	16
35-49	24	5.9	13	2	3	5	7	10	13	18
50-64	10	5.9	16	1	1	6	10	11	11	11
65+	5	6.2	48	1	1	2	12	16	16	16
B. *Operated*										
0-19 YRS	14	3.3	6	<1	1	2	5	8	8	8
20-34	71	3.1	7	<1	<1	2	4	7	10	11
35-49	15	4.0	13	1	1	2	5	10	11	12
50-64	8	6.9	27	2	2	5	11	15	15	15
65+	4	4.8	11	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.5	11	2	2	5	7	9	13	19
20-34	165	5.4	11	2	2	5	6	9	11	19
35-49	33	8.3	35	1	2	7	11	14	15	34
50-64	26	7.8	23	1	2	8	12	15	15	16
65+	58	9.4	38	1	2	8	13	20	21	26
B. *Operated*										
0-19 YRS	13	6.2	13	1	2	6	9	11	12	12
20-34	66	6.1	27	1	2	5	8	10	19	27
35-49	25	8.7	59	1	2	7	12	19	26	28
50-64	13	8.5	52	2	2	5	12	17	25	27
65+	18	12.7	163	2	2	10	19	43	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	5.0	8	1	2	4	6	9	10	16
B. *Operated*	112	3.6	9	<1	<1	2	4	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	379	6.5	20	2	2	5	8	12	15	24
B. *Operated*	135	7.7	55	1	2	5	10	18	26	59
1. SINGLE DX	467	4.6	9	1	1	4	6	9	10	15
2. MULTIPLE DX	514	6.8	30	2	2	5	8	13	18	28
A. NOT OPERATED	734	5.7	15	2	2	5	7	10	13	21
B. OPERATED	247	5.8	38	<1	1	4	8	12	19	30
TOTAL 0-19 YRS	255	4.9	8	1	2	4	6	9	10	15
20-34	487	5.0	12	1	2	4	6	9	11	20
35-49	97	7.1	34	1	2	6	9	14	18	31
50-64	57	7.5	28	1	2	7	11	15	15	26
65+	85	9.7	65	1	2	8	13	21	25	83
GRAND TOTAL	**981**	**5.8**	**21**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	55	3.3	10	<1	<1	2	6	7	[illegible]	18
20-34	20	5.1	15	1	2	4	7	11	14	15
35-49	13	9.5	70	1	3	7	12	20	31	33
50-64	18	6.3	15	<1	1	6	9	11	13	14
65+	12	5.2	18	1	1	4	8	11	14	14
B. *Operated*										
0-19 YRS.	8	5.3	20	<1	<1	3	9	12	12	12
20-34	20	9.1	57	<1	1	7	12	20	25	29
35-49	33	10.6	135	2	2	8	11	21	24	67
50-64	29	9.9	142	2	2	8	10	17	38	60
65+	12	6.8	36	1	1	8	10	13	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	133	4.7	15	1	1	4	6	9	15	20
20-34	50	5.8	21	1	1	5	7	10	14	25
35-49	51	7.7	33	3	3	6	10	14	15	36
50-64	83	9.0	101	<1	1	7	11	16	22	63
65+	140	9.9	65	2	3	8	13	16	21	40
B. *Operated*										
0-19 YRS.	12	19.0	262	1	3	13	32	42	50	51
20-34	28	14.0	136	2	3	11	25	41	99+	99+
35-49	54	16.1	297	2	3	10	17	43	51	84
50-64	92	15.9	299	2	3	10	19	43	59	99
65+	80	17.7	301	2	3	12	20	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	4.9	22	<1	<1	4	7	10	14	23
B. *Operated*	102	9.3	101	1	2	8	11	18	23	63
2. MULTIPLE DX										
A. *Not Operated*	457	7.5	53	1	2	6	10	15	18	35
B. *Operated*	266	16.4	278	2	3	11	20	43	59	99+
1. SINGLE DX	220	6.9	63	<1	1	5	9	14	19	44
2. MULTIPLE DX	723	10.8	154	1	2	7	13	23	38	87
A. NOT OPERATED	575	7.0	48	<1	1	5	9	14	17	33
B. OPERATED	368	14.4	239	2	2	10	17	37	53	99+
TOTAL 0-19 YRS.	208	5.2	39	<1	1	3	6	11	16	38
20-34	118	8.2	64	1	1	6	10	22	28	99+
35-49	151	11.5	163	2	3	8	13	22	36	74
50-64	222	11.8	192	1	2	8	13	25	44	82
65+	244	12.1	155	2	2	9	15	24	37	90
GRAND TOTAL	**943**	**9.9**	**135**	**1**	**2**	**7**	**12**	**20**	**33**	**79**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	10	3.6	5	1	1	3	6	7	8	8
20-34	6	7.0	10	4	4	6	7	12	13	13
35-49	5	4.8	5	1	1	5	6	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS.	7	4.9	6	3	3	5	5	9	10	10
20-34	5	7.6	33	1	1	7	11	16	16	16
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	12.0	193	3	3	5	22	28	28	28
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	16	4.6	6	1	2	4	7	8	9	9
20-34	11	8.1	36	3	3	7	9	18	22	22
35-49	7	5.0	5	2	2	5	7	8	8	8
50-64	7	7.1	68	2	2	4	7	21	25	25
65+	7	12.7	75	4	5	9	15	27	30	30
B. *Operated*										
0-19 YRS.	11	3.1	1	2	2	3	3	4	5	5
20-34	11	11.2	95	3	3	10	13	25	36	37
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	6	19.2	164	5	6	16	21	41	43	43
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.7	8	1	2	4	7	8	10	13
B. *Operated*	17	6.6	45	1	2	5	8	15	24	28
2. MULTIPLE DX										
A. *Not Operated*	48	7.0	35	2	2	6	8	15	22	30
B. *Operated*	32	9.3	95	2	2	5	14	18	35	43
1. SINGLE DX	39	5.5	24	1	1	5	7	10	15	28
2. MULTIPLE DX	80	7.9	60	2	2	5	9	16	23	41
A. NOT OPERATED	70	6.3	28	2	2	5	7	11	16	29
B. OPERATED	49	8.4	78	2	2	5	11	17	28	43
TOTAL 0-19 YRS.	44	4.0	5	1	2	3	5	7	8	10
20-34	33	8.8	49	3	3	7	11	16	21	37
35-49	17	4.4	4	1	1	5	6	7	8	8
50-64	17	11.9	136	2	2	7	17	27	30	43
65+	8	13.0	65	4	5	12	15	26	30	30
GRAND TOTAL	**119**	**7.1**	**49**	**2**	**2**	**5**	**8**	**16**	**22**	**30**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	6	1	1	3	6	7	9	11
20-34	56	4.6	12	1	1	3	6	9	10	19
35-49	33	4.9	7	1	2	5	5	9	11	14
50-64	14	5.1	8	2	3	4	5	9	11	12
65+	5	4.8	4	3	3	5	6	8	8	8
B. *Operated*										
0-19 YRS	8	6.0	15	1	1	6	9	11	12	12
20-34	168	5.7	19	1	2	5	8	12	14	20
35-49	130	5.1	16	1	1	4	8	10	13	17
50-64	39	6.3	30	1	1	5	9	13	17	27
65+	5	7.2	32	1	1	5	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	7.2	18	2	2	7	9	12	15	21
20-34	140	6.2	18	1	2	5	8	11	16	21
35-49	125	8.6	47	2	2	7	11	15	22	36
50-64	98	9.7	36	3	4	8	14	17	22	29
65+	87	10.0	57	3	3	8	12	20	23	43
B. *Operated*										
0-19 YRS	17	11.6	74	1	2	9	19	25	26	26
20-34	171	9.2	70	2	2	7	12	19	23	53
35-49	148	9.6	67	2	2	8	13	18	22	52
50-64	91	13.1	158	2	3	9	17	26	33	69
65+	49	15.8	131	3	4	14	21	33	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	4.5	9	1	2	4	6	9	10	14
B. *Operated*	350	5.6	19	1	2	4	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	562	8.1	35	2	3	7	10	15	19	30
B. *Operated*	476	10.8	97	2	2	8	14	22	27	55
1. SINGLE DX	492	5.3	16	1	2	4	7	10	13	17
2. MULTIPLE DX	1038	9.4	65	2	2	7	12	19	23	45
A. NOT OPERATED	704	7.4	32	2	2	6	9	14	18	30
B. OPERATED	826	8.6	71	1	2	6	11	17	24	45
TOTAL 0-19 YRS	171	6.9	25	1	2	6	9	13	17	25
20-34	535	6.8	37	1	2	5	9	13	18	27
35-49	436	7.6	45	1	2	6	10	15	18	34
50-64	242	10.2	86	2	3	8	13	21	26	50
65+	146	11.7	88	3	3	9	14	23	32	45
GRAND TOTAL	**1530**	**8.1**	**53**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	17.0	8	15	15	17	19	19	19	19
50-64	4	9.8	128	2	2	6	17	26	26	26
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49	4	10.8	73	4	4	8	16	23	23	23
50-64	7	5.1	14	1	1	4	7	11	12	12
65+	12	6.8	17	3	3	5	9	13	16	16
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	8.0	49	2	2	6	10	20	20	20
35-49	5	5.8	8	2	2	5	8	9	9	9
50-64	9	9.8	19	2	3	10	13	15	15	15
65+	6	12.7	162	2	2	7	27	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	7	10.7	92	2	2	9	18	25	26	26
2. MULTIPLE DX										
A. *Not Operated*	27	6.7	27	1	2	5	10	14	17	23
B. *Operated*	27	8.9	54	2	2	6	11	19	27	30
1. SINGLE DX	9	8.9	82	2	2	3	16	23	26	26
2. MULTIPLE DX	54	7.8	41	2	2	5	11	15	22	30
A. NOT OPERATED	29	6.4	26	1	2	5	9	14	16	23
B. OPERATED	34	9.3	60	2	2	7	13	21	27	30
TOTAL 0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	7	8.4	43	2	2	6	13	19	20	20
35-49	11	9.6	44	2	3	8	14	21	23	23
50-64	20	8.2	38	1	2	7	11	15	21	26
65+	19	8.4	66	2	2	5	11	23	29	30
GRAND TOTAL	**63**	**8.0**	**46**	**2**	**2**	**5**	**11**	**17**	**24**	**30**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	4	2	3	5	6	8	9	9
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	18	10.6	451	1	2	6	8	11	61	95
50-64	85	7.3	77	1	1	6	8	16	19	56
65+	53	5.4	24	1	1	4	6	14	17	19
B. *Operated*										
0-19 YRS	13	3.2	13	1	1	2	3	6	13	15
20-34	24	3.6	4	1	1	3	4	6	8	9
35-49	96	5.6	26	2	2	4	7	12	15	27
50-64	297	6.6	73	1	1	4	8	14	21	49
65+	326	6.2	40	1	1	4	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.9	15	1	2	5	7	12	15	17
20-34	13	10.5	52	2	4	7	15	22	25	26
35-49	64	8.5	101	1	1	6	9	15	36	47
50-64	275	9.6	127	1	2	6	10	22	37	57
65+	271	9.7	105	1	2	6	11	22	32	55
B. *Operated*										
0-19 YRS	7	6.6	22	1	1	6	10	13	14	14
20-34	26	13.4	116	2	3	9	17	34	35	36
35-49	156	12.5	156	1	2	9	16	30	40	54
50-64	644	14.1	207	2	2	10	19	31	45	94
65+	714	13.1	204	2	2	9	17	28	46	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	6.9	93	1	1	5	7	13	18	58
B. *Operated*	756	6.2	50	1	1	4	8	14	17	35
2. MULTIPLE DX										
A. *Not Operated*	645	9.4	110	1	2	6	10	21	33	55
B. *Operated*	1547	13.4	198	2	2	9	18	30	44	81
1. SINGLE DX	927	6.3	58	1	1	4	8	14	17	38
2. MULTIPLE DX	2192	12.3	175	2	2	8	16	28	41	74
A. NOT OPERATED	816	8.9	107	1	2	6	10	19	29	56
B. OPERATED	2303	11.1	161	1	2	7	14	26	36	74
TOTAL 0-19 YRS	55	5.1	14	1	2	4	7	10	14	17
20-34	65	9.0	77	1	2	6	10	23	32	36
35-49	334	9.6	131	1	2	6	11	22	35	49
50-64	1301	11.0	161	1	2	7	14	27	39	73
65+	1364	10.5	147	1	2	7	13	23	35	70
GRAND TOTAL	**3119**	**10.5**	**148**	**1**	**2**	**6**	**13**	**24**	**35**	**70**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	12.0	244	2	2	4	23	30	30	30
50-64	36	6.7	32	1	2	6	7	10	17	33
65+	35	5.5	48	1	1	4	6	13	15	39
B. *Operated*										
0-19 YRS										
20-34	5	7.0	16	4	4	5	10	13	13	13
35-49	7	13.7	12	9	10	14	15	19	20	20
50-64	61	13.6	87	2	3	11	17	28	31	42
65+	68	10.6	92	1	2	7	15	24	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	4	3	3	5	6	7	7	7
35-49	27	12.7	160	2	2	11	16	21	34	66
50-64	134	9.5	121	1	2	6	11	20	35	54
65+	186	9.3	62	2	3	7	12	20	25	42
B. *Operated*										
0-19 YRS										
20-34	5	10.0	31	1	1	11	14	15	15	15
35-49	40	18.8	168	3	5	16	23	37	48	57
50-64	258	18.9	203	3	5	16	24	37	50	80
65+	359	20.4	324	3	4	15	27	49	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.4	46	1	1	5	7	13	17	38
B. *Operated*	141	11.9	85	2	3	10	16	25	30	42
2. MULTIPLE DX										
A. *Not Operated*	350	9.6	92	2	2	7	12	20	28	50
B. *Operated*	662	19.6	266	3	4	15	25	43	59	99
1. SINGLE DX	215	10.0	78	1	2	7	14	23	29	40
2. MULTIPLE DX	1012	16.2	228	2	3	12	22	37	50	88
A. NOT OPERATED	424	9.0	86	1	2	6	11	19	28	48
B. OPERATED	803	18.3	242	2	4	14	24	40	55	95
TOTAL 0-19 YRS										
20-34	13	7.7	20	1	3	7	11	14	15	15
35-49	77	15.9	157	2	3	14	20	29	41	64
50-64	489	14.8	175	2	3	11	20	31	42	68
65+	648	15.4	241	2	3	11	21	38	51	98
GRAND TOTAL	**1227**	**15.1**	**207**	**2**	**3**	**11**	**20**	**34**	**47**	**86**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	6.7	15	2	2	6	9	12	13	13
50-64	9	7.6	30	1	2	5	11	16	18	18
65+	40	7.4	83	1	1	5	8	18	25	49
B. *Operated*										
0-19 YRS										
20-34	3	16.7	72	8	8	17	23	25	25	25
35-49	25	17.5	158	4	4	16	21	24	46	63
50-64	49	13.8	84	2	3	13	17	23	28	54
65+	115	16.8	103	3	4	15	22	32	37	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	11	2	2	5	7	10	10	10
35-49	33	7.4	41	2	2	6	7	13	26	28
50-64	136	7.0	66	1	2	5	8	13	17	50
65+	324	9.5	65	2	3	7	11	20	25	42
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	9	14.7	90	2	4	10	25	27	27	27
35-49	96	20.4	209	4	6	16	28	40	47	72
50-64	347	20.1	153	6	9	17	25	35	43	98
65+	731	20.9	181	4	8	18	26	39	49	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	7.3	65	1	1	5	8	14	24	48
B. *Operated*	192	16.1	105	3	4	15	21	29	37	53
2. MULTIPLE DX										
A. *Not Operated*	499	8.6	64	1	2	6	11	16	24	43
B. *Operated*	1184	20.6	174	4	8	18	26	37	47	76
1. SINGLE DX	248	14.1	110	2	3	13	19	27	34	51
2. MULTIPLE DX	1683	17.0	171	2	4	14	23	33	42	67
A. NOT OPERATED	555	8.5	64	1	2	6	11	16	24	44
B. OPERATED	1376	20.0	167	4	7	17	25	36	46	73
TOTAL 0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	18	11.8	78	2	2	9	18	26	27	27
35-49	161	16.7	187	3	4	13	21	37	44	63
50-64	541	16.1	155	2	3	14	22	31	40	77
65+	1210	17.0	166	3	4	14	23	33	41	61
GRAND TOTAL	**1931**	**16.7**	**164**	**2**	**4**	**14**	**22**	**32**	**41**	**64**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	59th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	3.0		3	3	3	3	3	3	3
65+	4	5.5		5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	16.0		16	16	16	16	16	16	16
35-49	6	13.2	25	8	8	12	15	21	22	22
50-64	9	15.1	65	8	8	12	21	28	30	30
65+	3	19.3	240	8	8	13	31	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	4.6	4	1	1	5	6	6	6	6
50-64	7	6.7	99	1	1	3	5	24	29	29
65+	39	7.5	68	2	3	4	8	13	25	46
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	12.8	18	10	10	11	15	19	19	19
35-49	18	17.7	117	5	7	14	25	28	40	48
50-64	59	21.2	229	9	9	17	24	42	60	99
65+	101	21.4	144	7	10	19	26	38	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.7	9	3	3	5	6	11	12	12
B. *Operated*	20	15.1	64	8	8	13	18	27	33	37
2. MULTIPLE DX										
A. *Not Operated*	53	6.9	63	1	2	4	7	12	27	46
B. *Operated*	183	20.8	166	8	9	18	25	39	48	96
1. SINGLE DX	27	12.7	66	3	5	12	15	24	31	37
2. MULTIPLE DX	236	17.7	176	3	4	15	23	35	45	89
A. NOT OPERATED	60	6.7	57	1	2	5	7	12	23	44
B. OPERATED	203	20.2	158	8	9	17	25	37	46	93
TOTAL 0-19 YRS	2	15.0	8	13	13	15	17	17	17	17
20-34	7	10.0	44	1	1	10	15	18	19	19
35-49	30	14.4	98	5	5	12	22	26	28	48
50-64	77	18.7	215	3	5	15	22	38	47	97
65+	147	17.3	161	3	4	15	23	34	44	74
GRAND TOTAL	**263**	**17.1**	**167**	**3**	**4**	**14**	**22**	**34**	**44**	**86**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	3.6	4	<1	<1	4	5	6	6	6
50-64	43	4.5	19	<1	1	3	6	10	15	19
65+	82	6.1	23	1	2	5	7	14	16	22
B. *Operated*										
0-19 YRS	4	19.3	113	7	7	20	28	30	30	30
20-34	10	14.4	44	7	7	13	20	24	25	25
35-49	70	11.4	16	4	6	11	14	17	18	21
50-64	362	12.1	22	5	7	12	15	18	20	25
65+	679	13.9	43	4	8	13	16	21	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	5	6	6	6	9	10	10	10
20-34	10	11.7	142	1	1	7	17	31	39	39
35-49	79	6.5	40	1	2	5	7	13	22	33
50-64	360	7.4	41	2	2	6	9	15	20	34
65+	1014	9.0	55	2	3	6	11	19	27	40
B. *Operated*										
0-19 YRS	5	16.2	34	11	11	13	22	23	23	23
20-34	42	14.5	43	4	7	13	18	24	28	32
35-49	282	14.8	85	5	7	13	18	24	33	90
50-64	1589	16.2	77	7	8	14	20	27	32	54
65+	4684	19.1	122	8	10	16	23	32	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	5.4	21	1	1	4	7	13	15	21
B. *Operated*	1125	13.2	36	5	8	12	16	20	23	32
2. MULTIPLE DX										
A. *Not Operated*	1466	8.5	59	2	2	6	11	17	25	38
B. *Operated*	6602	18.2	111	7	9	16	22	31	38	61
1. SINGLE DX	1257	12.4	40	2	4	12	15	20	23	32
2. MULTIPLE DX	8068	16.4	116	3	5	14	21	30	36	59
A. NOT OPERATED	1598	8.2	57	2	2	6	10	17	24	37
B. OPERATED	7727	17.5	103	7	9	15	21	30	36	59
TOTAL 0-19 YRS	12	15.0	67	6	6	12	22	27	30	30
20-34	62	14.0	58	3	5	13	18	24	28	38
35-49	438	12.6	76	3	4	11	16	22	28	65
50-64	2354	14.0	74	3	4	12	17	25	30	46
65+	6459	16.8	119	4	5	15	21	30	37	59
GRAND TOTAL	**9325**	**15.9**	**107**	**3**	**5**	**14**	**20**	**28**	**35**	**57**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	43	6.1	25	1	1	5	7	14	18	24
65+	70	6.2	22	2	2	5	7	13	18	23
B. *Operated*										
0-19 YRS	3	8.3	16	4	4	9	11	12	12	12
20-34	14	10.9	37	2	4	11	14	19	23	24
35-49	71	10.8	45	2	3	11	15	19	25	30
50-64	296	12.9	41	3	4	13	16	20	22	35
65+	496	13.8	65	3	4	13	18	24	29	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	9.6	71	1	1	7	14	23	26	26
35-49	53	10.3	143	1	2	8	10	21	33	63
50-64	257	9.2	104	2	2	6	10	18	30	52
65+	543	9.3	73	2	2	7	12	19	25	43
B. *Operated*										
0-19 YRS	4	18.5	40	10	10	19	23	25	25	25
20-34	22	16.9	92	5	6	18	22	38	60	99+
35-49	179	16.0	110	3	5	14	20	28	42	89
50-64	972	17.1	92	5	8	15	20	29	37	57
65+	2187	19.2	130	4	7	17	24	33	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	6.1	22	1	2	5	7	13	18	23
B. *Operated*	880	13.2	55	2	4	13	17	22	27	38
2. MULTIPLE DX										
A. *Not Operated*	862	9.3	86	2	2	6	12	19	27	48
B. *Operated*	3364	18.4	118	4	7	16	23	32	40	58
1. SINGLE DX	998	12.4	57	2	3	12	16	21	26	38
2. MULTIPLE DX	4226	16.6	125	3	4	15	21	31	38	58
A. NOT OPERATED	980	8.9	80	1	2	6	11	18	25	44
B. OPERATED	4244	17.3	110	4	6	15	22	30	38	55
TOTAL 0-19 YRS	7	14.1	55	4	5	12	20	24	25	25
20-34	47	13.0	81	1	3	12	19	25	38	99+
35-49	306	13.7	107	2	3	12	17	25	35	64
50-64	1568	14.7	94	3	4	13	19	26	33	52
65+	3296	16.5	125	3	4	15	22	30	37	54
GRAND TOTAL	**5224**	**15.8**	**115**	**3**	**4**	**14**	**20**	**29**	**36**	**54**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	245	1	1	5	13	38	38	38
20-34	4	6.3	17	1	1	7	9	10	10	10
35-49	6	10.0	296	1	1	3	5	41	45	45
50-64	30	6.5	39	1	2	4	9	15	20	28
65+	48	7.8	81	1	1	5	8	16	30	43
B. *Operated*										
0-19 YRS	11	14.2	325	2	2	10	14	38	64	66
20-34	7	12.0	21	8	8	9	17	18	18	18
35-49	20	10.0	28	3	5	8	12	19	21	22
50-64	47	14.0	104	1	2	12	21	27	37	39
65+	72	14.3	74	3	4	13	18	25	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.7	47	2	2	4	11	19	22	23
20-34	15	6.1	19	1	1	5	10	13	14	14
35-49	34	12.8	199	1	2	7	17	29	49	65
50-64	108	9.2	67	1	1	7	13	21	25	35
65+	274	10.5	73	2	3	8	14	21	25	41
B. *Operated*										
0-19 YRS	11	21.9	444	<1	2	17	33	57	62	63
20-34	20	19.5	255	4	5	15	26	42	59	65
35-49	53	17.4	156	2	4	15	21	37	41	62
50-64	238	19.3	184	4	7	16	25	36	45	75
65+	549	20.4	163	5	8	18	26	37	45	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	7.6	82	1	1	5	8	17	29	44
B. *Operated*	157	13.5	92	2	3	12	18	25	29	53
2. MULTIPLE DX										
A. *Not Operated*	443	10.2	80	1	2	8	14	21	25	42
B. *Operated*	871	19.9	174	4	7	17	26	37	46	67
1. SINGLE DX	250	11.3	96	1	2	9	15	24	29	45
2. MULTIPLE DX	1314	16.6	163	2	4	14	22	33	41	64
A. NOT OPERATED	536	9.7	81	1	2	7	13	21	25	43
B. OPERATED	1028	19.0	166	4	6	16	25	35	44	66
TOTAL 0-19 YRS	39	13.8	274	1	2	7	18	36	58	66
20-34	46	12.8	156	1	3	9	16	28	36	65
35-49	113	14.3	159	2	3	11	19	30	41	63
50-64	423	15.2	158	2	2	13	20	31	38	61
65+	943	16.5	149	3	4	14	22	32	41	59
GRAND TOTAL	**1564**	**15.8**	**156**	**2**	**3**	**13**	**21**	**32**	**40**	**63**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	8.0		8	8	8	8	8	8	8
35-49	12	3.3	4	<1	1	3	5	6	6	6
50-64	30	5.7	11	2	2	5	7	11	13	13
65+	61	8.5	53	2	2	6	11	19	24	34
B. *Operated*										
0-19 YRS	2	22.0	72	16	16	22	28	28	28	28
20-34	1	14.0		14	14	14	14	14	14	14
35-49	14	17.7	138	1	3	16	25	31	42	45
50-64	49	16.2	120	1	3	15	22	30	37	51
65+	69	18.3	133	3	4	18	22	33	41	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	4.7	5	2	2	4	7	8	8	8
35-49	50	9.1	236	2	2	5	9	15	18	89
50-64	258	8.0	37	1	2	6	11	16	19	31
65+	461	10.7	82	2	3	8	14	22	29	43
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	9	12.8	63	5	5	10	18	24	28	28
35-49	65	20.5	221	6	7	17	22	39	55	81
50-64	448	21.3	222	4	8	17	27	40	51	94
65+	784	21.4	157	7	9	18	26	38	45	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	7.0	38	1	2	5	9	14	21	32
B. *Operated*	135	17.5	126	2	4	16	22	31	40	54
2. MULTIPLE DX										
A. *Not Operated*	779	9.6	78	2	2	7	12	20	26	42
B. *Operated*	1307	21.3	182	5	8	18	26	39	47	76
1. SINGLE DX	240	12.9	114	2	2	11	18	26	33	51
2. MULTIPLE DX	2086	16.9	174	3	4	14	22	33	42	63
A. NOT OPERATED	884	9.3	74	2	2	7	12	19	25	40
B. OPERATED	1442	20.9	178	5	8	18	26	38	46	75
TOTAL 0-19 YRS	5	15.0	176	1	1	16	28	28	28	28
20-34	20	9.0	46	2	3	7	12	18	23	28
35-49	141	14.7	236	1	2	11	18	29	46	84
50-64	785	16.0	187	2	3	13	21	33	42	74
65+	1375	17.1	153	3	4	15	23	33	41	57
GRAND TOTAL	**2326**	**16.5**	**170**	**2**	**3**	**14**	**22**	**33**	**42**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	76	4.4	16	1	2	3	5	11	14	78
50-64	378	5.9	50	1	2	4	7	12	18	40
65+	363	6.9	49	1	1	5	8	15	22	37
B. *Operated*										
0-19 YRS	7	8.0	16	2	3	7	11	14	14	14
20-34	15	9.8	26	1	3	9	14	16	18	18
35-49	200	9.9	34	2	3	9	13	18	20	27
50-64	824	10.7	59	2	3	9	14	20	23	35
65+	866	10.9	64	2	3	9	14	21	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.0	145	2	2	3	15	27	27	27
20-34	32	7.7	87	1	2	5	10	14	22	51
35-49	511	7.9	61	1	2	5	9	18	24	36
50-64	2849	8.7	75	1	2	6	11	19	25	45
65+	3314	9.9	75	2	2	7	13	21	26	43
B. *Operated*										
0-19 YRS	4	12.8	24	8	8	12	16	19	19	19
20-34	38	13.4	94	3	4	11	17	26	29	53
35-49	649	13.7	89	3	4	12	18	25	30	50
50-64	3602	14.8	111	3	4	12	19	28	34	56
65+	4613	15.6	129	3	4	13	20	30	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	6.2	47	1	1	4	7	14	20	37
B. *Operated*	1912	10.7	58	2	3	9	14	20	25	37
2. MULTIPLE DX										
A. *Not Operated*	6710	9.2	74	1	2	7	12	20	26	43
B. *Operated*	3906	15.1	119	3	4	13	20	28	36	58
1. SINGLE DX	2733	9.4	59	1	2	8	13	18	23	37
2. MULTIPLE DX	15616	12.6	108	2	3	10	17	25	32	52
A. NOT OPERATED	7531	8.9	72	1	2	6	11	19	25	42
B. OPERATED	10818	14.3	111	3	4	12	18	27	34	56
TOTAL 0-19 YRS	16	9.2	46	2	2	7	13	19	25	27
20-34	88	10.3	84	2	2	9	14	18	26	52
35-49	1436	10.6	77	2	2	8	15	21	26	42
50-64	7653	11.6	98	2	2	9	15	24	30	50
65+	9156	12.7	109	2	3	10	17	26	33	52
GRAND TOTAL	**18349**	**12.1**	**102**	**2**	**3**	**10**	**16**	**25**	**31**	**51**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	4	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	12	6.8	47	1	1	5	9	17	24	25
50-64	33	5.2	9	1	2	6	7	8	11	12
65+	34	6.9	35	1	2	5	9	18	20	24
B. *Operated*										
0-19 YRS	11	6.8	25	1	1	6	11	14	15	15
20-34	23	7.8	38	1	1	7	11	16	22	22
35-49	72	6.6	44	1	1	3	11	18	22	23
50-64	264	7.6	63	1	1	4	12	19	23	35
65+	258	7.5	76	1	1	3	11	20	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.2	11	1	1	5	8	10	11	12
20-34	16	5.8	31	1	1	5	7	9	19	24
35-49	27	13.2	381	1	1	6	15	40	59	87
50-64	126	9.0	85	1	2	6	10	17	33	45
65+	116	8.0	51	1	2	6	11	17	21	36
B. *Operated*										
0-19 YRS	10	20.9	625	5	5	10	27	58	88	88
20-34	34	11.9	49	3	3	11	17	21	24	29
35-49	87	13.5	190	2	2	12	17	27	38	82
50-64	485	15.4	200	2	2	13	22	31	44	94
65+	481	14.9	200	2	2	11	21	33	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	5.9	25	1	1	5	7	12	18	25
B. *Operated*	628	7.5	64	1	1	3	11	19	22	36
2. MULTIPLE DX										
A. *Not Operated*	303	8.6	93	1	2	6	10	17	25	48
B. *Operated*	1097	15.0	198	2	2	12	21	31	43	85
1. SINGLE DX	715	7.3	60	1	1	4	11	18	22	34
2. MULTIPLE DX	1400	13.6	182	1	2	10	19	30	41	82
A. NOT OPERATED	390	8.0	79	1	2	6	10	15	23	44
B. OPERATED	1725	12.3	163	1	2	9	18	27	36	75
TOTAL 0-19 YRS	44	8.9	186	1	1	5	10	15	27	88
20-34	76	9.0	47	1	2	7	13	21	22	28
35-49	198	10.5	163	1	1	6	15	22	28	73
50-64	908	11.9	152	1	2	8	17	26	36	78
65+	889	11.6	152	1	2	8	16	27	35	69
GRAND TOTAL	**2115**	**11.5**	**150**	**1**	**2**	**8**	**16**	**25**	**35**	**71**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.4	61	<1	<1	3	4	9	12	53
20-34	24	2.8	3	<1	1	2	4	5	7	8
35-49	13	5.3	42	1	1	4	5	14	23	25
50-64	21	5.0	13	1	2	4	5	9	14	18
65+	26	6.0	17	1	2	5	10	11	14	15
B. *Operated*										
0-19 YRS	99	7.6	51	1	2	6	10	14	17	44
20-34	59	7.7	57	1	2	5	10	19	23	35
35-49	71	8.2	36	2	2	7	11	15	19	32
50-64	69	9.7	46	2	2	9	12	19	23	33
65+	95	9.0	65	1	2	7	12	20	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	5.1	30	1	1	4	5	11	18	28
20-34	32	4.6	25	1	1	3	5	11	19	21
35-49	40	7.0	49	1	1	5	9	17	23	34
50-64	76	8.3	101	1	1	5	11	19	36	88
65+	127	10.5	132	1	2	7	12	24	39	53
B. *Operated*										
0-19 YRS	61	15.0	219	2	3	11	19	31	48	83
20-34	39	12.8	169	1	2	8	16	32	43	55
35-49	49	14.6	177	2	3	9	18	39	44	52
50-64	146	13.2	157	2	3	10	16	26	33	74
65+	220	16.6	180	2	4	13	19	35	45	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.6	37	<1	1	3	5	10	12	24
B. *Operated*	393	8.4	52	1	2	7	11	17	23	35
2. MULTIPLE DX										
A. *Not Operated*	383	7.7	84	1	1	5	9	18	25	49
B. *Operated*	515	14.9	178	2	3	11	18	32	44	67
1. SINGLE DX	553	7.3	51	1	2	5	10	16	20	35
2. MULTIPLE DX	898	11.9	151	1	2	8	15	27	38	60
A. NOT OPERATED	543	6.8	72	1	1	4	7	14	23	48
B. OPERATED	908	12.1	134	2	2	9	15	25	35	56
TOTAL 0-19 YRS	344	7.4	90	<1	1	4	5	15	22	53
20-34	154	7.6	81	1	1	4	8	19	28	50
35-49	173	9.5	89	1	2	7	11	22	33	46
50-64	312	10.7	115	1	2	7	14	23	30	70
65+	468	12.8	147	2	2	9	16	28	40	56
GRAND TOTAL	1451	10.1	117	1	2	7	13	22	33	53

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	12	7.1	73	<1	1	4	9	17	30	32
50-64	12	4.0	4	<1	1	4	5	7	8	8
65+	11	6.4	29	2	3	4	6	16	20	20
B. *Operated*										
0-19 YRS	8	3.1	5	1	1	2	5	6	6	6
20-34	88	5.2	12	1	1	5	7	9	11	16
35-49	148	5.9	18	1	2	5	8	10	13	25
50-64	147	6.8	18	1	2	6	10	12	14	19
65+	105	6.8	30	1	2	5	8	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	15	9.6	108	1	1	5	10	32	33	34
35-49	44	6.0	34	1	1	4	8	14	21	23
50-64	54	6.5	35	1	1	5	8	13	15	31
65+	77	6.8	24	1	3	6	8	14	17	24
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	47	9.2	91	1	2	6	13	19	25	50
35-49	82	9.0	44	2	2	7	12	19	22	33
50-64	141	9.4	46	2	2	8	12	19	25	30
65+	202	10.0	67	2	2	8	13	19	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	5.6	34	<1	1	4	6	11	18	32
B. *Operated*	496	6.2	20	1	2	5	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	192	6.7	36	1	1	5	8	14	19	32
B. *Operated*	474	9.6	59	2	2	8	12	19	23	36
1. SINGLE DX	533	6.1	21	1	2	5	8	11	15	24
2. MULTIPLE DX	666	8.7	54	2	2	7	11	18	22	35
A. NOT OPERATED	229	6.5	35	1	1	5	8	13	19	32
B. OPERATED	970	7.8	42	1	2	6	10	16	20	32
TOTAL 0-19 YRS	12	3.6	6	1	1	2	6	7	8	8
20-34	152	6.8	49	1	1	5	8	15	19	40
35-49	286	6.8	32	1	2	5	9	14	19	28
50-64	354	7.7	33	1	2	7	10	15	19	29
65+	395	8.4	50	2	2	7	11	17	21	35
GRAND TOTAL	1199	7.8	41	1	2	6	10	15	20	32

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	4.3	42	<1	<1	1	7	14	14	14
50-64	39	3.0	40	<1	<1	<1	2	6	10	39
65+	36	2.7	11	<1	<1	1	3	7	10	17
B. *Operated*										
0-19 YRS	8	3.5	3	1	1	3	5	6	6	6
20-34	24	4.3	13	1	1	3	5	8	12	18
35-49	93	4.1	19	<1	1	3	5	9	12	24
50-64	201	3.3	13	<1	1	2	4	6	7	16
65+	426	3.7	14	1	1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	3	10.3	209	1	1	3	21	27	27	27
50-64	34	8.2	94	<1	<1	5	11	17	36	39
65+	78	9.2	73	2	2	6	13	22	30	37
B. *Operated*										
0-19 YRS	6	5.7	28	2	2	3	9	14	15	15
20-34	14	5.6	14	1	1	5	9	12	12	12
35-49	81	5.1	72	<1	1	3	5	12	17	54
50-64	282	5.7	36	1	1	3	7	14	19	30
65+	879	7.3	70	1	2	4	9	17	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.9	26	<1	<1	<1	2	7	11	32
B. *Operated*	752	3.6	14	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	118	8.8	79	<1	1	6	11	22	30	38
B. *Operated*	1262	6.7	62	1	1	4	8	16	21	40
1. SINGLE DX	833	3.6	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	1380	6.9	64	1	1	4	9	16	23	40
A. NOT OPERATED	199	6.4	66	<1	<1	3	8	17	25	38
B. OPERATED	2014	5.6	47	1	1	3	7	13	18	36
TOTAL 0-19 YRS	15	4.3	13	1	2	3	5	9	13	15
20-34	42	4.6	13	1	1	4	7	9	12	18
35-49	181	4.6	46	<1	1	3	5	10	16	26
50-64	556	4.8	33	<1	1	3	5	11	16	35
65+	1419	6.2	55	1	1	3	8	14	20	38
GRAND TOTAL	**2213**	**5.7**	**48**	**1**	**1**	**3**	**7**	**13**	**19**	**37**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.3	1	1	1	2	3	3	3	3
35-49	30	4.2	23	1	1	3	4	8	14	25
50-64	56	5.6	14	1	2	4	7	12	12	16
65+	60	8.3	66	1	2	6	10	19	26	40
B. *Operated*										
0-19 YRS	4	3.8	10	<1	<1	3	6	7	7	7
20-34	195	6.0	10	1	2	6	8	10	12	14
35-49	948	6.3	9	2	2	6	8	10	11	15
50-64	1388	7.0	12	2	3	7	8	11	13	17
65+	1474	7.7	14	2	3	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	46	7.0	55	1	1	5	8	17	18	43
35-49	232	7.9	99	1	1	5	9	16	25	46
50-64	619	9.6	95	1	2	7	12	20	28	51
65+	711	10.8	93	2	3	8	14	22	30	52
B. *Operated*										
0-19 YRS	4	9.8	36	4	4	8	14	18	18	18
20-34	188	7.8	33	2	3	7	9	12	16	40
35-49	1194	8.2	26	2	4	7	10	13	17	28
50-64	2365	10.3	62	3	5	9	12	17	23	50
65+	3591	11.3	70	4	5	9	13	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	6.2	39	1	1	4	7	12	18	36
B. *Operated*	4009	7.0	13	2	3	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1609	9.8	94	1	2	7	13	20	28	49
B. *Operated*	7342	10.4	61	3	4	9	12	17	23	45
1. SINGLE DX	4162	7.0	14	2	3	7	9	11	13	18
2. MULTIPLE DX	8951	10.3	67	2	4	8	12	18	24	46
A. NOT OPERATED	1762	9.5	90	1	2	7	12	20	27	47
B. OPERATED	11351	9.2	46	2	4	8	11	15	20	38
TOTAL 0-19 YRS	10	6.0	27	<1	<1	5	7	14	18	18
20-34	435	6.9	26	1	2	6	8	11	14	26
35-49	2404	7.4	27	2	3	7	9	12	15	27
50-64	4428	9.1	52	2	3	8	10	15	20	42
65+	5836	10.3	61	3	4	9	12	17	24	44
GRAND TOTAL	**13113**	**9.2**	**52**	**2**	**3**	**8**	**11**	**16**	**21**	**41**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	4.0	11	<1	2	4	4	6	10	19
35-49	75	4.3	6	2	2	4	5	7	10	16
50-64	103	4.6	15	2	3	4	5	6	11	26
65+	76	4.4	10	1	3	4	5	7	10	19
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	151	5.1	16	1	1	4	7	10	12	19
35-49	201	6.1	21	1	2	4	9	13	14	17
50-64	151	6.1	45	1	2	4	8	12	18	42
65+	127	6.0	19	1	2	5	8	11	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	26	4.9	29	<1	1	3	5	10	18	24
35-49	76	8.1	79	2	3	5	9	18	25	49
50-64	144	6.8	59	2	2	4	7	16	27	38
65+	162	9.0	61	2	3	6	13	18	24	41
B. *Operated*										
0-19 YRS										
20-34	149	8.8	74	1	2	7	11	14	18	67
35-49	278	9.6	70	2	3	8	11	17	25	49
50-64	289	10.7	109	2	2	8	13	24	35	55
65+	278	11.1	114	2	3	8	13	26	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	4.4	11	1	2	4	5	6	10	20
B. *Operated*	634	5.8	25	1	2	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	409	7.8	63	2	2	5	10	18	24	40
B. *Operated*	994	10.2	95	2	2	8	12	21	29	53
1. SINGLE DX	914	5.4	21	1	2	4	7	10	13	20
2. MULTIPLE DX	1403	9.5	86	2	2	7	12	20	28	48
A. NOT OPERATED	689	6.4	44	2	2	4	7	14	20	37
B. OPERATED	1628	8.5	72	1	2	6	10	17	24	47
TOTAL 0-19 YRS	6	2.8	4	1	1	2	4	6	6	6
20-34	351	6.6	44	1	1	5	9	13	17	24
35-49	630	7.7	52	2	2	6	10	14	18	42
50-64	687	7.9	76	2	2	5	10	18	27	48
65+	643	8.8	75	2	3	5	11	20	26	43
GRAND TOTAL	**2317**	**7.9**	**65**	**1**	**2**	**5**	**10**	**16**	**22**	**44**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	20	4.3	6	1	2	4	5	6	10	13
50-64	85	4.0	4	1	2	4	5	5	6	14
65+	121	4.0	8	1	2	3	4	6	8	18
B. *Operated*										
0-19 YRS	3	9.7	16	6	6	9	13	14	14	14
20-34	17	7.1	8	2	3	7	8	10	13	14
35-49	97	6.5	14	1	1	7	8	11	13	19
50-64	418	6.2	14	1	2	6	8	10	12	16
65+	478	7.0	24	1	2	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	26	4.2	7	1	1	3	5	8	9	11
50-64	128	5.6	51	1	1	4	5	10	18	44
65+	235	7.9	62	2	2	5	10	18	25	39
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	25	7.2	17	1	2	8	10	13	14	16
35-49	224	8.8	32	2	3	8	10	15	21	34
50-64	1028	8.8	40	2	2	8	10	15	18	32
65+	1383	10.3	62	2	2	9	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	4.0	6	1	2	4	4	6	7	16
B. *Operated*	1013	6.6	19	1	2	7	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	392	6.9	56	1	2	4	8	15	23	39
B. *Operated*	2661	9.6	51	2	2	8	11	17	22	41
1. SINGLE DX	1240	6.2	17	1	2	6	8	10	13	18
2. MULTIPLE DX	3053	9.2	53	2	2	8	11	17	22	40
A. NOT OPERATED	619	5.8	40	1	2	4	6	12	18	33
B. OPERATED	3674	8.8	44	2	2	8	10	15	20	36
TOTAL 0-19 YRS	5	9.6	14	6	6	9	13	14	14	14
20-34	45	7.1	13	2	2	7	9	13	13	16
35-49	367	7.6	27	1	2	7	9	13	17	29
50-64	1659	7.7	35	1	2	7	9	13	17	28
65+	2217	9.0	55	2	2	8	11	17	23	38
GRAND TOTAL	**4293**	**8.4**	**45**	**2**	**2**	**7**	**10**	**15**	**20**	**35**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	2	1	1	3	3	5	5	5
20-34	8	3.1	2	1	1	3	4	5	5	5
35-49	60	2.4	3	<1	1	2	3	5	7	8
50-64	159	3.3	33	1	1	2	3	6	9	13
65+	117	4.0	28	1	1	2	4	8	11	29
B. *Operated*										
0-19 YRS	12	6.6	2	3	4	7	8	8	8	8
20-34	56	7.9	8	5	5	7	9	12	14	16
35-49	69	7.7	7	4	4	8	9	12	12	16
50-64	113	11.2	45	4	6	10	13	20	27	37
65+	69	14.9	128	4	7	12	18	25	31	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.2	29	1	1	5	9	15	18	18
20-34	20	2.9	2	1	1	3	4	5	6	6
35-49	104	3.2	13	1	1	2	4	7	9	21
50-64	460	4.5	31	1	1	3	5	10	15	30
65+	481	5.7	39	1	1	3	7	14	20	30
B. *Operated*										
0-19 YRS	15	9.1	17	4	5	8	11	15	17	18
20-34	61	10.1	38	3	4	8	13	17	20	38
35-49	208	12.2	44	6	6	11	14	22	25	43
50-64	499	14.7	96	5	7	12	18	25	32	57
65+	554	18.4	158	5	7	15	23	34	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	3.3	25	1	1	2	3	6	9	21
B. *Operated*	319	10.5	54	4	5	9	12	18	22	37
2. MULTIPLE DX										
A. *Not Operated*	1074	4.9	33	1	1	3	6	11	18	29
B. *Operated*	1337	15.5	117	5	7	13	19	28	35	62
1. SINGLE DX	670	6.8	52	1	1	5	9	13	19	34
2. MULTIPLE DX	2411	10.8	107	1	2	8	15	23	30	50
A. NOT OPERATED	1425	4.5	31	1	1	3	5	10	16	27
B. OPERATED	1656	14.6	109	5	6	12	18	26	34	60
TOTAL 0-19 YRS	43	6.7	17	1	2	6	8	12	16	18
20-34	145	7.9	26	2	3	7	10	13	16	29
35-49	441	8.0	43	1	1	7	11	16	22	29
50-64	1231	9.1	84	1	1	7	13	20	25	45
65+	1221	11.8	137	1	2	9	16	26	34	58
GRAND TOTAL	**3081**	**9.9**	**98**	**1**	**2**	**8**	**13**	**22**	**28**	**49**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.5	9	1	1	1	4	7	7	7
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	8	4.0	5	1	1	4	6	7	7	7
65+	19	6.3	74	2	2	4	6	8	27	41
B. *Operated*										
0-19 YRS										
20-34	3	9.7	116	2	2	5	18	22	22	22
35-49	16	7.4	18	2	2	7	10	14	15	15
50-64	34	6.7	32	2	2	4	8	15	22	23
65+	78	10.2	102	1	2	6	13	26	32	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.0	46	2	2	4	11	17	17	17
35-49	10	4.9	18	1	1	4	7	12	13	13
50-64	16	8.9	139	1	2	4	8	29	39	43
65+	56	10.1	106	1	1	6	14	26	35	44
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	8.9	42	4	4	6	10	20	24	24
35-49	33	14.3	234	1	2	8	17	35	45	71
50-64	83	13.7	151	2	3	10	19	28	41	62
65+	211	14.0	124	2	3	11	20	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.2	45	1	1	4	6	7	9	41
B. *Operated*	131	8.9	75	2	2	5	11	23	27	40
2. MULTIPLE DX										
A. *Not Operated*	86	9.2	100	1	1	5	12	24	32	44
B. *Operated*	336	13.8	139	2	3	10	20	27	35	62
1. SINGLE DX	164	8.2	71	1	2	5	10	21	26	41
2. MULTIPLE DX	422	12.8	134	2	2	9	18	26	34	60
A. NOT OPERATED	119	8.1	87	1	1	5	10	19	31	43
B. OPERATED	467	12.4	125	2	3	8	18	26	33	58
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	19	7.3	46	1	1	5	8	20	23	24
35-49	61	10.7	149	1	2	7	12	24	37	68
50-64	141	10.9	123	2	2	7	13	25	32	49
65+	364	12.2	118	2	2	8	18	26	33	47
GRAND TOTAL	**586**	**11.5**	**121**	**2**	**2**	**8**	**16**	**26**	**33**	**47**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	44	5.8	27	1	1	4	8	13	18	22
65+	124	5.8	30	1	1	4	8	12	17	31
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	16.0		16	16	16	16	16	16	16
35-49	14	7.6	58	1	2	5	11	17	26	29
50-64	507	6.8	30	1	2	6	9	13	17	21
65+	1552	7.2	26	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	16.7	226	7	7	9	28	34	34	34
35-49	11	6.5	28	1	1	4	12	14	16	16
50-64	314	7.8	73	1	2	5	10	16	22	40
65+	1598	9.4	76	2	2	7	12	20	27	42
B. *Operated*										
0-19 YRS	9	8.2	29	2	2	8	13	16	17	17
20-34	5	8.2	35	2	2	6	12	17	17	17
35-49	37	10.6	88	2	4	8	11	24	25	50
50-64	1077	10.8	80	2	3	9	14	21	26	46
65+	5805	11.0	72	2	3	9	14	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	5.8	29	1	1	4	8	13	16	29
B. *Operated*	2075	7.1	28	2	2	6	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	1927	9.2	75	2	2	7	12	19	27	42
B. *Operated*	6933	11.0	73	2	3	9	14	21	27	44
1. SINGLE DX	2245	7.0	28	1	2	6	9	13	16	25
2. MULTIPLE DX	8860	10.6	74	2	3	8	13	21	27	43
A. NOT OPERATED	2097	8.9	73	2	2	6	11	19	26	42
B. OPERATED	9008	10.1	66	2	3	8	13	19	25	41
TOTAL 0-19 YRS	11	6.9	32	1	1	5	11	16	17	17
20-34	9	11.9	93	2	3	9	16	27	34	34
35-49	64	9.1	70	1	2	7	11	20	25	47
50-64	1942	9.2	68	1	2	7	12	18	23	43
65+	9079	10.0	67	2	3	8	13	19	25	41
GRAND TOTAL	**11105**	**9.9**	**67**	**2**	**2**	**8**	**12**	**19**	**25**	**42**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	4	<1	1	2	5	6	6	6
20-34	23	3.4	3	1	1	4	5	5	6	6
35-49	13	3.4	8	1	1	2	6	7	9	10
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	8.7	58	2	2	7	14	17	17	17
B. *Operated*										
0-19 YRS	13	4.2	15	1	1	3	5	11	13	13
20-34	194	5.2	12	1	2	4	7	10	12	17
35-49	84	4.5	8	1	2	4	6	8	9	16
50-64	23	5.0	11	1	2	4	7	9	12	16
65+	28	6.6	20	1	2	5	9	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	12	<1	1	5	8	9	11	11
20-34	62	5.7	17	1	2	5	6	10	15	22
35-49	10	3.7	8	<1	<1	3	5	8	10	10
50-64	11	8.8	94	2	2	6	10	22	35	36
65+	15	6.5	49	<1	1	3	11	15	22	24
B. *Operated*										
0-19 YRS	14	9.4	35	1	3	9	15	16	17	17
20-34	115	8.7	63	1	2	7	11	15	19	51
35-49	38	7.1	26	1	2	6	9	15	17	22
50-64	34	9.8	174	2	3	7	9	13	47	65
65+	57	11.8	102	3	3	9	13	21	39	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.6	8	1	1	3	5	6	7	17
B. *Operated*	342	5.1	12	1	2	4	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	112	5.8	28	1	1	5	7	13	15	29
B. *Operated*	258	9.3	80	2	3	7	11	17	21	55
1. SINGLE DX	396	4.9	12	1	2	4	6	9	12	17
2. MULTIPLE DX	370	8.3	67	1	2	6	10	15	19	54
A. NOT OPERATED	166	5.1	22	1	1	4	6	10	15	24
B. OPERATED	600	6.9	46	1	2	5	9	13	17	39
TOTAL 0-19 YRS	55	5.3	22	1	1	4	7	13	15	17
20-34	394	6.2	30	1	2	5	8	12	15	26
35-49	145	5.0	14	1	1	4	6	9	13	18
50-64	69	8.0	107	2	2	5	9	12	17	63
65+	103	9.5	76	2	2	7	12	18	23	47
GRAND TOTAL	**766**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**16**	**38**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.0	128	2	2	10	18	18	18	18
35-49	4	3.5	9	2	2	2	5	8	8	8
50-64	33	3.5	16	1	1	2	4	6	13	21
65+	67	4.9	21	1	1	3	7	11	15	21
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	31	3.3	6	1	2	3	3	8	10	11
35-49	160	3.7	13	1	1	3	4	7	9	20
50-64	754	4.9	21	1	1	3	6	11	16	23
65+	1792	5.2	24	1	2	4	6	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	113	5.4	21	1	1	4	7	13	17	20
65+	382	9.2	98	1	2	6	11	21	30	48
B. *Operated*										
0-19 YRS	7	12.9	102	1	1	11	23	26	26	26
20-34	16	5.9	22	1	1	5	7	11	17	20
35-49	129	7.1	49	1	2	5	9	16	23	37
50-64	1024	8.6	74	1	2	5	11	19	25	43
65+	3735	9.2	87	2	2	6	11	20	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	4.5	20	1	1	3	5	11	15	21
B. *Operated*	2740	5.0	23	1	1	3	6	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	499	8.3	83	1	2	5	10	18	26	46
B. *Operated*	4911	9.0	83	2	2	6	11	19	26	44
1. SINGLE DX	2846	5.0	23	1	1	3	6	11	15	23
2. MULTIPLE DX	5410	8.9	83	2	2	6	11	19	26	45
A. NOT OPERATED	605	7.6	74	1	1	5	10	16	23	42
B. OPERATED	7651	7.5	65	1	2	5	9	17	23	41
TOTAL 0-19 YRS	10	9.8	92	1	1	5	17	25	26	26
20-34	50	4.4	16	1	2	3	5	10	11	20
35-49	296	5.2	31	1	1	3	6	12	16	32
50-64	1924	6.9	52	1	2	4	8	16	21	40
65+	5976	7.9	72	1	2	5	10	17	24	42
GRAND TOTAL	**8256**	**7.6**	**66**	**1**	**2**	**5**	**9**	**17**	**23**	**41**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	6	1	1	3	5	8	9	9
20-34										
35-49	4	3.8	2	2	2	4	5	5	5	5
50-64	12	5.9	6	2	2	6	8	9	9	9
65+	16	3.6	7	1	1	3	5	8	9	10
B. *Operated*										
0-19 YRS	40	11.3	34	5	6	10	13	17	19	39
20-34	15	10.5	42	1	3	10	11	21	22	23
35-49	80	9.8	24	2	2	9	12	17	18	22
50-64	165	10.6	39	2	3	10	13	18	22	35
65+	187	11.3	59	2	2	10	14	21	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.8	44	1	1	4	6	11	21	32
20-34	12	5.7	21	1	1	4	8	12	15	16
35-49	32	7.9	36	1	2	6	11	15	21	27
50-64	138	9.1	104	2	2	6	10	20	29	59
65+	267	10.9	88	2	3	8	14	23	31	49
B. *Operated*										
0-19 YRS	23	21.1	386	4	6	13	29	45	66	89
20-34	19	9.7	42	1	2	9	11	20	24	25
35-49	108	13.9	96	3	5	11	16	28	34	51
50-64	488	16.2	118	4	6	14	20	29	39	62
65+	803	17.1	115	4	6	15	22	31	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.2	7	1	1	3	6	8	9	10
B. *Operated*	487	10.8	44	2	2	10	13	19	22	37
2. MULTIPLE DX										
A. *Not Operated*	473	9.8	87	2	2	7	12	21	28	49
B. *Operated*	1441	16.5	119	4	6	14	21	30	37	59
1. SINGLE DX	538	10.1	44	2	2	9	13	18	22	36
2. MULTIPLE DX	1914	14.8	120	2	4	12	19	29	35	56
A. NOT OPERATED	524	9.2	82	1	2	6	11	20	27	48
B. OPERATED	1928	15.1	106	2	5	12	19	28	35	55
TOTAL 0-19 YRS	106	10.8	142	2	2	8	13	19	33	69
20-34	46	8.9	39	1	2	9	11	20	22	25
35-49	224	11.4	66	2	3	10	14	21	27	47
50-64	803	13.7	108	2	3	11	17	26	32	59
65+	1273	14.8	110	2	4	12	19	28	35	54
GRAND TOTAL	**2452**	**13.8**	**107**	**2**	**3**	**11**	**18**	**27**	**33**	**54**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.2	2	1	1	2	3	4	5	6
20-34										
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	6	3.0	5	1	1	2	4	7	7	7
65+	4	8.0	129	2	2	3	14	25	25	25
B. *Operated*										
0-19 YRS	19	4.1	8	1	1	3	5	9	11	11
20-34	4	11.0	157	2	2	6	19	29	29	29
35-49	8	3.3	10	<1	<1	2	3	9	11	11
50-64	25	3.8	5	1	2	4	5	6	8	11
65+	32	4.2	7	1	2	3	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	7	3	3	4	7	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	5.8	1	5	5	6	6	7	7	7
50-64	6	3.2	3	2	2	3	4	6	6	6
65+	8	5.3	10	1	1	5	8	10	10	10
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.3	3	2	2	4	5	6	6	6
50-64	20	4.7	11	2	2	3	5	8	12	16
65+	35	7.5	52	2	2	5	8	18	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.5	21	1	1	2	4	7	10	25
B. *Operated*	88	4.3	14	1	2	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	24	4.7	6	1	2	4	6	9	9	10
B. *Operated*	64	6.0	35	2	2	4	7	11	18	35
1. SINGLE DX	116	4.1	16	1	1	3	5	8	11	26
2. MULTIPLE DX	88	5.7	27	2	2	4	7	10	16	32
A. NOT OPERATED	52	4.1	14	1	1	3	5	8	9	25
B. OPERATED	152	5.0	23	1	2	4	6	10	11	29
TOTAL 0-19 YRS	43	3.4	6	1	1	3	4	6	10	11
20-34	6	8.2	113	2	2	3	10	27	29	29
35-49	19	4.5	6	1	2	5	6	8	10	11
50-64	57	3.9	7	1	2	3	5	7	9	16
65+	79	5.9	34	2	2	4	7	10	19	33
GRAND TOTAL	**204**	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**11**	**27**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.1	17	1	1	3	5	8	15	18
20-34	45	5.2	27	1	2	4	5	11	13	32
35-49	59	5.6	25	1	2	4	8	11	13	32
50-64	65	9.2	71	1	2	6	12	21	29	36
65+	59	11.2	113	1	2	8	14	26	34	55
B. *Operated*										
0-19 YRS	77	11.7	72	1	2	11	15	19	21	51
20-34	73	11.9	46	3	4	11	14	21	26	34
35-49	70	13.8	90	4	6	12	17	20	34	53
50-64	125	18.0	175	6	8	14	22	32	45	73
65+	75	19.7	220	4	6	15	24	38	59	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.2	65	1	1	4	7	16	19	48
20-34	57	8.9	82	1	1	5	12	25	30	35
35-49	130	9.7	118	1	2	7	11	21	38	55
50-64	210	11.5	117	2	3	8	14	25	34	55
65+	194	13.5	132	3	4	10	18	29	42	57
B. *Operated*										
0-19 YRS	94	19.4	289	4	6	13	25	42	56	88
20-34	91	17.7	249	2	3	13	22	42	58	73
35-49	113	19.2	263	5	6	15	23	38	51	94
50-64	187	28.2	428	7	9	22	39	61	75	98
65+	180	28.6	368	7	9	24	37	56	67	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	7.3	60	1	2	5	9	15	26	36
B. *Operated*	420	15.4	137	3	5	13	18	27	37	66
2. MULTIPLE DX										
A. *Not Operated*	664	10.9	117	1	2	7	14	25	34	54
B. *Operated*	665	24.1	361	5	7	18	33	52	65	92
1. SINGLE DX	694	12.2	122	2	2	10	15	25	33	61
2. MULTIPLE DX	1329	17.5	282	2	3	12	23	42	55	85
A. NOT OPERATED	938	9.9	103	1	2	7	12	23	31	52
B. OPERATED	1085	20.7	292	4	6	15	26	44	60	87
TOTAL 0-19 YRS	290	11.6	167	1	1	8	15	25	38	67
20-34	266	12.1	140	2	2	9	15	26	33	63
35-49	372	12.7	165	2	2	9	16	27	40	62
50-64	587	17.9	279	2	4	12	23	40	56	85
65+	508	19.5	277	3	4	15	26	42	56	79
GRAND TOTAL	**2023**	**15.7**	**234**	**2**	**3**	**11**	**20**	**35**	**49**	**77**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS.	13	13.6	255	3	4	9	14	27	58	65
20-34	5	7.6	13	2	2	9	10	11	11	11
35-49	3	8.0	31	2	2	9	12	13	13	13
50-64	9	13.4	85	2	3	12	19	27	32	32
65+	2	11.0	162	2	2	11	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	8	9.6	82	3	3	6	15	24	25	25
20-34	3	6.0	21	2	2	5	9	11	11	11
35-49	6	5.5	7	3	3	5	6	10	10	10
50-64	6	18.0	336	1	1	15	24	47	50	50
65+	6	15.0	87	6	6	12	25	28	28	28
B. *Operated*										
0-19 YRS.	10	12.6	96	4	4	8	19	28	32	32
20-34	9	17.9	374	3	4	10	20	50	66	66
35-49	9	31.3	843	5	5	26	62	95	99+	99+
50-64	16	28.1	262	7	14	26	40	52	61	65
65+	23	29.1	512	6	7	21	33	62	84	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.8	10	1	1	3	6	8	8	8
B. *Operated*	32	11.9	136	2	2	10	14	20	31	65
2. MULTIPLE DX										
A. *Not Operated*	29	11.2	122	2	2	7	15	25	29	50
B. *Operated*	67	25.2	435	4	6	20	31	60	83	98
1. SINGLE DX	36	11.0	128	2	2	9	13	20	28	65
2. MULTIPLE DX	96	21.0	380	3	4	16	27	53	66	96
A. NOT OPERATED	33	10.3	114	1	2	6	12	25	28	50
B. OPERATED	99	20.9	375	3	4	15	26	55	66	95
TOTAL 0-19 YRS.	33	11.6	150	2	3	8	15	25	31	65
20-34	17	12.8	225	2	2	10	11	25	52	66
35-49	18	18.8	569	2	3	9	28	79	96	99+
50-64	32	21.5	252	2	3	18	28	44	53	65
65+	32	24.5	441	4	5	20	27	56	80	86
GRAND TOTAL	**132**	**18.3**	**329**	**2**	**3**	**12**	**24**	**44**	**64**	**93**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	30	4.1	19	<1	<1	3	4	8	12	23
20-34	16	3.6	6	1	1	3	4	7	10	11
35-49	18	3.4	7	1	1	3	4	6	10	12
50-64	8	3.5	8	1	1	3	4	8	10	10
65+	14	4.9	6	<1	2	4	5	[illegible]	10	10
B. *Operated*										
0-19 YRS.	35	7.6	31	1	1	6	12	16	19	19
20-34	115	4.9	5	2	3	4	6	8	10	11
35-49	101	5.3	11	2	3	4	5	10	12	19
50-64	77	6.4	34	3	3	5	7	10	15	40
65+	31	6.3	16	2	3	5	9	11	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	50	3.1	8	<1	1	3	4	6	9	15
20-34	33	4.1	10	1	1	3	5	9	12	14
35-49	35	3.8	18	1	1	2	4	7	9	24
50-64	33	6.5	49	1	2	5	7	14	27	30
65+	54	9.2	53	2	3	6	14	20	23	32
B. *Operated*										
0-19 YRS.	44	8.7	65	1	2	6	11	19	27	41
20-34	124	6.8	30	2	3	5	8	12	19	32
35-49	149	7.6	46	2	3	5	8	15	23	36
50-64	134	8.4	37	2	3	6	10	18	22	42
65+	117	13.9	196	3	4	9	16	32	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.0	11	1	1	3	5	8	10	19
B. *Operated*	359	5.7	17	2	3	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	205	5.5	34	1	1	3	6	14	18	29
B. *Operated*	568	9.0	79	2	3	6	10	19	27	49
1. SINGLE DX	445	5.4	16	2	2	4	6	10	12	19
2. MULTIPLE DX	773	8.1	69	1	2	5	9	17	25	45
A. NOT OPERATED	291	5.1	27	1	1	3	6	11	16	29
B. OPERATED	927	7.7	56	2	3	5	9	15	20	44
TOTAL 0-19 YRS.	159	5.8	36	<1	1	4	7	13	18	32
20-34	288	5.5	17	2	2	4	6	10	12	24
35-49	303	6.1	31	1	2	4	7	12	17	32
50-64	252	7.4	38	2	3	5	9	16	19	32
65+	216	11.0	134	2	3	7	13	23	36	59
GRAND TOTAL	**1218**	**7.1**	**52**	**1**	**2**	**5**	**8**	**14**	**20**	**41**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	2	<1	1	2	3	4	6	7
20-34	17	5.4	23	1	1	4	7	13	16	18
35-49	37	6.0	18	1	2	6	7	12	15	18
50-64	123	7.0	52	1	2	5	8	16	22	37
65+	210	6.7	35	1	1	5	8	15	20	27
B. *Operated*										
0-19 YRS	28	8.1	70	1	1	5	11	19	28	36
20-34	26	6.0	14	1	1	5	10	11	12	12
35-49	89	7.0	29	1	2	5	10	13	19	25
50-64	209	9.0	61	1	2	7	12	19	26	36
65+	292	9.9	91	1	2	7	14	22	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.9	27	1	2	3	6	10	12	33
20-34	286	6.4	49	1	2	4	8	13	19	41
35-49	1084	7.4	53	1	2	5	9	16	21	42
50-64	3643	9.1	77	1	2	6	11	19	26	46
65+	5670	10.5	87	2	3	8	13	22	29	48
B. *Operated*										
0-19 YRS	66	12.0	169	2	2	9	13	22	33	84
20-34	293	11.9	104	2	3	9	14	24	32	56
35-49	1134	12.0	108	2	3	9	15	25	33	54
50-64	3516	13.9	137	2	3	11	18	28	37	66
65+	4711	15.2	155	2	3	12	20	31	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	6.4	37	1	1	5	8	14	19	28
B. *Operated*	644	9.0	70	1	2	7	12	20	26	37
2. MULTIPLE DX										
A. *Not Operated*	10755	9.6	80	2	2	7	12	20	27	47
B. *Operated*	9720	14.2	143	2	3	11	19	29	38	61
1. SINGLE DX	1049	8.0	59	1	2	6	11	18	24	36
2. MULTIPLE DX	20475	11.8	115	2	3	9	15	25	33	56
A. NOT OPERATED	11160	9.4	79	2	2	7	12	20	27	46
B. OPERATED	10364	13.9	140	2	3	11	18	29	37	60
TOTAL 0-19 YRS	184	7.7	94	1	2	4	10	14	24	38
20-34	622	8.9	80	1	2	6	11	18	25	52
35-49	2344	9.6	84	1	2	7	12	20	27	48
50-64	7491	11.3	110	2	2	8	15	24	32	55
65+	10883	12.4	122	2	3	9	16	26	34	57
GRAND TOTAL	**21524**	**11.6**	**113**	**2**	**2**	**9**	**15**	**25**	**32**	**55**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.0	4	<1	1	2	5	6	7	7
20-34	57	3.4	9	1	1	2	5	7	10	14
35-49	16	4.4	25	<1	1	3	4	10	18	21
50-64	21	3.4	10	<1	1	2	4	9	10	11
65+	12	6.6	65	1	1	3	8	21	26	27
B. *Operated*										
0-19 YRS	96	7.0	27	1	2	6	9	15	17	25
20-34	267	6.7	24	1	2	6	9	12	16	24
35-49	96	8.1	32	2	2	7	10	18	20	24
50-64	40	11.2	55	2	3	9	15	24	27	31
65+	31	11.0	64	2	3	9	15	24	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.5	15	<1	<1	2	4	7	13	18
20-34	104	4.6	13	1	1	4	6	9	12	18
35-49	62	7.3	50	1	1	5	9	16	22	33
50-64	70	7.7	51	1	1	6	11	16	24	32
65+	82	10.1	124	1	1	6	13	22	34	58
B. *Operated*										
0-19 YRS	48	10.1	52	2	2	9	14	22	26	28
20-34	146	10.6	72	2	3	9	14	19	25	40
35-49	100	11.7	85	3	3	9	15	24	31	46
50-64	89	14.4	118	2	3	12	17	30	36	55
65+	94	17.1	189	2	3	13	24	38	45	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.8	16	1	1	2	5	8	10	22
B. *Operated*	530	7.6	33	1	2	6	10	15	20	28
2. MULTIPLE DX										
A. *Not Operated*	355	6.8	58	1	1	4	9	16	20	36
B. *Operated*	477	12.8	110	2	3	10	16	26	34	53
1. SINGLE DX	655	6.9	32	1	1	6	9	14	19	27
2. MULTIPLE DX	832	10.2	96	1	2	8	14	23	30	47
A. NOT OPERATED	480	6.0	49	1	1	4	8	14	18	34
B. OPERATED	1007	10.0	76	2	2	8	13	21	27	43
TOTAL 0-19 YRS	200	6.7	34	1	1	5	9	15	18	27
20-34	574	7.0	38	1	1	6	10	14	17	26
35-49	274	9.0	59	1	2	7	11	20	24	36
50-64	220	10.7	88	1	2	9	14	24	30	45
65+	219	13.0	152	1	2	9	17	31	39	59
GRAND TOTAL	**1487**	**8.8**	**71**	**1**	**2**	**6**	**11**	**18**	**25**	**39**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	4.3	13	1	1	4	5	9	11	19
20-34	22	4.8	7	2	2	4	6	9	11	12
35-49	12	5.1	6	2	3	5	5	8	11	12
50-64	17	3.7	11	<1	1	3	5	9	12	13
65+	41	5.4	17	1	1	5	7	11	14	18
B. *Operated*										
0-19 YRS	86	11.2	101	1	2	9	14	24	37	45
20-34	20	19.6	250	1	2	19	30	43	48	51
35-49	14	5.0	8	2	2	5	6	9	11	11
50-64	34	6.8	28	1	2	6	8	14	18	25
65+	46	5.8	20	2	2	4	8	12	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	392	4.6	36	1	1	3	5	10	12	25
20-34	34	6.3	21	1	1	6	9	12	15	21
35-49	22	11.4	147	1	1	8	17	26	44	46
50-64	135	7.0	42	1	1	5	10	15	20	55
65+	423	8.9	65	2	2	6	11	18	24	40
B. *Operated*										
0-19 YRS	105	17.7	234	2	3	13	24	41	52	96
20-34	43	29.6	523	2	4	27	45	59	68	94
35-49	26	18.6	468	1	3	9	26	58	72	76
50-64	115	14.4	171	2	3	11	19	29	41	63
65+	305	13.3	144	3	4	10	16	26	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	4.5	13	1	1	4	6	9	12	18
B. *Operated*	200	9.6	94	1	2	6	11	22	33	47
2. MULTIPLE DX										
A. *Not Operated*	1006	6.9	55	1	2	5	9	15	20	39
B. *Operated*	594	15.7	223	3	4	10	19	35	46	78
1. SINGLE DX	487	6.6	52	1	1	4	8	13	21	39
2. MULTIPLE DX	1600	10.2	135	1	2	7	12	23	32	64
A. NOT OPERATED	1293	6.4	47	1	1	4	8	13	18	34
B. OPERATED	794	14.2	197	2	3	9	18	31	44	72
TOTAL 0-19 YRS	778	7.0	86	1	1	4	8	17	24	47
20-34	119	16.7	354	1	2	8	26	46	56	79
35-49	74	11.7	238	1	2	6	11	31	45	75
50-64	301	9.6	103	1	2	6	13	21	28	47
65+	815	10.2	96	2	3	8	13	20	27	54
GRAND TOTAL	**2087**	**9.4**	**118**	**1**	**2**	**6**	**11**	**21**	**29**	**57**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.7	12	<1	1	4	7	10	12	13
20-34	29	7.0	28	1	2	6	8	15	19	24
35-49	19	6.8	51	<1	1	5	9	14	25	32
50-64	48	5.2	27	1	1	4	6	11	16	27
65+	101	6.8	62	1	1	4	8	17	26	38
B. *Operated*										
0-19 YRS	35	10.9	118	1	2	8	14	29	46	99+
20-34	48	15.8	244	1	2	8	30	45	54	99+
35-49	48	18.9	418	1	2	8	29	46	64	77
50-64	64	19.5	372	2	3	12	28	48	58	92
65+	55	11.8	171	2	3	7	12	30	42	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	7.2	40	1	1	6	8	16	22	32
20-34	56	8.4	75	1	1	6	9	16	30	44
35-49	65	6.4	36	1	1	5	8	15	21	24
50-64	137	7.4	57	1	1	6	9	15	21	48
65+	458	7.9	74	1	1	5	10	21	27	41
B. *Operated*										
0-19 YRS	43	25.6	557	2	3	17	35	61	82	91
20-34	79	24.9	296	3	5	27	34	45	57	97
35-49	100	25.2	307	3	4	26	41	51	62	99+
50-64	191	28.8	445	4	6	27	43	67	78	99+
65+	320	17.7	257	3	4	12	25	40	51	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	6.0	40	1	1	4	7	12	20	32
B. *Operated*	250	15.8	284	1	2	9	24	41	54	95
2. MULTIPLE DX										
A. *Not Operated*	832	7.7	64	1	1	5	9	18	25	37
B. *Operated*	733	22.8	355	3	4	18	35	52	66	99+
1. SINGLE DX	506	10.8	184	1	1	6	12	30	41	74
2. MULTIPLE DX	1565	14.8	257	1	2	8	22	39	52	89
A. NOT OPERATED	1088	7.3	58	1	1	5	9	17	24	36
B. OPERATED	983	21.0	346	2	4	14	32	49	63	99+
TOTAL 0-19 YRS	253	10.2	182	1	1	6	11	25	36	90
20-34	212	16.1	243	1	2	9	28	39	47	93
35-49	232	17.1	301	1	2	9	29	45	59	99+
50-64	440	18.2	370	1	2	10	29	50	68	99+
65+	934	11.4	162	1	1	7	14	29	38	60
GRAND TOTAL	**2071**	**13.8**	**242**	**1**	**2**	**8**	**19**	**36**	**49**	**82**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.1	19	<1	<1	3	5	8	10	23
20-34	34	4.5	37	<1	1	2	4	12	23	25
35-49	78	4.0	13	1	1	3	5	9	12	18
50-64	188	6.5	47	1	1	4	8	16	21	33
65+	235	7.6	60	1	1	5	10	17	23	36
B. *Operated*										
0-19 YRS	59	9.0	85	1	2	6	11	25	33	38
20-34	65	6.2	29	1	1	5	7	11	15	30
35-49	171	7.9	40	1	2	7	11	15	21	33
50-64	419	8.9	62	2	2	7	11	18	23	36
65+	500	9.6	71	2	2	7	13	19	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.9	33	1	1	3	7	10	13	33
20-34	62	6.4	47	1	2	4	8	13	15	44
35-49	193	7.1	41	1	1	5	10	15	18	37
50-64	749	8.8	83	1	1	6	11	19	25	46
65+	1335	9.7	76	1	2	7	12	22	27	43
B. *Operated*										
0-19 YRS	36	12.8	76	3	3	12	19	22	27	44
20-34	70	18.9	366	2	3	10	30	52	59	97
35-49	230	13.4	134	2	3	9	17	30	37	49
50-64	782	14.8	159	2	3	11	20	32	42	57
65+	1459	17.2	188	3	4	13	23	36	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	6.3	47	1	1	4	8	15	20	34
B. *Operated*	1214	8.9	63	1	2	7	12	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	2413	9.0	74	1	2	6	11	20	26	43
B. *Operated*	2577	16.1	180	3	4	12	21	34	44	67
1. SINGLE DX	1804	8.0	59	1	2	6	11	17	23	35
2. MULTIPLE DX	4990	12.7	142	1	2	9	17	28	37	57
A. NOT OPERATED	3003	8.4	70	1	1	6	11	19	25	41
B. OPERATED	3791	13.8	154	2	3	10	18	30	39	59
TOTAL 0-19 YRS	224	7.0	60	1	1	4	9	17	23	35
20-34	231	9.9	172	1	1	5	11	26	40	75
35-49	672	9.1	81	1	2	7	12	19	29	45
50-64	2138	10.8	113	1	2	8	14	24	32	50
65+	3529	12.7	136	2	2	9	17	27	36	57
GRAND TOTAL	**6794**	**11.4**	**124**	**1**	**2**	**8**	**15**	**25**	**34**	**55**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	59	3.1	6	1	1	2	4	6	8	14
20-34	185	3.0	2	1	1	3	4	5	6	8
35-49	204	3.2	3	1	2	3	4	5	6	9
50-64	233	3.6	3	2	2	3	4	6	7	10
65+	180	3.5	3	1	2	3	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	4	4.8	5	3	3	4	6	8	8	8
65+	4	6.8	18	2	2	6	10	12	12	12
B. *Operated*										
0-19 YRS	23	4.5	29	1	1	3	4	10	16	26
20-34	34	4.6	20	1	2	3	5	10	18	20
35-49	81	4.2	9	1	2	3	5	8	10	17
50-64	172	4.3	8	2	2	4	5	7	9	15
65+	176	5.2	16	1	2	4	7	9	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6		1	1	2	2	2	2	2
B. *Operated*	861	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	11	4.7	11	<1	1	4	7	10	12	12
B. *Operated*	486	4.6	13	1	2	4	6	9	11	20
1. SINGLE DX	866	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX	497	4.6	13	1	2	4	6	9	11	20
A. NOT OPERATED	16	3.8	10	<1	1	3	5	8	11	12
B. OPERATED	1347	3.8	7	1	2	3	4	6	8	15
TOTAL 0-19 YRS	83	3.4	12	1	1	3	4	6	9	22
20-34	221	3.3	5	1	1	3	4	5	7	14
35-49	287	3.5	4	1	2	3	4	6	7	12
50-64	411	3.9	5	2	2	3	4	6	8	14
65+	361	4.4	10	1	2	4	5	8	10	18
GRAND TOTAL	**1363**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	8	1	1	2	3	7	11	11
20-34	12	4.1	16	1	1	3	5	9	14	15
35-49	18	2.8	5	1	1	2	3	5	8	10
50-64	37	3.2	17	1	1	2	3	6	12	22
65+	52	3.3	11	1	1	2	4	6	10	17
B. *Operated*										
0-19 YRS	53	4.1	16	1	1	2	6	9	14	19
20-34	70	5.8	18	1	1	5	8	11	14	19
35-49	145	4.8	33	1	1	2	7	12	16	28
50-64	406	4.3	20	1	1	2	7	11	12	19
65+	486	4.4	23	1	1	2	5	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	9	1	1	2	5	9	10	10
20-34	24	4.2	13	1	1	4	5	11	12	14
35-49	50	6.4	192	1	1	3	6	9	16	99
50-64	136	4.0	17	1	1	3	5	8	10	22
65+	304	5.3	31	1	1	4	7	10	13	30
B. *Operated*										
0-19 YRS	35	5.4	14	1	1	5	8	10	12	15
20-34	97	7.9	31	1	2	7	10	15	19	25
35-49	292	6.8	30	1	1	5	9	14	18	26
50-64	991	7.0	39	1	1	5	9	15	19	31
65+	1781	8.4	63	1	2	6	11	17	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.2	12	1	1	2	4	6	10	18
B. *Operated*	1160	4.5	22	1	1	2	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	529	5.0	42	1	1	4	6	10	12	24
B. *Operated*	3196	7.8	52	1	2	6	10	16	21	33
1. SINGLE DX	1290	4.4	21	1	1	2	6	11	14	22
2. MULTIPLE DX	3725	7.4	51	1	1	5	10	15	20	33
A. NOT OPERATED	659	4.7	36	1	1	3	6	9	12	21
B. OPERATED	4356	6.9	46	1	1	5	9	15	19	31
TOTAL 0-19 YRS	114	4.4	14	1	1	3	7	9	11	17
20-34	203	6.5	25	1	1	5	9	13	16	24
35-49	505	6.0	47	1	1	4	8	13	16	27
50-64	1570	6.0	34	1	1	4	8	13	17	28
65+	2623	7.2	54	1	1	5	10	15	20	34
GRAND TOTAL	**5015**	**6.6**	**45**	**1**	**1**	**4**	**9**	**14**	**18**	**31**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	2	<1	1	2	2	3	4	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.0	1	<1	<1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	137	2.2	5	<1	1	2	2	5	8	10
20-34	55	3.2	12	<1	1	2	3	8	11	18
35-49	56	4.1	12	<1	1	2	7	9	10	16
50-64	48	5.3	16	1	1	4	8	10	14	16
65+	39	4.6	23	<1	1	3	6	9	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	17	9.3	36	3	4	6	14	19	21	22
B. *Operated*										
0-19 YRS	43	4.3	34	1	1	2	4	10	22	26
20-34	14	8.9	170	<1	1	3	10	20	43	50
35-49	47	5.6	20	1	1	3	9	13	15	17
50-64	79	9.2	51	1	2	7	14	20	25	80
65+	87	10.1	75	2	2	7	13	24	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.3	4	<1	1	2	3	3	7	11
B. *Operated*	335	3.4	12	<1	1	2	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	31	6.0	34	<1	<1	4	9	14	20	22
B. *Operated*	270	8.1	61	1	2	6	12	19	24	39
1. SINGLE DX	367	3.3	12	<1	1	2	4	8	10	16
2. MULTIPLE DX	301	7.8	58	1	1	5	11	18	24	37
A. NOT OPERATED	63	4.1	22	<1	1	2	4	12	14	22
B. OPERATED	605	5.5	39	1	1	3	8	13	18	31
TOTAL 0-19 YRS	212	2.6	11	<1	1	2	2	6	8	22
20-34	72	4.2	46	<1	1	2	4	10	16	43
35-49	109	4.6	16	1	1	3	7	10	13	16
50-64	131	7.6	41	1	2	6	10	17	22	44
65+	144	8.5	61	1	2	6	12	20	25	35
GRAND TOTAL	**668**	**5.4**	**38**	**1**	**1**	**3**	**7**	**13**	**18**	**30**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	3	1	1	3	4	5	7	8
20-34	10	1.7	2	<1	<1	1	2	4	5	5
35-49	7	2.9	11	<1	<1	1	3	9	10	10
50-64	12	3.7	9	<1	<1	3	5	8	11	11
65+	5	6.2	79	1	1	3	8	22	22	22
B. *Operated*										
0-19 YRS	780	2.9	4	1	1	2	3	5	6	12
20-34	614	3.0	6	1	1	2	4	6	8	15
35-49	646	2.9	4	1	1	2	3	5	7	12
50-64	652	3.1	7	1	1	2	3	6	8	16
65+	335	3.6	11	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.1	22	<1	<1	2	5	13	15	15
20-34	20	4.7	31	<1	<1	3	5	15	19	20
35-49	21	5.0	13	<1	1	4	7	11	12	12
50-64	24	4.4	14	<1	1	3	7	9	12	15
65+	41	5.8	8	1	2	6	7	9	11	16
B. *Operated*										
0-19 YRS	154	4.3	41	1	1	3	4	8	12	16
20-34	272	4.4	29	1	1	3	5	8	14	26
35-49	549	4.6	19	1	2	3	6	9	12	20
50-64	662	5.2	31	1	1	3	6	11	15	30
65+	480	6.2	41	1	2	4	8	12	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	13	<1	<1	2	4	6	10	22
B. *Operated*	3027	3.0	6	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	119	5.0	15	<1	1	4	7	11	13	19
B. *Operated*	2117	5.1	31	1	1	3	6	10	14	28
1. SINGLE DX	3078	3.0	6	1	1	2	4	5	7	15
2. MULTIPLE DX	2236	5.1	30	1	1	3	6	10	14	28
A. NOT OPERATED	170	4.5	15	<1	<1	3	6	10	12	20
B. OPERATED	5144	3.9	17	1	1	3	4	8	11	20
TOTAL 0-19 YRS	964	3.1	11	1	1	2	4	5	7	15
20-34	916	3.5	13	1	1	3	4	6	9	17
35-49	1223	3.7	12	1	1	3	4	7	10	16
50-64	1350	4.1	20	1	1	3	4	9	12	22
65+	861	5.2	30	1	1	3	6	10	14	29
GRAND TOTAL	**5314**	**3.9**	**17**	**1**	**1**	**3**	**4**	**8**	**11**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	7	<1	<1	1	3	4	7	14
20-34	5	3.0	4	<1	<1	2	5	5	5	5
35-49	16	2.6	5	<1	<1	2	3	7	8	8
50-64	16	1.4	1	<1	<1	<1	1	3	4	5
65+	5	2.2	7	<1	<1	<1	2	7	7	7
B. *Operated*										
0-19 YRS	702	2.7	5	<1	1	2	3	6	8	12
20-34	207	3.2	9	<1	1	2	4	7	10	15
35-49	140	3.5	13	<1	1	2	4	7	11	20
50-64	141	3.4	20	<1	1	2	4	6	10	16
65+	102	4.2	33	<1	1	3	4	9	11	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.4	15	<1	<1	2	4	7	12	20
20-34	8	4.1	5	1	1	4	6	7	7	7
35-49	13	4.2	9	<1	1	3	5	9	11	11
50-64	19	5.6	13	<1	1	5	8	12	13	13
65+	35	9.7	60	<1	2	8	12	18	28	36
B. *Operated*										
0-19 YRS	165	3.9	22	<1	1	2	5	9	12	23
20-34	122	4.1	15	<1	1	3	5	9	12	21
35-49	143	5.4	26	<1	1	4	8	10	14	27
50-64	219	6.4	67	1	1	4	8	14	19	44
65+	202	8.7	143	1	1	5	10	20	28	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.2	5	<1	<1	1	3	5	7	13
B. *Operated*	1292	3.1	11	<1	1	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	114	5.9	34	<1	1	4	8	12	16	33
B. *Operated*	851	6.0	65	1	1	3	7	13	19	41
1. SINGLE DX	1364	3.0	10	<1	1	2	3	6	9	14
2. MULTIPLE DX	965	6.0	61	<1	1	3	7	13	18	39
A. NOT OPERATED	186	4.5	26	<1	<1	3	6	10	14	27
B. OPERATED	2143	4.2	34	<1	1	2	4	9	12	29
TOTAL 0-19 YRS	936	2.9	9	<1	1	2	3	6	9	14
20-34	342	3.6	11	<1	1	2	4	8	10	18
35-49	312	4.4	19	<1	1	3	5	10	12	23
50-64	395	5.1	47	<1	1	3	6	11	16	40
65+	344	7.4	105	1	1	4	9	16	23	57
GRAND TOTAL	**2329**	**4.2**	**34**	**<1**	**1**	**2**	**5**	**9**	**13**	**29**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	143	2.1	1	<1	1	2	2	3	4	7
20-34	290	1.9	1	<1	<1	2	2	3	4	5
35-49	304	2.1	1	1	1	2	2	3	4	7
50-64	139	2.3	3	1	1	2	2	4	5	9
65+	102	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	5	4.2	6	2	2	3	6	8	8	8
B. *Operated*										
0-19 YRS	24	2.9	5	<1	<1	2	3	8	8	8
20-34	149	2.8	7	<1	1	2	3	5	8	12
35-49	280	3.2	8	1	1	2	3	6	9	16
50-64	193	3.4	6	1	1	2	4	6	9	14
65+	154	4.4	17	1	1	3	6	9	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	978	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	11	3.3	5	<1	<1	3	5	6	8	8
B. *Operated*	800	3.4	9	1	1	2	4	7	9	16
1. SINGLE DX	985	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX	811	3.4	9	1	1	2	4	7	9	16
A. NOT OPERATED	18	2.6	4	<1	<1	2	3	5	7	8
B. OPERATED	1778	2.7	5	1	1	2	3	5	7	13
TOTAL 0-19 YRS	170	2.2	2	<1	1	2	2	3	5	8
20-34	444	2.2	3	<1	1	2	2	3	5	9
35-49	585	2.6	5	1	1	2	3	4	6	14
50-64	334	2.9	5	1	1	2	3	5	7	14
65+	263	3.6	11	1	1	2	4	8	9	17
GRAND TOTAL	**1796**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	3.0	3	<1	1	2	5	5	6	7
35-49	35	2.7	4	<1	<1	2	4	6	7	7
50-64	9	3.0	2	<1	1	3	4	5	5	5
65+	4	2.8	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	6	7.0	1	6	6	7	8	8	8	8
20-34	447	5.9	5	1	2	6	7	8	9	12
35-49	1380	6.5	5	2	4	7	7	9	10	13
50-64	197	6.4	7	1	2	7	8	9	10	13
65+	27	6.6	20	1	2	7	8	13	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	79	3.3	9	<1	1	2	4	7	8	19
35-49	201	3.7	14	<1	<1	3	5	8	10	14
50-64	49	3.8	8	<1	1	3	5	8	10	12
65+	18	6.4	9	3	3	6	9	10	12	13
B. *Operated*										
0-19 YRS	13	7.6	6	4	5	7	8	11	13	14
20-34	1817	6.6	10	2	3	7	8	9	11	18
35-49	8955	7.1	10	2	5	7	8	10	12	19
50-64	1998	7.7	14	2	4	7	9	12	14	21
65+	288	10.5	39	2	5	9	13	19	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.9	3	<1	<1	2	4	5	6	7
B. *Operated*	2057	6.4	5	2	3	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	349	3.8	12	<1	1	3	5	8	10	14
B. *Operated*	13071	7.2	12	2	4	7	8	10	13	20
1. SINGLE DX	2128	6.2	6	2	2	6	7	9	10	13
2. MULTIPLE DX	13420	7.1	12	2	4	7	8	10	13	20
A. NOT OPERATED	420	3.6	11	<1	1	3	5	7	10	13
B. OPERATED	15128	7.1	11	2	4	7	8	10	12	19
TOTAL 0-19 YRS	21	7.1	5	4	5	7	8	9	12	14
20-34	2366	6.4	10	1	2	6	8	9	11	16
35-49	10571	7.0	10	2	4	7	8	10	12	18
50-64	2253	7.5	14	2	3	7	9	11	14	20
65+	337	9.8	37	2	3	8	12	18	22	33
GRAND TOTAL	**15548**	**7.0**	**11**	**2**	**4**	**7**	**8**	**10**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	15	3.6	7	<1	<1	3	6	7	8	9
35-49	27	5.4	8	1	2	6	8	8	10	10
50-64	13	2.7	3	<1	1	2	3	5	7	7
65+	5	4.2	19	1	1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	40	5.5	9	1	2	5	7	9	11	14
35-49	118	6.5	10	1	2	7	8	9	10	19
50-64	40	5.1	13	1	2	5	8	10	12	14
65+	10	9.9	148	1	1	9	14	65	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	62	4.2	8	<1	1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*	208	6.2	17	1	2	6	8	9	12	31
1. SINGLE DX	63	4.1	8	<1	1	3	6	8	9	11
2. MULTIPLE DX	212	6.1	17	1	2	6	8	9	12	30
A. NOT OPERATED	5	3.0	2	2	2	3	4	5	5	5
B. OPERATED	270	5.7	16	1	2	6	8	9	11	22
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	58	4.9	9	<1	1	5	7	9	10	14
35-49	146	6.2	10	1	2	7	8	9	10	17
50-64	53	4.5	11	1	2	3	6	9	11	14
65+	16	7.7	103	1	1	5	11	37	80	99+
GRAND TOTAL	**275**	**5.7**	**16**	**1**	**2**	**6**	**8**	**9**	**11**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	148	5.6	3	3	4	6	6	7	8	11
20-34	549	5.5	3	3	4	5	6	7	8	11
35-49	182	6.2	5	4	4	6	7	8	10	15
50-64	116	7.4	5	4	5	7	8	10	11	16
65+	52	9.2	14	5	6	8	11	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	4	7.0	3	5	5	7	8	9	9	9
35-49	4	6.8	18	<1	<1	7	9	11	11	11
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	111	6.2	5	4	4	6	7	9	9	15
20-34	589	6.4	6	4	4	6	7	9	11	18
35-49	499	7.2	7	4	5	7	8	10	12	19
50-64	335	9.0	16	5	6	8	10	13	18	27
65+	259	13.1	59	6	7	10	15	23	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	4	1	1	4	4	7	8	8
B. *Operated*	1047	6.0	5	3	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	12	6.4	9	<1	2	7	9	10	11	11
B. *Operated*	1793	8.1	21	4	5	7	9	12	17	28
1. SINGLE DX	1054	6.0	5	3	4	6	7	8	10	14
2. MULTIPLE DX	1805	8.1	21	4	5	7	9	12	17	28
A. NOT OPERATED	19	5.5	9	<1	2	5	8	10	11	11
B. OPERATED	2840	7.3	16	4	4	6	8	11	14	25
TOTAL 0-19 YRS	265	5.8	4	3	4	6	7	8	9	11
20-34	1145	6.0	5	3	4	6	7	8	9	14
35-49	685	7.0	7	4	5	6	8	10	11	19
50-64	451	8.6	15	5	5	8	10	12	17	27
65+	313	12.4	53	6	6	10	14	21	28	43
GRAND TOTAL	**2859**	**7.3**	**16**	**4**	**4**	**6**	**8**	**11**	**14**	**25**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.6	7	<1	<1	2	6	7	7	7
20-34	19	3.5	5	<1	<1	3	5	7	8	9
35-49	11	3.2	6	<1	<1	2	4	7	9	9
50-64	8	2.5	1	<1	<1	3	3	4	4	4
65+	8	2.5	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	4	9.0	9	6	6	8	11	13	13	13
20-34	20	5.4	10	1	2	5	7	9	12	15
35-49	35	5.1	11	<1	1	5	7	9	11	14
50-64	12	7.5	42	1	2	6	8	18	23	24
65+	8	4.8	10	2	2	4	5	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	51	3.1	5	<1	<1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*	79	5.7	16	1	1	5	7	10	14	22
1. SINGLE DX	53	3.1	5	<1	<1	2	4	6	7	9
2. MULTIPLE DX	82	5.6	16	1	1	5	7	10	13	21
A. NOT OPERATED	5	3.4	6	1	1	2	6	6	6	6
B. OPERATED	130	4.7	13	<1	1	4	6	9	11	18
TOTAL 0-19 YRS	9	6.0	15	<1	1	6	8	11	13	13
20-34	42	4.3	9	<1	1	4	6	8	9	15
35-49	47	4.6	10	<1	1	4	7	9	11	14
50-64	20	5.5	31	<1	1	3	7	12	20	24
65+	17	3.8	8	1	1	3	5	7	10	12
GRAND TOTAL	**135**	**4.6**	**13**	**<1**	**1**	**4**	**6**	**9**	**11**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.1	1	1	1	2	3	3	3	3
20-34	25	2.9	1	1	1	3	3	4	5	6
35-49	11	2.4	2	<1	<1	2	3	4	5	5
50-64	13	2.2		1	1	2	3	3	3	3
65+	6	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	7	3.9	14	1	1	3	4	10	12	12
35-49	15	4.3	15	1	2	3	5	7	14	17
50-64	12	4.8	15	2	2	3	6	11	14	15
65+	19	6.4	28	1	2	4	8	15	18	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	63	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	55	5.1	19	1	2	4	6	12	15	21
1. SINGLE DX	63	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX	55	5.1	19	1	2	4	6	12	15	21
A. NOT OPERATED										
B. OPERATED	118	3.7	11	1	1	3	4	7	12	18
TOTAL 0-19 YRS	10	3.0	7	1	1	2	3	7	10	10
20-34	32	3.1	4	1	1	3	4	5	6	12
35-49	26	3.5	10	1	1	3	4	5	9	17
50-64	25	3.4	9	1	2	2	3	6	10	15
65+	25	5.4	24	1	2	4	6	14	16	21
GRAND TOTAL	**118**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**12**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.4	5	<1	<1	2	2	6	8	8
35-49	8	4.1	9	1	1	4	6	8	9	9
50-64	25	2.8	9	<1	1	2	3	5	11	13
65+	39	2.9	5	1	1	2	3	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	16	6.1	31	2	2	5	7	12	20	24
50-64	42	5.6	16	1	2	5	8	11	14	17
65+	85	6.1	50	1	1	4	8	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	3	1	1	2	4	5	5	5
B. *Operated*	83	2.9	6	<1	1	2	3	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	3	4.3	5	3	3	3	6	7	7	7
B. *Operated* —	145	6.0	37	1	2	4	8	12	16	27
1. SINGLE DX	87	2.9	6	1	1	2	3	6	9	12
2. MULTIPLE DX	148	6.0	36	1	2	4	8	12	16	26
A. NOT OPERATED	7	3.3	4	1	1	3	5	7	7	7
B. OPERATED	228	4.9	28	1	1	3	6	10	14	25
TOTAL 0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	11	3.2	9	<1	<1	2	3	9	10	10
35-49	25	5.2	24	1	1	5	7	9	15	24
50-64	68	4.6	15	1	1	3	7	10	13	17
65+	128	5.1	36	1	1	3	6	11	16	30
GRAND TOTAL	**235**	**4.8**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.6	1	<1	<1	2	2	2	3	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	6.3	56	2	2	2	12	15	15	15
50-64	5	6.0	57	1	1	2	9	19	19	19
65+	4	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	6	2.7	2	1	1	2	4	5	5	5
20-34	4	10.5	248	1	1	3	19	34	34	34
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	5	3.6	5	1	1	3	5	7	7	7
65+	5	5.8	22	3	3	4	7	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	41	2.6	12	<1	<1	2	2	4	10	19
2. MULTIPLE DX										
A. *Not Operated*	6	2.7	3	1	1	2	3	6	6	6
B. *Operated*	22	5.2	49	1	1	3	5	9	22	34
1. SINGLE DX	41	2.6	12	<1	<1	2	2	4	10	19
2. MULTIPLE DX	28	4.6	40	1	1	3	5	7	16	34
A. NOT OPERATED	6	2.7	3	1	1	2	3	6	6	6
B. OPERATED	63	3.5	26	<1	1	2	3	6	14	32
TOTAL 0-19 YRS	36	1.8	1	<1	<1	2	2	3	4	5
20-34	6	8.2	163	1	1	3	5	31	34	34
35-49	5	5.6	30	2	2	3	8	15	15	15
50-64	11	4.6	26	1	1	3	5	12	18	19
65+	11	4.1	13	<1	1	3	5	9	14	14
GRAND TOTAL	**69**	**3.4**	**24**	**<1**	**1**	**2**	**3**	**6**	**14**	**31**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	6	2.2	2	1	1	2	4	4	4	4
35-49	5	2.8	4	1	1	2	5	5	5	5
50-64	14	5.7	40	1	2	3	6	15	22	24
65+	13	5.2	22	1	1	3	7	12	15	16
B. *Operated*										
0-19 YRS	15	7.4	7	2	3	9	9	10	10	10
20-34	36	8.9	23	2	2	9	12	14	18	21
35-49	85	11.7	98	2	3	11	14	19	23	65
50-64	117	11.5	56	2	3	11	14	21	24	39
65+	83	15.6	168	2	4	13	20	29	34	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	6	3.8	9	1	1	3	7	8	8	8
35-49	6	10.3	276	1	1	4	7	40	44	44
50-64	31	6.9	46	2	2	5	7	12	22	35
65+	80	9.3	55	2	3	7	11	18	27	38
B. *Operated*										
0-19 YRS	23	13.6	107	1	2	11	21	27	34	41
20-34	36	15.7	275	4	5	10	18	28	45	93
35-49	88	17.4	291	2	3	12	23	36	64	99+
50-64	155	18.5	226	3	6	14	22	39	55	93
65+	235	27.3	370	4	9	21	39	56	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.4	22	1	1	3	5	11	15	24
B. *Operated*	336	12.1	93	2	3	11	15	21	27	54
2. MULTIPLE DX										
A. *Not Operated*	125	8.4	60	2	2	6	10	17	27	42
B. *Operated*	537	21.7	321	3	5	17	28	51	64	99+
1. SINGLE DX	377	11.3	91	2	2	10	14	21	25	51
2. MULTIPLE DX	662	19.2	299	3	4	14	26	46	59	99
A. NOT OPERATED	165	7.4	53	1	2	5	9	16	23	40
B. OPERATED	873	18.0	255	2	4	13	22	40	55	95
TOTAL 0-19 YRS	43	10.3	73	2	2	9	12	24	28	41
20-34	84	10.9	147	1	2	9	12	19	27	77
35-49	184	14.1	203	2	3	11	17	27	44	98
50-64	317	14.2	157	2	3	11	17	28	40	65
65+	411	20.7	319	3	4	16	28	50	61	99
GRAND TOTAL	**1039**	**16.3**	**238**	**2**	**3**	**12**	**20**	**37**	**53**	**93**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	4	7.5	26	4	4	5	10	15	15	15
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	38	3.3	1	2	2	3	4	4	5	7
20-34	248	3.8	3	2	2	4	4	6	6	10
35-49	315	3.9	2	2	2	4	4	5	6	9
50-64	224	4.4	10	2	2	4	5	6	7	19
65+	90	4.8	7	2	2	5	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	28	2	2	4	10	12	12	12
35-49	5	3.8	4	1	1	4	5	6	6	6
50-64	7	4.7	9	2	2	3	8	9	9	9
65+	6	7.3	12	4	4	7	10	12	12	12
B. *Operated*										
0-19 YRS	12	3.5	1	2	2	3	4	5	6	6
20-34	114	5.2	19	2	3	4	5	8	12	27
35-49	213	5.0	8	2	3	4	5	8	11	17
50-64	209	5.9	17	2	3	5	7	11	15	19
65+	140	7.4	44	3	3	5	8	14	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.9	19	1	2	5	7	13	15	15
B. *Operated*	915	4.0	5	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	21	5.4	11	1	2	4	9	11	12	12
B. *Operated*	688	5.8	20	2	3	4	6	10	14	24
1. SINGLE DX	923	4.1	5	2	2	4	5	6	7	12
2. MULTIPLE DX	709	5.8	20	2	3	4	6	10	14	24
A. NOT OPERATED	29	5.6	13	1	2	4	9	11	12	15
B. OPERATED	1603	4.8	12	2	3	4	5	7	10	20
TOTAL 0-19 YRS	51	3.5	2	2	2	3	4	5	6	9
20-34	367	4.2	8	2	2	4	5	6	8	18
35-49	537	4.3	5	2	3	4	5	6	8	14
50-64	440	5.1	14	2	3	4	5	8	12	18
65+	237	6.4	30	2	3	5	7	11	18	35
GRAND TOTAL	**1632**	**4.8**	**12**	**2**	**3**	**4**	**5**	**7**	**10**	**20**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	14	4.0	18	<1	1	3	4	11	15	16
35-49	8	4.8	1	4	4	4	5	7	7	7
50-64	6	4.0	8	1	1	3	5	9	9	9
65+	7	5.4	34	<1	<1	2	9	15	16	16
B. *Operated*										
0-19 YRS	9	8.1	5	5	5	8	9	11	12	12
20-34	38	8.7	28	3	3	8	10	15	22	26
35-49	41	9.4	26	4	4	9	11	16	19	29
50-64	70	8.6	24	3	4	8	10	14	17	27
65+	41	9.8	41	3	4	8	12	20	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	18	5.9	11	1	1	6	9	10	12	12
35-49	32	6.1	39	1	1	5	8	10	12	36
50-64	24	7.8	51	1	2	6	9	14	25	34
65+	20	8.5	29	1	2	7	11	16	19	22
B. *Operated*										
0-19 YRS	10	22.3	601	8	8	14	23	58	90	90
20-34	54	12.4	139	3	4	10	14	19	39	63
35-49	84	12.5	152	4	5	9	14	25	27	81
50-64	119	12.2	142	4	4	8	15	23	31	72
65+	121	14.8	103	4	5	12	19	31	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.2	13	<1	1	4	5	9	13	16
B. *Operated*	199	9.0	28	3	4	8	11	16	21	27
2. MULTIPLE DX										
A. *Not Operated*	97	6.9	34	1	1	6	8	12	16	35
B. *Operated*	388	13.4	144	4	4	10	16	25	34	67
1. SINGLE DX	240	8.2	28	2	3	7	10	15	19	26
2. MULTIPLE DX	485	12.1	129	3	4	9	15	23	32	63
A. NOT OPERATED	138	6.1	29	1	1	5	8	12	16	34
B. OPERATED	587	11.9	109	4	4	9	14	22	28	62
TOTAL 0-19 YRS	28	11.5	275	1	2	8	11	21	32	90
20-34	124	9.4	81	1	2	8	11	16	23	62
35-49	165	10.1	98	3	4	8	11	19	26	58
50-64	219	10.4	95	3	4	8	13	19	25	60
65+	189	12.7	87	3	4	10	17	26	32	46
GRAND TOTAL	**725**	**10.8**	**99**	**2**	**4**	**8**	**13**	**20**	**27**	**57**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.0	4	<1	<1	2	4	6	6	6
35-49	3	4.0	7	1	1	5	6	6	6	6
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	818	3.8	6	1	1	3	6	7	8	10
35-49	301	4.5	7	1	1	5	6	7	9	12
50-64	80	4.7	9	1	1	5	7	8	10	12
65+	34	4.4	9	<1	1	4	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	2.1	6	<1	<1	1	2	5	9	10
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	9	5.9	59	2	2	3	5	18	26	26
20-34	705	4.8	10	1	1	5	7	8	9	13
35-49	426	6.3	9	2	2	6	8	9	11	17
50-64	157	7.4	27	2	2	7	9	12	15	33
65+	91	7.7	51	2	2	6	10	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.0	8	<1	1	3	6	8	10	10
B. *Operated*	1239	4.0	7	1	1	3	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	20	2.4	6	<1	<1	1	2	6	8	10
B. *Operated*	1388	5.8	16	1	2	6	7	9	11	21
1. SINGLE DX	1251	4.0	7	1	1	3	6	7	8	11
2. MULTIPLE DX	1408	5.7	16	1	2	6	7	9	11	21
A. NOT OPERATED	32	3.0	7	<1	<1	2	5	7	9	10
B. OPERATED	2627	4.9	12	1	1	5	7	8	10	16
TOTAL 0-19 YRS	15	4.4	37	1	2	3	4	6	21	26
20-34	1540	4.3	8	1	1	4	6	8	9	12
35-49	733	5.5	9	1	2	6	7	9	10	16
50-64	242	6.4	22	1	2	6	8	11	13	27
65+	129	6.8	41	1	2	6	9	13	16	32
GRAND TOTAL	**2659**	**4.9**	**12**	**1**	**1**	**5**	**7**	**8**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	4.4	12	<1	<1	4	6	10	10	10
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	32	5.0	8	1	2	5	7	9	10	12
35-49	87	4.9	12	1	1	4	7	10	12	17
50-64	104	5.5	32	1	1	4	8	11	13	34
65+	157	5.2	26	1	1	3	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	16	6.3	105	<1	<1	3	6	11	33	43
65+	16	6.7	34	<1	1	6	9	15	20	22
B. *Operated*										
0-19 YRS	3	10.3	108	2	2	7	18	22	22	22
20-34	47	5.9	23	1	1	5	7	11	15	24
35-49	123	7.0	36	1	2	6	9	13	17	33
50-64	247	7.7	31	1	2	6	11	16	19	26
65+	435	10.1	114	2	2	7	13	21	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	8	<1	<1	2	4	7	10	10
B. *Operated*	381	5.2	23	1	1	4	7	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	34	6.2	64	<1	1	3	8	11	21	43
B. *Operated*	855	8.7	76	1	2	6	11	18	24	47
1. SINGLE DX	391	5.1	23	1	1	4	7	11	13	25
2. MULTIPLE DX	889	8.6	76	1	2	6	11	18	24	46
A. NOT OPERATED	44	5.5	53	<1	1	3	7	10	18	43
B. OPERATED	1236	7.6	62	1	2	5	10	16	21	41
TOTAL 0-19 YRS	4	8.0	94	1	1	4	14	22	22	22
20-34	80	5.5	17	1	1	5	7	9	12	24
35-49	213	6.1	27	1	1	5	8	11	15	31
50-64	372	7.0	35	1	2	5	10	15	18	27
65+	611	8.7	94	1	2	5	11	19	27	48
GRAND TOTAL	**1280**	**7.6**	**62**	**1**	**2**	**5**	**10**	**16**	**21**	**41**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	3.8	15	1	1	3	4	8	10	23
20-34	45	3.6	7	<1	1	3	5	7	8	13
35-49	55	3.0	6	<1	1	2	4	7	9	10
50-64	55	3.7	7	<1	1	3	6	8	9	11
65+	102	5.8	30	1	1	4	8	14	18	24
B. *Operated*										
0-19 YRS	211	5.5	36	1	2	3	7	12	15	32
20-34	267	4.8	17	1	2	4	6	10	11	16
35-49	265	5.5	53	1	1	3	6	11	15	43
50-64	335	5.1	25	1	1	3	7	11	14	26
65+	407	5.8	38	1	1	3	7	13	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	6.2	128	1	1	3	7	11	16	76
20-34	90	6.3	61	1	1	4	7	12	24	47
35-49	112	6.1	34	1	1	4	8	12	14	35
50-64	281	6.8	52	1	1	4	9	14	20	36
65+	693	7.4	43	1	2	5	10	15	21	31
B. *Operated*										
0-19 YRS	129	9.4	115	1	2	5	13	24	26	58
20-34	222	8.6	118	1	2	6	10	18	25	75
35-49	328	8.2	53	2	2	6	10	16	20	33
50-64	583	9.2	79	2	2	7	12	19	24	44
65+	1090	10.5	104	2	2	8	14	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.3	17	1	1	3	5	9	13	20
B. *Operated*	1485	5.4	34	1	1	3	7	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	1259	7.0	51	1	2	5	9	14	20	33
B. *Operated*	2352	9.6	93	2	2	7	12	20	26	48
1. SINGLE DX	1803	5.2	31	1	1	3	6	11	14	28
2. MULTIPLE DX	3611	8.7	80	1	2	6	11	18	24	44
A. NOT OPERATED	1577	6.4	45	1	1	4	8	13	18	32
B. OPERATED	3837	8.0	75	1	2	5	10	17	24	43
TOTAL 0-19 YRS	484	6.4	73	1	1	4	8	14	22	43
20-34	624	6.3	62	1	2	5	7	12	17	41
35-49	760	6.6	49	1	1	5	8	13	19	34
50-64	1254	7.3	59	1	2	5	9	15	20	40
65+	2292	8.5	75	1	2	6	11	18	24	42
GRAND TOTAL	**5414**	**7.5**	**67**	**1**	**2**	**5**	**10**	**16**	**22**	**40**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	1	1	1	3	3	4	4	4
20-34	21	4.7	10	<1	1	[illegible]	6	9	11	12
35-49	15	3.7	4	<1	1	4	5	6	7	7
50-64	9	4.0	6	1	1	4	5	8	9	9
65+	11	6.0	10	1	2	5	9	10	10	10
B. *Operated*										
0-19 YRS	26	3.6	1	2	3	4	4	4	5	6
20-34	221	4.1	2	2	2	4	5	6	6	8
35-49	320	4.1	3	2	3	4	5	6	7	12
50-64	259	4.7	4	2	3	4	5	7	8	13
65+	130	4.9	4	3	3	4	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	8	<1	<1	2	5	7	7	7
20-34	34	5.1	9	1	1	5	7	9	10	13
35-49	44	4.7	12	<1	1	4	7	9	11	17
50-64	52	5.3	8	1	2	5	8	9	10	11
65+	83	7.6	33	2	3	6	9	14	17	35
B. *Operated*										
0-19 YRS	5	7.2	17	3	3	6	11	12	12	12
20-34	100	5.3	10	3	3	4	6	8	10	21
35-49	215	5.9	13	3	3	5	6	11	13	19
50-64	271	6.3	16	3	3	5	7	12	15	22
65+	216	8.7	65	3	3	6	9	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.3	8	1	1	4	6	9	10	12
B. *Operated*	956	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	217	6.0	20	1	1	5	8	10	13	21
B. *Operated*	807	6.7	29	3	3	5	7	12	16	28
1. SINGLE DX	1019	4.3	4	2	3	4	5	6	7	12
2. MULTIPLE DX	1024	6.6	27	2	3	5	8	12	16	26
A. NOT OPERATED	280	5.6	18	1	1	5	8	10	12	19
B. OPERATED	1763	5.4	16	2	3	4	6	9	12	23
TOTAL 0-19 YRS	42	3.8	5	1	2	3	4	6	9	12
20-34	376	4.5	5	2	2	4	5	7	8	13
35-49	594	4.8	8	2	3	4	5	8	10	16
50-64	591	5.5	11	2	3	5	6	9	12	19
65+	440	7.3	42	3	3	5	8	13	19	41
GRAND TOTAL	**2043**	**5.5**	**17**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.7	15	1	2	4	6	8	9	26
20-34	139	5.1	9	1	1	5	7	9	11	16
35-49	123	5.0	7	1	2	4	7	8	10	13
50-64	71	6.6	32	1	2	5	8	13	18	32
65+	62	7.1	26	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	46	5.0	12	2	3	4	5	6	7	27
20-34	192	4.7	6	2	2	4	5	7	9	14
35-49	155	4.8	5	2	3	4	5	8	10	13
50-64	128	4.7	14	2	2	4	5	7	8	19
65+	49	5.2	17	2	2	5	6	8	8	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.5	61	2	3	5	7	10	14	56
20-34	243	6.0	12	2	2	5	8	10	12	19
35-49	340	6.6	20	2	3	5	8	11	16	22
50-64	473	7.6	25	2	3	7	9	13	17	28
65+	637	9.8	56	3	3	8	12	18	24	36
B. *Operated*										
0-19 YRS	29	6.2	28	1	2	5	7	11	16	29
20-34	130	7.0	43	2	3	5	8	12	17	33
35-49	157	6.9	45	2	3	5	8	13	14	53
50-64	185	7.5	39	2	3	5	9	14	20	37
65+	177	14.4	150	3	4	11	19	28	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	5.5	16	1	2	5	7	9	12	21
B. *Operated*	570	4.8	9	2	3	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1757	7.9	37	2	3	7	10	14	19	33
B. *Operated*	678	9.0	79	2	3	6	10	18	25	50
1. SINGLE DX	1020	5.1	12	2	2	4	6	9	10	19
2. MULTIPLE DX	2435	8.2	49	2	3	6	10	15	20	36
A. NOT OPERATED	2207	7.4	34	2	3	6	9	13	18	29
B. OPERATED	1248	7.1	52	2	3	5	8	14	19	41
TOTAL 0-19 YRS	194	5.6	32	1	2	4	6	9	12	28
20-34	704	5.6	16	2	2	5	7	10	12	19
35-49	775	6.1	21	2	3	5	7	10	14	22
50-64	857	7.1	28	2	3	5	9	12	17	29
65+	925	10.2	75	3	3	8	12	20	27	41
GRAND TOTAL	**3455**	**7.3**	**40**	**2**	**3**	**5**	**9**	**13**	**18**	**34**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	642	5.9	9	2	2	5	7	9	11	16
20-34	347	5.9	11	2	2	5	8	10	11	17
35-49	340	6.0	9	2	3	6	8	10	11	16
50-64	434	6.6	13	2	3	6	8	11	13	19
65+	356	7.1	21	1	3	6	9	12	15	22
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	3	14.7	132	3	3	15	23	26	26	26
35-49	5	4.2	8	2	2	4	5	9	9	9
50-64	11	5.3	37	1	1	4	6	13	22	23
65+	11	9.5	48	1	1	9	11	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	5.3	12	1	2	4	7	10	12	16
20-34	577	6.4	27	2	2	5	8	11	15	22
35-49	1294	7.2	20	2	3	6	9	12	15	25
50-64	2862	7.9	27	3	3	7	10	13	17	26
65+	3661	9.0	34	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	16	8.8	34	1	2	8	11	19	21	22
20-34	80	11.1	146	2	2	7	14	21	41	62
35-49	193	12.1	101	2	4	10	14	21	26	57
50-64	401	12.0	68	3	5	10	15	21	29	46
65+	476	14.4	106	3	5	12	18	28	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2119	6.3	12	2	3	6	8	10	12	18
B. *Operated*	32	7.3	49	1	1	5	10	21	23	26
2. MULTIPLE DX										
A. *Not Operated*	8794	8.1	29	2	3	7	10	14	17	29
B. *Operated*	1166	12.9	95	3	4	10	16	24	31	55
1. SINGLE DX	2151	6.3	13	2	2	6	8	10	13	19
2. MULTIPLE DX	9960	8.6	39	2	3	7	10	15	19	34
A. NOT OPERATED	10913	7.7	26	2	3	7	9	13	17	27
B. OPERATED	1198	12.8	95	3	4	10	16	24	31	54
TOTAL 0-19 YRS	1060	5.7	11	2	2	5	7	10	12	17
20-34	1007	6.6	33	2	2	5	8	12	15	29
35-49	1832	7.5	29	2	3	6	9	13	16	26
50-64	3708	8.2	32	3	3	7	10	14	17	29
65+	4504	9.4	44	3	4	8	11	17	22	36
GRAND TOTAL	**12111**	**8.2**	**36**	**2**	**3**	**7**	**10**	**14**	**18**	**31**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1117	4.8	11	1	2	4	6	9	11	15
20-34	524	4.8	11	1	2	4	6	9	11	19
35-49	187	6.2	14	2	2	5	8	11	13	18
50-64	101	7.5	18	2	3	7	9	12	16	22
65+	77	8.2	31	2	3	7	10	15	17	33
B. *Operated*										
0-19 YRS	9	5.2	5	2	2	5	7	8	8	8
20-34	7	5.3	9	2	2	4	7	10	11	11
35-49	4	8.0	2	6	6	8	9	9	9	9
50-64	2	14.5	85	8	8	14	21	21	21	21
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	895	5.6	22	1	2	4	7	10	14	24
20-34	990	6.7	29	2	2	5	9	12	15	26
35-49	572	8.2	31	2	3	7	10	16	19	30
50-64	616	9.9	50	3	4	8	12	18	22	39
65+	803	11.7	62	3	4	10	15	20	27	43
B. *Operated*										
0-19 YRS	37	11.5	118	4	5	9	13	19	24	68
20-34	101	13.7	140	3	5	10	17	27	32	67
35-49	91	18.8	236	4	6	13	24	44	58	89
50-64	92	19.2	186	6	7	15	24	35	48	74
65+	117	25.8	321	7	9	21	34	50	61	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2006	5.2	13	1	2	4	7	10	12	17
B. *Operated*	23	6.8	17	2	3	6	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	3876	8.2	43	2	2	7	10	16	20	34
B. *Operated*	438	18.9	238	5	6	14	24	39	52	82
1. SINGLE DX	2029	5.2	13	1	2	4	7	10	12	17
2. MULTIPLE DX	4314	9.3	73	2	3	7	11	18	24	47
A. NOT OPERATED	5882	7.2	35	2	2	6	9	14	17	30
B. OPERATED	461	18.3	234	4	5	13	23	38	51	81
TOTAL 0-19 YRS	2058	5.3	18	1	2	4	7	10	12	19
20-34	1622	6.5	35	2	2	5	8	12	16	28
35-49	854	8.9	61	2	3	7	10	17	23	45
50-64	811	10.7	71	3	4	9	13	20	25	48
65+	998	13.1	111	3	4	10	16	24	35	52
GRAND TOTAL	**6343**	**9.0**	**58**	**2**	**2**	**6**	**10**	**15**	**21**	**41**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	510	6.0	12	1	2	5	8	10	12	18
20-34	670	5.6	10	2	2	5	7	9	11	18
35-49	761	6.6	16	2	3	6	8	11	14	21
50-64	1086	6.7	14	2	3	6	8	12	13	19
65+	884	7.2	19	3	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	8	6.5	40	1	1	4	9	17	20	20
20-34	26	6.6	49	2	2	4	6	13	23	35
35-49	49	7.4	40	2	2	6	8	16	22	27
50-64	114	5.6	37	1	2	3	7	13	20	31
65+	171	4.4	18	2	2	2	5	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	527	5.9	17	1	2	5	8	11	13	21
20-34	1809	7.0	28	2	2	6	9	12	16	28
35-49	3797	7.9	25	3	3	7	10	14	17	26
50-64	7795	8.5	31	3	4	7	10	14	18	30
65+	9186	9.3	37	3	4	8	11	16	21	31
B. *Operated*										
0-19 YRS	29	7.9	24	3	3	6	12	15	18	21
20-34	485	13.3	174	2	3	9	16	27	40	81
35-49	1039	14.0	140	3	4	11	17	29	38	71
50-64	2300	15.9	182	3	4	12	20	32	44	77
65+	2730	19.2	233	3	5	15	25	39	51	83
SUBTOTALS.										
1. SINGLE DX										
A. *Not Operated*	3911	6.5	15	2	3	6	8	11	13	19
B. *Operated*	368	5.4	30	1	2	3	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	23114	8.6	32	3	3	7	11	15	19	30
B. *Operated*	6583	16.8	200	3	4	13	21	35	46	80
1. SINGLE DX	4279	6.4	16	2	2	6	8	11	13	21
2. MULTIPLE DX	29697	10.4	81	3	4	8	12	19	27	50
A. NOT OPERATED	27025	8.3	30	3	3	7	10	14	18	29
B. OPERATED	6951	16.2	198	2	3	12	21	34	46	78
TOTAL 0-19 YRS	1074	6.0	15	1	2	5	8	11	13	20
20-34	2990	7.7	54	2	2	6	9	14	19	40
35-49	5646	8.8	51	3	3	7	11	16	21	39
50-64	11295	9.8	70	3	4	8	12	17	24	46
65+	12971	11.2	94	3	4	8	13	21	29	55
GRAND TOTAL	**33976**	**9.9**	**75**	**2**	**3**	**8**	**12**	**18**	**25**	**48**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	2	1	1	2	3	5	5	5
20-34	19	5.2	6	2	2	5	6	9	10	11
35-49	4	3.8	6	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.9	5	1	1	3	5	8	8	9
20-34	161	4.2	6	1	1	4	6	7	8	11
35-49	14	4.0	5	<1	<1	5	6	6	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	9	2	2	3	5	9	10	10
20-34	29	4.9	7	2	2	5	6	8	10	13
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	50	5.7	13	2	2	5	7	10	13	18
20-34	330	5.3	11	1	2	5	7	8	11	16
35-49	55	6.0	6	2	2	6	7	9	10	14
50-64	6	4.7	33	<1	<1	2	5	15	16	16
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.9	6	1	1	3	5	7	9	11
B. *Operated*	221	4.1	6	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	39	4.7	7	2	2	4	6	8	10	13
B. *Operated*	442	5.4	11	1	2	5	7	9	11	16
1. SINGLE DX	259	4.1	6	1	1	4	6	7	8	11
2. MULTIPLE DX	481	5.3	10	1	2	5	7	9	11	16
A. NOT OPERATED	77	4.3	6	1	2	4	5	8	10	12
B. OPERATED	663	5.0	9	1	2	5	7	8	10	16
TOTAL 0-19 YRS	117	4.5	10	1	1	4	6	8	10	15
20-34	539	4.9	9	1	2	5	6	8	10	16
35-49	75	5.5	6	1	2	6	7	8	9	13
50-64	8	4.1	25	<1	<1	2	4	13	16	16
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**740**	**4.9**	**9**	**1**	**2**	**5**	**7**	**8**	**10**	**16**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	3.0	8	1	1	2	4	6	8	18
20-34	194	4.4	10	1	1	4	6	9	10	17
35-49	162	4.8	15	1	2	4	6	10	11	24
50-64	99	4.1	7	1	1	3	6	8	9	12
65+	93	4.7	16	1	1	3	6	9	13	22
B. *Operated*										
0-19 YRS	29	6.5	24	2	2	5	8	12	14	26
20-34	34	7.0	32	1	1	6	10	13	18	28
35-49	36	6.9	44	2	2	5	7	13	19	38
50-64	41	6.5	15	2	2	5	8	13	15	18
65+	19	7.1	12	4	4	6	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	4.2	15	1	1	3	5	9	12	19
20-34	622	5.1	17	1	1	4	7	10	13	22
35-49	698	5.8	25	1	2	4	7	11	15	26
50-64	924	6.7	36	1	2	5	8	13	17	27
65+	1948	7.8	34	2	2	6	10	15	20	29
B. *Operated*										
0-19 YRS	35	7.1	93	1	2	5	8	15	18	56
20-34	98	10.4	114	1	2	7	13	26	30	85
35-49	138	10.1	67	2	3	8	13	18	21	40
50-64	208	13.0	147	2	3	10	16	26	31	62
65+	249	15.1	168	3	4	12	19	30	38	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	4.0	11	1	1	3	5	8	10	18
B. *Operated*	159	6.8	26	2	2	5	8	13	15	28
2. MULTIPLE DX										
A. *Not Operated*	4619	6.6	31	1	2	5	8	13	17	27
B. *Operated*	728	12.5	137	2	3	9	16	25	33	70
1. SINGLE DX	1027	4.4	14	1	1	3	6	9	11	20
2. MULTIPLE DX	5347	7.4	49	1	2	5	9	15	20	33
A. NOT OPERATED	5487	6.2	28	1	2	5	8	12	17	26
B. OPERATED	887	11.5	122	2	3	8	15	23	30	68
TOTAL 0-19 YRS	811	4.0	17	1	1	3	5	8	11	20
20-34	948	5.6	29	1	1	4	7	11	15	28
35-49	1034	6.2	32	1	2	5	8	12	17	27
50-64	1272	7.5	57	1	2	5	9	15	20	44
65+	2309	8.4	53	2	2	6	11	17	22	34
GRAND TOTAL	**6374**	**6.9**	**45**	**1**	**2**	**5**	**9**	**14**	**19**	**31**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	8.5	185	2	3	5	8	11	29	71
20-34	1	16.0		16	16	16	16	16	16	16
35-49	3	5.3	12	2	2	5	8	9	9	9
50-64	6	4.7	12	1	1	3	9	9	9	9
65+	19	6.3	11	2	2	6	8	12	13	13
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	3	6.3	44	2	2	3	11	14	14	14
50-64	2	14.5	145	6	6	14	23	23	23	23
65+	3	9.3		9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	8.9	52	2	2	7	11	16	26	44
20-34	46	8.5	94	2	2	6	9	18	22	59
35-49	59	9.1	37	2	3	8	12	17	24	28
50-64	132	12.4	115	2	4	9	15	26	37	51
65+	613	11.6	73	3	4	9	14	21	28	46
B. *Operated*										
0-19 YRS	17	17.0	237	1	2	15	31	41	47	49
20-34	17	16.2	77	3	7	13	20	28	35	38
35-49	24	16.4	161	3	3	13	21	31	46	57
50-64	54	16.3	182	3	5	12	22	29	39	84
65+	189	19.3	196	4	6	15	28	38	45	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	7.2	91	2	2	5	8	11	13	69
B. *Operated*	12	8.2	44	1	2	7	12	17	22	23
2. MULTIPLE DX										
A. *Not Operated*	964	11.1	77	3	4	9	14	21	28	47
B. *Operated*	301	18.2	186	3	6	14	26	35	42	69
1. SINGLE DX	65	7.4	81	2	2	5	9	13	15	64
2. MULTIPLE DX	1265	12.8	112	3	4	10	15	26	35	51
A. NOT OPERATED	1017	10.9	78	3	3	8	13	20	28	47
B. OPERATED	313	17.9	185	3	4	14	24	35	42	67
TOTAL 0-19 YRS	157	9.6	103	2	2	7	11	19	32	51
20-34	66	10.6	97	2	2	7	15	20	30	56
35-49	89	10.8	80	2	3	9	14	24	28	51
50-64	194	13.2	134	2	4	10	17	27	36	58
65+	824	13.2	111	3	4	10	16	27	35	51
GRAND TOTAL	**1330**	**12.5**	**112**	**3**	**4**	**9**	**15**	**26**	**34**	**52**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	11.6	41	3	4	11	14	20	22	29
20-34	63	11.4	29	2	4	12	14	17	22	28
35-49	3	9.3	70	4	4	5	15	19	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	7	14.9	129	3	4	13	15	34	39	39
20-34	4	9.8	74	3	3	8	16	21	21	21
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	11.0	58	2	3	10	14	18	24	40
20-34	114	12.7	34	4	6	13	15	20	25	30
35-49	3	8.3	10	6	6	7	11	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	30	16.4	129	3	3	14	23	39	46	99+
20-34	18	16.1	76	3	6	14	19	28	34	38
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	11.5	38	3	4	11	14	19	22	28
B. *Operated*	12	12.1	107	2	2	11	14	26	37	39
2. MULTIPLE DX										
A. *Not Operated*	455	11.4	52	2	4	11	14	19	24	35
B. *Operated*	48	16.3	107	3	4	14	22	33	44	99+
1. SINGLE DX	301	11.5	40	2	4	11	14	19	22	30
2. MULTIPLE DX	503	11.9	59	2	4	11	14	21	25	42
A. NOT OPERATED	744	11.4	46	2	4	11	14	19	23	33
B. OPERATED	60	15.4	108	2	3	14	20	32	41	94
TOTAL 0-19 YRS	598	11.5	57	2	4	11	14	20	24	42
20-34	199	12.5	38	3	5	13	15	20	25	31
35-49	7	7.9	34	2	2	6	11	18	19	19
50-64										
65+										
GRAND TOTAL	**804**	**11.7**	**52**	**2**	**4**	**11**	**14**	**20**	**25**	**39**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	1.8	3	1	1	1	1	4	6	9
20-34	17	3.1	5	<1	<1	2	5	6	7	8
35-49	11	5.7	69	1	1	3	6	16	29	30
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	19	7.1	4	4	5	7	8	9	12	13
20-34	268	7.8	7	5	5	7	9	11	12	17
35-49	202	9.1	19	5	6	8	10	13	14	34
50-64	24	7.8	7	4	4	7	10	12	13	13
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.2	32	1	2	4	6	7	11	38
20-34	61	4.3	9	1	1	4	6	8	11	14
35-49	95	5.1	27	1	1	4	6	9	14	31
50-64	71	7.3	24	2	2	6	9	14	19	23
65+	29	10.7	79	3	3	6	14	28	29	30
B. *Operated*										
0-19 YRS	21	9.3	14	6	6	9	11	13	18	22
20-34	529	10.0	52	5	6	9	10	13	20	42
35-49	734	9.9	35	6	6	9	10	14	17	36
50-64	177	10.0	23	5	6	9	11	15	18	37
65+	10	22.0	694	5	5	9	27	68	84	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	2.3	9	1	1	1	3	5	6	12
B. *Operated*	514	8.3	12	5	5	8	9	12	13	18
2. MULTIPLE DX										
A. *Not Operated*	302	6.0	32	1	1	5	7	11	18	30
B. *Operated*	1471	10.0	44	5	6	9	11	14	18	40
1. SINGLE DX	656	7.0	18	1	1	7	9	12	13	18
2. MULTIPLE DX	1773	9.3	44	3	5	8	10	14	18	38
A. NOT OPERATED	444	4.8	27	1	1	3	6	9	14	29
B. OPERATED	1985	9.6	36	5	6	8	10	13	16	37
TOTAL 0-19 YRS	198	3.9	18	1	1	2	6	8	10	20
20-34	875	8.8	37	4	5	8	10	12	15	34
35-49	1042	9.3	33	4	5	8	10	13	16	33
50-64	273	9.1	23	3	4	8	11	14	18	32
65+	41	13.3	238	3	3	7	14	28	40	84
GRAND TOTAL	**2429**	**8.7**	**38**	**1**	**4**	**8**	**10**	**13**	**16**	**34**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	2.9	8	<1	<1	2	4	6	10	13
20-34	88	5.1	50	1	1	4	6	9	12	45
35-49	65	5.0	14	1	2	4	7	8	12	22
50-64	49	5.0	9	<1	1	5	7	9	10	13
65+	41	6.1	32	1	1	4	9	12	15	31
B. *Operated*										
0-19 YRS	51	4.2	18	1	1	3	4	12	17	98
20-34	82	5.4	22	1	1	4	7	11	15	26
35-49	70	4.6	12	1	1	4	5	8	11	21
50-64	69	4.5	11	<1	1	4	6	8	10	17
65+	25	7.5	52	1	2	5	10	15	25	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354	5.0	30	<1	1	4	6	10	13	22
20-34	217	6.8	31	1	2	6	8	13	19	29
35-49	294	6.6	33	1	2	5	8	12	19	36
50-64	317	7.9	49	1	2	6	10	15	22	36
65+	455	8.7	41	2	3	7	11	17	22	32
B. *Operated*										
0-19 YRS	52	10.1	89	1	2	9	13	22	26	54
20-34	182	9.5	59	2	3	8	12	17	23	48
35-49	257	9.0	88	1	2	7	11	14	20	61
50-64	234	10.0	102	2	2	7	12	21	29	46
65+	242	13.5	142	2	3	10	16	27	40	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	4.0	19	<1	<1	3	5	9	11	17
B. *Operated*	297	5.0	19	1	1	4	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	1637	7.1	39	1	2	5	9	14	19	31
B. *Operated*	967	10.5	102	2	2	8	12	20	28	56
1. SINGLE DX	799	4.4	20	<1	<1	3	6	9	12	20
2. MULTIPLE DX	2604	8.4	65	1	2	6	11	16	23	45
A. NOT OPERATED	2139	6.4	36	<1	1	5	8	13	18	29
B. OPERATED	1264	9.2	89	1	2	7	11	18	25	54
TOTAL 0-19 YRS	716	4.6	29	<1	<1	3	5	10	14	26
20-34	569	7.2	44	1	2	5	9	14	18	33
35-49	686	7.2	52	1	2	5	9	13	18	50
50-64	669	8.1	64	1	2	6	10	16	23	42
65+	763	10.0	79	2	3	7	12	20	27	49
GRAND TOTAL	**3403**	**7.4**	**58**	**1**	**1**	**5**	**9**	**15**	**21**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	4.8	5	1	2	5	6	8	8	8
35-49	42	4.0	6	1	1	3	5	8	9	10
50-64	48	4.6	6	1	2	4	6	8	8	11
65+	73	5.0	8	1	2	4	6	9	10	14
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	8	3.4	7	<1	<1	2	5	8	8	8
50-64	22	5.0	17	1	2	4	6	10	15	17
65+	17	6.6	47	<1	1	4	10	17	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	2	4	4	7	7	8	8	8
20-34	23	4.3	6	1	2	4	6	7	9	12
35-49	116	5.8	12	2	2	5	8	11	13	16
50-64	250	6.7	26	2	2	6	8	11	16	28
65+	513	7.3	30	2	3	6	9	14	18	25
B. *Operated*										
0-19 YRS										
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	23	9.3	63	1	2	6	11	22	27	33
50-64	60	8.3	40	2	2	6	11	17	18	34
65+	92	11.7	113	2	3	9	15	22	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.6	7	1	2	4	6	8	10	13
B. *Operated*	48	5.4	26	1	2	3	7	11	17	26
2. MULTIPLE DX										
A. *Not Operated*	907	6.9	26	2	2	6	9	13	16	24
B. *Operated*	179	10.0	83	2	2	7	13	20	25	46
1. SINGLE DX	224	4.8	11	1	2	4	6	8	10	[illegible]
2. MULTIPLE DX	1086	7.4	37	2	2	6	9	14	18	31
A. NOT OPERATED	1083	6.5	24	2	2	5	8	12	15	24
B. OPERATED	227	9.1	74	2	2	6	11	18	24	43
TOTAL 0-19 YRS	6	5.8	4	3	3	6	7	8	8	8
20-34	40	4.5	5	1	2	4	6	7	8	12
35-49	189	5.7	19	1	2	5	7	11	13	23
50-64	380	6.6	26	2	2	5	8	12	16	27
65+	695	7.6	42	2	2	6	9	15	19	31
GRAND TOTAL	**1310**	**6.9**	**33**	**2**	**2**	**5**	**9**	**13**	**17**	**29**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	2.8	3	1	1	2	3	5	6	9
20-34	45	3.2	7	1	1	2	4	6	10	12
35-49	70	3.6	7	1	1	3	5	7	8	15
50-64	74	4.9	23	1	1	4	5	10	14	28
65+	211	6.2	26	1	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	10.0	98	3	3	10	17	17	17	17
65+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1328	4.0	13	1	2	3	5	7	9	17
20-34	695	4.5	18	1	2	3	5	8	11	22
35-49	877	5.7	23	1	2	5	7	10	14	23
50-64	1863	7.0	31	2	2	6	9	14	18	29
65+	7779	9.2	44	2	3	8	11	17	21	33
B. *Operated*										
0-19 YRS	48	9.3	75	1	2	6	10	25	30	37
20-34	66	9.1	80	1	1	7	11	20	31	44
35-49	100	11.0	92	1	2	8	13	24	28	49
50-64	223	14.0	171	2	3	10	18	29	44	77
65+	781	18.8	157	5	6	16	24	35	45	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	4.5	17	1	1	3	5	9	12	21
B. *Operated*	8	6.5	28	2	2	4	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	12542	7.8	40	2	2	6	10	15	19	31
B. *Operated*	1218	16.4	159	3	4	13	22	32	42	63
1. SINGLE DX	587	4.5	17	1	1	3	5	9	13	21
2. MULTIPLE DX	13760	8.6	56	2	2	6	11	17	22	38
A. NOT OPERATED	13121	7.7	39	2	2	6	10	15	19	30
B. OPERATED	1226	16.3	158	3	4	13	22	32	42	63
TOTAL 0-19 YRS	1557	4.1	15	1	2	3	5	7	9	19
20-34	807	4.8	24	1	1	3	6	9	13	27
35-49	1048	6.1	31	1	2	5	7	11	15	29
50-64	2162	7.7	50	2	2	6	9	16	20	34
65+	8773	10.0	62	2	3	8	12	19	24	41
GRAND TOTAL	**14347**	**8.4**	**55**	**2**	**2**	**6**	**11**	**17**	**22**	**37**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	5	1	1	3	5	6	7	12
20-34	44	3.7	3	1	1	3	5	6	7	7
35-49	55	4.2	6	1	1	3	6	8	9	11
50-64	43	4.4	10	1	1	4	6	9	11	15
65+	107	5.0	17	1	2	4	6	8	10	25
B. *Operated*										
0-19 YRS	12	4.3	6	1	1	4	6	7	8	8
20-34	14	5.7	10	2	3	5	7	11	12	13
35-49	17	5.5	17	1	2	5	7	11	15	17
50-64	19	7.1	8	3	4	7	9	10	13	14
65+	34	7.8	26	3	3	6	9	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.7	10	1	2	4	6	9	11	15
20-34	132	4.8	7	1	2	4	6	8	10	13
35-49	242	5.6	17	1	2	5	7	10	13	21
50-64	428	6.7	21	1	2	6	9	12	14	24
65+	1995	7.5	30	2	2	6	9	14	18	29
B. *Operated*										
0-19 YRS	25	7.3	49	2	2	6	10	10	20	37
20-34	59	7.6	18	2	3	7	9	13	16	23
35-49	186	8.3	23	2	3	8	11	15	16	24
50-64	258	10.8	53	3	4	9	13	20	25	35
65+	803	11.5	52	4	5	10	14	20	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	4.3	10	1	1	4	6	7	9	16
B. *Operated*	96	6.5	17	2	2	6	8	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	2938	7.0	27	2	2	6	9	13	17	26
B. *Operated*	1331	10.7	49	3	4	9	13	19	24	36
1. SINGLE DX	408	4.8	12	1	2	4	6	9	10	18
2. MULTIPLE DX	4269	8.1	36	2	3	7	10	15	19	32
A. NOT OPERATED	3250	6.7	26	1	2	6	8	13	16	26
B. OPERATED	1427	10.4	48	3	4	9	13	19	23	35
TOTAL 0-19 YRS	241	4.6	13	1	2	4	6	8	10	15
20-34	249	5.3	11	1	2	5	7	10	12	16
35-49	500	6.4	20	1	2	5	8	12	16	22
50-64	748	8.0	35	2	2	7	10	15	19	29
65+	2939	8.5	39	2	3	7	11	16	20	33
GRAND TOTAL	**4677**	**7.9**	**35**	**2**	**2**	**6**	**10**	**15**	**19**	**31**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	736	4.5	10	1	2	4	5	8	10	16
20-34	763	6.0	23	1	2	5	7	11	15	25
35-49	123	7.2	23	2	2	6	9	15	18	22
50-64	3	5.3	2	4	4	5	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	5	6.2	4	3	3	7	7	8	8	8
20-34	18	9.6	97	2	2	7	12	22	35	41
35-49	6	7.2	8	4	4	7	8	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	593	5.9	18	2	2	5	7	11	14	24
20-34	627	7.9	43	2	3	6	9	15	20	33
35-49	162	9.7	51	2	3	8	12	19	24	35
50-64	39	7.0	11	2	3	7	9	12	13	14
65+	9	6.7	28	2	2	4	11	15	16	16
B. *Operated*										
0-19 YRS	32	12.7	99	1	2	8	20	29	32	33
20-34	90	16.0	210	3	4	12	20	37	45	82
35-49	19	11.6	141	2	4	8	12	22	42	55
50-64	11	9.6	43	5	5	7	12	19	26	27
65+	5	23.6	346	11	11	15	33	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1626	5.4	18	1	2	4	7	10	13	22
B. *Operated*	29	8.5	63	2	2	7	9	14	27	41
2. MULTIPLE DX										
A. *Not Operated*	1630	7.3	35	2	2	6	9	14	18	29
B. *Operated*	157	14.6	175	2	4	10	19	28	40	75
1. SINGLE DX	1655	5.5	19	1	2	4	7	10	13	23
2. MULTIPLE DX	1787	8.0	52	2	2	6	9	15	21	37
A. NOT OPERATED	3256	6.4	28	1	2	5	8	12	16	26
B. OPERATED	186	13.6	162	2	3	10	18	27	39	69
TOTAL 0-19 YRS	1366	5.3	18	1	2	4	7	10	13	24
20-34	1698	7.5	48	2	2	6	9	15	20	38
35-49	310	8.8	46	2	3	7	11	17	22	33
50-64	53	7.5	18	2	4	7	9	12	14	27
65+	15	12.0	188	2	2	11	14	26	48	55
GRAND TOTAL	**3442**	**6.8**	**38**	**2**	**2**	**5**	**8**	**13**	**17**	**29**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	3.1	27	<1	<1	2	3	5	8	34
20-34	80	2.6	5	<1	<1	2	3	6	8	11
35-49	64	4.2	14	1	1	3	6	10	12	17
50-64	94	3.7	20	<1	1	2	5	8	10	26
65+	459	3.7	19	<1	1	2	5	8	11	26
B. *Operated*										
0-19 YRS	72	5.9	20	1	2	5	7	13	16	21
20-34	18	7.4	40	1	2	5	12	17	21	23
35-49	23	6.3	15	2	3	6	8	11	14	18
50-64	39	9.5	106	2	3	8	12	14	17	67
65+	127	8.5	34	2	3	7	10	15	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	309	4.0	16	<1	1	3	5	9	11	24
20-34	232	5.1	20	1	1	4	7	11	14	25
35-49	327	5.8	29	1	1	4	8	12	15	27
50-64	830	6.1	43	1	1	4	8	13	16	31
65+	3382	6.9	40	1	1	5	9	14	18	34
B. *Operated*										
0-19 YRS	64	10.6	96	2	2	7	16	23	30	44
20-34	108	10.9	155	2	3	8	11	21	30	74
35-49	163	10.5	51	2	3	9	14	19	23	49
50-64	403	11.5	73	2	4	10	14	22	30	46
65+	1291	13.1	103	3	5	10	16	25	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	3.5	19	<1	1	2	4	7	10	26
B. *Operated*	279	7.7	40	2	2	6	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	5080	6.4	36	1	1	5	8	13	17	30
B. *Operated*	2029	12.4	96	3	4	10	15	23	30	50
1. SINGLE DX	1143	4.6	27	<1	1	3	6	10	13	27
2. MULTIPLE DX	7109	8.1	62	1	1	6	10	16	23	39
A. NOT OPERATED	5944	6.0	36	1	1	4	8	12	16	30
B. OPERATED	2308	11.8	92	3	4	9	15	22	29	49
TOTAL 0-19 YRS	612	4.7	32	<1	1	3	5	10	15	28
20-34	438	6.2	60	1	1	4	8	12	17	38
35-49	577	7.0	38	1	1	5	10	14	19	30
50-64	1366	7.6	59	1	1	6	10	15	21	36
65+	5259	8.1	62	1	1	6	11	16	23	38
GRAND TOTAL	**8252**	**7.6**	**59**	**1**	**1**	**6**	**10**	**16**	**21**	**37**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	17	3.8	11	<1	1	3	4	10	11	12
20-34	6	5.7	5	3	3	5	8	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	14.0	162	5	5	14	23	23	23	23
B. *Operated*										
0-19 YRS.	1	2.0		2	2	2	2	2	2	2
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	90	3.9	15	1	1	2	5	9	12	21
20-34	25	5.0	9	2	2	4	6	9	12	14
35-49	11	10.2	202	2	2	6	10	28	50	52
50-64	6	8.7	19	3	3	8	13	14	14	14
65+	5	5.8	11	3	3	4	8	11	11	11
B. *Operated*										
0-19 YRS.	10	9.2	99	1	1	5	12	25	34	34
20-34	7	6.4	32	1	1	4	10	15	16	16
35-49	5	15.0	259	1	1	5	32	34	34	34
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.1	21	1	2	3	7	10	14	23
B. *Operated*	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	137	4.9	31	1	1	3	6	11	13	20
B. *Operated*	23	9.4	107	1	1	5	12	32	34	34
1. SINGLE DX	29	5.1	21	1	2	3	7	10	13	23
2. MULTIPLE DX	160	5.6	44	1	1	4	7	12	14	34
A. NOT OPERATED	164	4.9	29	1	1	3	6	11	13	25
B. OPERATED	25	9.2	100	1	1	5	11	31	34	34
TOTAL 0-19 YRS.	118	4.3	23	1	1	3	5	10	13	20
20-34	39	5.5	12	2	2	5	8	11	13	16
35-49	17	11.4	197	1	2	6	11	33	46	52
50-64	8	7.6	17	3	3	7	11	14	14	14
65+	7	8.1	50	3	3	5	10	21	23	23
GRAND TOTAL	189	5.5	40	1	1	4	7	11	14	34

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	367	3.6	6	1	1	3	4	7	8	14
20-34	41	4.3	6	1	1	4	5	9	11	13
35-49	96	3.1	11	1	1	1	5	7	11	16
50-64	43	5.4	32	1	2	3	6	11	16	30
65+	71	3.6	12	1	1	2	5	9	11	16
B. *Operated*										
0-19 YRS.	202	5.5	15	1	2	5	7	10	13	20
20-34	121	7.2	18	2	3	6	8	12	16	23
35-49	59	9.6	54	2	3	8	13	17	22	42
50-64	65	7.6	24	3	3	6	9	15	18	25
65+	70	11.0	146	2	3	8	11	19	30	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	404	4.6	16	1	1	4	6	9	11	21
20-34	184	5.5	19	1	2	5	7	10	14	26
35-49	281	6.2	21	1	1	5	8	12	16	22
50-64	468	7.3	39	1	2	6	9	14	18	29
65+	932	7.7	38	1	2	6	10	16	20	31
B. *Operated*										
0-19 YRS.	139	8.0	57	1	2	6	10	16	23	43
20-34	169	8.7	41	2	3	7	11	16	20	38
35-49	194	11.1	91	2	3	8	13	21	30	66
50-64	350	11.4	82	3	4	9	14	24	29	67
65+	654	13.4	133	3	4	10	16	25	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	3.7	11	1	1	3	5	7	10	15
B. *Operated*	517	7.4	42	2	2	6	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	2269	6.7	32	1	2	5	9	14	18	28
B. *Operated*	1506	11.6	102	2	3	9	14	22	30	56
1. SINGLE DX	1135	5.4	28	1	1	4	7	10	14	24
2. MULTIPLE DX	3775	8.7	65	1	2	7	11	17	23	40
A. NOT OPERATED	2887	6.1	29	1	1	5	8	12	16	27
B. OPERATED	2023	10.5	90	2	3	8	13	20	28	51
TOTAL 0-19 YRS.	1112	4.9	20	1	1	4	6	9	12	25
20-34	515	6.9	27	1	2	6	8	12	16	28
35-49	630	7.6	52	1	1	6	10	15	20	36
50-64	926	8.8	58	2	2	7	11	17	24	35
65+	1727	9.8	86	1	2	8	12	19	25	50
GRAND TOTAL	4910	7.8	58	1	2	6	10	16	21	37

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1325	2.2	[illegible]	1	1	2	3	4	5	7
20-34	207	2.3	2	1	1	2	3	4	5	8
35-49	31	2.4	2	<1	1	2	3	4	6	7
50-64	11	3.5	6	1	1	3	5	7	9	9
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	467	3.9	2	2	2	4	4	6	7	10
20-34	150	4.5	4	2	3	4	5	7	8	11
35-49	19	4.7	8	2	2	4	5	6	11	15
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	797	2.9	5	1	1	2	4	5	6	10
20-34	122	3.2	11	1	1	2	4	5	7	18
35-49	29	4.2	14	1	1	3	5	6	10	21
50-64	13	3.8	2	<1	2	4	4	5	6	6
65+	12	7.1	22	2	2	5	11	14	16	16
B. *Operated*										
0-19 YRS	294	4.9	7	2	2	4	5	8	9	16
20-34	106	5.5	9	2	3	5	6	9	10	19
35-49	18	7.2	20	3	4	5	9	15	16	16
50-64	8	8.1	77	2	2	6	8	23	29	29
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	2.2	2	1	1	2	3	4	5	7
B. *Operated*	638	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	973	3.1	6	1	1	2	4	5	7	12
B. *Operated*	426	5.2	10	2	3	4	6	8	10	18
1. SINGLE DX	2214	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1399	3.7	8	1	1	3	5	6	8	15
A. NOT OPERATED	2549	2.5	4	1	1	2	3	5	6	9
B. OPERATED	1064	4.5	6	2	2	4	5	7	9	15
TOTAL 0-19 YRS	2883	3.0	4	1	1	2	4	5	6	10
20-34	585	3.6	7	1	1	3	4	6	8	12
35-49	97	4.3	13	1	1	4	5	7	14	19
50-64	33	4.7	23	1	2	4	5	7	9	29
65+	15	6.2	21	1	2	4	9	13	15	16
GRAND TOTAL	**3613**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	4.2	5	1	2	4	6	7	8	10
20-34	19	3.8	4	1	2	3	5	6	8	9
35-49	10	4.4	6	2	2	4	5	8	9	9
50-64	4	3.8	2	3	3	3	5	6	6	6
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	142	3.9	14	1	1	3	5	8	12	18
20-34	63	3.4	9	1	1	2	4	7	11	16
35-49	35	3.0	9	1	1	2	3	6	9	15
50-64	31	3.3	7	1	1	2	4	6	10	13
65+	12	3.7	4	<1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.8	9	1	2	4	7	9	10	14
20-34	35	4.0	5	1	1	4	5	6	8	11
35-49	32	5.8	12	2	3	5	7	12	13	17
50-64	19	5.5	7	2	3	5	7	8	11	14
65+	13	8.9	64	1	2	7	9	18	30	33
B. *Operated*										
0-19 YRS	79	6.0	26	<1	1	5	8	13	18	24
20-34	58	5.2	18	1	1	4	8	11	14	19
35-49	51	6.1	49	1	2	3	7	12	20	38
50-64	49	6.4	34	2	2	4	8	15	20	28
65+	32	9.6	51	2	3	8	14	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	4.2	5	1	2	4	6	7	8	10
B. *Operated*	283	3.6	11	1	1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	301	5.0	11	1	2	4	7	9	11	15
B. *Operated*	269	6.4	34	1	1	4	8	14	19	28
1. SINGLE DX	560	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX	570	5.7	22	1	2	4	7	11	14	26
A. NOT OPERATED	578	4.6	9	1	2	4	6	8	9	14
B. OPERATED	552	4.9	24	1	1	3	6	11	16	25
TOTAL 0-19 YRS	664	4.5	11	1	1	4	6	9	11	17
20-34	175	4.2	11	1	1	3	5	9	11	17
35-49	128	5.0	27	1	1	3	6	10	15	32
50-64	103	5.2	21	1	2	4	6	10	15	25
65+	60	8.0	47	2	2	6	9	17	24	32
GRAND TOTAL	**1130**	**4.8**	**16**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.3	39	2	3	5	14	18	19	19
20-34	37	14.4	257	1	2	10	18	26	57	75
35-49	7	12.4	33	3	4	12	16	20	21	21
50-64	10	7.8	55	1	1	4	14	19	23	23
65+	24	10.4	27	2	4	10	15	17	18	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.0	112	<1	1	5	10	21	33	45
20-34	60	12.7	101	1	2	11	18	29	31	39
35-49	44	11.5	77	1	2	9	16	23	30	35
50-64	80	14.5	209	2	3	10	17	30	55	68
65+	190	10.4	93	2	3	7	13	21	28	47
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	31.8	504	8	8	28	46	62	62	62
35-49	6	26.0	245	14	14	18	35	52	54	54
50-64	9	19.7	169	1	7	17	27	39	42	42
65+	20	16.3	360	1	1	11	20	35	61	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	11.7	132	1	2	9	15	21	24	72
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	394	11.6	119	2	2	8	15	26	32	59
B. *Operated*	40	19.9	309	1	2	15	26	40	58	84
1. SINGLE DX	89	11.7	130	1	2	9	15	21	24	71
2. MULTIPLE DX	434	12.4	141	2	2	9	16	28	33	62
A. NOT OPERATED	482	11.6	121	2	2	9	15	24	31	61
B. OPERATED	41	19.7	304	1	2	15	26	40	58	84
TOTAL 0-19 YRS	31	8.8	83	1	2	5	11	20	22	45
20-34	101	14.1	181	1	2	11	19	29	36	70
35-49	57	13.1	105	2	2	11	17	27	34	53
50-64	99	14.3	194	1	2	10	18	30	49	67
65+	235	10.9	110	2	2	8	14	21	29	52
GRAND TOTAL	**523**	**12.3**	**139**	**2**	**2**	**9**	**16**	**26**	**33**	**63**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	2.6	21	1	1	2	3	4	5	26
20-34	129	4.8	54	<1	1	3	5	10	13	37
35-49	64	7.6	78	1	2	5	9	16	27	46
50-64	108	10.3	81	2	3	7	15	21	26	47
65+	583	9.5	70	2	2	7	12	19	24	40
B. *Operated*										
0-19 YRS	4	3.5	4	2	2	3	5	6	6	6
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64	5	6.0	11	3	3	6	8	11	11	11
65+	20	10.7	53	2	2	9	16	22	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	6.1	83	1	1	3	5	14	28	58
20-34	370	8.1	89	1	2	5	10	18	29	62
35-49	265	9.9	107	2	2	7	12	24	30	44
50-64	481	12.8	113	2	3	10	17	27	34	49
65+	4245	10.9	73	2	3	9	14	21	27	43
B. *Operated*										
0-19 YRS	21	8.7	87	<1	1	6	12	30	60	99+
20-34	37	9.6	122	1	1	5	12	30	31	42
35-49	35	14.0	92	2	4	11	19	28	35	40
50-64	52	21.4	286	4	6	16	30	45	72	99
65+	424	17.4	172	4	5	14	23	33	43	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1129	7.4	68	1	1	5	9	17	22	39
B. *Operated*	34	8.0	44	2	2	6	11	18	23	25
2. MULTIPLE DX										
A. *Not Operated*	5594	10.6	82	2	3	8	14	22	28	44
B. *Operated*	569	16.7	178	2	4	13	23	34	43	80
1. SINGLE DX	1163	7.4	67	1	1	5	9	17	22	39
2. MULTIPLE DX	6163	11.2	94	2	3	8	14	23	30	48
A. NOT OPERATED	6723	10.1	81	2	2	8	13	21	27	44
B. OPERATED	603	16.2	175	2	4	13	22	33	43	80
TOTAL 0-19 YRS	503	4.5	56	1	1	2	4	9	22	47
20-34	539	7.4	85	1	1	4	9	15	28	58
35-49	366	9.9	102	2	2	7	12	23	30	45
50-64	646	13.0	128	2	3	10	17	28	35	56
65+	5272	11.2	84	2	3	9	14	22	29	45
GRAND TOTAL	**7326**	**10.6**	**91**	**2**	**2**	**8**	**14**	**22**	**29**	**47**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	15	11.7	74	2	2	9	15	25	32	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49										
50-64	12	13.8	193	3	4	7	17	39	46	47
65+	203	10.7	102	2	3	8	13	18	25	66
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	34.0		34	34	34	34	34	34	34
50-64	1	10.0		10	10	10	10	10	10	10
65+	25	24.2	349	5	5	18	33	57	63	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	11.7	74	2	2	9	15	25	32	34
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	216	10.9	108	2	3	8	13	19	27	63
B. *Operated*	27	24.0	334	5	6	18	33	56	63	65
1. SINGLE DX	15	11.7	74	2	2	9	15	25	32	34
2. MULTIPLE DX	243	12.4	148	2	3	9	14	23	37	66
A. NOT OPERATED	231	11.0	105	2	3	9	13	19	27	61
B. OPERATED	27	24.0	334	5	6	18	33	56	63	65
TOTAL 0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49	1	34.0		34	34	34	34	34	34	34
50-64	13	13.5	178	3	4	8	15	37	45	47
65+	243	12.1	141	2	3	9	14	22	36	66
GRAND TOTAL	**258**	**12.3**	**144**	**2**	**3**	**9**	**14**	**24**	**36**	**65**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	<1	<1	2	4	4	4	4
20-34	64	4.5	32	<1	1	3	5	9	22	26
35-49	82	5.8	49	<1	1	3	7	15	22	37
50-64	46	6.6	44	1	2	4	8	16	20	32
65+	25	8.6	97	1	2	5	11	17	26	50
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.2	33	1	2	9	10	14	19	27
20-34	590	7.8	36	1	2	7	10	14	21	29
35-49	835	7.9	58	1	2	6	10	17	23	34
50-64	669	8.8	72	2	2	6	10	19	25	36
65+	297	10.7	79	2	3	8	14	23	30	40
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	25	11.0	90	1	2	7	15	24	32	37
35-49	45	14.5	112	4	5	13	16	27	32	61
50-64	33	15.8	144	3	5	11	21	34	44	48
65+	33	19.6	326	3	4	13	24	50	59	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	5.9	48	1	1	3	7	15	21	35
B. *Operated*	2	11.0	72	5	5	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	2414	8.5	60	2	2	6	10	18	24	34
B. *Operated*	137	15.4	171	3	4	12	19	30	46	62
1. SINGLE DX	223	5.9	49	1	1	3	7	15	21	35
2. MULTIPLE DX	2551	8.9	68	2	2	7	11	19	25	38
A. NOT OPERATED	2635	8.3	59	1	2	6	10	17	23	34
B. OPERATED	139	15.3	169	3	4	12	19	30	46	62
TOTAL 0-19 YRS	28	7.6	33	1	1	7	10	14	16	27
20-34	679	7.6	39	1	2	6	9	14	22	30
35-49	963	8.1	62	1	2	6	10	17	23	38
50-64	748	9.0	75	2	2	6	11	19	25	38
65+	356	11.4	109	2	3	8	14	24	33	56
GRAND TOTAL	**2774**	**8.6**	**67**	**1**	**2**	**6**	**11**	**19**	**24**	**38**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	11.9	366	1	1	4	13	35	63	76
20-34	53	8.0	63	1	1	5	11	18	21	42
35-49	11	12.2	129	1	2	11	14	33	34	34
50-64	8	8.1	27	2	3	7	11	16	18	18
65+	7	12.9	378	1	1	6	12	47	56	56
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	13.7	215	1	2	8	21	38	48	61
20-34	234	8.5	55	2	2	8	10	15	25	36
35-49	89	8.9	55	1	2	8	11	18	25	35
50-64	80	10.0	55	1	3	8	12	22	26	32
65+	158	9.8	105	2	3	7	11	18	26	46
B. *Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	8	14.3	67	6	6	12	19	27	29	29
35-49	7	21.7	566	3	4	12	30	63	70	70
50-64	4	15.0	43	7	7	15	19	23	23	23
65+	13	17.4	304	3	3	9	26	49	56	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	9.6	139	1	1	6	12	19	33	67
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	621	9.6	85	2	2	8	11	19	28	47
B. *Operated*	33	17.8	257	3	5	13	24	38	56	70
1. SINGLE DX	96	9.6	139	1	1	6	12	19	33	67
2. MULTIPLE DX	654	10.0	96	2	2	8	11	21	30	48
A. NOT OPERATED	717	9.6	92	1	2	8	11	19	29	48
B. OPERATED	33	17.8	257	3	5	13	24	38	56	70
TOTAL 0-19 YRS	78	13.6	248	1	1	8	20	38	48	72
20-34	295	8.6	57	1	2	8	10	16	24	39
35-49	107	10.1	101	1	2	8	12	23	33	51
50-64	92	10.0	53	2	3	8	13	22	26	32
65+	178	10.5	131	2	3	7	11	20	36	57
GRAND TOTAL	**750**	**9.9**	**102**	**1**	**2**	**8**	**11**	**21**	**30**	**52**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	21.8	302	2	4	18	34	53	63	99+
20-34	1387	15.9	181	2	3	13	21	34	43	66
35-49	710	15.3	146	2	3	13	21	32	40	65
50-64	315	17.3	145	3	5	14	24	36	41	54
65+	67	17.6	122	4	5	15	24	33	41	47
B. *Operated*										
0-19 YRS										
20-34	5	35.8	533	7	9	38	70	97	99+	99+
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	2	34.0	338	21	21	34	47	47	47	47
65+	2	22.0	2	21	21	22	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	24.9	408	4	5	19	37	60	82	99+
20-34	748	17.9	196	2	4	14	24	38	47	71
35-49	582	17.6	194	3	4	14	23	37	44	82
50-64	316	20.2	195	5	7	17	26	39	50	72
65+	143	20.4	217	4	6	17	28	39	49	76
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	38	25.7	311	4	5	21	35	48	65	75
35-49	49	27.0	259	10	11	23	32	43	66	84
50-64	31	28.9	309	11	16	24	30	51	54	97
65+	13	22.5	259	7	8	19	24	52	60	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2600	16.2	173	2	3	13	22	34	43	66
B. *Operated*	11	27.8	377	5	6	24	43	79	97	99+
2. MULTIPLE DX										
A. *Not Operated*	1847	18.6	205	3	4	15	24	39	49	75
B. *Operated*	132	26.5	283	7	10	22	31	49	61	86
1. SINGLE DX	2611	16.3	174	2	3	13	22	34	43	67
2. MULTIPLE DX	1979	19.1	214	3	4	16	25	39	50	77
A. NOT OPERATED	4447	17.2	188	2	4	14	23	36	45	71
B. OPERATED	143	26.6	288	7	10	22	33	49	66	97
TOTAL 0-19 YRS	180	22.7	336	2	4	19	35	55	68	99+
20-34	2178	16.8	192	2	3	14	22	36	45	71
35-49	1343	16.7	176	2	4	14	22	34	43	72
50-64	664	19.3	183	4	6	16	26	38	46	66
65+	225	19.7	190	4	6	16	25	38	46	66
GRAND TOTAL	**4590**	**17.5**	**194**	**2**	**4**	**14**	**23**	**37**	**46**	**72**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	36.0	327	11	12	36	45	66	86	99+
20-34	55	17.1	125	4	6	15	22	27	43	57
35-49	13	8.6	33	1	3	7	12	15	21	23
50-64	7	14.1	94	7	7	10	17	31	34	34
65+	2	18.5	25	15	15	18	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	35.4	408	5	13	33	46	69	82	99+
20-34	40	19.7	274	2	4	18	25	40	52	81
35-49	11	12.7	46	3	4	14	16	21	26	27
50-64	12	12.9	94	3	4	9	18	29	32	32
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	1	47.0		47	47	47	47	47	47	47
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	20.0	232	4	6	16	26	43	58	89
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	104	24.1	361	3	4	21	33	53	69	92
B. *Operated*	2	26.0	882	5	5	26	47	47	47	47
1. SINGLE DX	99	20.0	232	4	6	16	26	43	58	89
2. MULTIPLE DX	106	24.1	362	3	4	21	34	53	68	91
A. NOT OPERATED	203	22.1	301	4	5	18	30	45	62	92
B. OPERATED	2	26.0	882	5	5	26	47	47	47	47
TOTAL 0-19 YRS	63	35.8	370	9	12	35	46	68	81	99+
20-34	95	18.2	187	3	4	16	24	35	47	71
35-49	25	10.3	41	2	4	11	14	17	24	27
50-64	19	13.4	89	3	4	10	18	30	33	34
65+	3	14.7	56	7	7	15	20	22	22	22
GRAND TOTAL	**205**	**22.1**	**302**	**4**	**5**	**18**	**30**	**46**	**62**	**91**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	26.2	402	4	6	21	38	60	72	99+
20-34	2269	15.7	196	1	2	12	21	35	44	71
35-49	1155	14.7	142	2	3	12	19	31	40	56
50-64	529	16.3	164	3	4	13	21	31	39	70
65+	138	18.2	160	4	5	15	24	37	42	82
B. *Operated*										
0-19 YRS										
20-34	4	31.0	200	13	13	32	41	47	47	47
35-49	7	17.7	63	7	8	16	24	25	30	30
50-64	3	17.3	92	7	7	19	24	26	26	26
65+	2	23.5	145	15	15	23	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	22.9	302	3	5	19	35	54	67	99+
20-34	1615	17.7	213	2	4	14	24	38	47	73
35-49	1126	17.2	179	3	4	14	23	34	43	72
50-64	751	17.5	152	3	5	15	23	33	40	62
65+	346	18.2	191	4	5	14	25	36	47	69
B. *Operated*										
0-19 YRS	12	30.2	374	8	11	22	43	62	65	65
20-34	90	27.8	355	5	9	22	40	61	79	99+
35-49	78	21.0	127	6	9	18	27	40	48	88
50-64	67	30.2	336	10	13	25	40	56	72	81
65+	30	26.9	215	11	11	25	37	46	49	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4351	16.2	196	1	3	13	21	35	44	72
B. *Operated*	16	21.7	122	7	8	18	29	35	43	47
2. MULTIPLE DX										
A. *Not Operated*	4043	17.9	196	3	4	14	24	36	46	72
B. *Operated*	277	26.5	281	7	10	22	36	51	65	99+
1. SINGLE DX	4367	16.3	195	1	3	13	21	35	44	72
2. MULTIPLE DX	4320	18.4	206	3	4	15	24	37	47	74
A. NOT OPERATED	8394	17.0	196	2	3	14	22	35	45	72
B. OPERATED	293	26.2	273	7	10	22	34	50	65	99+
TOTAL 0-19 YRS	477	24.9	360	3	5	20	37	58	70	99+
20-34	3979	16.8	210	1	3	13	22	36	46	74
35-49	2366	16.1	161	2	4	13	21	33	42	68
50-64	1350	17.7	174	3	5	15	23	33	43	70
65+	516	18.7	187	4	5	15	26	37	46	70
GRAND TOTAL	**8687**	**17.3**	**202**	**2**	**4**	**14**	**23**	**36**	**46**	**74**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	29.2	509	3	6	26	55	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	29.4	497	2	3	28	52	95	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	45.0		45	45	45	45	45	45	45
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	29.2	509	3	6	26	55	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	29.4	497	2	3	28	52	95	99+	99+
B. *Operated*	1	45.0		45	45	45	45	45	45	45
1. SINGLE DX	45	29.2	509	3	6	26	55	99+	99+	99+
2. MULTIPLE DX	35	29.9	489	2	3	30	52	94	99+	99+
A. NOT OPERATED	79	29.3	498	2	4	27	54	99+	99+	99+
B. OPERATED	1	45.0		45	45	45	45	45	45	45
TOTAL 0-19 YRS	80	29.5	494	2	4	28	53	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**80**	**29.5**	**494**	**2**	**4**	**28**	**53**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	20.1	362	2	3	15	28	54	65	99+
20-34	1337	14.9	163	2	3	11	20	31	40	71
35-49	1266	15.4	150	2	3	13	21	31	35	74
50-64	1035	18.5	193	2	4	15	25	36	44	70
65+	746	21.8	246	2	4	19	30	43	54	72
B. *Operated*										
0-19 YRS										
20-34	9	17.8	135	5	6	13	28	35	37	37
35-49	7	15.7	98	2	3	17	21	30	32	32
50-64	5	30.0	164	19	19	25	42	47	47	47
65+	8	38.6	709	17	18	27	47	84	98	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	25.9	498	3	4	20	40	63	90	99+
20-34	2265	16.1	173	2	3	13	22	34	43	76
35-49	2358	17.3	178	3	4	14	23	35	44	62
50-64	2153	19.3	200	4	5	16	26	37	45	73
65+	2053	21.2	224	4	6	18	29	41	50	79
B. *Operated*										
0-19 YRS	18	36.1	658	8	10	38	53	95	97+	99+
20-34	164	24.3	274	4	8	21	33	48	64	99
35-49	246	25.1	216	8	10	22	33	44	56	98
50-64	222	28.3	266	8	10	26	39	50	58	81
65+	208	29.8	308	7	10	27	39	55	65	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4624	17.2	196	2	3	14	23	35	44	74
B. *Operated*	29	25.1	356	5	7	20	32	45	54	98
2. MULTIPLE DX										
A. *Not Operated*	9318	18.8	215	3	4	15	26	38	48	81
B. *Operated*	858	27.2	273	7	9	24	36	51	60	98
1. SINGLE DX	4653	17.3	197	2	3	14	23	35	44	75
2. MULTIPLE DX	10176	19.5	225	3	4	16	27	40	50	82
A. NOT OPERATED	13942	18.3	209	3	4	15	25	37	47	79
B. OPERATED	887	27.1	275	7	9	24	35	50	60	98
TOTAL 0-19 YRS	747	24.3	463	3	4	19	36	64	85	99+
20-34	3775	16.0	177	2	3	13	22	34	43	76
35-49	3877	17.2	176	3	4	14	23	35	43	65
50-64	3415	19.7	207	3	5	16	27	38	46	73
65+	3015	22.0	241	4	6	19	30	43	52	79
GRAND TOTAL	**14829**	**18.8**	**218**	**3**	**4**	**15**	**26**	**38**	**48**	**81**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	16.5	216	2	4	12	25	37	48	89
20-34	1105	16.0	155	2	4	13	21	31	42	61
35-49	1011	15.2	129	3	4	13	20	31	37	55
50-64	593	17.5	138	3	5	15	23	33	41	58
65+	202	18.6	155	4	5	15	25	36	41	61
B. *Operated*										
0-19 YRS	2	14.0	98	7	7	14	21	21	21	21
20-34	1	15.0		15	15	15	15	15	15	15
35-49	5	14.4	75	2	2	14	22	24	24	24
50-64	5	21.0	229	3	3	17	35	39	39	39
65+	4	39.5	107	25	25	42	46	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	22.9	376	4	5	18	32	48	63	92
20-34	1075	17.8	194	2	4	14	24	36	45	66
35-49	1041	18.1	164	3	5	15	25	35	43	63
50-64	865	20.1	194	4	6	17	27	39	47	77
65+	493	21.5	211	5	7	18	28	40	53	69
B. *Operated*										
0-19 YRS	7	25.1	564	7	7	22	74	99+	99+	99+
20-34	69	25.1	172	8	11	24	34	49	56	99+
35-49	89	26.7	173	8	10	27	33	43	56	65
50-64	77	26.2	217	8	11	23	32	44	59	96
65+	44	36.1	383	10	14	33	46	72	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3106	16.2	148	2	4	14	22	32	40	59
B. *Operated*	17	22.2	208	2	4	21	35	43	47	49
2. MULTIPLE DX										
A. *Not Operated*	3677	19.2	200	3	5	16	25	38	46	70
B. *Operated*	286	27.6	235	8	11	26	36	52	64	99+
1. SINGLE DX	3123	16.3	148	2	4	14	22	32	41	59
2. MULTIPLE DX	3963	19.8	207	3	5	17	27	39	48	77
A. NOT OPERATED	6783	17.8	178	3	4	15	24	35	44	66
B. OPERATED	303	27.3	235	8	11	26	35	51	62	99+
TOTAL 0-19 YRS	407	19.9	309	3	4	15	28	45	61	97
20-34	2250	17.1	176	2	4	14	23	34	44	65
35-49	2146	17.1	154	3	4	14	23	33	41	58
50-64	1540	19.4	177	4	6	17	26	37	45	74
65+	743	21.7	221	5	7	18	29	41	53	76
GRAND TOTAL	**7086**	**18.2**	**184**	**3**	**5**	**15**	**24**	**36**	**45**	**67**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	17.2	290	1	2	13	24	45	53	75
20-34	484	12.8	121	1	2	10	17	29	36	49
35-49	285	12.3	96	1	2	10	16	26	31	47
50-64	242	15.0	172	2	3	12	19	32	45	62
65+	185	12.6	157	1	2	9	15	26	37	65
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	2	16.0	8	14	14	16	18	18	18	18
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	6	7.3	33	2	2	6	9	17	18	18
65+	5	12.2	132	2	2	11	17	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	20.1	460	1	3	14	31	60	85	99+
20-34	539	14.4	160	1	2	11	20	31	38	63
35-49	437	14.9	174	2	3	11	20	31	40	80
50-64	440	12.7	121	2	3	9	17	29	37	50
65+	1063	11.8	89	2	3	9	15	24	30	47
B. *Operated*										
0-19 YRS	3	17.0	553	<1	<1	6	34	44	44	44
20-34	30	24.5	270	6	8	20	31	48	55	75
35-49	25	23.3	401	5	8	16	35	53	95	99+
50-64	54	19.3	242	4	6	13	28	39	50	83
65+	122	17.2	220	3	4	13	23	33	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1314	13.5	147	1	2	10	18	29	37	59
B. *Operated*	18	8.8	59	2	2	7	13	18	26	31
2. MULTIPLE DX										
A. *Not Operated*	2614	13.4	146	2	3	10	18	29	37	63
B. *Operated*	234	19.3	257	3	5	15	25	42	51	94
1. SINGLE DX	1332	13.4	146	1	2	10	18	29	37	59
2. MULTIPLE DX	2848	13.9	158	2	3	10	18	30	38	69
A. NOT OPERATED	3928	13.4	146	2	3	10	18	29	37	61
B. OPERATED	252	18.5	249	3	4	14	24	40	51	94
TOTAL 0-19 YRS	258	18.6	380	1	2	13	26	49	69	99+
20-34	1055	14.0	148	1	2	11	19	31	38	56
35-49	750	14.2	156	2	3	11	19	30	39	64
50-64	742	13.9	149	2	3	10	18	31	39	54
65+	1375	12.4	112	2	3	9	16	25	33	55
GRAND TOTAL	**4180**	**13.7**	**154**	**2**	**3**	**10**	**18**	**30**	**38**	**62**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	7.2	130	<1	1	3	6	19	41	52
20-34	408	6.8	76	1	1	4	8	16	21	42
35-49	364	6.1	52	1	1	4	7	15	21	35
50-64	183	6.6	60	<1	1	4	8	15	23	38
65+	123	5.4	26	1	1	4	7	12	15	26
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	8	4.9	8	2	2	4	6	10	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	5.3	6	3	3	5	7	8	8	8
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	8.7	111	1	1	5	10	25	34	54
20-34	943	7.9	82	1	1	5	10	19	24	40
35-49	1031	7.2	59	1	1	4	8	17	23	38
50-64	870	6.8	43	1	2	5	8	14	20	35
65+	815	6.9	46	1	2	5	8	14	19	36
B. *Operated*										
0-19 YRS	11	20.7	227	5	6	18	31	43	51	52
20-34	44	16.0	200	2	3	12	20	34	42	72
35-49	57	11.4	207	2	3	7	12	23	34	91
50-64	46	14.6	150	2	3	11	22	31	41	50
65+	33	8.3	30	2	3	7	10	18	20	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1172	6.4	65	1	1	4	7	15	21	41
B. *Operated*	15	5.0	8	2	2	4	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	3829	7.3	61	1	1	5	9	17	23	40
B. *Operated*	191	13.2	170	2	3	8	18	29	38	64
1. SINGLE DX	1187	6.4	64	1	1	4	7	15	21	41
2. MULTIPLE DX	4020	7.6	68	1	2	5	9	18	24	42
A. NOT OPERATED	5001	7.1	62	1	1	4	8	16	23	40
B. OPERATED	206	12.6	162	2	3	8	17	28	38	61
TOTAL 0-19 YRS	276	8.7	127	1	1	4	9	26	39	55
20-34	1403	7.8	86	1	1	5	9	19	24	42
35-49	1453	7.1	64	1	1	4	8	17	23	38
50-64	1102	7.1	52	1	2	5	8	16	22	38
65+	973	6.7	43	1	2	5	8	13	19	34
GRAND TOTAL	**5207**	**7.3**	**67**	**1**	**1**	**5**	**9**	**17**	**23**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	17.9	269	1	2	12	29	44	55	99+
20-34	1284	10.7	110	1	2	7	15	25	32	47
35-49	963	12.5	99	2	3	10	17	27	32	45
50-64	476	12.9	121	1	2	10	18	28	33	51
65+	279	13.2	134	1	2	10	19	30	38	73
B. *Operated*										
0-19 YRS	2	32.0	882	11	11	32	53	53	53	53
20-34	6	34.5	624	10	10	26	62	68	69	69
35-49	4	28.8	38	21	21	29	33	36	36	36
50-64	4	29.8	96	21	21	27	37	43	43	43
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	583	22.1	395	2	3	16	34	58	71	99+
20-34	2038	12.3	120	2	2	9	17	27	35	50
35-49	1843	13.0	117	2	3	10	18	28	33	50
50-64	1204	12.7	103	2	3	10	18	27	34	48
65+	1043	11.8	100	2	3	8	16	25	33	44
B. *Operated*										
0-19 YRS	32	32.1	461	6	6	24	49	56	70	86
20-34	131	19.7	178	4	6	16	27	39	45	56
35-49	152	19.4	145	5	7	16	25	37	44	79
50-64	113	18.0	149	5	5	16	23	31	40	65
65+	82	19.5	173	4	5	17	30	39	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3359	12.5	132	1	2	9	17	29	37	54
B. *Operated*	17	30.1	317	8	10	28	38	60	67	69
2. MULTIPLE DX										
A. *Not Operated*	6711	13.3	144	2	3	9	18	29	37	61
B. *Operated*	510	20.0	187	5	6	16	27	39	47	80
1. SINGLE DX	3376	12.6	134	1	2	9	18	29	37	55
2. MULTIPLE DX	7221	13.8	150	2	3	10	19	30	39	62
A. NOT OPERATED	10070	13.1	140	2	3	9	18	29	37	59
B. OPERATED	527	20.3	194	5	6	17	27	40	49	80
TOTAL 0-19 YRS	974	20.9	358	1	3	15	33	50	67	99+
20-34	3459	12.0	123	1	2	8	16	27	35	49
35-49	2962	13.2	115	2	3	10	18	28	34	49
50-64	1797	13.1	113	2	3	10	18	28	34	50
65+	1405	12.6	114	2	3	9	17	28	36	49
GRAND TOTAL	**10597**	**13.4**	**145**	**2**	**3**	**10**	**18**	**30**	**38**	**60**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	15.2	293	1	1	8	26	45	65	99+
20-34	785	10.2	120	1	1	6	13	24	34	56
35-49	323	10.0	139	1	1	6	14	25	32	53
50-64	162	8.8	85	1	1	5	13	23	29	39
65+	77	9.2	93	1	1	6	14	23	31	45
B. *Operated*										
0-19 YRS	4	9.8	75	2	2	7	15	22	22	22
20-34	39	9.3	42	2	3	8	13	17	21	34
35-49	25	7.3	33	1	2	6	9	12	19	29
50-64	29	4.8	8	2	2	5	6	7	8	16
65+	13	5.8	19	3	3	4	6	12	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	14.7	311	1	2	8	19	44	62	99+
20-34	1461	11.7	159	1	2	7	15	29	37	69
35-49	829	11.8	141	1	2	8	16	27	35	62
50-64	467	11.0	107	1	2	8	15	24	30	50
65+	308	11.3	104	2	2	8	15	27	34	46
B. *Operated*										
0-19 YRS	22	20.0	452	<1	2	10	40	56	88	99+
20-34	111	18.6	329	1	3	13	24	45	58	97
35-49	81	14.7	179	2	3	10	20	30	39	68
50-64	74	13.6	218	2	3	9	16	36	50	67
65+	44	11.8	112	2	2	8	16	28	35	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1672	10.9	157	1	1	6	15	28	39	76
B. *Operated*	110	7.3	32	2	2	6	9	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	3626	12.0	168	1	2	8	16	29	40	77
B. *Operated*	332	15.7	251	2	3	10	23	39	50	93
1. SINGLE DX	1782	10.7	150	1	1	6	14	28	39	75
2. MULTIPLE DX	3958	12.4	176	1	2	8	16	29	41	79
A. NOT OPERATED	5298	11.7	165	1	2	7	16	29	40	76
B. OPERATED	442	13.6	210	2	3	8	18	32	45	82
TOTAL 0-19 YRS	912	15.0	307	1	2	8	22	44	65	99+
20-34	2396	11.5	155	1	2	7	15	28	37	65
35-49	1258	11.4	143	1	2	7	16	27	34	62
50-64	732	10.5	112	1	2	7	14	24	32	50
65+	442	10.8	101	1	2	7	15	26	33	45
GRAND TOTAL	**5740**	**11.8**	**169**	**1**	**2**	**7**	**16**	**29**	**40**	**77**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	610	18.3	180	<1	1	21	30	34	36	42
20-34	2879	15.3	115	1	2	16	25	28	30	35
35-49	2576	14.9	120	1	2	14	25	29	30	36
50-64	1106	13.9	117	1	2	10	24	28	30	34
65+	268	14.4	126	1	2	11	23	29	32	42
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	18.5	181	9	9	18	28	28	28	28
35-49	3	24.0	103	15	15	22	32	35	35	35
50-64										
65+	3	20.3	200	4	4	28	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1390	23.0	221	1	1	27	35	41	44	52
20-34	5288	15.9	135	1	2	15	27	30	33	39
35-49	5089	13.7	127	2	2	9	24	29	32	40
50-64	3736	13.0	120	2	2	8	22	29	32	41
65+	1359	13.8	125	2	3	10	23	29	34	42
B *Operated*										
0-19 YRS	26	26.2	214	1	2	29	37	43	46	48
20-34	197	19.1	146	2	3	20	28	35	38	50
35-49	238	20.1	122	4	7	21	28	32	41	49
50-64	232	19.2	163	5	7	16	27	35	42	63
65+	122	19.8	140	5	7	17	28	35	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7439	15.2	124	1	2	15	25	29	31	36
B. *Operated*	9	19.0	149	<1	2	22	28	33	35	35
2. MULTIPLE DX										
A. *Not Operated*	16862	15.0	143	1	2	11	25	30	35	43
B. *Operated*	815	19.8	146	3	6	19	28	35	41	53
1. SINGLE DX	7448	15.2	124	1	2	15	25	29	31	36
2. MULTIPLE DX	17677	15.2	144	1	2	12	26	31	35	44
A. NOT OPERATED	24301	15.1	137	1	2	13	25	30	34	42
B. OPERATED	824	19.8	146	3	5	19	28	35	41	53
TOTAL 0-19 YRS	2027	21.6	213	1	1	24	34	39	43	51
20-34	8366	15.8	128	1	2	15	26	30	32	38
35-49	7906	14.3	126	1	2	11	24	29	31	39
50-64	5074	13.5	123	2	2	9	23	29	32	41
65+	1752	14.3	129	2	3	10	23	30	34	43
GRAND TOTAL	**25125**	**15.2**	**138**	**1**	**2**	**13**	**25**	**30**	**34**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	24.8	201	<1	1	25	37	38	42	43
20-34	118	12.5	116	1	1	7	24	28	30	35
35-49	24	15.3	120	1	2	15	23	30	35	35
50-64	6	10.7	50	1	1	10	18	19	19	19
65+	2	19.5	181	10	10	19	29	29	29	29
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	16.1	166	2	2	15	25	36	38	39
20-34	267	14.3	125	1	3	10	24	30	33	43
35-49	75	13.2	98	3	3	9	20	28	30	40
50-64	14	17.4	104	5	7	16	23	32	36	37
65+	6	14.0	77	4	4	13	19	27	28	28
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	26	17.0	314	2	3	13	21	32	46	91
35-49	7	21.3	170	5	6	19	33	37	38	38
50-64	3	19.0	84	9	9	21	25	27	27	27
65+	3	17.0	3	15	15	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	14.1	132	1	1	10	24	29	35	38
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	375	14.3	119	2	3	10	22	30	33	42
B. *Operated*	40	18.2	237	2	5	15	25	33	36	91
1. SINGLE DX	166	14.0	132	1	1	10	24	29	35	38
2. MULTIPLE DX	415	14.6	131	2	3	11	23	30	34	43
A. NOT OPERATED	540	14.2	123	1	2	10	24	30	34	42
B. OPERATED	41	17.8	236	3	4	15	24	33	36	91
TOTAL 0-19 YRS	29	21.0	192	1	2	21	36	38	39	43
20-34	412	14.0	134	1	2	10	24	29	32	42
35-49	106	14.2	109	2	3	11	21	30	34	40
50-64	23	15.9	91	3	5	14	22	30	33	37
65+	11	15.8	62	4	5	15	19	28	29	29
GRAND TOTAL	**581**	**14.5**	**131**	**1**	**3**	**11**	**24**	**30**	**35**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	16.4	239	1	1	10	29	38	42	59
20-34	309	15.2	114	1	2	16	24	29	30	37
35-49	81	15.7	122	1	2	17	25	28	29	48
50-64	14	8.5	88	<1	1	4	16	25	27	28
65+	3	21.0	147	7	7	28	28	28	28	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	22.3	280	1	1	24	36	42	45	67
20-34	500	16.8	128	2	3	18	27	31	33	42
35-49	165	15.8	111	2	3	15	25	30	32	37
50-64	60	15.4	145	2	3	13	23	29	34	63
65+	30	14.9	108	3	4	11	21	28	34	46
B, *Operated*										
0-19 YRS	7	45.3	132	30	32	45	46	64	68	68
20-34	19	16.1	96	5	6	13	21	27	37	44
35-49	17	21.7	126	4	5	24	29	36	39	40
50-64	3	34.3	152	24	24	31	44	48	48	48
65+	3	12.0	36	6	6	12	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	15.5	153	1	1	14	25	30	37	47
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	1091	18.2	180	1	2	19	28	36	41	52
B. *Operated*	49	23.1	210	5	6	21	30	45	46	68
1. SINGLE DX	583	15.5	153	1	1	14	25	30	37	47
2. MULTIPLE DX	1140	18.5	182	1	2	19	28	36	42	52
A. NOT OPERATED	1673	17.3	172	1	2	17	28	34	39	50
B. OPERATED	50	22.8	208	5	6	21	30	44	46	68
TOTAL 0-19 YRS	518	20.6	280	1	1	21	35	42	45	64
20-34	828	16.2	123	1	3	17	26	30	33	41
35-49	263	16.2	116	2	3	16	26	29	32	41
50-64	78	14.8	152	1	3	11	23	30	34	61
65+	36	15.2	104	3	4	12	21	28	33	46
GRAND TOTAL	**1723**	**17.4**	**174**	**1**	**2**	**17**	**28**	**35**	**40**	**50**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	400	1.8	12	<1	<1	1	2	2	3	26
20-34	263	3.8	58	<1	<1	1	2	5	29	32
35-49	118	4.5	67	<1	<1	1	3	9	30	33
50-64	63	3.7	38	<1	<1	2	3	7	23	29
65+	21	2.1	4	<1	<1	1	3	4	6	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	3.6	52	<1	<1	1	3	8	14	36
20-34	465	4.2	49	<1	<1	2	4	8	20	32
35-49	264	5.7	67	<1	1	3	5	13	29	38
50-64	207	5.4	40	<1	1	4	6	11	21	37
65+	109	5.8	62	1	1	3	6	12	16	47
B. *Operated*										
0-19 YRS	16	5.1	75	<1	1	2	4	15	29	34
20-34	17	2.6	15	<1	<1	1	2	7	13	16
35-49	14	7.6	90	<1	1	4	12	19	31	35
50-64	12	6.3	30	<1	1	5	9	14	18	19
65+	11	11.3	182	1	1	7	14	32	46	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	865	2.9	36	<1	<1	1	2	4	14	31
B. *Operated*	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1381	4.7	53	<1	<1	2	5	10	21	38
B. *Operated*	70	6.2	76	<1	<1	2	7	16	22	45
1. SINGLE DX	867	2.9	36	<1	<1	1	2	4	14	31
2. MULTIPLE DX	1451	4.7	55	<1	<1	2	5	10	21	38
A. NOT OPERATED	2246	4.0	47	<1	<1	2	4	8	20	35
B. OPERATED	72	6.1	74	<1	<1	2	7	16	22	44
TOTAL 0-19 YRS	753	2.7	32	<1	<1	1	2	4	10	31
20-34	746	4.0	51	<1	<1	1	3	8	23	32
35-49	396	5.4	68	<1	<1	2	5	13	30	37
50-64	282	5.1	40	<1	1	3	5	11	21	34
65+	141	5.7	66	<1	1	3	6	12	18	47
GRAND TOTAL	**2318**	**4.1**	**48**	**<1**	**<1**	**2**	**4**	**8**	**20**	**35**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	9.1	110	<1	1	4	15	27	31	39
20-34	163	9.1	98	<1	1	4	14	28	30	35
35-49	27	8.4	68	<1	1	5	11	21	25	30
50-64	6	6.2	22	1	1	6	10	12	12	12
65+	6	8.0	56	1	1	6	12	20	21	21
B. *Operated*										
0-19 YRS										
20-34	3	13.3	184	5	5	6	23	29	29	29
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	14.1	252	1	1	7	21	35	46	73
20-34	452	11.2	114	1	2	6	18	29	31	38
35-49	127	10.1	95	1	1	6	13	28	30	38
50-64	47	10.0	79	2	2	8	12	27	31	33
65+	36	8.1	50	2	3	6	9	15	28	31
B. *Operated*										
0-19 YRS	2	12.0	162	3	3	12	21	21	21	21
20-34	19	20.8	208	2	3	28	31	34	44	53
35-49	8	17.6	129	7	7	15	20	36	43	43
50-64										
65+	2	9.0	18	6	6	9	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	9.0	96	<1	1	4	14	25	30	35
B. *Operated*	3	13.3	184	5	5	6	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	825	11.4	136	1	2	6	16	29	33	48
B. *Operated*	31	18.7	173	3	3	16	29	33	43	53
1. SINGLE DX	296	9.0	96	<1	1	4	14	26	30	35
2. MULTIPLE DX	856	11.7	139	1	2	7	17	30	33	52
A. NOT OPERATED	1118	10.8	126	1	1	6	16	29	31	44
B. OPERATED	34	18.2	171	3	3	15	29	33	41	53
TOTAL 0-19 YRS	256	12.3	205	1	1	6	18	31	39	62
20-34	637	11.0	116	1	1	6	18	29	31	38
35-49	162	10.2	95	1	1	6	16	27	30	40
50-64	53	9.6	74	1	2	8	12	23	31	33
65+	44	8.1	48	2	2	6	10	16	2[illegible]	31
GRAND TOTAL	**1152**	**11.0**	**129**	**1**	**1**	**6**	**17**	**29**	**31**	**45**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.9	20	1	1	3	5	6	9	25
20-34	113	3.7	6	1	1	3	5	7	9	11
35-49	107	4.1	8	1	1	3	5	8	9	16
50-64	60	4.0	15	1	1	3	5	7	9	25
65+	36	4.3	11	1	1	3	5	10	11	15
B. *Operated*										
0-19 YRS	10	5.0	13	1	1	4	7	11	13	13
20-34	8	7.5	56	1	1	6	7	20	25	25
35-49	9	5.1	22	1	1	3	7	13	16	16
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	5.3	57	1	1	3	5	9	12	51
20-34	258	4.7	12	1	1	4	6	9	11	21
35-49	339	5.7	26	1	1	4	7	11	15	28
50-64	235	5.8	23	1	2	5	7	11	16	27
65+	268	6.1	33	2	2	5	7	10	14	26
B. *Operated*										
0-19 YRS	11	11.3	317	1	1	5	11	35	61	63
20-34	31	8.6	91	1	2	6	10	18	34	44
35-49	34	7.6	57	2	3	5	7	15	31	33
50-64	33	8.5	33	2	2	6	11	18	19	23
65+	28	10.0	48	3	3	8	12	21	26	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	3.9	12	1	1	3	5	7	9	15
B. *Operated*	31	5.6	25	1	1	4	7	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	1263	5.5	28	1	2	4	7	10	13	27
B. *Operated*	137	8.8	76	2	2	6	11	18	25	46
1. SINGLE DX	463	4.0	13	1	1	3	5	8	9	16
2. MULTIPLE DX	1400	5.9	34	1	2	4	7	11	15	32
A. NOT OPERATED	1695	5.1	25	1	1	4	6	9	12	27
B. OPERATED	168	8.2	64	1	2	6	10	17	24	42
TOTAL 0-19 YRS	300	5.0	52	1	1	3	5	8	12	49
20-34	410	4.8	19	1	1	4	6	9	11	24
35-49	489	5.4	25	1	1	4	7	10	15	30
50-64	331	5.7	23	1	1	4	7	11	16	27
65+	333	6.2	33	2	2	5	7	11	15	28
GRAND TOTAL	**1863**	**5.4**	**29**	**1**	**1**	**4**	**6**	**10**	**13**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	807	13.7	221	1	1	8	19	36	45	89
20-34	871	7.6	66	1	1	5	10	17	24	43
35-49	462	7.6	66	1	1	5	11	15	24	43
50-64	132	7.2	58	1	1	4	11	15	23	37
65+	63	9.6	60	2	2	7	15	24	25	28
B. *Operated*										
0-19 YRS	5	18.6	422	2	2	6	34	50	50	50
20-34	3	27.0	63	18	18	30	32	33	33	33
35-49	3	13.0	103	2	2	15	20	22	22	22
50-64	4	10.3	73	3	3	8	16	22	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	940	14.4	258	1	2	8	21	38	50	99+
20-34	1468	9.1	98	1	1	6	12	21	28	46
35-49	907	9.1	88	1	2	6	12	21	29	43
50-64	399	9.5	73	1	2	7	12	21	29	41
65+	303	9.4	90	1	2	6	11	20	28	45
B. *Operated*										
0-19 YRS	39	24.9	582	<1	2	16	36	63	81	88
20-34	59	14.1	161	1	2	11	20	32	36	63
35-49	47	16.3	144	5	5	12	24	40	45	99+
50-64	27	17.0	204	6	8	13	20	34	42	76
65+	14	19.5	505	2	4	12	19	45	78	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2335	9.7	127	1	1	6	13	24	34	58
B. *Operated*	15	16.9	199	2	2	15	27	33	46	50
2. MULTIPLE DX										
A. *Not Operated*	4017	10.4	135	1	2	6	14	25	34	63
B. *Operated*	186	17.8	286	1	3	12	22	39	56	88
1. SINGLE DX	2350	9.8	128	1	1	6	13	24	34	56
2. MULTIPLE DX	4203	10.7	144	1	2	7	14	25	35	66
A. NOT OPERATED	6352	10.2	132	1	1	6	13	24	34	60
B. OPERATED	201	17.7	278	2	3	12	22	39	53	88
TOTAL 0-19 YRS	1791	14.3	251	1	2	9	20	38	49	94
20-34	2401	8.7	89	1	1	5	11	20	28	44
35-49	1419	8.8	85	1	1	6	12	21	28	44
50-64	562	9.3	79	1	2	7	12	20	29	41
65+	380	9.8	102	1	2	7	12	21	28	46
GRAND TOTAL	**6553**	**10.4**	**138**	**1**	**1**	**6**	**14**	**25**	**35**	**63**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1235	19.7	464	1	2	10	32	56	70	99+
20-34	716	9.2	131	1	1	5	12	22	31	74
35-49	440	9.0	106	1	1	5	12	21	28	48
50-64	225	11.5	134	1	2	8	16	25	29	52
65+	144	10.7	105	2	2	7	13	26	35	56
B. *Operated*										
0-19 YRS	19	8.6	226	<1	1	3	6	32	51	54
20-34	23	7.6	92	1	1	3	10	19	28	44
35-49	17	8.8	168	1	2	5	8	15	43	57
50-64	6	10.5	174	2	2	6	8	34	37	37
65+	6	6.8	26	2	2	6	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1719	21.8	485	2	2	15	35	62	84	99+
20-34	1773	11.1	143	1	2	7	15	27	36	71
35-49	1348	10.7	126	2	2	7	14	26	32	54
50-64	959	11.2	128	2	2	7	14	26	35	52
65+	1093	11.4	102	2	3	8	14	24	33	49
B. *Operated*										
0-19 YRS	90	28.9	666	2	2	26	49	71	99	99+
20-34	122	18.7	298	2	3	13	26	43	55	93
35-49	127	17.8	260	3	4	13	23	40	58	91
50-64	114	16.1	158	3	5	13	23	34	44	77
65+	112	17.1	141	3	4	13	25	35	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2760	14.1	300	1	2	7	18	40	57	93
B. *Operated*	71	8.4	141	1	1	5	9	17	44	56
2. MULTIPLE DX										
A. *Not Operated*	6902	13.7	238	2	2	8	18	35	49	98
B. *Operated*	565	19.3	305	3	3	14	28	44	62	99+
1. SINGLE DX	2831	14.0	297	1	2	7	18	40	57	93
2. MULTIPLE DX	7467	14.2	245	2	2	8	19	36	50	98
A. NOT OPERATED	9662	13.8	255	1	2	8	18	36	52	96
B. OPERATED	636	18.1	298	2	3	12	26	44	58	99+
TOTAL 0-19 YRS	3063	21.0	483	2	2	13	35	60	78	99+
20-34	2634	10.9	150	1	2	6	15	26	37	74
35-49	1932	10.7	135	1	2	7	14	25	33	59
50-64	1314	11.7	133	2	2	8	16	27	35	54
65+	1355	11.8	108	2	3	8	15	26	35	52
GRAND TOTAL	10298	14.1	259	1	2	8	19	37	52	98

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	10.3	131	2	2	5	28	72	99+	99+
20-34	11	12.1	200	1	2	4	21	36	40	40
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	15.0		15	15	15	15	15	15	15
65+										
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	14.6	270	1	2	8	23	40	60	99+
20-34	106	12.2	85	2	3	10	16	24	30	44
35-49	51	9.6	58	2	2	7	13	19	24	37
50-64	18	11.8	92	1	1	10	18	28	30	40
65+	12	9.5	32	3	3	8	14	18	19	19
B. *Operated*										
0-19 YRS	8	9.6	62	4	4	6	11	23	28	28
20-34	10	6.7	86	<1	<1	2	10	23	25	25
35-49	7	11.7	108	2	2	6	19	27	29	29
50-64	5	37.8	627	2	2	53	55	59	59	59
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	11.2	145	1	2	5	23	35	61	99+
B. *Operated*	3	6.3	16	2	2	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	259	12.2	133	1	2	9	16	27	35	92
B. *Operated*	30	13.8	273	1	1	6	21	41	54	59
1. SINGLE DX	25	10.6	131	1	2	6	15	34	52	99+
2. MULTIPLE DX	289	12.4	147	1	2	9	16	28	36	82
A. NOT OPERATED	281	12.2	134	2	2	9	16	28	35	98
B. OPERATED	33	13.2	253	1	1	6	20	34	54	59
TOTAL 0-19 YRS	90	13.5	243	1	2	7	21	39	60	99+
20-34	127	11.8	95	1	2	10	16	26	32	43
35-49	59	9.8	63	2	2	7	13	21	27	37
50-64	25	17.3	280	1	2	15	22	53	55	59
65+	13	9.5	29	3	3	8	14	17	19	19
GRAND TOTAL	314	12.3	148	1	2	8	16	29	37	97

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	10.5	28	2	3	11	13	16	18	24
20-34	117	6.9	26	1	2	6	9	12	15	28
35-49	44	9.4	84	2	2	8	11	15	19	60
50-64	29	7.8	30	1	1	7	12	17	18	19
65+	4	8.5	38	3	3	7	13	16	16	16
B. *Operated*										
0-19 YRS	51	13.2	56	3	6	12	15	17	36	39
20-34	34	10.2	107	1	2	7	16	22	23	53
35-49	46	8.9	62	1	1	7	12	22	23	32
50-64	35	9.2	128	1	1	5	15	18	27	60
65+	12	12.7	135	1	2	11	20	28	37	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	540	11.2	34	2	3	11	14	17	19	30
20-34	112	8.0	35	1	2	7	11	16	19	29
35-49	89	11.0	67	2	2	10	14	21	26	80
50-64	95	12.4	100	2	3	11	16	22	30	55
65+	77	16.5	136	3	5	14	20	30	40	64
B. *Operated*										
0-19 YRS	106	20.5	177	8	10	16	26	37	49	68
20-34	45	21.9	348	3	5	15	26	47	54	91
35-49	94	21.2	444	3	5	15	25	54	91	99+
50-64	105	18.1	296	2	3	15	22	42	65	99+
65+	41	25.2	335	4	6	18	39	48	63	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	9.7	33	2	2	10	12	15	18	24
B. *Operated*	178	10.7	88	1	2	10	15	21	25	49
2. MULTIPLE DX										
A. *Not Operated*	913	11.3	56	2	3	11	14	19	23	46
B. *Operated*	391	20.7	310	3	5	15	27	47	63	99+
1. SINGLE DX	904	9.9	44	1	2	10	13	16	20	36
2. MULTIPLE DX	1304	14.1	151	2	3	12	16	26	41	74
A. NOT OPERATED	1639	10.6	46	2	3	11	13	17	21	37
B. OPERATED	569	17.6	262	2	3	13	22	40	52	97
TOTAL 0-19 YRS	1229	11.8	52	2	3	11	14	17	22	41
20-34	308	9.9	110	2	2	7	11	19	27	51
35-49	273	13.9	226	2	2	11	17	29	50	99+
50-64	264	13.7	187	2	2	11	18	30	43	92
65+	134	18.6	213	2	4	15	24	41	48	73
GRAND TOTAL	**2208**	**12.4**	**111**	**2**	**3**	**11**	**15**	**21**	**31**	**63**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	6.3	7	4	4	6	8	9	9	9
35-49	11	5.5	2	3	4	5	7	8	8	8
50-64	86	9.3	50	3	3	8	11	17	[illegible]	36
65+	189	9.3	44	2	3	8	12	16	[illegible]	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	11.0	219	1	1	4	22	28	28	28
50-64	2	11.0	8	9	9	11	13	13	13	13
65+	13	12.9	154	1	2	10	21	32	40	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	8.8	21	4	4	10	13	13	13	13
35-49	30	8.6	47	2	3	7	10	15	22	36
50-64	278	9.6	56	2	3	8	12	16	25	38
65+	1701	11.2	67	3	4	9	14	21	26	42
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	8.8	37	1	1	10	14	15	15	15
50-64	53	17.0	266	4	5	13	19	32	69	99+
65+	230	18.9	183	4	6	16	24	36	51	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	9.1	44	3	3	8	11	16	22	37
B. *Operated*	18	12.4	136	1	2	9	21	29	37	42
2. MULTIPLE DX										
A. *Not Operated*	2015	10.9	66	3	4	9	14	20	26	42
B. *Operated*	289	18.3	197	4	6	15	24	36	51	76
1. SINGLE DX	309	9.3	50	2	3	8	11	17	24	36
2. MULTIPLE DX	2304	11.8	88	3	4	10	15	23	29	51
A. NOT OPERATED	2306	10.7	63	3	4	9	13	20	25	41
B. OPERATED	307	18.0	195	4	5	14	23	35	49	76
TOTAL 0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	9	7.7	15	4	4	8	11	13	13	13
35-49	50	8.1	43	2	2	7	9	15	22	36
50-64	419	10.5	86	2	3	8	13	20	29	46
65+	2133	11.8	84	3	4	10	15	23	29	51
GRAND TOTAL	**2613**	**11.5**	**84**	**3**	**4**	**9**	**14**	**22**	**29**	**49**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.9	22	2	2	7	11	15	16	16
20-34	362	8.5	39	1	2	7	11	15	21	30
35-49	465	9.9	57	2	3	9	13	17	23	35
50-64	158	9.0	31	1	2	9	12	17	18	27
65+	20	9.1	12	4	5	9	12	14	15	15
B. *Operated*										
0-19 YRS	4	6.8	43	<1	<1	5	12	15	15	15
20-34	62	9.6	149	2	2	7	12	18	22	83
35-49	62	7.3	34	2	2	5	10	15	21	28
50-64	28	6.5	25	1	1	5	11	16	16	17
65+	3	12.7	46	5	5	15	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	13	2	2	5	8	11	13	13
20-34	332	11.3	85	2	3	10	14	21	29	54
35-49	596	12.4	93	3	4	11	16	22	31	59
50-64	319	13.8	174	3	4	11	16	24	37	82
65+	93	9.6	51	3	4	8	11	18	21	42
B. *Operated*										
0-19 YRS	2	67.0		67	67	67	67	67	67	67
20-34	90	19.6	330	3	5	14	23	45	79	99+
35-49	162	15.8	201	3	4	11	22	33	52	99+
50-64	139	20.0	380	3	4	15	24	55	95	99+
65+	20	22.8	424	4	5	13	28	60	69	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1022	9.2	46	2	2	8	13	16	21	30
B. *Operated*	159	8.2	78	1	2	6	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	1352	12.2	108	2	3	10	15	22	31	63
B. *Operated*	413	18.6	313	3	4	13	24	45	76	99+
1. SINGLE DX	1181	9.1	50	2	2	8	12	16	21	30
2. MULTIPLE DX	1765	13.7	163	2	4	11	16	27	39	90
A. NOT OPERATED	2374	10.9	83	2	3	9	14	19	27	49
B. OPERATED	572	15.7	269	2	3	11	20	35	65	99+
TOTAL 0-19 YRS	35	10.3	220	2	2	6	11	16	54	67
20-34	846	10.9	106	2	2	9	14	21	29	75
35-49	1285	11.7	95	2	3	10	15	22	29	63
50-64	644	13.6	192	2	3	11	16	24	44	96
65+	136	11.6	119	4	4	9	14	21	29	67
GRAND TOTAL	**2946**	**11.9**	**123**	**2**	**3**	**10**	**15**	**22**	**31**	**77**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	971	3.8	15	1	1	3	5	7	9	22
20-34	656	3.6	8	1	1	3	4	6	9	15
35-49	278	3.9	10	1	1	3	5	8	10	16
50-64	173	4.5	14	1	1	4	5	9	13	20
65+	103	4.0	8	1	1	3	5	8	11	13
B. *Operated*										
0-19 YRS	25	8.5	30	2	2	8	12	17	18	19
20-34	17	4.9	9	2	2	4	7	10	11	12
35-49	14	5.4	15	1	2	4	6	13	14	14
50-64	9	4.0	6	2	2	3	5	8	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1149	4.9	24	1	1	3	6	10	13	23
20-34	976	5.7	35	1	1	4	7	11	15	30
35-49	803	6.2	34	1	2	5	8	12	15	30
50-64	791	6.8	43	1	2	5	8	13	17	36
65+	1006	8.4	57	2	3	6	11	17	22	39
B. *Operated*										
0-19 YRS	58	10.5	60	2	2	8	16	22	26	31
20-34	95	6.7	37	2	2	8	12	18	21	68
35-49	102	11.0	133	2	3	8	13	20	35	91
50-64	114	13.7	158	2	3	10	17	31	41	61
65+	132	14.6	151	2	4	11	18	30	43	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2181	3.8	12	1	1	3	5	7	9	17
B. *Operated*	68	6.1	20	2	2	4	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	4725	6.4	40	1	2	5	8	13	17	31
B. *Operated*	501	12.1	121	2	3	9	16	25	35	60
1. SINGLE DX	2249	3.9	12	1	1	3	5	7	10	17
2. MULTIPLE DX	5226	6.9	50	1	2	5	8	14	19	40
A. NOT OPERATED	6906	5.6	32	1	1	4	7	11	15	28
B. OPERATED	569	11.3	113	2	3	8	14	23	33	57
TOTAL 0-19 YRS	2203	4.6	23	1	1	3	5	9	13	24
20-34	1744	5.0	26	1	1	4	6	10	13	24
35-49	1197	6.1	39	1	1	4	7	12	16	33
50-64	1087	7.1	56	1	2	5	8	14	19	42
65+	1244	8.7	69	2	2	6	11	18	24	43
GRAND TOTAL	**7475**	**6.0**	**41**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	392	4.2	29	1	1	3	4	8	11	30
20-34	425	5.2	20	1	1	4	6	11	14	21
35-49	287	5.8	21	1	2	4	8	11	14	24
50-64	276	7.0	41	1	2	5	9	16	21	32
65+	353	7.6	63	2	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	306	5.6	22	1	2	4	7	12	15	20
20-34	238	6.4	56	1	1	4	8	14	18	30
35-49	236	6.3	24	1	2	4	9	12	17	23
50-64	255	6.7	36	1	2	5	9	15	18	27
65+	175	8.9	67	2	2	5	12	21	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	700	5.1	57	1	1	4	7	12	18	44
20-34	660	7.8	77	1	2	5	9	15	25	54
35-49	726	8.1	73	2	2	5	10	16	21	48
50-64	1146	10.8	118	2	3	8	13	20	30	63
65+	3064	11.7	102	3	3	9	14	24	32	52
B. *Operated*										
0-19 YRS	573	9.6	150	1	2	5	11	24	37	88
20-34	449	11.6	188	1	2	7	14	27	43	99+
35-49	531	12.3	170	2	2	9	15	25	44	84
50-64	778	14.4	196	2	3	10	18	31	47	96
65+	1298	16.7	212	3	4	13	21	34	48	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1733	5.8	36	1	1	4	7	12	16	28
B. *Operated*	1212	6.6	39	1	2	4	9	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	6296	10.1	98	2	2	7	12	21	29	53
B. *Operated*	3629	13.8	196	2	3	10	18	30	46	91
1. SINGLE DX	2945	6.2	37	1	2	4	8	13	17	29
2. MULTIPLE DX	9925	11.5	137	2	3	8	14	24	35	68
A. NOT OPERATED	8029	9.2	88	2	2	6	11	19	26	51
B. OPERATED	4841	12.0	167	2	2	8	15	27	39	82
TOTAL 0-19 YRS	1971	6.7	77	1	1	4	7	14	23	51
20-34	1772	7.9	94	1	2	5	9	16	25	69
35-49	1782	8.7	93	2	2	6	11	17	24	65
50-64	2455	11.1	132	2	2	8	14	23	33	67
65+	4890	12.7	134	2	3	9	16	26	35	61
GRAND TOTAL	**12870**	**10.2**	**119**	**2**	**2**	**7**	**13**	**22**	**31**	**64**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	409	2.8	3	1	1	2	3	5	6	9
20-34	810	3.6	8	1	1	3	4	7	9	15
35-49	537	4.0	12	1	1	3	5	7	10	18
50-64	166	3.6	5	1	1	3	5	7	8	11
65+	34	3.2	2	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	26	4.1	7	2	2	3	5	8	10	11
20-34	87	4.6	13	1	2	4	6	9	12	20
35-49	73	4.6	7	2	2	4	6	8	10	13
50-64	23	5.4	10	2	2	4	8	10	12	13
65+	6	6.0	17	2	2	5	5	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	3.6	7	1	1	3	4	7	8	16
20-34	991	4.9	16	1	2	4	6	9	13	19
35-49	938	6.0	24	1	2	5	8	11	15	26
50-64	482	5.8	27	1	2	4	7	10	13	24
65+	192	6.0	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	20	6.6	56	1	2	4	7	14	24	33
20-34	119	7.7	29	2	2	7	10	15	18	29
35-49	133	8.1	41	2	2	6	10	16	21	30
50-64	91	7.7	36	2	2	6	11	14	16	35
65+	31	6.4	11	2	2	6	10	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1956	3.5	8	1	1	3	4	7	8	14
B. *Operated*	215	4.7	10	2	2	4	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	2863	5.4	20	1	2	4	7	10	13	21
B. *Operated*	394	7.7	35	2	2	6	10	15	18	29
1. SINGLE DX	2171	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX	3257	5.7	23	1	2	4	7	11	14	22
A. NOT OPERATED	4819	4.6	16	1	1	4	6	9	12	19
B. OPERATED	609	6.6	28	2	2	5	9	13	16	25
TOTAL 0-19 YRS	715	3.2	7	1	1	3	4	6	8	14
20-34	2007	4.5	15	1	1	4	6	9	12	19
35-49	1681	5.5	22	1	2	4	7	10	14	25
50-64	762	5.5	24	1	2	4	7	10	13	21
65+	263	5.7	13	2	2	5	7	11	12	18
GRAND TOTAL	**5428**	**4.9**	**18**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	3.6	4	<1	1	4	5	7	7	7
35-49	29	4.1	6	1	1	4	6	8	8	10
50-64	19	3.4	9	<1	1	3	5	8	11	11
65+	6	4.7	7	2	2	4	7	8	8	8
B. *Operated*										
0-19 YRS	36	2.4	4	<1	<1	2	3	4	7	11
20-34	688	2.1	3	<1	1	2	2	3	4	8
35-49	1138	2.2	2	<1	1	2	2	3	4	8
50-64	1067	2.3	3	1	1	2	3	4	4	9
65+	663	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	13	2	2	4	8	10	10	10
20-34	28	3.9	5	1	1	4	5	6	7	12
35-49	63	4.7	11	<1	1	4	7	9	11	18
50-64	78	5.6	20	<1	1	4	9	12	15	20
65+	62	5.2	12	1	2	4	7	10	13	15
B. *Operated*										
0-19 YRS	19	2.4	3	1	1	2	3	4	7	9
20-34	265	3.1	8	1	1	2	4	6	8	17
35-49	693	3.5	11	1	1	2	4	7	10	18
50-64	1066	3.8	15	1	1	2	4	8	10	22
65+	844	4.2	20	1	1	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.8	6	1	1	3	5	8	9	11
B. *Operated*	3592	2.2	3	1	1	2	3	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	235	5.0	14	<1	1	4	7	10	12	18
B. *Operated*	2887	3.8	15	1	1	2	4	8	11	21
1. SINGLE DX	3658	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	3122	3.9	15	1	1	3	4	8	11	20
A. NOT OPERATED	301	4.8	12	<1	1	4	6	10	12	17
B. OPERATED	6479	2.9	9	1	1	2	3	5	8	16
TOTAL 0-19 YRS	60	2.6	5	<1	1	2	3	4	8	11
20-34	992	2.4	5	1	1	2	3	4	6	12
35-49	1923	2.8	6	1	1	2	3	5	8	13
50-64	2230	3.1	10	1	1	2	3	6	9	17
65+	1575	3.5	13	1	1	2	4	7	10	20
GRAND TOTAL	**6780**	**3.0**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	5.6	25	1	2	4	7	11	15	27
20-34	299	6.1	47	1	1	4	7	12	18	35
35-49	332	5.6	26	1	1	4	7	11	15	31
50-64	303	6.1	37	1	1	4	8	12	17	35
65+	235	7.4	48	1	2	5	10	14	22	34
B. *Operated*										
0-19 YRS	149	3.6	10	1	1	3	4	7	9	21
20-34	793	3.9	9	1	1	3	5	7	9	15
35-49	955	4.2	17	1	1	3	5	8	11	19
50-64	898	3.9	15	1	1	3	4	8	10	20
65+	389	4.8	28	1	2	3	5	10	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	8.2	111	1	2	5	9	21	25	62
20-34	341	7.9	86	1	2	5	9	16	24	56
35-49	693	7.3	40	2	2	6	9	13	18	31
50-64	1061	7.9	52	2	2	6	10	15	19	43
65+	1272	8.9	65	2	3	7	11	17	21	49
B. *Operated*										
0-19 YRS	103	6.9	103	1	2	4	7	13	34	78
20-34	510	6.1	47	1	2	4	7	13	18	50
35-49	852	7.1	60	1	2	5	9	15	21	42
50-64	1105	7.6	73	2	2	5	9	16	24	55
65+	763	11.1	147	2	2	7	14	25	38	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1313	6.2	37	1	2	4	8	12	17	32
B. *Operated*	3184	4.1	15	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	3469	8.1	60	2	2	6	10	15	20	46
B. *Operated*	3333	8.0	87	2	2	5	10	17	26	60
1. SINGLE DX	4497	4.7	23	1	1	3	6	9	13	26
2. MULTIPLE DX	6802	8.1	73	2	2	6	10	16	23	54
A. NOT OPERATED	4782	7.6	54	1	2	6	9	15	20	40
B. OPERATED	6517	6.1	56	1	2	4	7	13	19	43
TOTAL 0-19 YRS	498	5.8	57	1	1	3	6	11	20	46
20-34	1943	5.5	40	1	2	4	6	11	16	35
35-49	2832	6.0	38	1	2	4	8	12	16	29
50-64	3367	6.5	50	1	2	4	8	14	18	42
65+	2659	8.8	85	2	2	6	11	18	25	56
GRAND TOTAL	**11299**	**6.7**	**56**	**1**	**2**	**4**	**8**	**14**	**19**	**42**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	16	1	1	1	4	10	10	10
20-34	5	5.0	29	<1	<1	2	9	13	13	13
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	5	4.6	23	1	1	2	8	12	12	12
B. *Operated*										
0-19 YRS	102	5.6	30	1	2	4	7	10	13	36
20-34	165	5.1	16	1	2	4	6	9	11	22
35-49	163	4.7	9	2	2	4	6	8	10	12
50-64	507	4.2	6	1	2	4	5	7	8	15
65+	501	4.5	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.6	7	2	2	2	4	8	9	9
35-49	8	3.4	9	1	1	2	6	8	8	8
50-64	12	3.3	13	<1	<1	3	5	8	13	14
65+	13	5.7	43	<1	1	3	7	16	22	23
B. *Operated*										
0-19 YRS	68	6.6	66	2	2	4	7	12	16	51
20-34	136	5.3	19	1	2	4	7	9	11	29
35-49	141	5.8	34	1	2	4	6	11	21	29
50-64	521	5.2	14	2	2	4	6	9	12	21
65+	718	5.2	12	2	2	4	7	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.5	15	<1	<1	2	4	11	12	13
B. *Operated*	1438	4.5	9	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	41	4.2	20	<1	1	3	5	10	14	23
B. *Operated*	1584	5.3	17	2	2	4	6	9	12	23
1. SINGLE DX	1460	4.5	9	1	2	4	6	8	10	15
2. MULTIPLE DX	1625	5.3	17	2	2	4	6	9	12	23
A. NOT OPERATED	63	4.0	18	<1	1	2	5	10	13	22
B. OPERATED	3022	5.0	14	2	2	4	6	8	11	20
TOTAL 0-19 YRS	176	5.9	44	2	2	4	7	10	14	38
20-34	313	5.2	17	1	2	4	6	9	11	24
35-49	316	5.1	21	1	2	4	6	9	12	27
50-64	1043	4.7	10	1	2	4	6	8	10	17
65+	1237	4.9	10	2	2	4	6	8	10	17
GRAND TOTAL	**3085**	**4.9**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	6	1.0		<1	<1	1	1	1	1	1
50-64	19	2.3	3	<1	1	1	3	5	7	7
65+	41	2.2	3	1	1	2	2	3	4	11
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	15	2.9	2	1	1	3	4	5	5	5
35-49	51	3.0	6	1	1	2	4	6	7	17
50-64	114	3.1	5	1	1	3	4	6	6	12
65+	247	3.3	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	25	2.7	3	1	1	2	3	4	7	9
65+	56	4.1	15	1	1	3	5	9	14	17
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	11	3.9	10	1	1	3	5	8	12	12
35-49	31	4.3	15	1	1	4	5	7	16	18
50-64	95	3.8	9	1	2	3	4	6	11	16
65+	333	4.9	24	1	2	4	6	9	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.1	3	1	1	2	2	4	6	10
B. *Operated*	430	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	87	3.6	11	1	1	3	4	7	11	17
B. *Operated*	476	4.6	20	1	2	3	6	9	12	20
1. SINGLE DX	500	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX	563	4.5	19	1	2	3	5	9	11	18
A. NOT OPERATED	157	3.0	8	1	1	2	3	6	8	16
B. OPERATED	906	3.9	13	1	2	3	5	7	10	17
TOTAL 0-19 YRS	12	2.2	2	1	1	2	3	5	6	6
20-34	29	3.4	5	1	1	3	4	6	7	12
35-49	92	3.3	9	1	1	2	4	6	7	18
50-64	253	3.3	6	1	1	3	4	6	8	15
65+	677	4.1	16	1	1	3	5	8	10	18
GRAND TOTAL	**1063**	**3.8**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	10	2.4	2	<1	<1	2	3	5	6	6
65+	15	2.7	2	1	1	3	4	4	5	5
B. *Operated*										
0-19 YRS	9	2.6	2	1	1	2	3	5	5	5
20-34	26	3.0	4	1	1	3	3	5	7	11
35-49	34	2.8	2	1	2	2	4	5	5	5
50-64	76	3.1	4	1	2	3	4	5	7	13
65+	165	3.2	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	12	1	1	6	8	9	9	9
20-34	7	3.1	8	1	1	2	4	8	9	9
35-49	10	4.0	15	<1	<1	3	4	10	14	14
50-64	19	4.3	11	1	1	3	6	10	12	12
65+	43	4.7	22	1	1	3	6	9	16	22
B. *Operated*										
0-19 YRS	17	3.3	5	<1	1	3	4	5	9	11
20-34	23	5.6	21	1	2	5	7	12	15	20
35-49	33	3.6	6	1	1	3	5	7	9	11
50-64	89	4.4	9	1	2	4	6	8	11	15
65+	220	4.9	29	1	2	3	6	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.5	2	<1	1	2	3	4	5	6
B. *Operated*	310	3.1	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	83	4.4	17	1	1	3	6	9	14	20
B. *Operated*	382	4.7	21	1	2	3	5	9	13	26
1. SINGLE DX	342	3.0	3	1	1	3	4	5	6	11
2. MULTIPLE DX	465	4.6	20	1	1	3	6	9	13	25
A. NOT OPERATED	115	3.9	13	1	1	3	5	8	12	18
B. OPERATED	692	4.0	14	1	2	3	4	7	11	21
TOTAL 0-19 YRS	31	3.3	5	<1	1	3	4	6	9	11
20-34	57	4.1	13	1	1	3	5	9	12	20
35-49	82	3.2	5	1	1	3	4	6	7	13
50-64	194	3.8	7	1	1	3	4	7	9	14
65+	443	4.2	19	1	1	3	5	8	11	25
GRAND TOTAL	**807**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**11**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	1.3		<1	<1	1	2	2	2	2
50-64	11	1.5		<1	<1	1	2	3	3	3
65+	80	1.9	3	<1	<1	2	2	3	4	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	800	2.2	1	1	1	2	2	3	3	6
50-64	5235	2.2	1	1	1	2	3	3	4	5
65+	22064	2.3	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	17	1.6	1	<1	<1	1	2	3	4	4
50-64	134	2.3	4	<1	<1	1	3	5	7	11
65+	600	2.6	8	<1	<1	2	3	6	9	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	519	2.7	2	1	2	2	3	4	6	10
50-64	4329	2.8	4	1	2	2	3	4	6	11
65+	21743	2.9	6	2	2	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	1.8	3	<1	<1	2	2	3	3	11
B. *Operated*	28099	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	751	2.5	7	<1	<1	2	3	6	9	13
B. *Operated*	26591	2.9	5	1	2	2	3	4	6	12
1. SINGLE DX	28196	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	27342	2.9	5	1	2	2	3	4	6	12
A. NOT OPERATED	848	2.5	7	<1	<1	2	3	5	8	13
B. OPERATED	54690	2.6	3	1	2	2	3	4	5	10
TOTAL 0-19 YRS										
20-34										
35-49	1342	2.4	2	1	1	2	3	3	4	7
50-64	9709	2.5	2	1	1	2	3	3	4	9
65+	44487	2.6	3	1	2	2	3	4	5	10
GRAND TOTAL	**55538**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	103	2.[illegible]	1	1	1	2	2	3	4	5
20-34	53	2.2	1	1	1	2	2	3	5	8
35-49	128	2.1	1	1	1	2	2	3	3	5
50-64	269	2.2	1	1	2	2	2	3	3	5
65+	181	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	6	3.5	10	1	1	2	7	8	8	8
65+	6	5.3	23	1	1	4	8	12	13	13
B. *Operated*										
0-19 YRS	53	3.5	12	1	1	2	4	6	8	24
20-34	63	2.7	2	1	1	2	3	4	5	8
35-49	98	3.0	11	1	1	2	3	5	6	23
50-64	220	2.8	5	1	1	2	3	4	5	11
65+	235	3.2	10	2	2	3	3	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	734	2.2	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	25	2.9	10	<1	<1	2	3	8	9	13
B. *Operated*	669	3.0	8	1	2	2	3	5	6	16
1. SINGLE DX	740	2.2	1	1	1	2	2	3	4	5
2. MULTIPLE DX	694	3.0	8	1	1	2	3	5	7	16
A. NOT OPERATED	31	2.7	8	<1	<1	2	3	7	8	13
B. OPERATED	1403	2.6	4	1	1	2	3	4	5	9
TOTAL 0-19 YRS	166	2.5	5	1	1	2	3	4	5	11
20-34	120	2.4	2	1	1	2	3	4	5	8
35-49	229	2.5	5	1	1	2	3	3	5	11
50-64	496	2.5	3	1	2	2	3	3	4	9
65+	423	2.8	6	1	2	2	3	4	6	12
GRAND TOTAL	**1434**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	5	<1	<1	2	3	7	8	9
20-34	12	3.4	3	1	1	4	5	6	6	6
35-49	14	2.5	3	1	1	2	3	4	6	7
50-64	12	3.1	6	1	1	3	3	6	9	10
65+	7	3.7	19	<1	<1	2	4	11	13	13
B. *Operated*										
0-19 YRS	2142	1.5		<1	<1	1	2	2	2	3
20-34	331	1.8		1	1	2	2	2	3	4
35-49	164	1.9	1	<1	1	2	2	3	3	6
50-64	92	1.9		1	1	2	2	3	3	4
65+	50	2.5	4	1	1	2	2	4	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	1.7	5	<1	<1	1	1	3	4	15
20-34	17	4.6	26	1	1	2	6	12	17	19
35-49	20	3.7	8	1	1	3	6	8	9	9
50-64	56	5.4	19	1	1	4	7	11	14	22
65+	89	6.3	26	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	433	1.7	1	1	1	2	2	2	3	5
20-34	113	2.2	2	1	1	2	2	3	3	11
35-49	93	2.6	4	1	1	2	2	4	7	13
50-64	108	4.8	51	1	1	2	5	11	16	42
65+	81	5.2	39	1	2	2	5	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.8	5	<1	<1	2	3	6	8	12
B. *Operated*	2779	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	274	4.3	20	<1	<1	3	5	10	13	21
B. *Operated*	828	2.6	13	1	1	2	2	4	7	17
1. SINGLE DX	2860	1.6	1	<1	<1	2	2	2	2	4
2. MULTIPLE DX	1102	3.0	16	<1	1	2	3	6	10	19
A. NOT OPERATED	355	3.9	17	<1	<1	3	5	9	12	19
B. OPERATED	3607	1.8	4	<1	1	2	2	2	3	9
TOTAL 0-19 YRS	2703	1.6	1	<1	<1	1	2	2	2	3
20-34	473	2.0	2	1	1	2	2	3	4	9
35-49	291	2.3	3	1	1	2	2	4	6	11
50-64	268	3.8	27	1	1	2	4	8	12	22
65+	227	5.0	27	1	1	3	6	12	15	30
GRAND TOTAL	**3962**	**2.0**	**5**	**<1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	2.5	5	<1	<1	2	3	5	6	10
20-34	53	3.8	12	<1	1	3	4	8	13	17
35-49	27	4.6	12	<1	1	4	6	9	12	15
50-64	35	4.4	19	<1	<1	4	5	10	14	22
65+	53	5.3	15	1	1	4	8	10	13	18
B. *Operated*										
0-19 YRS	231	1.9	3	<1	<1	2	2	3	5	10
20-34	278	2.6	2	1	1	2	3	4	5	8
35-49	295	2.4	2	1	1	2	3	4	5	8
50-64	420	2.2	2	<1	1	2	3	4	4	7
65+	748	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	3.5	4	1	1	3	4	6	8	10
20-34	55	4.4	11	<1	1	3	7	9	12	15
35-49	63	5.4	15	1	1	4	8	10	13	20
50-64	86	5.6	20	1	1	4	8	12	14	22
65+	187	7.3	43	1	1	5	10	15	21	31
B. *Operated*										
0-19 YRS	118	2.9	6	1	1	2	4	6	8	14
20-34	144	3.3	6	1	1	3	4	6	8	12
35-49	274	3.4	13	1	1	2	4	5	8	23
50-64	620	3.3	10	1	1	2	4	6	8	17
65+	1240	4.1	19	1	1	3	4	7	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	3.3	10	<1	<1	2	4	7	9	17
B. *Operated*	1972	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	633	5.2	22	1	1	4	6	11	14	25
B. *Operated*	2396	3.7	15	1	1	3	4	7	9	21
1. SINGLE DX	2384	2.6	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	3029	4.0	17	1	1	3	4	8	11	22
A. NOT OPERATED	1045	4.4	18	<1	1	3	6	9	13	21
B. OPERATED	4368	3.1	10	1	1	2	4	5	8	16
TOTAL 0-19 YRS	835	2.7	5	<1	<1	2	3	5	6	11
20-34	530	3.1	5	1	1	2	4	6	8	12
35-49	659	3.2	9	1	1	2	4	6	8	15
50-64	1161	3.1	9	1	1	2	4	5	8	16
65+	2228	3.9	17	1	1	3	4	8	11	22
GRAND TOTAL	**5413**	**3.4**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	4.0	6	1	2	4	5	7	8	11
20-34	115	3.8	7	1	1	3	5	8	10	12
35-49	66	4.0	7	1	1	3	5	8	9	12
50-64	58	4.1	6	1	2	3	5	8	9	12
65+	85	4.5	12	1	2	4	5	9	10	20
B. *Operated*										
0-19 YRS	81	3.8	12	<1	1	3	5	7	9	21
20-34	82	3.6	8	1	1	3	4	8	9	15
35-49	141	3.2	7	1	1	2	4	6	8	14
50-64	409	2.4	3	1	1	2	3	4	5	10
65+	1014	2.5	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	414	4.5	7	2	2	4	6	8	10	14
20-34	141	4.8	14	1	1	4	6	9	11	19
35-49	119	5.8	24	1	2	4	7	10	13	30
50-64	205	5.7	26	1	1	4	7	11	15	23
65+	333	5.6	15	1	1	5	8	11	13	17
B. *Operated*										
0-19 YRS	87	6.3	41	1	2	4	7	13	19	36
20-34	154	4.9	21	1	2	4	5	9	15	27
35-49	194	4.8	15	2	2	4	6	10	12	21
50-64	599	4.6	27	1	2	3	5	9	13	30
65+	1502	4.3	23	1	2	3	5	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	750	4.0	7	1	2	3	5	7	9	12
B. *Operated*	1727	2.6	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1212	5.2	15	1	2	4	7	10	12	20
B. *Operated*	2536	4.5	24	1	2	3	5	9	13	26
1. SINGLE DX	2477	3.1	5	1	1	2	4	5	7	11
2. MULTIPLE DX	3748	4.7	21	1	2	3	6	10	13	24
A. NOT OPERATED	1962	4.7	12	1	2	4	6	9	11	17
B. OPERATED	4263	3.8	17	1	2	2	4	7	11	21
TOTAL 0-19 YRS	1008	4.4	10	1	2	4	5	8	10	15
20-34	492	4.4	14	1	1	3	5	9	10	18
35-49	520	4.5	15	1	2	3	6	9	11	21
50-64	1271	4.1	19	1	1	3	5	8	11	22
65+	2934	3.8	16	1	1	2	4	8	11	19
GRAND TOTAL	**6225**	**4.1**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	2	<1	<1	2	3	4	5	6
20-34	22	2.5	2	<1	1	2	3	4	5	7
35-49	22	4.5	11	1	1	4	6	8	11	16
50-64	20	3.4	9	1	1	3	4	8	11	12
65+	9	4.0	5	1	1	4	6	7	8	8
B. *Operated*										
0-19 YRS	20	1.6		<1	<1	1	2	2	3	3
20-34	12	3.3	6	1	1	2	4	6	9	10
35-49	15	3.2	6	1	1	2	4	5	10	11
50-64	27	3.3	3	1	2	3	4	6	7	8
65+	22	3.4	5	1	1	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.8	11	<1	1	3	5	7	11	17
20-34	51	4.5	15	1	1	3	5	9	10	25
35-49	64	4.3	7	1	2	4	5	7	9	15
50-64	80	4.6	13	2	2	4	5	8	10	24
65+	128	5.7	17	1	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	25	3.6	15	1	1	2	4	9	12	19
20-34	48	3.5	11	1	1	3	4	6	8	23
35-49	59	5.5	26	2	2	4	6	10	16	31
50-64	80	6.9	117	1	2	4	7	13	21	72
65+	96	5.1	18	1	2	4	6	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.2	6	<1	1	2	4	6	8	14
B. *Operated*	96	2.9	4	1	1	2	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	360	4.8	14	1	2	4	6	9	12	17
B. *Operated*	308	5.3	45	1	2	4	6	10	14	30
1. SINGLE DX	195	3.1	5	1	1	2	4	6	8	12
2. MULTIPLE DX	668	5.0	28	1	2	4	6	9	13	26
A. NOT OPERATED	459	4.5	13	1	1	4	6	9	11	16
B. OPERATED	404	4.7	36	1	2	3	5	9	13	27
TOTAL 0-19 YRS	108	3.0	8	<1	1	2	4	5	9	18
20-34	133	3.7	11	1	1	3	4	7	9	23
35-49	160	4.7	15	1	2	4	6	8	11	19
50-64	207	5.2	53	1	2	4	5	9	13	33
65+	255	5.2	16	1	2	4	7	11	13	17
GRAND TOTAL	**863**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1063	2.8	6	1	1	3	4	5	5	8
20-34	19	3.6	9	<1	1	3	4	7	11	14
35-49	11	5.3	8	1	2	5	7	9	11	11
50-64	8	5.0	7	2	2	5	6	9	10	10
65+	7	4.3	17	<1	<1	3	5	11	13	13
B. *Operated*										
0-19 YRS	2900	1.3	1	<1	<1	1	1	2	2	4
20-34	405	2.1	1	1	1	2	2	3	3	5
35-49	275	2.1	1	<1	1	2	2	3	3	5
50-64	329	2.2	1	1	1	2	2	3	3	5
65+	133	2.2	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3910	3.4	4	1	1	3	4	6	7	10
20-34	124	4.3	6	1	1	4	6	8	9	11
35-49	78	5.3	11	1	1	5	7	10	12	14
50-64	80	5.4	11	1	2	5	7	10	12	15
65+	77	6.7	21	2	2	6	8	11	15	24
B. *Operated*										
0-19 YRS	3499	1.7	2	<1	<1	1	2	3	4	9
20-34	568	2.5	4	1	1	2	3	4	5	12
35-49	442	2.7	9	1	1	2	3	4	6	14
50-64	479	2.8	7	1	1	2	3	4	6	15
65+	230	3.4	9	1	1	2	3	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	2.9	6	1	1	3	4	5	6	9
B. *Operated*	4042	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	4269	3.6	5	1	1	3	4	6	8	11
B. *Operated*	5218	2.1	4	<1	<1	2	2	3	5	11
1. SINGLE DX	5150	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	9487	2.7	5	<1	1	2	3	5	7	11
A. NOT OPERATED	5377	3.4	6	1	1	3	4	6	8	11
B. OPERATED	9260	1.8	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	11372	2.3	4	<1	<1	2	3	4	6	9
20-34	1116	2.6	4	1	1	2	3	4	6	11
35-49	806	2.8	7	1	1	2	3	5	7	13
50-64	896	2.8	6	1	1	2	3	5	7	13
65+	447	3.6	11	1	1	2	4	8	10	17
GRAND TOTAL	**14637**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.3	7	1	1	3	4	6	8	11
20-34	61	3.5	4	<1	1	3	4	6	8	10
35-49	31	3.8	5	2	2	4	4	6	7	14
50-64	19	5.4	17	1	1	4	7	12	14	16
65+	10	6.3	15	2	2	6	7	12	15	15
B. *Operated*										
0-19 YRS	286	1.9	4	<1	<1	1	2	3	7	11
20-34	66	2.6	3	<1	1	2	3	5	6	8
35-49	54	3.2	19	1	1	2	3	4	8	31
50-64	40	3.5	11	1	1	2	4	7	11	17
65+	30	3.1	8	1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	449	3.8	8	1	1	3	4	6	8	14
20-34	113	4.8	8	2	2	4	6	8	11	14
35-49	81	5.8	10	2	2	5	7	10	12	16
50-64	71	7.4	42	1	2	6	8	15	18	40
65+	86	10.7	81	3	3	7	14	25	31	43
B. *Operated*										
0-19 YRS	489	2.3	6	<1	1	2	2	4	6	16
20-34	103	3.9	28	1	1	2	4	8	11	33
35-49	88	4.1	66	1	1	2	3	6	10	53
50-64	101	5.9	81	1	1	3	5	13	24	55
65+	72	9.3	164	1	1	4	8	31	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	3.6	7	1	1	3	4	7	9	15
B. *Operated*	476	2.3	7	<1	<1	2	2	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	800	5.2	24	1	2	4	6	9	13	29
B. *Operated*	853	3.7	41	1	1	2	3	6	12	36
1. SINGLE DX	756	2.8	7	<1	1	2	3	6	8	14
2. MULTIPLE DX	1653	4.4	33	1	1	3	5	8	13	31
A. NOT OPERATED	1080	4.8	20	1	2	4	5	8	12	26
B. OPERATED	1329	3.2	29	<1	1	2	3	6	9	30
TOTAL 0-19 YRS	1383	2.8	7	<1	1	2	3	5	7	14
20-34	343	3.9	13	1	1	3	5	7	9	18
35-49	254	4.4	31	1	2	3	5	8	11	25
50-64	231	5.9	53	1	1	4	7	13	17	46
65+	198	8.8	103	1	2	5	10	25	32	46
GRAND TOTAL	**2409**	**3.9**	**26**	**1**	**1**	**3**	**4**	**7**	**11**	**28**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.9	3	1	1	3	4	6	6	7
20-34	213	3.5	5	1	1	3	4	6	8	11
35-49	359	3.7	6	1	1	3	5	7	8	12
50-64	446	3.5	6	1	1	3	5	7	8	13
65+	462	3.9	7	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	9	3.9	11	1	1	3	5	10	10	10
20-34	70	2.9	4	1	1	3	3	5	7	10
35-49	92	4.1	10	1	1	3	5	8	11	16
50-64	148	4.0	7	2	2	3	5	8	10	13
65+	68	4.7	9	1	2	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	3	1	1	3	4	6	7	9
20-34	310	4.6	10	1	2	4	5	8	10	14
35-49	604	4.8	12	1	1	4	6	9	11	16
50-64	1314	4.9	11	1	2	4	6	9	10	16
65+	2350	5.5	16	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	7	5.3	26	2	2	3	6	14	16	16
20-34	46	5.8	16	1	2	5	8	11	12	21
35-49	72	6.1	27	1	2	4	9	13	15	28
50-64	215	6.9	21	2	2	6	9	14	16	22
65+	249	8.6	36	2	3	7	11	15	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1527	3.7	6	1	1	3	5	7	8	13
B. *Operated*	387	4.0	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	4638	5.1	14	1	2	4	7	9	12	17
B. *Operated*	589	7.4	29	2	2	6	10	14	17	24
1. SINGLE DX	1914	3.7	7	1	1	3	5	7	9	13
2. MULTIPLE DX	5227	5.4	16	1	2	4	7	10	13	19
A. NOT OPERATED	6165	4.8	12	1	2	4	6	9	11	17
B. OPERATED	976	6.1	23	1	2	4	8	13	15	23
TOTAL 0-19 YRS	123	3.3	5	1	1	3	4	6	7	12
20-34	639	4.1	9	1	1	3	5	8	9	13
35-49	1127	4.5	11	1	1	4	6	8	11	16
50-64	2123	4.7	12	1	2	4	6	9	11	17
65+	3129	5.5	17	2	2	4	7	10	13	20
GRAND TOTAL	**7141**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**12**	**18**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	50	2.4	1	1	1	2	3	4	4	5
20-34	324	2.3	1	1	1	2	3	3	4	5
35-49	429	2.4	1	1	1	2	3	3	4	5
50-64	455	2.4	1	1	1	2	3	3	4	5
65+	158	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	6	3.7	5	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	10	2.7	2	<1	<1	3	3	4	5	5
20-34	74	2.3	1	1	1	2	3	3	5	7
35-49	107	2.5	1	1	1	2	3	4	4	8
50-64	159	2.7	2	1	1	2	3	4	5	8
65+	61	2.7	2	1	2	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.5	1	1	1	1	2	3	3	3
B. *Operated*	1416	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	14	3.2	15	<1	1	1	4	8	13	15
B. *Operated*	411	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	1422	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	425	2.6	2	1	1	2	3	4	5	8
A. NOT OPERATED	20	2.7	11	<1	1	1	3	6	11	15
B. OPERATED	1827	2.4	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	63	2.4	1	1	1	2	3	4	4	5
20-34	402	2.3	1	1	1	2	3	3	4	6
35-49	539	2.4	1	1	1	2	3	3	4	6
50-64	618	2.4	1	1	1	2	3	3	4	6
65+	225	2.5	1	1	1	2	3	4	4	7
GRAND TOTAL	**1847**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	4	<1	<1	2	3	6	7	8
20-34	32	2.8	2	1	1	3	4	5	5	5
35-49	50	3.9	4	1	1	4	5	7	8	9
50-64	56	3.6	4	1	1	4	4	5	6	16
65+	34	4.0	7	1	1	4	5	7	10	12
B. *Operated*										
0-19 YRS	804	1.8	1	<1	1	2	2	3	3	4
20-34	551	2.0	1	1	1	2	2	3	3	5
35-49	368	2.0	1	1	1	2	2	3	3	6
50-64	346	2.0	1	1	1	2	2	3	3	6
65+	104	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.2	7	<1	<1	3	5	7	9	12
20-34	46	3.4	4	1	1	3	4	7	7	10
35-49	72	5.1	20	1	1	4	7	10	16	20
50-64	86	4.8	12	1	2	4	5	10	13	17
65+	114	6.0	17	1	2	5	8	11	13	22
B. *Operated*										
0-19 YRS	723	2.0	3	<1	1	2	2	3	4	6
20-34	511	2.3	2	1	1	2	3	3	4	9
35-49	392	2.4	3	1	1	2	3	4	5	11
50-64	416	2.7	9	1	1	2	3	4	6	13
65+	202	3.4	13	1	1	2	4	6	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.4	4	1	1	3	4	5	7	11
B. *Operated*	2173	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	371	4.8	15	1	1	4	6	10	12	17
B. *Operated*	2244	2.4	5	1	1	2	3	4	5	11
1. SINGLE DX	2378	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX	2615	2.7	7	1	1	2	3	5	7	14
A. NOT OPERATED	576	4.3	11	1	1	4	5	8	11	16
B. OPERATED	4417	2.2	3	1	1	2	2	3	4	9
TOTAL 0-19 YRS	1613	1.9	2	<1	1	2	2	3	4	7
20-34	1140	2.2	2	1	1	2	3	3	4	7
35-49	882	2.6	5	1	1	2	3	4	6	12
50-64	904	2.7	6	1	1	2	3	4	6	13
65+	454	3.8	13	1	1	3	5	8	11	17
GRAND TOTAL	**4993**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	6.4	27	2	2	5	8	12	15	33
20-34	28	6.1	9	2	2	6	8	10	12	13
35-49	9	10.2	170	2	2	6	11	32	43	43
50-64	3	7.7	1	7	7	7	9	9	9	9
65+	3	9.0	28	5	5	7	13	15	15	15
B. *Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	7	5.0	22	1	1	2	9	12	13	13
50-64	4	5.8	20	2	2	5	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.7	31	2	2	6	11	17	18	26
20-34	24	6.8	12	3	3	6	8	11	13	18
35-49	26	7.6	25	2	3	6	10	14	18	22
50-64	50	7.5	26	2	3	6	10	15	17	27
65+	54	9.8	56	2	2	8	13	17	26	38
B. *Operated*										
0-19 YRS	4	11.0	47	2	2	12	16	18	18	18
20-34	8	20.8	429	2	2	12	38	53	55	55
35-49	18	8.4	62	2	2	5	11	23	26	26
50-64	24	8.3	51	2	2	6	11	19	23	29
65+	23	16.6	133	2	3	16	23	32	41	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.8	33	2	2	6	8	12	15	39
B. *Operated*	13	5.3	18	1	1	2	9	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	189	8.1	34	2	3	6	11	15	18	30
B. *Operated*	77	12.2	131	2	2	9	18	28	36	53
1. SINGLE DX	115	6.6	32	2	2	6	8	12	15	38
2. MULTIPLE DX	266	9.3	65	2	2	7	12	19	26	43
A. NOT OPERATED	291	7.6	34	2	3	6	10	14	18	34
B. OPERATED	90	11.2	120	2	2	8	16	26	30	52
TOTAL 0-19 YRS	98	7.1	30	2	2	6	10	14	18	31
20-34	62	8.2	82	2	3	6	9	12	22	54
35-49	60	7.9	56	2	2	5	10	16	24	41
50-64	81	7.6	32	2	2	6	9	15	19	28
65+	80	11.7	85	2	2	9	16	24	31	42
GRAND TOTAL	**381**	**8.5**	**56**	**2**	**2**	**6**	**10**	**17**	**23**	**42**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.9	3	1	1	3	4	5	6	6
20-34	19	6.0	79	1	1	4	5	7	26	42
35-49	27	3.6	3	1	1	3	5	6	7	7
50-64	21	5.6	24	1	2	4	7	10	17	23
65+	24	7.5	25	2	2	5	11	16	17	19
B. *Operated*										
0-19 YRS	9	5.7	22	1	1	2	10	12	12	12
20-34	51	6.9	38	1	2	3	10	15	22	23
35-49	117	7.5	63	1	2	4	11	14	17	44
50-64	119	7.1	46	1	2	3	12	17	21	28
65+	46	7.1	37	2	2	4	13	16	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.2	7	1	1	4	5	6	10	13
20-34	111	5.5	27	1	2	4	7	9	19	29
35-49	205	6.1	31	1	2	5	7	12	14	34
50-64	372	7.8	41	2	3	6	9	14	22	35
65+	541	9.1	53	2	3	7	11	17	23	32
B. *Operated*										
0-19 YRS	19	8.2	60	2	2	6	12	19	26	30
20-34	93	9.3	52	2	2	9	13	16	22	39
35-49	265	10.5	77	2	2	10	14	21	25	40
50-64	571	11.9	110	2	2	10	16	25	30	57
65+	470	14.7	152	2	2	12	20	31	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	5.4	29	1	2	4	6	10	15	32
B. *Operated*	342	7.2	48	2	2	4	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	1248	7.8	44	2	2	6	10	15	21	33
B. *Operated*	1418	12.4	117	2	2	11	17	26	32	56
1. SINGLE DX	442	6.8	44	1	2	4	10	15	19	28
2. MULTIPLE DX	2666	10.2	88	2	2	8	14	22	28	49
A. NOT OPERATED	1348	7.7	44	2	2	6	9	15	20	33
B. OPERATED	1760	11.3	108	2	2	10	16	24	30	55
TOTAL 0-19 YRS	56	5.6	30	1	2	4	7	13	16	29
20-34	274	7.1	43	1	2	5	10	14	21	31
35-49	614	8.2	60	2	2	6	11	17	22	38
50-64	1083	9.9	82	2	2	7	14	21	27	48
65+	1081	11.4	103	2	2	9	15	24	31	54
GRAND TOTAL	**3108**	**9.7**	**83**	**2**	**2**	**7**	**13**	**21**	**27**	**46**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.4	6	1	1	3	3	7	10	12
20-34	222	4.0	5	1	2	4	5	7	9	12
35-49	560	4.5	6	1	2	4	6	8	9	12
50-64	641	4.8	9	1	2	4	6	8	10	16
65+	446	4.9	12	1	2	4	6	9	10	19
B. *Operated*										
0-19 YRS	25	3.3	7	<1	1	2	4	8	9	11
20-34	49	3.4	6	1	1	3	5	8	9	11
35-49	63	4.4	9	1	2	4	6	8	12	14
50-64	89	5.1	16	2	2	4	6	11	15	20
65+	31	5.4	27	1	2	4	7	8	10	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	4.8	17	2	2	4	6	8	12	28
20-34	798	5.2	10	1	2	4	7	9	11	15
35-49	2694	5.9	15	2	2	5	7	10	14	21
50-64	4666	6.4	20	2	2	5	8	11	14	22
65+	5308	7.1	25	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	18	9.0	55	2	3	7	13	17	25	31
20-34	165	7.8	43	1	2	7	11	15	17	23
35-49	418	8.8	38	2	2	7	12	17	21	32
50-64	901	9.3	54	2	2	8	12	17	22	36
65+	833	11.9	81	2	3	10	15	23	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1932	4.6	8	1	2	4	6	8	10	15
B. *Operated*	257	4.5	13	1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	13577	6.5	21	2	2	5	8	12	15	24
B. *Operated*	2335	10.0	62	2	2	8	13	19	24	39
1. SINGLE DX	2189	4.6	9	1	2	4	6	8	10	15
2. MULTIPLE DX	15912	7.0	28	2	2	6	9	13	17	27
A. NOT OPERATED	15509	6.3	19	2	2	5	8	11	14	23
B. OPERATED	2592	9.5	60	2	2	8	13	18	23	38
TOTAL 0-19 YRS	217	4.5	18	1	2	3	5	9	12	28
20-34	1234	5.2	15	1	2	4	7	10	12	18
35-49	3735	6.0	17	2	2	5	7	11	14	21
50-64	6297	6.6	25	2	2	5	8	12	15	25
65+	6618	7.6	34	2	3	6	9	14	18	30
GRAND TOTAL	**18101**	**6.7**	**26**	**2**	**2**	**5**	**8**	**13**	**16**	**26**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	5.5	8	2	2	5	7	10	11	12
35-49	67	6.6	12	3	3	5	8	12	13	13
50-64	121	5.9	11	2	2	5	7	10	11	19
65+	173	6.7	16	2	3	6	9	12	16	20
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	14	6.9	51	2	2	3	10	20	24	25
50-64	31	4.0	12	2	2	2	4	8	14	15
65+	13	8.4	140	<1	1	4	11	20	40	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	39	2	2	5	7	18	19	19
20-34	59	8.0	32	2	3	7	10	15	18	31
35-49	458	7.8	25	2	3	7	10	14	18	25
50-64	1564	8.1	27	2	3	7	10	15	18	25
65+	3690	9.7	45	3	4	8	12	18	23	34
B. *Operated*										
0-19 YRS	4	8.3	77	2	2	5	14	21	21	21
20-34	9	6.8	10	3	3	7	8	12	13	13
35-49	101	9.6	63	2	2	8	13	19	22	44
50-64	325	10.6	77	2	2	9	14	23	28	40
65+	535	15.4	144	3	5	13	20	26	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	6.4	13	2	3	6	8	11	14	19
B. *Operated*	59	5.6	50	2	2	3	7	13	17	43
2. MULTIPLE DX										
A. *Not Operated*	5777	9.1	39	3	3	8	11	16	21	32
B. *Operated*	984	13.1	118	2	2	10	17	26	32	59
1. SINGLE DX	437	6.3	18	2	2	5	8	11	14	21
2. MULTIPLE DX	6761	9.7	52	2	3	8	12	18	23	36
A. NOT OPERATED	6155	9.0	38	3	3	7	11	16	21	32
B. OPERATED	1043	12.7	117	2	2	10	16	25	32	57
TOTAL 0-19 YRS	11	7.3	43	2	2	6	7	20	21	21
20-34	85	7.4	26	2	3	6	9	13	17	29
35-49	640	7.9	30	2	3	7	10	14	19	27
50-64	2051	8.3	36	2	3	7	10	15	19	29
65+	4411	10.3	60	3	4	8	13	19	25	39
GRAND TOTAL	**7198**	**9.5**	**51**	**2**	**3**	**8**	**12**	**18**	**23**	**36**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	5	1	1	3	4	7	9	9
20-34	13	3.7	8	<1	1	3	4	9	10	10
35-49	18	5.7	22	1	2	4	9	13	16	18
50-64	34	6.1	18	1	2	5	7	13	15	19
65+	31	7.3	22	2	3	6	10	14	16	21
B. *Operated*										
0-19 YRS	10	5.1	35	1	1	2	6	15	19	19
20-34	29	5.8	50	<1	<1	4	6	13	21	34
35-49	45	9.1	65	2	2	7	14	18	24	36
50-64	63	7.5	62	1	2	4	9	17	20	45
65+	30	9.6	82	2	2	6	14	20	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.7	22	1	1	4	8	11	14	22
20-34	64	5.4	15	2	2	4	8	11	12	19
35-49	107	6.3	31	1	2	5	9	13	16	30
50-64	266	9.1	52	2	3	8	11	18	22	41
65+	607	10.4	55	2	3	8	14	19	25	38
B. *Operated*										
0-19 YRS	29	16.1	237	2	2	14	20	35	45	74
20-34	105	9.8	72	2	3	8	13	21	30	69
35-49	197	12.5	136	2	3	10	16	24	35	56
50-64	349	13.6	164	2	3	10	17	28	39	70
65+	341	15.4	178	2	3	11	21	31	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	5.6	18	1	2	5	8	12	15	20
B. *Operated*	177	7.8	64	1	2	5	11	18	21	42
2. MULTIPLE DX										
A. *Not Operated*	1073	9.3	51	2	3	8	12	18	22	38
B. *Operated*	1021	13.7	158	2	3	10	18	28	41	76
1. SINGLE DX	283	7.1	48	1	2	5	9	16	19	35
2. MULTIPLE DX	2094	11.5	108	2	3	9	15	23	31	57
A. NOT OPERATED	1179	9.0	49	2	2	7	12	17	22	36
B. OPERATED	1198	12.8	149	2	2	10	17	26	37	74
TOTAL 0-19 YRS	78	9.2	126	1	2	5	12	20	29	65
20-34	211	7.5	53	1	2	5	10	15	22	44
35-49	367	10.1	98	2	2	7	13	20	26	50
50-64	712	11.1	113	2	3	8	14	21	29	49
65+	1009	12.0	102	2	3	9	15	24	31	59
GRAND TOTAL	**2377**	**10.9**	**103**	**2**	**2**	**8**	**14**	**22**	**30**	**53**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	10.0	24	3	3	12	13	15	15	15
20-34	57	10.5	25	2	4	10	13	16	20	28
35-49	798	10.5	15	4	6	10	13	15	17	20
50-64	1825	11.3	17	5	7	11	13	16	18	23
65+	1551	12.0	23	5	7	12	14	17	20	[illegible]
B. *Operated*										
0-19 YRS	6	5.8	27	1	1	5	10	13	13	13
20-34	24	11.0	49	1	2	11	15	21	24	27
35-49	228	10.3	26	2	2	11	13	16	17	28
50-64	416	11.1	33	2	2	11	14	18	21	27
65+	161	12.6	49	2	2	12	17	22	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	10.8	13	6	7	11	12	14	19	23
20-34	145	10.5	32	4	4	10	13	14	16	28
35-49	2174	11.2	22	4	6	11	13	16	19	27
50-64	7356	12.3	29	5	7	12	14	18	21	31
65+	13194	13.9	49	6	7	13	16	22	26	40
B. *Operated*										
0-19 YRS	5	8.6	8	5	5	8	10	13	13	13
20-34	93	11.3	94	2	2	11	14	19	26	58
35-49	1023	11.5	61	2	2	11	15	20	25	39
50-64	3037	13.6	80	2	2	13	17	24	29	47
65+	2613	18.1	121	3	8	16	22	31	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4236	11.4	19	5	6	11	14	16	19	25
B. *Operated*	835	11.1	35	2	2	11	14	18	22	28
2. MULTIPLE DX										
A. *Not Operated*	22888	13.1	40	5	7	12	15	20	24	37
B. *Operated*	6771	15.0	99	2	2	14	19	26	32	52
1. SINGLE DX	5071	11.3	22	3	6	11	14	16	19	26
2. MULTIPLE DX	29659	13.5	55	4	7	12	16	22	26	41
A. NOT OPERATED	27124	12.8	37	5	7	12	15	19	23	36
B. OPERATED	7606	14.6	94	2	2	13	18	26	32	51
TOTAL 0-19 YRS	35	9.5	18	1	3	10	12	13	15	23
20-34	319	10.8	50	2	3	10	13	16	21	34
35-49	4223	11.1	30	2	4	11	14	17	20	29
50-64	12634	12.4	40	3	6	12	15	18	23	34
65+	17519	14.3	60	5	7	13	17	23	28	43
GRAND TOTAL	**34730**	**13.2**	**50**	**4**	**6**	**12**	**16**	**21**	**25**	**39**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	12	1	1	3	5	10	10	10
20-34	63	3.9	9	1	1	3	5	8	10	17
35-49	510	4.0	8	1	1	3	5	7	9	15
50-64	884	4.1	8	1	1	4	5	7	9	13
65+	697	4.4	8	1	2	4	5	8	10	14
B. *Operated*										
0-19 YRS										
20-34	19	4.1	1[illegible]	1	1	2	6	8	13	17
35-49	196	3.5	10	1	1	2	4	7	11	17
50-64	368	3.3	9	1	1	2	4	7	10	16
65+	141	3.8	19	1	1	2	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.4	6	<1	1	4	6	8	9	9
20-34	276	5.3	13	1	2	4	7	10	13	17
35-49	2630	5.1	11	1	2	4	7	9	12	17
50-64	7128	5.5	13	2	2	5	7	10	12	19
65+	11167	6.1	17	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	5	3.6	7	2	2	2	5	8	8	8
20-34	81	6.1	34	2	2	4	9	13	14	35
35-49	1537	6.3	38	2	2	4	9	14	17	29
50-64	5032	6.8	42	2	2	4	10	14	18	29
65+	2901	8.9	68	2	2	7	13	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2159	4.2	8	1	2	3	5	8	9	14
B. *Operated*	724	3.5	11	1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	21221	5.8	15	2	2	5	7	10	13	19
B. *Operated*	9556	7.3	50	2	2	5	11	16	19	33
1. SINGLE DX	2883	4.0	9	1	1	3	5	8	10	15
2. MULTIPLE DX	30777	6.3	26	2	2	5	8	12	15	25
A. NOT OPERATED	23380	5.6	14	2	2	5	7	10	13	19
B. OPERATED	10280	7.1	48	2	2	4	10	15	19	32
TOTAL 0-19 YRS	30	4.2	7	1	1	3	6	8	9	10
20-34	439	5.2	17	1	2	4	7	10	13	17
35-49	4873	5.3	20	1	2	4	7	11	13	21
50-64	13412	5.8	24	2	2	4	8	12	15	23
65+	14906	6.6	28	2	2	5	8	12	16	26
GRAND TOTAL	**33660**	**6.1**	**25**	**2**	**2**	**5**	**8**	**12**	**15**	**24**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	20	5.1	5	1	2	5	7	8	9	9
35-49	302	4.6	9	1	2	4	6	8	10	15
50-64	604	5.0	11	1	2	4	6	9	11	16
65+	608	5.5	11	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	56	7.2	19	2	2	7	10	13	15	20
50-64	149	8.1	23	2	2	8	11	15	17	20
65+	64	9.2	54	2	2	8	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.9	20	1	1	5	8	13	16	16
20-34	103	6.4	23	1	2	5	8	12	14	28
35-49	1594	6.1	16	2	2	5	8	11	14	20
50-64	4915	6.4	18	2	3	5	8	11	14	22
65+	7876	7.5	26	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	3	13.3	190	3	3	8	24	29	29	29
20-34	32	9.2	28	2	2	9	13	17	18	18
35-49	642	8.9	39	2	2	8	12	16	21	28
50-64	2353	10.0	56	2	2	9	13	19	23	37
65+	1844	12.6	95	2	2	11	16	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1536	5.1	11	1	2	4	7	9	11	17
B. *Operated*	272	8.1	29	2	2	7	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	14499	7.0	22	2	3	6	9	12	15	25
B. *Operated*	4874	10.8	71	2	2	10	14	20	25	40
1. SINGLE DX	1808	5.6	15	1	2	5	7	10	13	20
2. MULTIPLE DX	19373	7.9	37	2	3	6	10	15	19	30
A. NOT OPERATED	16035	6.8	21	2	3	6	8	12	15	24
B. OPERATED	5146	10.7	69	2	2	9	14	20	25	40
TOTAL 0-19 YRS	17	6.9	46	1	2	5	8	15	24	29
20-34	157	6.8	23	1	2	5	9	13	16	24
35-49	2594	6.6	23	2	2	5	9	12	16	24
50-64	8021	7.4	31	2	2	6	10	14	18	28
65+	10392	8.3	42	2	3	7	10	15	20	32
GRAND TOTAL	**21181**	**7.7**	**36**	**2**	**2**	**6**	**10**	**14**	**18**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	25	4.5	10	1	1	4	5	9	11	15
35-49	187	4.5	9	1	1	4	6	9	11	13
50-64	425	4.8	14	1	2	4	6	9	12	20
65+	393	5.6	14	1	2	5	7	10	14	18
B. *Operated*										
0-19 YRS	5	3.6	13	1	1	2	5	10	10	10
20-34	55	4.6	16	1	2	3	7	10	13	16
35-49	1266	5.2	23	1	2	3	9	12	14	19
50-64	3735	5.7	28	1	2	3	9	13	15	21
65+	1417	6.3	38	2	2	3	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.2	59	1	2	5	12	16	27	30
20-34	97	5.5	16	2	2	4	7	10	13	22
35-49	1369	5.8	18	1	2	5	8	11	13	19
50-64	5110	6.5	21	2	2	5	8	12	15	23
65+	10836	8.4	38	2	3	7	10	15	20	33
B. *Operated*										
0-19 YRS	16	5.0	23	1	1	2	7	13	16	17
20-34	167	6.2	42	2	2	3	9	13	18	31
35-49	3276	6.7	41	2	2	4	10	14	17	28
50-64	10896	8.2	59	2	2	6	12	17	21	36
65+	6681	11.3	99	2	2	10	15	23	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1032	5.0	13	1	2	4	7	9	12	18
B. *Operated*	6476	5.7	30	1	2	3	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	17426	7.6	32	2	3	6	10	14	18	29
B. *Operated*	21036	8.9	71	2	2	7	13	18	24	41
1. SINGLE DX	7510	5.6	27	1	2	3	9	12	15	22
2. MULTIPLE DX	38462	8.3	54	2	2	7	11	17	21	37
A. NOT OPERATED	18458	7.5	31	2	2	6	9	14	18	29
B. OPERATED	27514	8.2	63	2	2	6	12	17	22	38
TOTAL 0-19 YRS	37	6.4	37	1	1	4	10	14	16	30
20-34	344	5.6	29	2	2	4	8	12	15	30
35-49	6098	6.1	32	1	2	4	9	13	16	25
50-64	20166	7.2	44	2	2	5	10	15	19	31
65+	19327	9.2	61	2	2	7	12	18	23	39
GRAND TOTAL	**45972**	**7.9**	**51**	**2**	**2**	**6**	**11**	**16**	**20**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	10.4	60	3	5	9	11	18	31	34
20-34	135	8.7	11	3	5	8	11	13	14	19
35-49	129	10.0	15	4	5	9	12	15	18	22
50-64	172	9.9	16	4	5	10	12	15	18	21
65+	169	11.3	28	3	6	10	14	18	21	28
B. *Operated*										
0-19 YRS	2	13.0		13	13	13	13	13	13	13
20-34	30	12.5	21	7	8	11	15	19	23	25
35-49	31	10.7	22	2	4	11	14	17	19	19
50-64	37	11.6	30	5	6	11	13	15	22	34
65+	27	13.5	49	5	8	12	16	19	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	11.2	19	4	8	11	13	16	21	23
20-34	232	10.2	27	3	4	9	13	16	20	26
35-49	449	11.7	43	5	6	10	14	17	21	35
50-64	815	12.1	36	5	6	11	14	19	22	32
65+	1487	13.7	44	6	7	12	16	22	27	38
B. *Operated*										
0-19 YRS	4	13.5	46	7	7	12	18	23	23	23
20-34	75	14.2	57	6	7	13	16	24	30	43
35-49	148	15.3	78	3	6	13	19	27	33	48
50-64	303	16.7	105	7	8	14	19	28	36	58
65+	406	19.1	123	8	9	16	23	34	43	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	10.1	20	3	5	10	12	15	18	24
B. *Operated*	127	12.0	30	5	7	12	14	18	20	34
2. MULTIPLE DX										
A. *Not Operated*	3000	12.7	41	5	6	12	15	20	25	35
B. *Operated*	936	17.3	107	7	8	15	21	31	39	58
1. SINGLE DX	745	10.4	22	4	5	10	12	16	19	26
2. MULTIPLE DX	3936	13.8	61	5	7	12	16	22	28	43
A. NOT OPERATED	3618	12.2	39	5	6	11	15	19	24	33
B. OPERATED	1063	16.7	101	6	8	14	20	29	37	55
TOTAL 0-19 YRS	36	11.3	34	4	6	11	13	16	23	34
20-34	472	10.5	30	3	5	10	13	17	21	31
35-49	757	12.1	47	4	6	11	14	19	24	37
50-64	1327	12.9	54	5	7	11	15	21	26	40
65+	2089	14.5	64	6	7	13	17	24	30	44
GRAND TOTAL	**4681**	**13.2**	**56**	**5**	**6**	**12**	**16**	**21**	**27**	**42**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	16.6	195	3	3	15	30	36	36	36
20-34	11	13.3	119	2	2	12	19	31	35	35
35-49	6	12.3	25	5	5	12	16	19	19	19
50-64	7	20.3	204	2	3	19	30	40	42	42
65+	9	26.7	214	11	12	21	34	51	51	51
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	23.4	274	2	4	22	33	49	54	55
20-34	68	24.2	128	7	10	26	31	41	44	47
35-49	51	23.9	216	2	3	27	35	44	47	50
50-64	48	26.0	195	5	7	29	38	44	47	51
65+	90	26.2	206	4	6	28	35	46	49	63
B. *Operated*										
0-19 YRS	4	35.8	837	1	1	40	59	62	62	62
20-34	50	38.3	167	15	23	38	48	51	59	76
35-49	35	33.1	341	5	10	36	46	53	64	83
50-64	35	36.1	224	13	20	34	45	54	59	80
65+	44	36.8	250	13	19	35	51	57	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	18.0	169	2	3	15	27	35	46	51
B. *Operated*	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	277	25.1	190	4	6	27	34	44	47	55
B. *Operated*	168	36.3	247	10	15	36	47	56	65	96
1. SINGLE DX	41	18.4	172	2	3	16	28	36	46	51
2. MULTIPLE DX	445	29.3	241	4	8	30	41	49	55	76
A. NOT OPERATED	317	24.2	192	3	5	25	33	44	47	55
B. OPERATED	169	36.3	245	10	15	36	47	56	65	96
TOTAL 0-19 YRS	31	23.5	328	1	3	19	34	54	57	62
20-34	129	28.8	207	5	10	28	40	48	50	67
35-49	92	26.6	281	2	4	27	39	47	50	75
50-64	90	29.5	233	5	8	30	41	46	53	72
65+	144	29.5	239	5	10	30	41	53	57	99+
GRAND TOTAL	**486**	**28.4**	**244**	**4**	**8**	**29**	**40**	**49**	**54**	**75**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.8	3	1	1	2	4	6	6	8
20-34	89	2.6	4	<1	1	2	3	6	7	10
35-49	148	2.6	4	<1	1	2	3	5	7	10
50-64	188	2.7	4	1	1	2	3	5	7	8
65+	122	3.8	8	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	5	5.4	11	2	2	5	7	11	11	11
50-64	7	4.6	17	2	2	2	7	11	12	12
65+	4	4.5	32	1	1	2	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.0	4	1	1	2	4	6	7	8
20-34	138	4.4	16	1	1	3	6	9	12	23
35-49	273	4.0	8	1	1	3	5	7	9	16
50-64	600	4.6	10	1	1	4	6	8	11	16
65+	965	6.0	21	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	5	10.8	30	6	6	9	16	18	18	18
20-34	9	7.8	17	4	4	7	10	14	16	16
35-49	37	7.2	23	2	2	6	10	15	16	20
50-64	76	8.6	69	2	2	7	10	17	29	42
65+	82	11.7	70	3	4	9	14	26	29	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	2.9	5	1	1	2	4	6	8	11
B. *Operated*	18	4.6	15	1	2	3	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	2022	5.1	16	1	2	4	7	10	13	19
B. *Operated*	209	9.6	61	2	2	8	12	20	28	40
1. SINGLE DX	629	3.0	5	1	1	2	4	6	8	11
2. MULTIPLE DX	2231	5.5	22	1	2	4	7	11	14	26
A. NOT OPERATED	2633	4.6	14	1	1	4	6	9	11	18
B. OPERATED	227	9.2	59	2	2	7	11	18	27	40
TOTAL 0-19 YRS	117	3.2	7	1	1	2	4	6	8	16
20-34	236	3.9	13	1	1	3	5	8	10	17
35-49	463	3.8	10	1	1	3	5	8	10	16
50-64	871	4.5	16	1	1	3	6	8	11	20
65+	1173	6.2	25	1	2	5	8	12	15	27
GRAND TOTAL	**2860**	**5.0**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	2	<1	<1	2	3	5	6	6
20-34	127	2.3	3	<1	1	2	3	4	5	10
35-49	227	2.5	4	<1	1	2	3	5	6	9
50-64	467	3.2	7	1	1	2	4	6	8	13
65+	468	3.7	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS										
20-34	4	4.3	11	1	1	4	7	8	8	8
35-49	13	4.4	8	1	1	4	7	8	8	8
50-64	28	4.2	17	1	2	2	5	9	12	20
65+	30	5.6	10	1	2	5	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.6	13	<1	1	3	7	11	11	13
20-34	174	3.4	6	1	1	3	4	6	9	13
35-49	556	4.3	14	1	1	3	6	9	11	16
50-64	2314	5.3	17	1	1	4	7	10	13	20
65+	6410	7.2	32	2	2	6	9	14	18	29
B. *Operated*										
0-19 YRS	8	6.4	25	2	2	4	9	15	16	16
20-34	16	4.1	8	1	1	4	5	8	11	12
35-49	44	8.0	34	1	2	7	10	16	22	25
50-64	270	9.5	56	2	2	8	12	19	23	33
65+	825	13.1	82	3	4	11	17	25	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1307	3.2	7	1	1	2	4	6	8	13
B. *Operated*	75	4.8	13	1	2	4	8	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	9463	6.5	28	1	2	5	8	13	16	26
B. *Operated*	1163	11.9	77	2	3	10	16	23	28	42
1. SINGLE DX	1382	3.3	7	1	1	2	4	7	8	13
2. MULTIPLE DX	10646	7.1	36	1	2	5	9	14	18	30
A. NOT OPERATED	10790	6.1	27	1	2	5	8	12	16	26
B. OPERATED	1238	11.5	76	2	3	9	15	23	28	41
TOTAL 0-19 YRS	55	4.2	12	<1	1	3	6	11	12	16
20-34	321	3.0	5	1	1	2	4	6	8	12
35-49	840	4.0	13	1	1	3	5	8	10	17
50-64	3079	5.4	21	1	1	4	7	11	14	23
65+	7733	7.6	40	2	2	6	10	15	20	32
GRAND TOTAL	**12028**	**6.7**	**34**	**1**	**2**	**5**	**9**	**13**	**18**	**29**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.7	12	1	1	3	5	8	10	19
20-34	281	3.7	6	1	1	3	5	7	9	13
35-49	401	3.5	7	1	1	3	5	7	9	12
50-64	567	4.1	9	1	1	3	5	8	10	13
65+	626	4.6	10	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	24	5.2	15	1	2	4	7	12	14	14
20-34	40	5.7	18	1	2	4	8	11	13	21
35-49	68	4.4	12	1	2	3	6	10	13	14
50-64	182	5.6	14	2	2	5	8	11	12	19
65+	488	7.2	23	2	3	6	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	4.9	32	1	1	3	6	10	16	30
20-34	754	4.4	11	1	1	4	6	8	10	17
35-49	1732	5.2	16	1	2	4	7	9	12	19
50-64	4250	6.3	24	2	2	5	8	11	14	25
65+	9176	7.5	33	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	46	8.1	117	2	2	5	10	14	32	65
20-34	108	8.9	147	1	2	6	9	15	30	78
35-49	342	9.7	89	2	2	7	12	19	26	49
50-64	1311	10.3	88	2	2	8	13	20	28	52
65+	4895	11.8	74	3	4	10	15	21	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2002	4.1	9	1	1	3	5	7	10	15
B. *Operated*	802	6.5	20	2	2	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	16143	6.7	29	2	2	5	8	13	16	27
B. *Operated*	6702	11.3	80	2	3	9	14	21	27	50
1. SINGLE DX	2804	4.8	13	1	1	4	6	9	11	17
2. MULTIPLE DX	22845	8.1	48	2	2	6	10	15	20	35
A. NOT OPERATED	18145	6.4	27	1	2	5	8	12	15	27
B. OPERATED	7504	10.8	76	2	3	9	14	20	26	49
TOTAL 0-19 YRS	428	4.9	35	1	1	3	6	10	14	32
20-34	1183	4.7	24	1	1	4	6	9	11	20
35-49	2543	5.5	27	1	2	4	7	11	14	25
50-64	6310	6.9	39	1	2	5	8	13	17	33
65+	15185	8.7	50	2	3	7	11	16	21	36
GRAND TOTAL	**25649**	**7.7**	**45**	**2**	**2**	**6**	**10**	**15**	**19**	**34**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	6.4	18	2	2	5	9	13	15	16
20-34	9	6.0	8	2	2	6	9	10	10	10
35-49	48	6.4	16	2	2	5	8	12	15	19
50-64	279	6.8	22	2	2	6	9	13	16	20
65+	1457	7.7	32	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	3	5.3	34	1	1	3	10	12	12	12
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	5	4.6	19	1	1	3	8	11	11	11
50-64	20	9.7	42	2	3	8	14	19	23	26
65+	35	12.0	81	2	3	9	18	28	37	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	7.0	34	2	2	6	9	13	19	33
20-34	150	8.0	27	2	3	6	10	15	18	25
35-49	1020	8.5	47	2	3	7	11	16	21	37
50-64	7095	9.0	40	3	3	8	11	16	20	33
65+	34398	10.1	51	3	4	8	13	18	24	37
B. *Operated*										
0-19 YRS	26	12.7	95	3	4	9	22	26	31	41
20-34	41	10.7	85	1	2	7	17	22	30	39
35-49	178	11.3	74	2	3	9	14	20	29	46
50-64	1113	14.9	141	3	4	12	18	28	38	63
65+	3529	17.7	146	5	6	15	22	33	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1811	7.5	30	2	3	6	9	14	17	27
B. *Operated*	65	10.2	64	2	2	8	15	23	30	90
2. MULTIPLE DX										
A. *Not Operated*	42838	9.8	49	3	4	8	12	18	23	37
B. *Operated*	4887	16.7	144	4	6	14	21	32	40	62
1. SINGLE DX	1876	7.6	31	2	3	6	10	14	18	28
2. MULTIPLE DX	47725	10.5	64	3	4	8	13	20	26	41
A. NOT OPERATED	44649	9.7	49	3	4	8	12	18	23	36
B. OPERATED	4952	16.6	144	4	6	14	21	31	40	62
TOTAL 0-19 YRS	222	7.6	43	2	2	6	9	15	24	35
20-34	202	8.4	39	2	2	6	11	17	21	33
35-49	1251	8.8	51	2	3	7	11	17	21	39
50-64	8507	9.7	57	3	3	8	12	18	23	39
65+	39419	10.7	64	3	4	9	13	20	26	41
GRAND TOTAL	**49601**	**10.4**	**63**	**3**	**4**	**8**	**13**	**19**	**25**	**41**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.5	9	1	1	4	6	9	11	14
20-34	346	4.0	9	1	2	3	5	7	9	15
35-49	302	4.8	18	1	2	4	6	8	10	24
50-64	329	5.6	20	1	2	4	7	10	13	21
65+	193	6.7	29	2	2	5	8	13	15	32
B. *Operated*										
0-19 YRS	98	4.1	16	1	1	2	7	10	13	17
20-34	128	5.7	20	2	2	4	9	11	13	23
35-49	270	5.5	31	1	2	2	8	13	16	29
50-64	511	5.5	31	2	2	2	8	14	17	25
65+	259	6.9	54	2	2	3	11	16	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	6.2	32	1	2	5	7	13	17	31
20-34	774	5.7	23	1	2	5	7	10	14	24
35-49	1284	6.5	29	2	2	5	8	12	16	28
50-64	2570	7.8	33	2	3	6	10	15	19	30
65+	3942	9.4	51	3	3	8	12	18	23	37
B. *Operated*										
0-19 YRS	124	7.1	128	1	1	3	9	15	23	65
20-34	260	10.1	115	2	2	7	12	24	34	52
35-49	738	8.2	64	1	2	6	11	17	23	43
50-64	2073	9.5	80	2	2	7	13	20	26	42
65+	1924	12.9	143	2	2	10	17	28	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1267	5.0	18	1	2	4	6	9	12	22
B. *Operated*	1266	5.7	34	1	2	3	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	8793	8.1	42	2	3	6	10	15	20	33
B. *Operated*	5119	10.6	108	2	2	8	14	23	31	5[illegible]
1. SINGLE DX	2533	5.4	26	1	2	3	7	12	15	27
2. MULTIPLE DX	13912	9.0	67	2	2	7	12	18	24	41
A. NOT OPERATED	10060	7.7	40	2	2	6	10	15	19	3[illegible]
B. OPERATED	6385	9.6	97	2	2	7	13	21	29	4[illegible]
TOTAL 0-19 YRS	542	5.7	48	1	1	4	7	12	15	35
20-34	1508	6.1	39	1	2	4	7	11	15	38
35-49	2594	6.7	39	1	2	5	8	14	18	32
50-64	5483	8.1	52	2	2	6	11	17	21	35
65+	6318	10.3	82	2	2	8	13	21	28	46
GRAND TOTAL	**16445**	**8.5**	**63**	**2**	**2**	**6**	**11**	**17**	**23**	**40**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64	19	3.7	6	1	1	3	4	8	10	10
65+	26	5.6	23	<1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS										
20-34										
35-49	12	3.8	17	2	2	2	3	10	15	16
50-64	19	3.5	10	1	1	2	3	10	11	11
65+	6	6.3	31	2	2	4	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	46	5.4	8	2	2	5	7	9	11	12
50-64	306	7.6	36	2	3	6	9	14	18	34
65+	1323	8.8	49	2	3	7	11	16	21	35
B. *Operated*										
0-19 YRS										
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	59	6.1	51	1	1	2	8	19	21	32
50-64	197	7.0	55	1	1	4	10	17	21	30
65+	280	12.1	119	2	2	9	16	25	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.7	15	1	1	3	6	10	11	23
B. *Operated*	37	4.1	16	1	2	2	4	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	1673	8.5	46	2	3	7	10	16	21	34
B. *Operated*	538	9.6	95	1	2	7	13	21	27	53
1. SINGLE DX	86	4.4	15	1	2	3	5	10	11	21
2. MULTIPLE DX	2216	8.7	58	2	2	7	11	17	23	36
A. NOT OPERATED	1727	8.4	45	2	3	7	10	16	20	34
B. OPERATED	575	9.2	92	1	2	6	13	21	26	50
TOTAL 0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	3	6.3	56	2	2	2	12	15	15	15
35-49	121	5.6	30	1	2	4	7	12	18	28
50-64	541	7.1	42	1	2	5	9	15	19	32
65+	1635	9.3	62	2	3	7	12	18	24	37
GRAND TOTAL	**2302**	**8.6**	**57**	**2**	**2**	**7**	**11**	**17**	**22**	**35**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	17	<1	<1	3	6	11	12	12
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	3.3	10	<1	<1	2	5	9	9	9
50-64	3	8.0	147	<1	<1	1	17	22	22	22
65+	14	15.9	255	<1	<1	12	22	44	50	52
B. *Operated*										
0-19 YRS	5	13.8	149	<1	<1	11	26	28	28	28
20-34	30	16.8	156	4	4	14	20	32	39	63
35-49	36	16.3	110	3	4	15	20	29	41	46
50-64	45	18.9	147	2	3	18	25	38	42	48
65+	13	23.4	226	6	8	18	26	52	54	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	22	1	1	6	10	12	12	12
20-34	5	5.4	30	2	2	3	7	15	15	15
35-49	8	10.5	62	<1	1	10	14	23	26	26
50-64	19	9.9	123	<1	<1	5	15	26	35	40
65+	30	14.8	75	5	6	12	20	30	32	34
B. *Operated*										
0-19 YRS	8	17.9	282	3	4	14	19	46	57	57
20-34	35	20.3	197	2	4	20	30	44	53	99+
35-49	63	28.7	357	8	10	25	44	67	92	99+
50-64	107	31.5	503	7	10	26	45	80	94	99+
65+	71	35.8	364	13	18	31	49	67	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	10.0	162	<1	<1	4	14	25	43	52
B. *Operated*	129	17.9	147	3	4	16	23	37	43	56
2. MULTIPLE DX										
A. *Not Operated*	66	11.7	87	<1	1	11	16	26	31	39
B. *Operated*	284	30.2	413	6	9	26	44	68	91	99+
1. SINGLE DX	159	16.4	158	1	2	14	22	36	43	54
2. MULTIPLE DX	350	26.7	404	3	6	22	37	64	87	99+
A. NOT OPERATED	96	11.2	110	<1	<1	8	15	26	32	48
B. OPERATED	413	26.4	362	4	7	22	36	61	80	99+
TOTAL 0-19 YRS	23	11.5	158	<1	1	8	16	26	38	57
20-34	71	17.6	178	2	4	15	24	39	49	92
35-49	113	22.1	300	2	5	17	32	50	69	99+
50-64	174	25.5	426	2	4	21	34	65	87	99+
65+	128	27.4	358	5	7	24	38	59	69	99+
GRAND TOTAL	**509**	**23.5**	**349**	**2**	**4**	**19**	**32**	**54**	**71**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	46.0		46	46	46	46	46	46	46
50-64	3	28.0	49	23	23	25	33	36	36	36
65+	2	35.0	722	16	16	35	54	54	54	54
B. *Operated*										
0-19 YRS										
20-34	4	59.8	606	29	29	67	91	99+	99+	99+
35-49	9	42.9	177	27	30	53	80	99+	99+	99+
50-64	12	52.6	469	31	32	48	69	87	90	90
65+	8	50.8	498	22	22	57	80	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	26.9	308	<1	4	24	41	52	54	54
B. *Operated*	33	50.4	400	24	30	55	80	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	41	45.8	463	16	22	50	74	99+	99+	99+
A. NOT OPERATED	8	26.9	308	<1	4	24	41	52	54	54
B. OPERATED	33	50.4	400	24	30	55	80	99+	99+	99+
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	48.0	1145	<1	3	61	88	99	99+	99+
35-49	10	43.2	158	28	30	49	70	99+	99+	99+
50-64	15	47.7	479	23	25	36	58	86	89	90
65+	10	47.6	511	17	20	55	78	99+	99+	99+
GRAND TOTAL	**41**	**45.8**	**463**	**16**	**22**	**50**	**74**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.3	17	<1	1	7	9	13	14	14
20-34	4	3.0	11	<1	<1	1	5	8	8	8
35-49	4	17.3	254	4	4	12	28	40	40	40
50-64	20	6.5	42	<1	<1	5	9	15	21	26
65+	51	10.9	103	<1	1	9	14	27	34	38
B. *Operated*										
0-19 YRS	14	7.2	27	1	2	7	7	15	19	20
20-34	24	12.4	138	1	2	10	17	25	35	57
35-49	17	10.4	52	2	3	9	15	18	26	30
50-64	39	13.5	169	4	5	10	14	24	29	81
65+	83	15.1	110	4	6	11	19	32	38	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.5	24	1	2	6	9	14	16	17
20-34	10	7.6	23	2	2	6	12	14	15	15
35-49	25	13.0	156	3	5	10	13	23	41	64
50-64	75	15.7	260	3	3	11	17	30	41	90
65+	336	17.5	160	3	4	16	22	33	40	70
B. *Operated*										
0-19 YRS	24	22.8	423	3	6	17	25	53	70	95
20-34	25	23.2	360	5	6	21	33	95	99+	99+
35-49	53	23.1	400	4	8	15	33	59	92	99+
50-64	166	25.1	411	6	7	19	31	61	85	99+
65+	323	24.1	283	7	8	20	32	48	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	9.5	89	<1	1	7	12	23	32	39
B. *Operated*	177	13.3	118	3	4	10	16	27	33	56
2. MULTIPLE DX										
A. *Not Operated*	459	16.4	175	3	4	14	21	32	40	70
B. *Operated*	591	24.2	336	6	8	19	32	54	72	99+
1. SINGLE DX	263	12.1	111	1	2	9	15	26	33	53
2. MULTIPLE DX	1050	20.8	280	4	6	17	27	42	60	99
A. NOT OPERATED	545	15.3	167	1	3	13	20	30	39	70
B. OPERATED	768	21.7	307	5	7	16	28	48	67	99+
TOTAL 0-19 YRS	58	13.5	246	1	2	9	17	25	45	92
20-34	63	15.3	242	2	2	12	22	40	86	99+
35-49	99	18.1	297	3	5	13	23	41	62	99+
50-64	300	20.0	352	3	5	14	26	48	71	99+
65+	793	19.5	218	4	5	16	25	38	48	81
GRAND TOTAL	**1313**	**19.1**	**259**	**3**	**5**	**15**	**25**	**39**	**56**	**96**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	3	14.3	24	11	11	12	18	20	20	20
35-49	11	36.7	477	6	15	29	45	73	82	83
50-64	36	23.9	350	4	5	20	31	48	68	80
65+	132	24.3	210	6	9	21	31	42	57	83
B. *Operated*										
0-19 YRS	2	24.0	242	13	13	24	35	35	35	35
20-34	4	28.8	148	15	15	30	39	39	39	39
35-49	11	31.5	131	9	18	37	44	99+	99+	99+
50-64	30	29.6	398	6	9	32	52	99+	99+	99+
65+	62	37.5	348	15	16	36	57	69	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	184	24.6	257	5	8	21	31	47	64	82
B. *Operated*	109	34.2	338	10	14	35	54	83	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	293	28.2	308	6	9	25	38	62	80	99+
A. NOT OPERATED	184	24.6	257	5	8	21	31	47	64	82
B. OPERATED	109	34.2	338	10	14	35	54	83	99+	99+
TOTAL 0-19 YRS	4	16.0	177	4	4	12	24	35	35	35
20-34	7	22.6	142	11	11	20	35	39	39	39
35-49	22	34.1	297	6	19	31	44	85	99+	99+
50-64	66	26.5	374	5	7	22	46	77	99+	99+
65+	194	28.5	290	6	11	25	37	59	68	99+
GRAND TOTAL	**293**	**28.2**	**308**	**6**	**9**	**25**	**38**	**62**	**80**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	5	4.8	11	<1	<1	5	7	9	9	9
50-64	32	3.8	11	<1	1	3	5	8	10	16
65+	49	4.5	23	1	1	3	5	9	13	26
B. *Operated*										
0-19 YRS	3	4.7	30	1	1	2	9	11	11	11
20-34	10	5.0	21	2	2	3	6	12	17	17
35-49	88	6.2	15	2	2	6	9	11	13	18
50-64	813	6.3	20	2	2	5	8	12	15	22
65+	1400	6.7	21	2	2	6	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	22.0	450	7	7	22	37	37	37	37
35-49	33	8.2	38	1	2	8	10	16	22	29
50-64	214	6.0	43	1	1	4	8	12	15	40
65+	561	8.0	74	2	2	6	9	16	21	45
B. *Operated*										
0-19 YRS	4	5.3	8	2	2	5	7	9	9	9
20-34	16	4.6	11	2	2	3	7	9	12	13
35-49	217	8.1	38	2	2	6	10	[illegible]	21	38
50-64	2378	9.0	52	2	3	7	11	17	22	36
65+	4687	10.2	68	2	3	8	13	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.2	18	1	1	3	5	9	12	25
B. *Operated*	2314	6.5	21	2	2	6	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	810	7.5	66	1	2	5	9	15	19	44
B. *Operated*	7302	9.7	62	2	3	8	12	19	24	40
1. SINGLE DX	2401	6.4	21	2	2	6	8	12	15	23
2. MULTIPLE DX	8112	9.5	63	2	3	7	12	18	23	40
A. NOT OPERATED	897	7.2	62	1	2	5	9	14	19	44
B. OPERATED	9616	9.0	54	2	2	7	11	17	22	36
TOTAL 0-19 YRS	8	4.9	12	1	1	4	7	10	11	11
20-34	28	6.0	50	2	2	4	7	12	19	37
35-49	343	7.6	32	2	2	6	10	14	18	33
50-64	3437	8.1	45	2	2	6	10	16	20	33
65+	6697	9.2	61	2	2	7	11	18	23	39
GRAND TOTAL	**10513**	**8.8**	**55**	**2**	**2**	**7**	**11**	**17**	**22**	**36**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34										
35-49	4	11.3	36	6	6	10	16	19	19	19
50-64	20	11.8	154	1	2	10	12	27	41	54
65+	43	19.2	449	2	4	14	22	36	86	90
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49	15	17.3	277	2	3	10	21	46	53	55
50-64	99	17.2	381	2	3	11	19	41	57	94
65+	211	18.2	261	3	4	14	27	40	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	68	16.6	341	2	3	11	19	30	57	90
B. *Operated*	327	17.8	296	2	3	12	24	40	52	95
1. SINGLE DX										
2. MULTIPLE DX	395	17.6	303	2	3	12	23	40	52	94
A. NOT OPERATED	68	16.6	341	2	3	11	19	30	57	90
B. OPERATED	327	17.8	296	2	3	12	24	40	52	95
TOTAL 0-19 YRS	2	20.0	98	13	13	20	27	27	27	27
20-34	1	1.0		1	1	1	1	1	1	1
35-49	19	16.1	228	2	3	10	20	43	51	55
50-64	119	16.3	346	2	3	10	18	38	53	94
65+	254	18.3	291	2	4	14	25	40	52	98
GRAND TOTAL	**395**	**17.6**	**303**	**2**	**3**	**12**	**23**	**40**	**52**	**94**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	4	4.0	7	1	1	4	6	7	7	7
35-49	28	7.4	38	2	2	6	8	19	22	25
50-64	84	8.6	28	2	3	7	11	18	22	74
65+	273	11.9	83	3	4	9	15	25	31	45
B. *Operated*										
0-19 YRS	4	5.5	22	1	1	5	9	10	10	10
20-34	10	13.4	249	2	2	9	14	36	56	56
35-49	30	9.7	98	1	2	7	12	20	38	43
50-64	55	8.8	42	2	2	7	11	18	25	27
65+	49	10.8	60	2	3	9	15	23	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	13.5	265	1	2	9	17	38	55	59
20-34	39	9.7	105	2	2	6	11	25	29	53
35-49	133	11.7	138	2	3	9	13	23	38	82
50-64	738	12.9	131	3	4	10	15	27	35	63
65+	3311	13.9	105	3	5	11	18	26	35	56
B. *Operated*										
0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	23	12.3	82	3	6	11	16	24	63	99+
35-49	90	12.0	62	2	4	10	16	23	28	36
50-64	385	14.4	207	2	3	10	17	29	48	91
65+	735	18.6	214	4	5	15	25	40	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	10.8	70	2	3	8	13	22	30	45
B. *Operated*	148	9.9	72	2	2	8	12	22	25	43
2. MULTIPLE DX										
A. *Not Operated*	4234	13.6	111	3	4	11	17	26	35	57
B. *Operated*	1236	16.7	203	3	4	13	22	35	48	80
1. SINGLE DX	539	10.5	70	2	3	8	13	22	28	43
2. MULTIPLE DX	5470	14.3	134	3	4	11	18	29	38	64
A. NOT OPERATED	4625	13.4	109	3	4	11	17	26	35	56
B. OPERATED	1384	16.0	194	3	4	12	21	35	47	78
TOTAL 0-19 YRS	22	10.5	173	1	2	7	11	23	43	59
20-34	76	10.7	112	2	2	8	14	21	41	88
35-49	281	11.1	101	2	3	9	13	23	31	63
50-64	1262	12.9	146	3	3	10	15	26	37	73
65+	4368	14.5	125	3	5	11	18	29	38	59
GRAND TOTAL	**6009**	**14.0**	**129**	**3**	**4**	**11**	**18**	**28**	**37**	**63**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	13.4	169	4	4	9	18	36	36	36
20-34	11	12.2	46	3	4	12	17	21	25	25
35-49	43	18.1	305	3	4	12	21	47	59	80
50-64	320	19.2	253	4	5	14	24	41	56	84
65+	1439	19.5	176	5	6	16	25	37	47	72
B. *Operated*										
0-19 YRS	2	17.5	481	2	2	17	33	33	33	33
20-34	8	8.9	15	3	3	10	12	13	13	13
35-49	16	17.6	269	4	5	11	25	48	54	56
50-64	114	28.1	535	5	7	20	39	74	86	99+
65+	251	25.8	319	6	9	21	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1818	19.3	192	5	6	16	25	38	48	75
B. *Operated*	391	25.8	382	6	7	20	35	60	76	99+
1. SINGLE DX										
2. MULTIPLE DX	2209	20.5	231	5	6	16	27	41	54	85
A. NOT OPERATED	1818	19.3	192	5	6	16	25	38	48	75
B. OPERATED	391	25.8	382	6	7	20	35	60	76	99+
TOTAL 0-19 YRS	7	14.6	197	2	2	9	28	35	36	36
20-34	19	10.8	34	3	3	11	14	18	22	25
35-49	59	18.0	290	3	4	12	23	48	57	78
50-64	434	21.5	342	4	6	15	27	49	70	91
65+	1690	20.4	202	5	7	17	27	40	51	78
GRAND TOTAL	**2209**	**20.5**	**231**	**5**	**6**	**16**	**27**	**41**	**54**	**85**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	42	3.1	4	1	1	3	5	6	7	8
35-49	118	4.3	8	1	1	4	6	7	10	15
50-64	377	3.9	8	1	1	3	5	7	8	12
65+	1017	4.6	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	10	4.4	5	1	1	4	6	7	8	8
35-49	70	5.5	19	1	1	4	7	11	14	25
50-64	280	5.3	19	1	2	4	7	10	12	19
65+	307	5.3	19	1	2	4	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.7	5	1	3	6	7	9	9	9
20-34	83	4.6	10	1	2	4	6	9	11	16
35-49	406	6.0	18	2	2	5	8	11	14	18
50-64	2262	6.1	18	2	2	5	8	11	14	19
65+	10649	7.2	27	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	6	5.8	5	4	4	5	6	10	10	10
20-34	33	6.2	32	2	2	4	8	10	14	32
35-49	220	8.0	63	2	2	6	10	14	18	54
50-64	1298	8.5	43	2	3	7	11	16	21	34
65+	2670	10.4	64	2	3	8	13	19	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1558	4.4	10	1	1	4	6	8	10	16
B. *Operated*	670	5.3	19	1	2	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	13420	7.0	25	2	2	6	9	13	16	25
B. *Operated*	4227	9.6	58	2	3	8	12	18	23	41
1. SINGLE DX	2228	4.7	13	1	2	4	6	9	11	18
2. MULTIPLE DX	17647	7.6	35	2	3	6	9	14	18	30
A. NOT OPERATED	14978	6.7	24	2	2	6	8	12	15	24
B. OPERATED	4897	9.0	55	2	3	7	11	17	22	40
TOTAL 0-19 YRS	33	5.4	5	2	3	5	7	9	9	10
20-34	168	4.6	13	1	1	4	6	9	10	17
35-49	814	6.3	30	1	2	5	8	12	15	27
50-64	4217	6.6	27	2	2	5	8	12	16	26
65+	14643	7.5	35	2	2	6	9	14	18	30
GRAND TOTAL	**19875**	**7.3**	**33**	**2**	**2**	**6**	**9**	**14**	**17**	**29**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.6	157	3	3	5	9	31	40	40
20-34	9	4.6	6	2	2	4	6	9	9	9
35-49	43	8.6	62	2	3	7	10	16	18	51
50-64	188	11.0	137	2	3	7	13	24	38	60
65+	880	11.2	81	2	3	9	15	22	27	50
B. *Operated*										
0-19 YRS										
20-34	6	10.5	72	2	2	8	17	23	24	24
35-49	27	9.5	59	2	2	8	13	20	28	29
50-64	90	8.1	37	2	2	7	10	16	20	30
65+	105	11.1	78	2	3	9	15	25	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	11.9	91	2	3	9	17	23	33	39
20-34	28	7.0	26	1	2	6	9	15	18	21
35-49	182	10.9	75	2	3	8	15	23	30	43
50-64	1343	12.1	107	2	3	9	15	24	32	54
65+	7778	13.5	101	3	4	11	17	26	33	52
B. *Operated*										
0-19 YRS	5	17.8	158	2	2	18	29	32	32	32
20-34	24	11.8	154	2	2	7	15	23	39	57
35-49	118	12.4	88	2	4	10	16	27	32	47
50-64	549	16.2	195	4	5	12	20	33	47	86
65+	1447	19.2	209	4	5	15	25	40	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1128	11.0	89	2	3	8	14	22	28	54
B. *Operated*	228	9.7	61	2	2	8	13	20	28	36
2. MULTIPLE DX										
A. *Not Operated*	9348	13.3	101	3	4	11	17	25	32	52
B. *Operated*	2143	18.0	202	4	5	14	24	38	49	82
1. SINGLE DX	1356	10.8	85	2	3	8	14	22	28	51
2. MULTIPLE DX	11491	14.1	124	3	4	11	18	28	36	58
A. NOT OPERATED	10476	13.0	101	3	4	10	17	25	32	52
B. OPERATED	2371	17.2	194	3	5	13	23	36	48	79
TOTAL 0-19 YRS	30	12.3	117	2	3	8	17	30	39	40
20-34	67	8.7	78	2	2	7	10	20	23	53
35-49	370	11.0	77	2	3	8	14	22	30	45
50-64	2170	12.9	133	3	3	9	16	27	36	62
65+	10210	14.1	119	3	4	11	18	27	36	57
GRAND TOTAL	**12847**	**13.8**	**121**	**3**	**4**	**11**	**18**	**27**	**36**	**58**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	20.1	451	1	2	11	32	56	60	60
20-34	16	11.3	141	1	2	7	12	36	39	40
35-49	63	17.3	171	3	4	13	22	37	45	61
50-64	564	18.9	268	3	4	15	24	40	55	83
65+	3163	18.5	179	5	6	15	24	36	46	71
B. *Operated*										
0-19 YRS	3	23.0	208	7	7	27	33	35	35	35
20-34	7	21.9	518	3	4	17	25	62	70	70
35-49	42	22.3	269	4	6	18	31	46	56	73
50-64	160	25.7	409	4	6	20	34	55	73	87
65+	500	27.5	348	6	8	24	39	55	67	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3813	18.5	193	4	6	15	24	37	47	72
B. *Operated*	712	26.7	358	5	7	22	37	55	68	92
1. SINGLE DX										
2. MULTIPLE DX	4525	19.8	227	4	6	15	25	40	52	78
A. NOT OPERATED	3813	18.5	193	4	6	15	24	37	47	72
B. OPERATED	712	26.7	358	5	7	22	37	55	68	92
TOTAL 0-19 YRS	10	21.0	349	1	3	13	35	49	60	60
20-34	23	14.5	262	2	3	9	18	38	50	70
35-49	105	19.3	214	3	5	14	24	41	48	69
50-64	724	20.4	307	3	5	15	26	43	60	85
65+	3663	19.8	212	5	6	16	25	40	51	76
GRAND TOTAL	**4525**	**19.8**	**227**	**4**	**6**	**15**	**25**	**40**	**52**	**78**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	16	1	1	3	8	11	11	11
20-34	21	4.3	13	1	1	3	5	9	13	15
35-49	66	4.5	9	1	2	4	5	8	11	17
50-64	105	5.1	11	1	2	4	7	10	12	15
65+	284	6.5	26	2	2	5	8	12	17	25
B. *Operated*										
0-19 YRS	5	4.2	9	2	2	2	7	8	8	8
20-34	20	6.1	35	1	1	4	8	14	20	23
35-49	52	10.1	92	2	2	7	15	22	29	46
50-64	150	7.0	72	1	2	5	8	14	18	53
65+	162	6.5	35	1	2	5	8	14	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.1	14	1	1	4	7	10	13	14
20-34	81	6.2	24	1	1	5	8	13	16	22
35-49	346	7.3	62	2	2	6	9	12	17	39
50-64	1031	8.7	74	2	3	6	10	16	22	57
65+	4921	9.3	53	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	9	8.0	10	5	5	8	12	57	99+	99+
20-34	45	14.7	329	1	2	9	16	31	60	86
35-49	124	13.7	142	1	3	10	16	35	42	65
50-64	526	12.5	176	2	3	8	14	27	39	89
65+	1268	13.2	153	2	3	10	16	26	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	5.8	21	1	2	5	7	12	15	23
B. *Operated*	389	7.1	57	1	2	5	9	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	6404	9.0	57	2	3	7	11	17	22	42
B. *Operated*	1972	13.0	161	2	3	9	15	27	38	73
1. SINGLE DX	872	6.4	37	1	2	5	8	13	17	30
2. MULTIPLE DX	8376	10.0	84	2	3	8	12	19	26	53
A. NOT OPERATED	6887	8.8	55	2	3	7	11	16	21	41
B. OPERATED	2361	12.1	149	2	2	9	14	25	36	69
TOTAL 0-19 YRS	46	5.5	14	1	1	5	8	12	14	99+
20-34	167	8.2	120	1	1	5	10	16	22	76
35-49	588	8.6	84	2	2	6	10	17	26	50
50-64	1812	9.4	104	2	2	7	11	18	27	59
65+	6635	9.8	74	2	3	8	12	18	25	46
GRAND TOTAL	**9248**	**9.6**	**81**	**2**	**3**	**7**	**12**	**18**	**25**	**50**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	6	4.0	17	<1	<1	2	7	11	11	11
50-64	15	3.2	4	1	2	2	4	7	8	8
65+	54	5.4	35	1	1	4	7	10	17	35
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	4.3	5	2	2	4	6	7	7	7
35-49	58	7.0	26	1	2	6	10	14	16	24
50-64	236	7.2	61	1	2	5	10	14	16	37
65+	256	7.5	45	2	2	5	11	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	1	12.0		12	12	12	12	12	12	12
35-49	23	4.9	15	1	2	3	7	11	14	16
50-64	197	6.8	52	1	2	5	8	13	18	41
65+	1073	8.9	50	2	3	7	11	17	22	35
B. *Operated*										
0-19 YRS	2	11.0	128	3	3	11	19	19	19	19
20-34	13	11.5	348	2	2	5	11	24	63	72
35-49	210	10.4	113	2	2	8	14	22	32	46
50-64	1179	11.7	128	2	2	10	15	25	35	64
65+	2058	16.0	194	2	3	12	21	34	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	4.9	28	1	1	3	6	9	14	32
B. *Operated*	555	7.3	49	1	2	5	11	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	1298	8.5	50	2	2	7	11	16	22	37
B. *Operated*	3462	14.2	172	2	2	11	18	30	40	69
1. SINGLE DX	631	7.0	47	1	2	5	10	15	17	32
2. MULTIPLE DX	4760	12.6	145	2	2	10	16	27	36	65
A. NOT OPERATED	1374	8.3	50	2	2	7	11	16	22	36
B. OPERATED	4017	13.2	160	2	2	10	17	28	38	67
TOTAL 0-19 YRS	8	6.4	32	2	2	4	8	16	19	19
20-34	18	9.9	256	2	2	5	11	12	48	72
35-49	297	9.2	90	2	2	7	12	20	27	42
50-64	1627	10.4	113	1	2	8	13	22	30	59
65+	3441	13.0	149	2	2	10	17	28	36	65
GRAND TOTAL	**5391**	**12.0**	**137**	**2**	**2**	**9**	**15**	**26**	**35**	**61**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	16	4.8	21	1	1	3	7	10	16	18
65+	51	4.6	27	<1	1	3	5	10	10	31
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.5	22	2	2	6	10	11	11	11
35-49	12	8.1	34	1	2	8	10	17	20	21
50-64	195	10.7	38	2	3	11	13	16	19	28
65+	359	11.5	39	2	2	11	14	18	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	5	3.2	4	<1	<1	4	5	5	5	5
50-64	94	5.5	33	1	1	4	6	11	12	34
65+	477	7.2	53	1	2	5	9	14	18	35
B. *Operated*										
0-19 YRS	4	8.8	25	2	2	9	12	14	14	14
20-34	11	14.2	83	2	2	14	19	26	33	34
35-49	33	9.8	34	1	2	10	13	18	19	25
50-64	742	14.6	100	3	6	12	17	25	31	61
65+	1918	17.1	145	3	5	14	21	31	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	4.6	25	<1	1	3	6	10	11	29
B. *Operated*	571	11.1	39	2	2	11	13	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	578	6.8	50	1	2	5	8	14	17	35
B. *Operated*	2708	16.3	133	3	5	14	20	29	38	68
1. SINGLE DX	640	10.4	41	1	2	11	13	17	21	30
2. MULTIPLE DX	3286	14.7	131	2	3	12	18	28	35	64
A. NOT OPERATED	647	6.6	48	1	1	5	8	13	17	32
B. OPERATED	3279	15.4	120	2	4	13	18	28	35	64
TOTAL 0-19 YRS	5	7.2	31	1	1	9	11	14	14	14
20-34	17	10.9	78	1	2	11	16	20	29	34
35-49	52	8.4	35	<1	1	9	12	17	19	25
50-64	1047	12.9	90	2	3	11	16	22	28	55
65+	2805	14.5	130	2	3	12	18	28	35	64
GRAND TOTAL	**3926**	**14.0**	**119**	**2**	**3**	**12**	**17**	**26**	**34**	**62**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	4	6.5	44	2	2	4	11	16	16	16
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	6	4.3	23	2	2	2	4	13	14	14
20-34	19	9.6	89	1	1	9	16	19	30	38
35-49	41	8.0	56	1	1	5	13	19	23	29
50-64	66	9.7	50	2	2	8	12	18	23	34
65+	84	8.8	36	2	2	8	13	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	9.3	40	2	2	10	14	15	15	15
50-64	15	3.5	8	<1	1	3	5	8	9	10
65+	26	8.3	35	<1	1	8	12	17	19	20
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	14.0	219	2	2	8	23	31	47	56
35-49	67	14.2	138	2	2	12	17	29	40	94
50-64	223	14.3	146	2	3	11	17	28	39	58
65+	328	15.8	173	2	4	12	19	32	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	24	<1	<1	3	5	13	16	16
B. *Operated*	216	8.9	48	2	2	8	12	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	45	6.8	31	<1	1	6	9	16	17	20
B. *Operated*	636	15.0	161	2	3	12	19	30	40	70
1. SINGLE DX	224	8.7	48	1	2	8	12	18	21	32
2. MULTIPLE DX	681	14.5	157	2	3	11	18	30	39	69
A. NOT OPERATED	53	6.4	30	<1	1	4	9	16	17	20
B. OPERATED	852	13.5	140	2	2	11	17	27	38	69
TOTAL 0-19 YRS	8	3.8	18	<1	<1	2	3	11	14	14
20-34	37	11.5	148	1	2	8	17	29	36	56
35-49	112	11.7	113	1	2	10	15	27	37	20
50-64	308	12.7	126	2	2	10	16	26	36	56
65+	440	13.9	148	2	3	11	17	27	38	69
GRAND TOTAL	**905**	**13.1**	**136**	**2**	**2**	**10**	**16**	**27**	**37**	**67**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	5	2	2	5	7	8	8	8
20-34	8	6.3	19	2	2	5	9	13	14	14
35-49	15	5.2	27	1	1	3	9	12	17	19
50-64	32	4.0	8	1	2	3	5	8	11	11
65+	42	5.5	22	<1	<1	4	9	11	14	22
B. *Operated*										
0-19 YRS	8	8.3	22	1	2	9	11	14	15	15
20-34	29	6.9	23	2	2	5	10	14	16	19
35-49	153	7.1	22	1	2	8	10	13	15	21
50-64	606	8.5	38	2	2	8	12	16	18	26
65+	554	9.2	46	2	2	9	13	17	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	14	4	4	10	11	11	11	11
20-34	19	8.2	20	<1	2	8	13	14	15	15
35-49	43	6.8	26	1	1	6	9	14	16	22
50-64	154	7.1	43	1	1	5	10	14	18	28
65+	326	8.8	42	2	2	7	12	17	21	34
B. *Operated*										
0-19 YRS	9	9.9	42	4	4	8	14	20	22	22
20-34	55	10.9	86	1	2	9	14	19	26	53
35-49	406	11.5	88	2	2	10	14	23	29	51
50-64	1855	12.9	114	2	3	11	16	25	33	63
65+	2913	15.4	152	2	3	12	19	31	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.0	17	<1	1	4	8	11	12	20
B. *Operated*	1350	8.6	39	2	2	8	12	16	18	28
2. MULTIPLE DX										
A. *Not Operated*	545	8.1	41	1	2	7	11	16	20	32
B. *Operated*	5238	14.1	135	2	3	11	18	28	37	65
1. SINGLE DX	1453	8.3	39	1	2	8	12	16	18	27
2. MULTIPLE DX	5783	13.6	129	2	3	11	17	27	35	63
A. NOT OPERATED	648	7.6	38	1	2	7	10	15	19	29
B. OPERATED	6588	13.0	120	2	2	11	16	25	34	61
TOTAL 0-19 YRS	26	8.1	25	2	3	7	11	15	17	22
20-34	111	9.1	56	2	2	8	12	16	19	45
35-49	617	10.0	70	1	2	9	12	19	26	45
50-64	2647	11.4	96	2	2	10	14	22	28	57
65+	3835	13.8	134	2	3	11	18	27	36	63
GRAND TOTAL	**7236**	**12.5**	**115**	**2**	**2**	**10**	**16**	**25**	**33**	**60**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	7.5	27	2	2	6	10	16	18	24
20-34	38	3.7	7	1	1	3	5	7	9	14
35-49	52	4.6	13	1	1	3	6	10	14	16
50-64	74	5.2	25	1	1	3	7	10	16	27
65+	92	6.2	36	1	1	4	8	14	20	26
B. *Operated*										
0-19 YRS	33	4.4	19	<1	1	3	7	8	12	22
20-34	53	5.6	38	<1	1	4	7	10	19	33
35-49	150	5.5	20	1	2	4	8	11	13	17
50-64	393	6.0	36	1	2	4	9	13	17	28
65+	433	6.6	36	1	2	4	10	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	8.2	48	1	2	6	11	17	22	36
20-34	84	7.1	63	1	2	4	8	16	20	47
35-49	185	6.9	49	1	2	5	8	13	17	38
50-64	418	6.5	34	1	2	5	8	12	16	33
65+	942	8.5	57	2	2	7	11	16	22	37
B. *Operated*										
0-19 YRS	26	10.9	177	1	1	6	15	30	39	56
20-34	121	11.6	143	1	2	8	16	29	37	62
35-49	395	10.0	74	2	2	8	14	21	30	42
50-64	1499	12.0	150	2	2	9	15	26	38	74
65+	2315	14.4	174	2	2	11	19	31	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	6.1	26	1	1	4	8	13	17	25
B. *Operated*	1062	6.1	34	1	2	4	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	1771	7.8	51	2	2	6	10	15	20	37
B. *Operated*	4356	13.1	158	2	2	10	17	28	39	70
1. SINGLE DX	1473	6.1	32	1	2	4	8	13	17	29
2. MULTIPLE DX	6127	11.6	133	2	2	8	15	25	34	63
A. NOT OPERATED	2182	7.4	47	1	2	6	9	15	19	36
B. OPERATED	5418	11.7	141	2	2	9	15	26	35	64
TOTAL 0-19 YRS	356	7.7	47	1	2	6	10	16	21	35
20-34	296	8.2	92	1	2	5	10	18	30	49
35-49	782	8.0	58	1	2	6	10	17	24	38
50-64	2384	9.8	115	2	2	7	12	21	30	62
65+	3782	11.8	136	2	2	9	15	25	34	62
GRAND TOTAL	**7600**	**10.5**	**118**	**2**	**2**	**7**	**13**	**25**	**31**	**59**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	6.6	10	2	3	6	9	11	13	14
20-34	543	7.5	17	2	3	7	9	12	14	21
35-49	719	7.7	20	2	3	7	10	12	14	21
50-64	757	8.1	17	3	4	7	10	13	15	20
65+	574	8.7	23	3	4	8	11	14	16	25
B. *Operated*										
0-19 YRS	30	6.8	14	1	2	7	10	12	12	14
20-34	263	7.4	26	1	2	7	10	14	16	23
35-49	331	7.4	22	2	2	7	10	14	16	21
50-64	277	8.1	24	2	2	8	10	14	18	22
65+	201	9.1	20	2	3	9	12	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	8.2	29	2	2	7	11	14	15	32
20-34	607	8.7	24	2	3	8	11	15	18	23
35-49	1187	9.2	36	3	4	8	11	15	18	33
50-64	1964	9.5	26	3	4	9	11	16	18	27
65+	2833	10.4	36	4	5	9	13	17	20	34
B. *Operated*										
0-19 YRS	36	9.7	48	1	3	9	12	19	20	37
20-34	397	11.2	106	2	3	9	13	21	30	54
35-49	654	10.6	55	2	3	9	13	19	27	41
50-64	1027	11.0	52	3	4	10	14	19	22	38
65+	1314	12.8	73	4	5	11	16	22	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2646	8.0	19	2	3	7	10	13	15	21
B. *Operated*	1102	7.9	23	2	2	7	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	6636	9.7	32	3	4	9	12	16	19	31
B. *Operated*	3428	11.6	68	3	4	10	15	20	26	43
1. SINGLE DX	3748	7.9	20	2	3	7	10	13	15	22
2. MULTIPLE DX	10064	10.4	45	3	4	9	13	17	22	36
A. NOT OPERATED	9282	9.2	29	3	4	8	11	15	18	28
B. OPERATED	4530	10.7	59	2	3	9	14	19	23	40
TOTAL 0-19 YRS	164	7.8	26	2	2	7	10	13	15	30
20-34	1810	8.7	42	2	3	8	11	15	19	32
35-49	2891	8.9	36	2	3	8	11	15	19	31
50-64	4025	9.5	32	3	4	9	12	16	19	30
65+	4922	10.8	45	4	5	9	13	18	22	36
GRAND TOTAL	**13812**	**9.7**	**40**	**3**	**4**	**9**	**12**	**16**	**20**	**33**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	7.0	45	<1	<1	5	9	19	21	21
35-49	35	7.7	32	<1	1	7	11	15	20	21
50-64	56	8.6	31	2	3	7	12	16	19	25
65+	80	10.7	51	2	3	9	15	20	23	35
B. *Operated*										
0-19 YRS	36	3.9	5	2	2	3	5	6	8	13
20-34	797	3.9	6	1	2	4	5	6	8	14
35-49	1127	4.1	9	1	2	4	5	6	8	16
50-64	882	5.0	18	2	2	4	6	8	13	24
65+	278	9.1	80	2	3	5	12	21	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	27	7.5	43	1	1	6	11	15	24	26
35-49	111	9.3	42	1	3	8	12	18	25	30
50-64	243	11.0	74	2	4	9	14	20	27	46
65+	853	12.8	85	3	4	10	17	24	30	51
B. *Operated*										
0-19 YRS	8	5.3	26	1	1	4	6	14	17	17
20-34	233	5.5	24	2	2	4	6	10	14	31
35-49	548	6.7	34	2	2	5	7	14	18	31
50-64	737	8.8	84	2	3	6	10	19	27	46
65+	656	16.5	208	3	4	12	24	35	47	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	9.2	42	1	2	7	13	18	22	29
B. *Operated*	3120	4.8	19	1	2	4	5	8	12	26
2. MULTIPLE DX										
A. *Not Operated*	1235	12.0	80	3	4	10	15	23	28	47
B. *Operated*	2182	10.2	120	2	3	6	12	24	32	56
1. SINGLE DX	3306	5.0	22	1	2	4	5	8	14	26
2. MULTIPLE DX	3417	10.9	106	2	3	7	14	24	30	54
A. NOT OPERATED	1421	11.6	76	2	3	10	15	23	27	43
B. OPERATED	5302	7.0	68	2	2	4	7	15	24	44
TOTAL 0-19 YRS	46	4.2	8	2	2	3	5	7	9	17
20-34	1071	4.4	12	1	2	4	5	7	10	18
35-49	1821	5.3	22	1	2	4	6	10	14	27
50-64	1918	7.3	56	2	2	5	8	15	21	39
65+	1867	13.5	133	3	3	10	18	27	36	59
GRAND TOTAL	**6723**	**8.0**	**73**	**2**	**2**	**5**	**9**	**18**	**25**	**44**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	1	1	1	2	3	4	5	5
20-34	82	2.9	3	1	1	3	4	5	6	7
35-49	89	3.4	4	1	1	3	4	6	7	9
50-64	59	3.6	13	1	1	3	4	6	8	25
65+	52	4.3	18	1	1	3	5	9	14	24
B. *Operated*										
0-19 YRS	38	3.7	4	1	1	3	5	7	7	8
20-34	486	4.5	4	2	2	4	5	7	8	11
35-49	632	4.7	5	2	2	4	6	7	9	12
50-64	394	4.8	5	2	3	4	6	7	9	13
65+	147	4.6	5	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.2	3	1	1	3	4	5	6	9
20-34	210	3.6	5	1	1	3	5	7	8	11
35-49	293	4.5	13	1	1	4	6	8	11	20
50-64	399	4.6	16	1	1	4	6	8	11	19
65+	512	5.6	23	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	87	5.0	7	2	2	5	6	9	11	68
20-34	2029	5.1	6	2	3	5	6	8	9	13
35-49	3186	5.4	8	2	3	5	6	8	10	15
50-64	2752	6.0	14	3	3	5	7	10	12	21
65+	1273	7.5	25	3	3	6	9	14	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	3.4	8	1	1	3	4	6	7	14
B. *Operated*	1697	4.6	4	2	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1448	4.8	16	1	1	4	6	9	11	20
B. *Operated*	9327	5.8	12	2	3	5	7	9	12	19
1. SINGLE DX	1998	4.4	5	1	2	4	5	7	8	12
2. MULTIPLE DX	10775	5.7	13	2	3	5	7	9	12	19
A. NOT OPERATED	1749	4.5	15	1	1	4	6	8	11	18
B. OPERATED	11024	5.6	11	2	3	5	7	9	11	18
TOTAL 0-19 YRS	178	4.1	6	1	2	4	5	7	9	15
20-34	2807	4.8	5	2	2	5	6	8	9	13
35-49	4200	5.2	8	2	3	5	6	8	10	15
50-64	3604	5.7	14	2	3	5	7	9	12	20
65+	1984	6.7	24	2	2	5	8	12	15	25
GRAND TOTAL	**12773**	**5.5**	**12**	**2**	**3**	**5**	**6**	**9**	**11**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	5.4	32	1	2	4	6	12	14	36
20-34	151	7.5	23	1	2	7	10	13	15	24
35-49	169	7.3	26	1	2	6	10	13	16	27
50-64	181	6.9	27	1	2	6	10	13	15	24
65+	278	7.2	26	1	2	6	10	13	17	26
B. *Operated*										
0-19 YRS	136	3.1	10	1	1	2	3	5	9	18
20-34	413	4.0	14	1	1	3	4	10	12	18
35-49	248	6.5	30	1	1	5	9	14	17	26
50-64	199	8.1	33	2	2	8	11	16	19	26
65+	217	9.0	61	1	2	8	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.8	21	1	1	3	5	12	14	20
20-34	372	7.2	34	1	2	6	10	15	18	29
35-49	598	7.4	26	1	2	7	9	14	17	23
50-64	1238	8.2	47	2	2	7	10	16	20	32
65+	2799	8.5	36	2	3	7	11	16	19	31
B. *Operated*										
0-19 YRS	128	6.6	58	1	1	3	9	15	18	41
20-34	596	6.3	48	1	1	3	9	14	19	33
35-49	504	10.0	89	1	2	7	13	20	29	48
50-64	869	11.7	100	2	3	10	15	22	28	60
65+	1356	13.8	122	2	3	11	17	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	7.1	26	1	2	6	10	13	15	25
B. *Operated*	1213	6.0	33	1	1	4	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	5136	8.1	38	2	2	7	11	15	19	30
B. *Operated*	3453	11.2	104	1	2	9	15	23	30	54
1. SINGLE DX	2057	6.4	30	1	1	5	9	13	16	25
2. MULTIPLE DX	8589	9.3	67	2	2	7	12	18	24	42
A. NOT OPERATED	5980	8.0	36	2	2	7	10	15	19	29
B. OPERATED	4666	9.8	91	1	2	8	13	20	27	49
TOTAL 0-19 YRS	458	4.9	31	1	1	3	5	12	15	28
20-34	1532	6.0	34	1	1	4	9	13	17	28
35-49	1519	8.1	49	1	2	7	11	16	20	39
50-64	2487	9.3	66	2	2	8	12	18	24	41
65+	4650	10.0	68	2	3	8	13	19	24	43
GRAND TOTAL	**10646**	**8.8**	**61**	**1**	**2**	**7**	**11**	**17**	**22**	**40**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6150	2.8	3	1	1	2	3	5	6	9
20-34	495	3.4	3	1	2	3	4	5	6	10
35-49	206	3.6	4	1	2	3	4	6	7	9
50-64	128	3.9	6	1	1	3	5	7	8	12
65+	128	4.3	6	1	1	4	6	7	9	30
B. *Operated*										
0-19 YRS	695	2.1	4	1	1	2	2	3	5	12
20-34	248	2.2	3	1	1	2	3	4	5	10
35-49	45	2.8	4	1	1	2	3	6	7	9
50-64	23	4.5	15	1	1	3	6	11	13	15
65+	11	3.0	5	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10367	3.5	5	1	1	3	4	6	7	11
20-34	1538	4.0	6	1	2	4	5	7	8	13
35-49	849	5.0	11	2	2	4	6	9	11	18
50-64	1028	6.0	16	2	2	5	7	10	13	20
65+	1661	7.2	26	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	608	3.5	20	1	1	2	4	7	10	22
20-34	184	5.3	38	1	1	3	6	11	14	41
35-49	130	7.0	56	1	2	5	9	13	17	35
50-64	129	7.6	64	1	2	5	10	15	22	41
65+	158	10.7	80	2	2	8	14	20	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7107	2.9	3	1	1	3	4	5	6	9
B. *Operated*	1022	2.2	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	15443	4.2	10	1	2	3	5	8	10	16
B. *Operated*	1209	5.5	45	1	1	3	7	13	17	36
1. SINGLE DX	8129	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	16652	4.3	13	1	2	3	5	8	10	18
A. NOT OPERATED	22550	3.8	8	1	1	3	5	7	9	15
B. OPERATED	2231	4.0	29	1	1	2	4	9	13	24
TOTAL 0-19 YRS	17820	3.2	5	1	1	3	4	6	7	11
20-34	2465	3.8	8	1	1	3	5	7	8	14
35-49	1230	4.9	15	1	2	4	6	9	11	18
50-64	1308	5.9	20	2	2	5	7	10	13	22
65+	1958	7.3	31	2	3	6	9	13	17	28
GRAND TOTAL	**24781**	**3.8**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7077	3.6	4	1	2	3	5	6	7	10
20-34	412	4.1	4	2	2	4	5	7	8	11
35-49	404	4.7	6	2	2	4	6	8	9	14
50-64	358	5.3	9	2	3	5	6	9	11	16
65+	424	6.2	15	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	24	5.8	19	1	2	4	7	13	15	18
20-34	14	7.7	31	1	2	6	13	16	18	18
35-49	16	6.5	15	2	3	5	9	14	15	15
50-64	16	8.8	67	1	2	8	10	17	29	34
65+	13	7.0	25	1	2	6	10	13	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7390	4.5	7	2	2	4	6	8	10	14
20-34	1283	5.3	11	2	2	4	7	9	11	17
35-49	1788	6.0	17	2	3	5	7	10	12	20
50-64	3811	7.2	24	2	3	6	9	12	15	26
65+	7264	8.2	28	3	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	96	8.0	27	2	3	7	11	15	20	65
20-34	104	9.7	43	2	3	8	13	17	22	33
35-49	194	10.3	82	3	3	8	12	21	25	35
50-64	387	11.5	74	3	4	9	15	23	28	43
65+	534	13.3	104	3	4	11	16	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8675	3.9	5	1	2	3	5	7	8	12
B. *Operated*	83	7.0	30	1	2	6	9	15	17	29
2. MULTIPLE DX										
A. *Not Operated*	21536	6.4	21	2	2	5	8	11	14	23
B. *Operated*	1315	11.7	84	3	4	9	15	23	29	50
1. SINGLE DX	8758	3.9	6	1	2	3	5	7	8	12
2. MULTIPLE DX	22851	6.7	26	2	2	5	8	12	16	25
A. NOT OPERATED	30211	5.7	18	2	2	5	7	10	13	21
B. OPERATED	1398	11.4	82	2	4	9	14	22	29	49
TOTAL 0-19 YRS	14587	4.1	6	1	2	4	5	7	9	13
20-34	1813	5.3	13	2	2	4	6	9	12	19
35-49	2402	6.1	22	2	3	5	7	11	13	22
50-64	4572	7.4	29	2	3	6	9	13	16	28
65+	8235	8.4	34	3	3	7	10	15	19	30
GRAND TOTAL	**31609**	**5.9**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	1.5		<1	<1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	696	2.1	1	1	1	2	3	3	4	5
20-34	1395	2.1	1	1	1	2	3	3	4	5
35-49	652	2.2	1	1	1	2	3	3	4	5
50-64	317	2.2	1	1	1	2	3	4	4	5
65+	69	2.3	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	2	<1	<1	1	1	3	5	6
20-34	37	2.8	25	<1	<1	1	3	4	7	31
35-49	27	2.3	4	<1	1	1	3	5	7	9
50-64	23	2.3	8	<1	<1	1	2	3	8	15
65+	9	5.8	32	<1	<1	3	9	15	18	18
B. *Operated*										
0-19 YRS	1359	2.4	1	1	1	2	3	4	4	6
20-34	3186	2.6	2	1	1	2	3	4	5	8
35-49	1925	2.7	3	1	1	2	3	4	5	9
50-64	1167	3.0	5	1	1	3	3	5	6	11
65+	323	3.3	6	1	2	3	4	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		<1	<1	1	2	2	2	2
B. *Operated*	3129	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	111	2.6	14	<1	<1	1	3	5	9	23
B. *Operated*	7960	2.7	3	1	1	2	3	4	5	8
1. SINGLE DX	3140	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	8071	2.7	3	1	1	2	3	4	5	9
A. NOT OPERATED	122	2.5	13	<1	<1	1	2	4	8	22
B. OPERATED	11089	2.5	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	2071	2.3	1	1	1	2	3	4	4	5
20-34	4524	2.5	2	1	1	2	3	4	4	7
35-49	2606	2.6	2	1	1	2	3	4	5	8
50-64	1508	2.8	4	1	1	2	3	4	5	10
65+	402	3.2	6	1	1	3	3	5	7	15
GRAND TOTAL	**11211**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	38	2.1	1	1	1	2	3	4	5	5
20-34	49	2.0	1	<1	1	2	2	4	4	6
35-49	80	2.0	1	<1	<1	2	3	4	4	6
50-64	100	2.0	2	<1	1	2	2	3	5	8
65+	73	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	3	3.7	9	<1	<1	3	6	7	7	7
35-49	9	2.2	5	<1	<1	1	3	6	8	8
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	5	4.2	7	<1	<1	4	6	8	8	8
B. *Operated*										
0-19 YRS	97	2.6	4	1	1	2	3	4	5	12
20-34	202	2.5	2	1	1	2	3	5	5	7
35-49	292	2.6	3	1	1	2	3	4	5	8
50-64	374	2.9	7	1	1	2	3	5	6	16
65+	239	3.3	9	1	1	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	340	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	3.0	5	<1	<1	3	4	7	8	8
B. *Operated*	1204	2.8	5	1	1	2	3	5	6	11
1. SINGLE DX	344	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	1229	2.8	5	1	1	2	3	5	6	11
A. NOT OPERATED	29	2.8	5	<1	<1	2	4	7	8	8
B. OPERATED	1544	2.7	5	1	1	2	3	5	5	10
TOTAL 0-19 YRS	138	2.5	3	1	1	2	3	4	5	10
20-34	256	2.4	2	1	1	2	3	4	5	7
35-49	382	2.5	2	1	1	2	3	4	5	8
50-64	480	2.7	6	1	1	2	3	5	6	14
65+	317	3.0	7	1	1	2	4	5	7	12
GRAND TOTAL	**1573**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.9	1	<1	<1	1	2	4	4	5
20-34	38	2.1	2	<1	1	2	3	4	5	5
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	21912	1.7	1	1	1	2	2	2	3	3
20-34	4249	1.9	1	1	1	2	2	3	3	5
35-49	401	2.1	1	1	1	2	2	3	4	7
50-64	72	2.3	2	1	1	2	3	4	5	7
65+	29	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	537	1.6	2	<1	<1	1	2	3	5	7
20-34	60	2.3	2	<1	<1	2	3	5	6	6
35-49	11	3.3	7	<1	<1	3	5	7	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	6.0	11	4	4	5	8	11	11	11
B. *Operated*										
0-19 YRS	14510	1.7	1	<1	1	2	2	2	3	4
20-34	1056	2.3	2	1	1	2	3	4	4	8
35-49	186	2.6	4	1	1	2	3	4	6	11
50-64	51	3.1	4	1	1	3	4	6	7	11
65+	31	2.8	7	1	1	2	3	6	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.0	1	<1	<1	2	3	4	4	5
B. *Operated*	26663	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	613	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	15834	1.7	1	1	1	2	2	2	3	5
1. SINGLE DX	26821	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX	16447	1.7	1	<1	1	2	2	2	3	5
A. NOT OPERATED	771	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	42497	1.7	1	1	1	2	2	2	3	4
TOTAL 0-19 YRS	37073	1.7	1	<1	1	2	2	2	3	4
20-34	5403	2.0	1	1	1	2	2	3	4	6
35-49	601	2.3	2	1	1	2	3	4	5	10
50-64	126	2.7	3	1	1	2	3	5	6	9
65+	65	2.6	5	1	1	2	3	4	8	12
GRAND TOTAL	**43268**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	631	3.0	3	1	1	3	4	5	6	8
20-34	365	3.2	3	1	2	3	4	5	7	9
35-49	163	3.6	10	1	1	3	4	6	7	19
50-64	112	3.5	7	1	1	3	4	7	8	14
65+	58	4.2	15	1	1	3	6	11	13	19
B. *Operated*										
0-19 YRS	749	2.5	10	1	1	2	3	4	6	12
20-34	947	2.3	2	1	1	2	3	4	5	8
35-49	779	2.2	4	<1	1	2	2	4	5	11
50-64	749	2.4	4	1	1	2	3	4	6	11
65+	382	2.4	4	1	1	2	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	733	3.8	6	1	1	3	5	7	8	13
20-34	417	4.3	10	1	2	4	5	7	9	18
35-49	374	4.8	12	1	2	4	6	8	10	19
50-64	418	5.4	18	1	2	4	7	10	13	23
65+	351	6.3	26	2	2	5	8	13	15	26
B. *Operated*										
0-19 YRS	806	3.0	11	1	1	2	3	6	7	20
20-34	1040	3.3	14	1	1	2	3	6	9	19
35-49	1009	3.5	11	1	1	2	4	7	10	17
50-64	1174	4.1	22	1	1	3	4	8	13	25
65+	781	5.1	37	1	1	3	6	11	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	3.2	5	1	1	3	4	6	7	11
B. *Operated*	3606	2.4	5	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2293	4.7	14	1	2	4	6	8	11	20
B. *Operated*	4810	3.8	19	1	1	2	4	8	12	24
1. SINGLE DX	4935	2.6	5	1	1	2	3	5	6	10
2. MULTIPLE DX	7103	4.1	17	1	1	3	5	8	11	22
A. NOT OPERATED	3622	4.2	11	1	1	3	5	8	9	17
B. OPERATED	8416	3.2	13	1	1	2	3	6	9	20
TOTAL 0-19 YRS	2919	3.1	8	1	1	2	4	6	7	13
20-34	2769	3.1	8	1	1	2	4	5	7	14
35-49	2325	3.3	9	1	1	2	4	6	8	16
50-64	2453	3.8	16	1	1	2	4	8	11	23
65+	1572	4.7	28	1	1	3	5	10	14	26
GRAND TOTAL	**12038**	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12571	4.5	6	2	2	4	6	7	9	13
20-34	2326	5.2	10	2	2	5	6	9	11	16
35-49	1596	5.8	9	2	3	5	7	10	12	16
50-64	1533	6.5	12	2	3	6	8	10	13	20
65+	2115	7.7	20	3	3	7	10	13	16	23
B. *Operated*										
0-19 YRS	81	6.0	37	1	1	4	7	12	14	37
20-34	59	8.7	33	1	2	8	11	16	20	30
35-49	96	9.6	44	2	2	8	13	18	22	34
50-64	129	9.9	47	2	2	9	13	18	21	38
65+	140	12.9	89	2	4	11	16	23	31	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14186	5.1	11	2	2	4	6	9	11	17
20-34	2812	6.5	25	2	3	5	8	11	15	23
35-49	3319	7.4	22	3	3	6	9	13	16	26
50-64	6667	8.6	30	3	4	7	11	15	19	29
65+	21003	10.7	46	4	4	9	13	19	23	35
B. *Operated*										
0-19 YRS	337	12.0	140	3	3	9	15	24	32	85
20-34	317	14.1	141	3	5	11	17	27	36	73
35-49	495	13.7	90	4	5	11	17	24	32	51
50-64	1169	16.2	153	4	6	13	20	31	41	70
65+	2660	18.6	152	5	7	16	23	33	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20141	5.2	10	2	2	4	6	9	11	16
B. *Operated*	505	9.9	59	2	2	8	13	18	23	43
2. MULTIPLE DX										
A. *Not Operated*	47987	8.3	36	2	3	7	10	15	19	30
B. *Operated*	4978	16.8	149	4	6	14	21	31	41	71
1. SINGLE DX	20646	5.3	12	2	2	5	7	9	11	17
2. MULTIPLE DX	52965	9.1	53	2	3	7	11	17	22	37
A. NOT OPERATED	68128	7.3	30	2	3	6	9	14	17	28
B. OPERATED	5483	16.2	145	4	5	13	20	30	39	70
TOTAL 0-19 YRS	27175	4.9	11	2	2	4	6	8	10	16
20-34	5514	6.5	29	2	3	5	8	11	15	26
35-49	5506	7.5	29	2	3	6	9	13	17	29
50-64	9498	9.2	50	3	4	7	11	16	22	39
65+	25918	11.3	61	4	5	9	14	20	26	41
GRAND TOTAL	**73611**	**8.0**	**44**	**2**	**3**	**6**	**10**	**15**	**20**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	467	2.9	3	1	1	3	4	5	6	8
20-34	268	3.0	3	1	1	3	4	5	6	9
35-49	152	3.6	4	1	1	3	4	6	8	9
50-64	152	4.2	6	1	2	4	5	8	10	11
65+	205	5.2	12	2	2	4	6	10	12	19
B. *Operated*										
0-19 YRS										
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	830	3.6	5	1	1	3	4	6	8	12
20-34	571	3.7	5	1	1	3	5	6	8	12
35-49	461	4.4	10	1	2	4	5	7	9	17
50-64	671	5.5	12	2	2	5	7	10	13	18
65+	1832	7.4	25	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	15	5.9	25	1	2	5	8	10	18	21
20-34	21	5.8	13	2	2	5	7	11	13	16
35-49	20	14.1	254	2	3	8	18	28	50	71
50-64	34	11.8	188	2	3	7	13	19	46	70
65+	92	14.2	77	4	4	13	19	26	29	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1244	3.6	5	1	1	3	4	6	8	12
B. *Operated*	7	6.4	34	1	2	5	7	17	19	19
2. MULTIPLE DX										
A. *Not Operated*	4365	5.6	18	1	2	4	7	11	14	22
B. *Operated*	182	12.1	113	2	3	9	16	24	29	64
1. SINGLE DX	1251	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX	4547	5.8	23	2	2	4	7	11	15	25
A. NOT OPERATED	5609	5.1	16	1	2	4	6	10	13	21
B. OPERATED	189	11.9	111	2	3	9	16	23	29	62
TOTAL 0-19 YRS	1312	3.4	5	1	1	3	4	6	7	11
20-34	863	3.5	5	1	1	3	4	6	8	11
35-49	634	4.5	19	1	2	4	5	7	9	24
50-64	859	5.6	20	2	2	5	7	10	13	18
65+	2130	7.5	28	2	3	6	9	14	18	28
GRAND TOTAL	**5798**	**5.4**	**20**	**1**	**2**	**4**	**6**	**10**	**14**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	1942	3.4	4	1	1	3	4	6	7	11
20-34	171	3.8	4	1	2	3	5	6	7	10
35-49	213	4.7	7	2	2	4	6	8	10	14
50-64	338	5.5	15	2	2	5	7	10	12	19
65+	460	6.4	16	2	3	5	8	12	14	18
B. *Operated*										
0-19 YRS.	17	4.0	11	1	1	3	5	8	12	13
20-34	19	4.4	12	1	1	3	6	10	12	13
35-49	35	3.9	7	1	1	3	6	7	8	11
50-64	82	4.7	17	1	1	4	6	9	11	23
65+	45	5.0	14	1	1	3	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	2394	4.3	7	1	2	4	5	7	9	14
20-34	509	5.1	11	2	2	4	6	9	11	17
35-49	805	5.8	13	2	2	5	7	10	13	19
50-64	1930	7.4	28	2	3	6	9	13	17	32
65+	3719	8.4	35	3	3	7	10	15	19	31
B. *Operated*										
0-19 YRS.	49	7.8	27	1	2	7	11	14	16	27
20-34	65	7.0	40	1	2	5	9	12	18	37
35-49	180	7.8	41	2	2	6	10	17	20	33
50-64	424	9.8	68	2	3	8	13	18	25	43
65+	530	11.7	89	2	3	10	16	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3124	4.2	8	1	2	3	5	7	10	15
B. *Operated*	198	4.6	14	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	9357	6.7	26	2	2	5	8	12	16	27
B. *Operated*	1248	10.1	73	2	3	8	13	21	26	43
1. SINGLE DX	3322	4.2	9	1	2	3	5	7	10	15
2. MULTIPLE DX	10605	7.1	33	2	2	6	9	13	17	30
A. NOT OPERATED	12481	6.1	23	2	2	5	8	11	15	25
B. OPERATED	1446	9.3	68	1	2	7	12	20	25	42
TOTAL 0-19 YRS.	4402	3.9	6	1	2	3	5	7	8	13
20-34	764	5.0	13	1	2	4	6	9	11	17
35-49	1233	5.8	16	2	2	5	7	11	14	21
50-64	2774	7.5	34	2	3	6	9	13	18	32
65+	4754	8.5	41	2	3	7	10	16	20	33
GRAND TOTAL	**13927**	**6.4**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.8	2	1	1	3	4	4	4	4
35-49	36	5.4	14	1	1	4	8	10	13	15
50-64	156	7.0	53	2	2	6	8	11	16	21
65+	226	7.5	40	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS.	4	4.3		4	4	4	5	5	5	5
20-34	8	11.3	40	3	4	9	14	22	24	24
35-49	8	9.8	52	2	2	8	13	22	24	24
50-64	10	6.7	18	<1	1	7	10	12	13	13
65+	8	14.9	92	2	4	12	19	30	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	11	13.1	505	3	3	5	7	43	82	88
20-34	18	5.9	14	1	1	6	7	12	13	14
35-49	134	7.9	33	2	3	6	10	14	17	37
50-64	1073	9.2	49	3	3	8	11	16	22	35
65+	2146	10.0	54	3	3	8	12	15	24	37
B. *Operated*										
0-19 YRS.	5	8.8	12	5	5	8	11	14	14	14
20-34	15	12.5	30	4	6	13	18	19	20	20
35-49	35	14.7	120	3	5	13	17	23	34	62
50-64	148	16.4	147	4	5	13	22	33	48	99+
65+	235	20.0	234	4	6	16	25	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	7.1	42	2	2	6	9	13	16	25
B. *Operated*	38	9.8	51	2	2	9	12	20	24	34
2. MULTIPLE DX										
A. *Not Operated*	3382	9.6	54	3	3	8	12	18	24	37
B. *Operated*	438	18.0	191	4	6	15	23	36	50	99+
1. SINGLE DX	463	7.3	43	2	2	6	9	13	17	27
2. MULTIPLE DX	3820	10.6	76	3	3	8	13	21	27	49
A. NOT OPERATED	3807	9.4	53	2	3	8	12	17	23	36
B. OPERATED	476	17.3	185	3	5	14	22	35	50	99+
TOTAL 0-19 YRS.	22	9.5	304	2	3	5	7	14	43	88
20-34	46	8.7	34	1	2	7	12	18	19	24
35-49	213	8.6	53	2	3	7	11	16	22	38
50-64	1387	9.7	65	2	3	8	11	18	25	40
65+	2615	10.7	78	3	3	8	13	21	27	49
GRAND TOTAL	**4283**	**10.2**	**74**	**2**	**3**	**8**	**13**	**20**	**26**	**48**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12418	3.5	4	1	2	3	4	6	7	10
20-34	2284	4.1	6	1	2	4	5	7	8	11
35-49	1659	5.0	9	1	2	4	7	9	10	15
50-64	1733	5.7	11	2	2	5	7	10	12	17
65+	1105	6.2	14	2	2	6	8	11	13	19
B. *Operated*										
0-19 YRS	25	5.4	17	1	2	4	8	11	14	18
20-34	16	5.2	14	1	1	4	8	11	12	12
35-49	22	7.1	23	1	2	6	10	15	16	17
50-64	31	8.7	26	2	2	8	12	14	17	26
65+	14	10.4	59	2	2	10	15	22	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8063	4.2	7	1	2	4	5	7	9	13
20-34	2355	5.1	10	2	2	4	6	9	11	16
35-49	2879	6.4	16	2	3	6	8	11	14	21
50-64	4699	7.4	27	2	3	6	9	13	17	26
65+	5587	8.5	35	2	3	7	11	15	19	31
B. *Operated*										
0-19 YRS	108	8.0	31	2	2	7	11	14	16	33
20-34	111	11.0	51	2	3	10	14	20	22	39
35-49	206	11.9	100	3	4	9	14	20	29	59
50-64	340	12.1	61	3	5	10	15	24	27	38
65+	384	14.7	133	3	5	12	18	26	34	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19199	4.1	7	1	2	3	5	7	9	13
B. *Operated*	108	7.3	28	1	2	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	23583	6.2	22	2	2	5	8	11	15	24
B. *Operated*	1149	12.5	92	3	4	10	15	23	30	56
1. SINGLE DX	19307	4.1	7	1	2	3	5	7	9	13
2. MULTIPLE DX	24732	6.5	27	2	2	5	8	12	15	26
A. NOT OPERATED	42782	5.3	16	1	2	4	7	10	12	21
B. OPERATED	1257	12.0	89	2	3	10	15	22	29	54
TOTAL 0-19 YRS	20614	3.8	5	1	2	3	5	6	8	12
20-34	4766	4.8	10	1	2	4	6	8	10	16
35-49	4766	6.2	19	2	2	5	8	11	13	22
50-64	6803	7.2	26	2	3	6	9	13	16	26
65+	7090	8.5	40	2	3	7	10	15	19	32
GRAND TOTAL	**44039**	**5.5**	**20**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.1	11	1	1	3	6	9	11	13
20-34	30	4.4	10	1	1	4	7	8	10	14
35-49	170	6.7	29	2	2	5	9	12	16	32
50-64	941	6.8	29	2	3	6	8	12	15	25
65+	1386	7.6	31	2	3	6	9	14	19	28
B. *Operated*										
0-19 YRS	5	14.6	214	2	2	7	30	31	31	31
20-34	7	5.6	36	1	1	2	10	15	16	16
35-49	29	6.1	50	1	2	3	8	11	26	32
50-64	66	10.4	131	2	2	7	12	20	35	61
65+	52	9.8	54	2	3	9	12	17	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	7.1	98	1	2	4	8	11	15	67
20-34	122	6.8	24	1	2	6	9	13	16	29
35-49	854	7.5	34	2	3	6	9	13	17	28
50-64	5616	8.8	45	2	3	7	11	16	20	35
65+	11497	9.5	49	3	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	15	8.2	58	1	1	5	12	19	25	27
20-34	39	10.6	34	2	4	10	13	18	24	27
35-49	130	12.2	92	2	4	9	15	27	32	99+
50-64	795	14.6	176	3	4	11	17	30	43	90
65+	1311	16.8	188	4	5	13	21	33	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2545	7.2	30	2	3	6	9	13	17	26
B. *Operated*	159	9.4	91	2	2	7	12	20	31	47
2. MULTIPLE DX										
A. *Not Operated*	18142	9.1	47	2	3	7	11	17	21	34
B. *Operated*	2290	15.6	177	3	4	12	19	31	44	89
1. SINGLE DX	2704	7.3	34	2	3	6	9	13	18	30
2. MULTIPLE DX	20432	9.9	66	3	3	8	12	18	25	43
A. NOT OPERATED	20667	8.9	45	2	3	7	11	16	21	34
B. OPERATED	2449	15.2	174	3	4	12	19	31	43	88
TOTAL 0-19 YRS	91	7.1	83	1	1	4	8	14	27	54
20-34	198	7.2	27	1	2	6	9	14	16	28
35-49	1183	7.8	42	2	3	6	10	15	21	32
50-64	7418	9.2	61	2	3	7	11	17	22	43
65+	14246	10.0	65	3	3	8	12	19	25	42
GRAND TOTAL	**23136**	**9.6**	**63**	**2**	**3**	**7**	**12**	**18**	**24**	**42**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.9	4	1	1	3	3	5	6	13
20-34	201	3.7	6	1	1	3	5	7	9	13
35-49	53	3.9	11	1	1	3	5	8	9	20
50-64	21	4.8	12	1	1	4	7	9	12	15
65+	17	6.9	23	2	2	6	8	13	18	21
B. *Operated*										
0-19 YRS	168	6.7	23	2	2	5	8	13	16	25
20-34	629	6.1	15	2	3	5	7	11	14	21
35-49	193	6.4	17	2	3	5	8	12	15	21
50-64	95	8.3	49	3	3	6	11	16	19	40
65+	55	8.3	42	3	3	6	10	20	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.3	6	1	2	4	5	9	10	10
20-34	92	4.9	14	1	2	4	6	8	11	20
35-49	49	6.7	17	1	2	6	8	13	14	21
50-64	74	8.2	55	2	3	6	10	14	19	44
65+	111	10.0	52	2	3	8	12	19	27	33
B. *Operated*										
0-19 YRS	43	9.6	32	3	4	9	12	17	21	30
20-34	271	9.7	44	3	3	8	12	18	24	34
35-49	142	10.0	51	3	4	8	13	19	24	39
50-64	262	12.0	122	3	3	8	15	27	33	51
65+	308	13.9	144	4	4	11	18	27	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	3.8	8	1	1	3	5	7	9	14
B. *Operated*	1140	6.5	21	2	3	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	349	7.4	39	1	2	6	9	15	19	31
B. *Operated*	1026	11.6	97	3	4	9	14	23	30	46
1. SINGLE DX	1494	5.9	19	2	2	5	7	11	15	22
2. MULTIPLE DX	1375	10.5	86	2	3	8	13	21	29	46
A. NOT OPERATED	703	5.6	27	1	1	4	7	11	16	27
B. OPERATED	2166	8.9	63	2	3	6	11	18	24	40
TOTAL 0-19 YRS	296	6.1	23	1	2	5	8	12	15	25
20-34	1193	6.4	24	2	2	5	8	12	16	25
35-49	437	7.3	31	2	2	6	9	14	18	30
50-64	452	10.3	95	2	3	7	13	22	29	45
65+	491	12.1	113	3	4	9	16	25	31	49
GRAND TOTAL	**2869**	**8.1**	**57**	**2**	**2**	**6**	**10**	**16**	**22**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	774	3.6	10	1	1	3	4	6	8	16
20-34	314	3.5	8	1	1	3	4	7	9	14
35-49	260	4.1	9	1	1	3	5	7	9	13
50-64	271	5.2	17	1	1	4	7	11	14	18
65+	357	5.9	34	1	2	5	7	11	13	26
B. *Operated*										
0-19 YRS	106	4.9	34	1	1	2	6	12	16	28
20-34	131	7.4	39	1	2	6	10	14	18	33
35-49	230	6.6	27	1	2	6	9	12	14	26
50-64	351	8.0	38	1	2	7	11	15	20	28
65+	266	8.7	80	1	2	7	10	17	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1349	5.1	28	1	2	4	6	10	13	23
20-34	589	5.2	16	1	2	4	7	10	12	19
35-49	990	6.4	32	1	2	5	8	12	16	27
50-64	2324	7.6	38	2	2	6	10	14	18	30
65+	5651	9.6	51	2	3	8	12	19	24	35
B. *Operated*										
0-19 YRS	227	10.9	154	1	2	8	15	25	36	99+
20-34	310	12.3	136	2	3	9	16	27	37	78
35-49	601	12.4	159	2	2	9	16	25	33	70
50-64	1491	12.0	109	2	3	9	16	25	32	54
65+	2151	14.7	142	2	3	12	19	30	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1976	4.3	16	1	1	3	5	8	11	18
B. *Operated*	1084	7.5	47	1	2	6	10	15	20	32
2. MULTIPLE DX										
A. *Not Operated*	10903	8.1	45	2	2	6	10	16	21	32
B. *Operated*	4780	13.3	136	2	3	10	17	27	36	62
1. SINGLE DX	3060	5.4	29	1	1	4	7	11	14	26
2. MULTIPLE DX	15683	9.7	78	2	2	7	12	20	26	46
A. NOT OPERATED	12879	7.5	42	1	2	6	10	15	19	32
B. OPERATED	5864	12.2	124	2	2	9	16	26	33	59
TOTAL 0-19 YRS	2456	5.2	38	1	1	4	6	10	14	32
20-34	1344	6.7	55	1	1	4	8	14	20	39
35-49	2081	7.9	74	1	2	5	9	16	22	48
50-64	4437	9.0	66	2	2	7	11	18	24	41
65+	8425	10.8	80	2	3	8	14	21	28	46
GRAND TOTAL	**18743**	**9.0**	**73**	**1**	**2**	**7**	**11**	**19**	**25**	**44**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.2	4	<1	1	3	4	6	7	9
20-34	48	3.5	9	<1	1	3	4	6	8	16
35-49	18	5.1	13	1	1	4	6	10	13	15
50-64	24	4.3	31	<1	1	3	4	9	19	25
65+	12	4.6	8	1	2	4	6	9	11	11
B. *Operated*										
0-19 YRS	1980	2.1	2	<1	<1	2	3	4	5	6
20-34	1891	2.5	2	<1	<1	2	3	4	5	7
35-49	747	2.6	3	<1	1	2	3	5	5	8
50-64	411	2.6	3	1	1	2	3	4	5	10
65+	157	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	3.2	7	<1	1	3	4	6	7	14
20-34	145	3.7	14	<1	1	3	5	7	9	24
35-49	94	4.2	15	1	1	3	6	8	10	22
50-64	105	4.5	14	1	1	3	6	9	12	18
65+	92	6.0	30	1	1	4	8	14	17	25
B. *Operated*										
0-19 YRS	1266	2.7	4	<1	1	2	4	5	6	11
20-34	1430	3.2	8	1	1	3	4	5	7	15
35-49	1139	3.2	16	1	1	2	3	6	7	18
50-64	1191	3.4	20	1	1	2	3	6	9	24
65+	866	3.7	14	1	1	2	4	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.8	11	<1	1	3	5	7	9	17
B. *Operated*	5186	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	613	4.1	15	<1	1	3	5	8	11	22
B. *Operated*	5892	3.2	12	1	1	2	4	5	8	16
1. SINGLE DX	5333	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	6505	3.3	13	1	1	2	4	6	8	17
A. NOT OPERATED	760	4.1	14	<1	1	3	5	8	11	22
B. OPERATED	11078	2.8	8	<1	1	2	3	5	6	13
TOTAL 0-19 YRS	3468	2.4	3	<1	1	2	3	4	5	8
20-34	3514	2.8	5	<1	1	2	4	5	6	10
35-49	1998	3.0	11	1	1	2	3	5	7	16
50-64	1731	3.3	16	1	1	2	3	6	9	18
65+	1127	3.7	15	1	1	2	4	7	11	20
GRAND TOTAL	**11838**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.7	4	1	1	3	5	6	8	10
20-34	37	4.8	10	1	1	4	6	7	12	15
35-49	44	3.8	4	1	2	3	5	6	7	10
50-64	37	4.2	11	<1	1	3	6	8	10	18
65+	31	4.4	10	2	2	3	5	9	10	16
B. *Operated*										
0-19 YRS	202	2.9	4	<1	1	2	4	5	7	10
20-34	163	2.9	3	1	1	3	4	5	6	10
35-49	199	3.1	3	1	1	3	4	5	7	11
50-64	216	3.3	8	1	1	3	4	6	8	13
65+	173	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	4.0	5	1	2	4	5	6	8	12
20-34	76	5.3	16	1	2	4	7	10	12	23
35-49	89	5.6	15	1	2	5	7	11	13	21
50-64	111	6.3	14	2	3	5	8	10	13	22
65+	228	8.2	32	2	3	7	11	15	18	30
B. *Operated*										
0-19 YRS	139	3.8	9	1	1	3	4	8	11	15
20-34	157	4.9	15	1	2	3	6	10	14	18
35-49	203	4.9	39	1	2	3	5	9	13	26
50-64	296	4.8	29	1	2	3	5	9	13	30
65+	317	6.5	50	1	2	4	7	15	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	4.0	6	1	1	3	5	7	8	14
B. *Operated*	953	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	827	5.7	19	1	2	5	7	11	14	23
B. *Operated*	1112	5.2	33	1	2	3	6	10	16	30
1. SINGLE DX	1244	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1939	5.4	27	1	2	4	6	11	15	26
A. NOT OPERATED	1118	5.3	16	1	2	4	6	10	13	22
B. OPERATED	2065	4.2	21	1	1	3	4	8	11	23
TOTAL 0-19 YRS	806	3.6	5	1	1	3	5	6	8	12
20-34	433	4.2	11	1	1	3	5	8	11	18
35-49	535	4.2	20	1	1	3	5	8	10	20
50-64	660	4.5	20	1	2	3	5	9	11	24
65+	749	6.2	36	1	2	4	8	13	17	32
GRAND TOTAL	**3183**	**4.6**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	3.5	7	1	1	3	4	7	9	13
20-34	224	3.9	10	1	1	3	5	7	9	14
35-49	309	3.8	7	1	1	3	5	7	9	14
50-64	271	3.7	8	1	1	3	5	7	8	14
65+	161	4.1	9	1	1	3	5	7	10	18
B. *Operated*										
0-19 YRS	106	5.8	43	<1	<1	4	7	12	18	35
20-34	106	5.9	29	1	1	5	8	11	16	30
35-49	137	5.9	15	1	1	6	8	10	12	19
50-64	188	6.4	22	1	2	6	9	12	15	23
65+	251	6.8	55	1	1	5	9	12	16	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	601	4.8	24	1	1	4	6	9	12	23
20-34	667	4.8	15	1	2	4	6	9	11	19
35-49	1251	5.1	14	1	2	4	6	9	12	20
50-64	1709	5.3	15	1	2	4	7	10	12	20
65+	2403	6.5	26	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	215	11.9	135	1	2	9	16	25	34	63
20-34	302	8.7	85	2	2	6	10	16	29	60
35-49	724	8.7	59	2	3	7	11	16	21	41
50-64	1155	9.3	74	2	2	7	11	18	24	50
65+	1903	10.2	79	2	3	8	13	20	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1361	3.8	8	1	1	3	5	7	9	14
B. *Operated*	788	6.3	35	1	1	5	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	6631	5.6	20	1	2	4	7	10	13	23
B. *Operated*	4299	9.7	78	2	2	7	12	19	25	48
1. SINGLE DX	2149	4.7	19	1	1	3	6	9	12	21
2. MULTIPLE DX	10930	7.2	47	2	2	5	9	14	19	36
A. NOT OPERATED	7992	5.3	18	1	2	4	7	10	13	22
B. OPERATED	5087	9.2	73	2	2	7	11	18	24	46
TOTAL 0-19 YRS	1318	5.7	46	1	1	4	6	12	17	35
20-34	1299	5.6	34	1	1	4	7	10	14	32
35-49	2421	6.0	30	1	2	5	8	11	15	25
50-64	3323	6.6	39	1	2	5	8	12	17	31
65+	4718	7.9	52	2	2	6	10	15	21	38
GRAND TOTAL	**13079**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	7	1	1	3	5	6	9	13
20-34	123	4.3	7	1	2	4	5	7	9	15
35-49	162	4.6	9	1	2	4	6	8	10	16
50-64	148	4.8	9	1	2	4	6	9	11	15
65+	151	5.7	14	2	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	5	6.8	20	3	3	5	9	14	14	14
20-34	42	7.7	19	3	3	7	9	14	17	22
35-49	126	7.9	17	3	3	8	10	14	16	20
50-64	125	8.3	35	3	3	7	10	14	23	34
65+	112	8.5	32	2	2	7	12	17	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.9	6	1	2	5	6	9	9	12
20-34	214	5.7	8	2	3	5	7	9	11	15
35-49	443	6.7	33	2	3	6	8	12	15	25
50-64	681	6.7	18	2	3	6	8	12	15	22
65+	1204	7.9	26	2	3	7	10	14	16	26
B. *Operated*										
0-19 YRS	10	6.5	18	1	2	5	9	13	16	16
20-34	156	8.9	34	2	3	7	10	17	21	31
35-49	429	9.3	38	3	3	8	12	18	22	32
50-64	769	9.5	37	3	4	8	12	17	22	32
65+	1143	10.9	63	3	4	9	13	21	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	4.8	10	1	2	4	6	9	11	17
B. *Operated*	410	8.1	27	2	3	7	10	15	19	24
2. MULTIPLE DX										
A. *Not Operated*	2592	7.1	24	2	3	6	9	13	16	24
B. *Operated*	2507	10.0	49	3	4	8	12	19	23	37
1. SINGLE DX	1018	6.2	19	2	2	5	8	11	15	22
2. MULTIPLE DX	5099	8.6	38	2	3	7	11	16	20	32
A. NOT OPERATED	3200	6.7	22	2	2	6	8	12	15	23
B. OPERATED	2917	9.8	47	3	4	8	12	18	23	35
TOTAL 0-19 YRS	89	4.9	9	1	2	4	6	9	10	15
20-34	535	6.4	20	2	2	5	8	12	15	24
35-49	1160	7.5	32	2	3	6	9	14	18	27
50-64	1723	7.9	29	2	3	7	10	14	19	27
65+	2610	9.1	45	2	3	7	11	17	21	34
GRAND TOTAL	**6117**	**8.2**	**36**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.0	3	1	1	3	4	6	7	7
20-34	54	4.6	5	1	2	5	6	8	9	11
35-49	88	5.3	5	2	3	5	7	8	10	12
50-64	119	6.0	8	2	3	5	7	9	12	16
65+	165	6.6	17	2	3	6	8	11	15	25
B. Operated										
0-19 YRS	6	6.7	3	5	5	6	7	10	10	10
20-34	38	8.2	12	4	5	7	11	13	15	16
35-49	75	9.4	40	3	4	9	11	14	19	39
50-64	125	9.5	46	3	3	8	12	16	19	43
65+	116	10.8	41	3	4	9	14	20	23	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.7	5	1	2	4	6	8	9	10
20-34	80	5.3	9	2	2	5	6	9	12	16
35-49	194	5.9	12	2	2	5	8	10	12	20
50-64	491	7.1	26	3	3	6	8	12	15	24
65+	1162	9.0	32	3	4	8	11	16	20	32
B. Operated										
0-19 YRS	11	12.1	219	2	3	6	13	34	51	53
20-34	67	9.9	38	4	5	8	13	21	25	88
35-49	275	12.0	105	4	4	9	14	24	37	99+
50-64	538	11.6	85	3	4	9	14	21	29	44
65+	1778	14.4	119	4	5	11	18	27	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	435	5.9	11	2	3	5	7	10	11	19
B. Operated	360	9.7	39	3	4	8	12	17	20	38
2. MULTIPLE DX										
A. Not Operated	1947	8.0	29	3	3	7	10	14	18	29
B. Operated	2119	13.3	108	4	5	10	16	26	34	57
1. SINGLE DX	795	7.6	27	2	3	6	9	13	17	27
2. MULTIPLE DX	4066	10.8	77	3	4	8	13	20	28	48
A. NOT OPERATED	2382	7.6	26	3	3	6	9	13	17	27
B. OPERATED	2479	12.8	100	4	5	10	16	24	32	55
TOTAL 0-19 YRS	46	6.4	63	1	2	5	6	10	15	53
20-34	239	6.9	22	2	3	6	8	13	16	27
35-49	582	8.6	59	3	3	7	10	16	22	52
50-64	1273	9.1	56	3	3	7	11	16	21	38
65+	2721	11.5	80	3	4	9	14	21	28	47
GRAND TOTAL	**4861**	**10.2**	**71**	**3**	**4**	**8**	**12**	**19**	**26**	**46**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	197	3.7	4	1	2	3	5	7	8	11
20-34	624	3.9	6	1	1	3	5	7	9	12
35-49	611	4.4	6	1	2	4	6	8	9	13
50-64	399	4.5	6	1	2	4	6	8	9	13
65+	262	5.2	11	2	2	4	6	9	12	18
B. Operated										
0-19 YRS	6	4.9	9	1	1	5	7	9	9	9
20-34	88	8.6	17	3	4	8	10	14	16	24
35-49	132	8.9	29	2	3	8	11	16	21	28
50-64	110	9.0	20	3	4	9	11	16	18	22
65+	57	10.1	37	3	5	8	13	19	24	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	4.6	9	1	2	4	6	8	9	13
20-34	972	5.2	19	2	2	4	6	9	11	17
35-49	1379	5.9	16	2	2	5	7	11	13	21
50-64	1653	6.3	22	2	3	5	8	11	13	20
65+	2066	7.3	25	2	3	6	9	13	17	26
B. Operated										
0-19 YRS	24	9.1	40	2	3	8	11	17	23	29
20-34	184	10.6	78	3	4	9	12	18	24	44
35-49	407	10.5	49	3	4	9	13	19	23	39
50-64	545	11.2	84	3	4	9	13	21	26	57
65+	570	12.0	71	3	4	10	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2093	4.3	7	1	2	4	5	8	9	13
B. Operated	395	9.0	25	2	4	8	11	16	20	27
2. MULTIPLE DX										
A. Not Operated	6264	6.3	21	2	2	5	8	11	14	23
B. Operated	1730	11.2	70	3	4	9	14	21	26	43
1. SINGLE DX	2488	5.0	12	1	2	4	6	9	11	19
2. MULTIPLE DX	7994	7.4	36	2	3	6	9	13	18	29
A. NOT OPERATED	8357	5.8	18	2	2	5	7	10	13	22
B. OPERATED	2125	10.8	63	3	4	9	13	20	25	41
TOTAL 0-19 YRS	423	4.4	10	1	2	4	6	8	9	16
20-34	1868	5.5	24	1	2	4	7	10	12	20
35-49	2529	6.4	24	2	2	5	8	12	15	25
50-64	2707	7.1	37	2	3	6	9	12	16	28
65+	2955	8.1	37	2	3	7	10	15	20	31
GRAND TOTAL	**10482**	**6.8**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	38	5.2	12	2	2	4	6	9	13	17
20-34	264	4.5	9	2	2	4	6	7	9	12
35-49	268	4.7	5	2	2	4	6	8	8	12
50-64	305	5.6	8	2	3	5	7	9	11	17
65+	293	6.1	9	3	3	5	8	10	12	16
B. *Operated*										
0-19 YRS.	8	8.5	9	5	5	7	11	13	13	13
20-34	95	8.9	23	3	5	8	10	14	15	35
35-49	112	9.1	28	4	5	8	10	14	17	36
50-64	137	9.5	18	4	6	9	11	15	17	26
65+	129	11.3	32	4	5	10	14	18	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	42	4.7	5	1	2	4	5	8	9	13
20-34	231	5.2	8	2	2	5	7	9	10	14
35-49	446	6.2	17	3	3	5	7	10	12	22
50-64	840	6.9	18	3	3	6	8	11	14	23
65+	1833	8.7	35	3	4	7	11	15	20	31
B. *Operated*										
0-19 YRS.	9	9.7	22	4	4	10	11	17	19	19
20-34	87	10.2	27	4	5	9	12	17	20	32
35-49	208	12.6	92	5	6	10	14	22	29	62
50-64	496	14.2	119	4	5	11	17	26	34	64
65+	930	16.6	152	5	6	13	21	30	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1168	5.3	8	2	2	5	6	9	10	16
B. *Operated*	481	9.7	26	4	5	8	12	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	3392	7.6	28	3	3	6	9	13	[illegible]	29
B. *Operated*	1730	15.1	132	5	6	12	18	28	37	67
1. SINGLE DX	1649	6.6	18	2	3	6	8	11	14	20
2. MULTIPLE DX	5122	10.1	75	3	4	8	12	19	26	46
A. NOT OPERATED	4560	7.0	24	2	3	6	8	12	16	27
B. OPERATED	2211	13.9	114	5	6	11	16	25	33	62
TOTAL 0-19 YRS.	97	5.7	12	2	2	5	7	10	13	18
20-34	677	6.1	17	2	2	5	8	11	13	21
35-49	1034	7.4	38	2	3	6	9	13	17	35
50-64	1778	8.9	56	3	3	7	10	16	22	40
65+	3185	10.9	81	3	4	8	13	21	28	47
GRAND TOTAL	**6771**	**9.3**	**64**	**3**	**3**	**7**	**11**	**17**	**24**	**44**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.										
20-34	7	5.4	8	2	2	4	7	10	10	10
35-49	19	5.5	6	1	2	6	7	8	10	11
50-64	18	6.6	6	2	3	7	8	9	11	13
65+	25	7.4	21	2	3	6	9	15	17	19
B. *Operated*										
0-19 YRS.	4	5.3	22	<1	<1	4	8	12	12	12
20-34	13	10.1	25	1	3	9	12	16	21	22
35-49	37	11.9	45	5	7	10	14	18	29	35
50-64	48	12.5	43	6	6	11	15	21	28	31
65+	35	14.3	58	4	5	13	18	26	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	2	7.5	41	3	3	7	12	12	12	12
20-34	12	6.7	20	<1	1	5	11	13	14	14
35-49	38	6.8	21	2	3	6	9	11	19	21
50-64	49	7.9	28	3	3	7	11	14	16	32
65+	131	9.8	52	3	4	8	12	19	21	44
B. *Operated*										
0-19 YRS.	3	9.3	30	4	4	9	13	15	15	15
20-34	16	14.1	114	4	5	10	17	35	40	41
35-49	102	18.4	167	6	7	15	22	33	49	69
50-64	167	17.6	133	5	6	15	22	34	43	56
65+	286	19.3	138	6	8	16	24	36	45	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	6.4	12	2	3	6	8	10	15	18
B. *Operated*	137	12.4	47	4	5	11	15	22	27	35
2. MULTIPLE DX										
A. *Not Operated*	232	8.7	41	3	3	7	11	17	20	34
B. *Operated*	574	18.5	141	6	7	15	23	35	45	60
1. SINGLE DX	206	10.4	43	3	4	9	14	18	25	33
2. MULTIPLE DX	806	15.7	132	4	5	13	20	30	41	57
A. NOT OPERATED	301	8.2	35	2	3	7	10	15	19	30
B. OPERATED	711	17.3	129	5	7	14	22	32	42	58
TOTAL 0-19 YRS.	9	7.1	25	<1	1	4	12	14	15	15
20-34	48	9.9	60	2	3	9	12	17	23	41
35-49	196	13.7	127	3	4	10	17	25	35	64
50-64	282	14.4	109	4	5	11	18	28	38	53
65+	477	15.7	123	4	5	13	20	30	40	57
GRAND TOTAL	**1012**	**14.6**	**118**	**3**	**4**	**11**	**19**	**28**	**37**	**56**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1047	2.8	4	1	1	2	3	5	6	9
20-34	1398	3.2	4	1	1	3	4	6	7	9
35-49	933	3.8	9	1	1	3	5	7	8	12
50-64	600	4.0	6	1	1	3	5	7	9	13
65+	377	4.4	12	1	1	4	6	8	11	20
B. *Operated*										
0-19 YRS	28	4.6	6	2	2	4	6	8	9	11
20-34	78	6.2	17	2	2	5	8	11	13	25
35-49	92	6.4	12	2	3	6	9	11	12	17
50-64	70	6.6	17	1	2	6	9	12	13	23
65+	57	6.0	16	1	2	5	8	12	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2066	3.3	5	1	1	3	4	6	7	11
20-34	3310	4.7	12	1	2	4	6	9	11	17
35-49	3599	5.5	16	2	2	5	7	10	13	22
50-64	3775	5.7	17	2	2	5	7	10	12	19
65+	4666	6.8	24	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	83	5.8	11	2	2	5	7	10	12	18
20-34	497	8.5	39	2	3	7	11	16	18	30
35-49	872	8.8	40	2	3	7	11	15	20	33
50-54	1063	10.0	51	3	4	8	12	18	23	32
65+	1313	10.8	54	3	4	9	13	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4355	3.4	6	1	1	3	4	6	8	12
B. *Operated*	325	6.2	15	2	2	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	17416	5.5	17	1	2	4	7	10	13	21
B. *Operated*	3828	9.7	49	3	4	8	12	17	22	35
1. SINGLE DX	4680	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	21244	6.2	26	2	2	5	8	12	15	25
A. NOT OPERATED	21771	5.1	16	1	2	4	6	9	12	20
B. OPERATED	4153	9.4	47	3	3	8	12	17	21	35
TOTAL 0-19 YRS	3224	3.2	5	1	1	3	4	6	7	11
20-34	5283	4.7	14	1	2	4	6	9	11	18
35-49	5496	5.8	21	1	2	5	7	11	14	23
50-64	5508	6.4	26	2	2	5	8	12	15	24
65+	6413	7.5	33	2	3	6	9	14	18	30
GRAND TOTAL	**25924**	**5.8**	**23**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	3.3	4	1	1	3	4	6	7	11
20-34	192	3.3	4	1	1	3	4	6	7	10
35-49	196	4.2	8	1	1	3	5	8	10	14
50-64	141	4.1	7	1	1	3	5	8	9	13
65+	90	4.2	7	1	2	4	6	8	8	14
B. *Operated*										
0-19 YRS	126	4.2	8	2	2	3	4	7	10	16
20-34	21	9.2	67	1	2	7	11	17	27	39
35-49	28	9.2	23	2	4	9	11	14	18	26
50-64	39	11.5	48	2	2	11	16	21	25	31
65+	37	15.5	156	1	2	14	20	30	41	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	3.9	11	1	1	3	5	7	8	15
20-34	518	4.8	15	1	2	4	6	9	11	20
35-49	599	5.3	13	1	2	4	6	10	13	18
50-64	654	5.8	25	1	2	5	7	11	14	20
65+	891	7.1	30	2	2	5	9	14	17	26
B. *Operated*										
0-19 YRS	65	6.9	32	1	2	5	10	15	23	88
20-34	106	14.9	322	3	4	9	16	24	62	88
35-49	217	13.5	104	3	4	11	17	27	32	62
50-64	286	14.8	159	3	4	11	18	29	40	62
65+	399	17.7	164	4	5	14	23	36	47	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	3.7	6	1	1	3	5	7	8	12
B. *Operated*	251	8.0	59	2	2	5	11	17	22	39
2. MULTIPLE DX										
A. *Not Operated*	3018	5.7	22	1	2	4	7	11	14	23
B. *Operated*	1073	15.1	165	3	4	11	19	30	44	66
1. SINGLE DX	1074	4.7	22	1	1	3	6	9	12	24
2. MULTIPLE DX	4091	8.2	76	1	2	5	10	17	24	48
A. NOT OPERATED	3841	5.3	19	1	2	4	7	10	13	21
B. OPERATED	1324	13.8	153	2	3	10	17	28	40	62
TOTAL 0-19 YRS	751	4.1	11	1	1	3	5	7	9	18
20-34	837	5.9	65	1	2	4	7	10	14	42
35-49	1040	6.9	43	1	2	5	8	14	19	32
50-64	1120	8.1	75	2	2	5	9	16	23	45
65+	1417	10.1	94	2	2	7	13	22	29	51
GRAND TOTAL	**5165**	**7.5**	**67**	**1**	**2**	**5**	**9**	**15**	**22**	**45**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.4	2	1	1	2	3	4	5	7
20-34	35	3.1	4	<1	1	2	4	6	8	9
35-49	11	3.4	6	<1	<1	2	6	7	8	8
50-64	6	4.7	4	2	2	5	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6011	3.6	2	2	2	3	4	5	6	9
20-34	4078	3.7	3	2	2	3	4	5	6	9
35-49	1199	4.3	3	2	2	4	5	7	8	11
50-64	478	5.0	6	2	3	5	6	8	10	14
65+	137	6.1	9	3	3	6	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.7	3	<1	1	2	3	5	7	9
20-34	25	3.3	8	<1	1	3	4	6	10	13
35-49	10	3.7	6	1	1	3	5	7	9	9
50-64	6	4.8	6	2	2	5	7	7	7	7
65+	2	15.0	128	7	7	15	23	23	23	23
B. *Operated*										
0-19 YRS	1110	5.0	10	2	2	4	5	8	11	18
20-34	1002	5.3	15	2	3	4	6	8	11	18
35-49	414	6.5	14	3	3	5	8	10	14	21
50-64	316	8.3	37	3	4	6	10	14	19	34
65+	197	9.7	46	4	4	8	11	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.8	3	<1	1	2	4	6	5	9
B. *Operated*	11903	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	80	3.5	11	<1	1	3	4	7	9	20
B. *Operated*	3039	5.9	19	2	3	5	7	10	14	23
1. SINGLE DX	12010	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX	3119	5.9	19	2	3	5	7	10	13	23
A. NOT OPERATED	187	3.1	6	<1	1	2	4	6	7	12
B. OPERATED	14942	4.2	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	7212	3.8	4	2	2	3	4	6	7	11
20-34	5140	4.0	5	2	2	4	5	6	7	11
35-49	1634	4.8	7	2	3	4	6	8	10	14
50-64	806	6.3	21	2	3	5	7	11	14	23
65+	337	8.3	34	3	4	7	9	15	19	32
GRAND TOTAL	**15129**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.4	7	3	4	8	9	11	11	11
20-34	20	5.6	16	2	2	4	6	14	14	14
35-49	13	5.6	7	2	3	5	6	10	11	11
50-64	13	7.8	25	1	2	8	11	14	16	17
65+	7	17.7	663	6	6	9	10	63	76	76
B. *Operated*										
0-19 YRS	1171	7.1	10	3	4	7	9	11	13	17
20-34	645	7.0	10	3	4	7	8	11	13	17
35-49	351	7.9	12	3	4	7	10	12	14	19
50-64	289	9.2	14	4	5	9	11	14	16	21
65+	136	9.9	25	5	5	9	12	15	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.3	9	1	2	7	8	10	11	11
20-34	8	7.4	17	3	3	7	10	14	14	14
35-49	10	6.8	8	1	2	7	9	10	10	10
50-64	13	9.3	49	1	2	9	14	21	22	22
65+	15	12.3	52	2	5	11	16	22	28	30
B. *Operated*										
0-19 YRS	698	10.0	37	4	5	8	12	18	22	33
20-34	429	9.6	34	4	5	8	11	15	20	32
35-49	410	10.8	33	5	6	10	12	17	20	33
50-64	432	12.6	42	5	6	11	15	21	24	36
65+	442	15.7	93	6	8	13	19	27	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	7.6	77	2	2	6	9	11	[illegible]	62
B. *Operated*	2592	7.6	13	3	4	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	59	8.7	33	1	3	7	11	16	21	29
B. *Operated*	2411	11.6	52	5	5	10	14	20	25	39
1. SINGLE DX	2666	7.6	14	3	4	7	9	12	14	19
2. MULTIPLE DX	2470	11.5	51	4	5	10	14	20	24	38
A. NOT OPERATED	133	8.1	58	2	3	7	10	14	16	38
B. OPERATED	5003	9.5	35	4	4	8	11	16	20	33
TOTAL 0-19 YRS	1903	8.2	22	3	4	7	10	13	17	25
20-34	1102	8.0	21	3	4	7	9	13	15	25
35-49	784	9.3	25	4	5	9	11	15	17	28
50-64	747	11.2	34	5	6	10	13	19	22	34
65+	600	14.3	88	6	7	12	17	26	32	55
GRAND TOTAL	**5136**	**9.5**	**36**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.2	3	<1	1	2	3	4	5	11
20-34	63	2.5	3	<1	1	2	3	4	7	10
35-49	16	3.1	4	1	1	3	4	7	8	8
50-64	5	4.0	14	<1	<1	2	7	9	9	9
65+	3	7.7	37	1	1	9	12	13	13	13
B. *Operated*										
0-19 YRS	665	4.1	4	2	2	4	5	6	8	12
20-34	412	4.5	5	2	3	4	5	7	8	13
35-49	102	5.0	7	2	2	4	6	9	10	14
50-64	39	6.9	14	2	3	6	9	12	14	21
65+	12	7.8	10	4	4	8	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.8	3	1	1	2	4	5	7	8
20-34	71	3.1	4	1	1	3	4	5	6	12
35-49	19	3.9	6	1	1	4	6	7	8	8
50-64	17	5.9	31	2	2	4	6	15	21	23
65+	13	5.6	20	2	2	4	7	13	16	17
B. *Operated*										
0-19 YRS	408	5.4	11	3	3	5	6	9	10	17
20-34	338	5.9	9	3	3	5	7	10	11	17
35-49	92	7.3	21	3	3	6	9	12	14	29
50-64	55	9.6	36	4	5	8	11	19	22	31
65+	45	11.0	73	3	4	9	13	23	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	2.5	4	<1	1	2	3	4	7	11
B. *Operated*	1230	4.4	5	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	195	3.5	8	1	1	3	4	6	7	17
B. *Operated*	938	6.3	18	3	3	5	7	10	13	23
1. SINGLE DX	1443	4.1	6	1	2	4	5	7	9	13
2. MULTIPLE DX	1133	5.8	17	2	2	5	7	10	13	22
A. NOT OPERATED	408	2.9	6	1	1	2	4	5	7	13
B. OPERATED	2168	5.2	11	2	3	4	6	9	11	18
TOTAL 0-19 YRS	1274	4.3	7	1	2	4	5	7	9	13
20-34	884	4.8	7	1	2	4	6	8	10	15
35-49	229	5.7	14	2	2	5	7	10	12	19
50-64	116	7.9	29	2	3	6	10	14	20	29
65+	73	9.4	55	2	3	7	12	17	26	43
GRAND TOTAL	**2576**	**4.9**	**11**	**1**	**2**	**4**	**6**	**8**	**11**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	1.4	2	<1	<1	1	1	2	3	9
20-34	26	2.2	2	<1	<1	2	3	5	5	6
35-49	26	2.3	3	<1	<1	2	3	4	6	9
50-64	20	3.2	7	<1	1	3	3	6	9	12
65+	22	4.1	12	<1	1	3	6	10	12	14
B. *Operated*										
0-19 YRS	3655	2.0	1	<1	1	2	2	3	4	5
20-34	4241	3.2	2	1	2	3	4	5	6	7
35-49	3791	3.6	3	1	2	3	4	5	6	8
50-64	5099	3.9	3	2	2	4	5	6	7	9
65+	3596	4.5	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	1.9	6	<1	<1	1	2	3	6	16
20-34	39	2.5	7	<1	<1	2	3	5	10	13
35-49	43	3.2	11	<1	1	2	4	8	10	16
50-64	88	3.9	26	<1	<1	3	4	9	10	32
65+	185	4.2	13	<1	1	3	5	9	11	18
B. *Operated*										
0-19 YRS	2310	2.2	6	<1	1	2	3	4	5	9
20-34	1656	3.8	5	1	2	3	5	6	7	12
35-49	2370	4.3	6	2	2	4	5	7	8	13
50-64	4784	5.1	12	2	2	4	6	8	11	17
65+	5766	6.6	21	2	3	5	8	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.4	5	<1	<1	2	3	5	7	12
B. *Operated*	20382	3.5	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	543	3.1	13	<1	<1	2	4	7	10	19
B. *Operated*	16886	5.0	15	1	2	4	6	9	12	20
1. SINGLE DX	20518	3.4	3	1	1	3	4	6	6	9
2. MULTIPLE DX	17429	4.9	15	1	2	4	6	9	12	20
A. NOT OPERATED	679	3.0	11	<1	<1	2	3	7	9	16
B. OPERATED	37268	4.1	9	1	2	4	5	7	9	16
TOTAL 0-19 YRS	6195	2.1	3	<1	1	2	2	3	4	7
20-34	5962	3.4	3	1	2	3	4	5	6	9
35-49	6230	3.9	4	1	2	4	5	6	7	11
50-64	9991	4.4	8	2	2	4	5	7	9	14
65+	9569	5.7	16	2	3	5	7	10	13	22
GRAND TOTAL	**37947**	**4.1**	**9**	**1**	**1**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.1		<1	<1	1	1	2	2	2
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	8	2.5	4	1	1	2	3	6	7	7
65+	16	2.6	4	<1	1	2	3	6	7	7
B. *Operated*										
0-19 YRS	368	2.0	2	1	1	2	2	3	4	6
20-34	145	3.9	3	2	2	4	5	7	7	8
35-49	112	3.8	2	2	2	4	5	6	6	8
50-64	178	4.6	4	2	2	4	6	7	9	12
65+	292	6.0	9	2	3	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	5	6.4	77	1	1	3	8	22	22	22
50-64	21	2.8	5	<1	<1	2	4	6	9	9
65+	52	5.3	15	1	1	4	7	11	14	18
B. *Operated*										
0-19 YRS	248	3.2	14	1	1	2	3	6	12	20
20-34	83	4.8	10	1	2	4	6	7	8	22
35-49	101	5.9	34	2	2	5	7	10	13	35
50-64	254	7.1	25	3	3	6	9	12	14	26
65+	815	9.5	44	3	4	8	12	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	1.8	2	<1	<1	1	2	3	7	7
B. *Operated*	1095	3.9	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	91	4.3	16	<1	<1	3	5	9	12	20
B. *Operated*	1501	7.6	39	1	2	6	10	14	19	30
1. SINGLE DX	1142	3.8	7	1	1	3	5	7	8	12
2. MULTIPLE DX	1592	7.4	38	1	2	6	9	14	19	29
A. NOT OPERATED	138	3.4	13	<1	<1	2	4	8	11	18
B. OPERATED	2596	6.0	29	1	1	5	7	12	15	27
TOTAL 0-19 YRS	641	2.4	7	<1	1	2	3	4	6	15
20-34	235	4.2	6	1	2	4	5	7	7	10
35-49	222	4.8	19	2	2	4	5	8	10	18
50-64	461	5.9	18	2	2	5	7	11	12	22
65+	1175	8.4	37	2	3	7	10	15	20	31
GRAND TOTAL	**2734**	**5.9**	**28**	**1**	**1**	**5**	**7**	**12**	**15**	**27**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	3	<1	<1	1	2	5	6	6
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	551	1.9	1	<1	1	2	2	3	3	5
20-34	215	2.9	2	1	1	3	4	4	5	9
35-49	305	3.2	2	1	1	3	4	5	6	9
50-64	219	3.7	4	1	2	3	5	6	8	12
65+	85	4.5	5	2	2	4	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.0	3	<1	<1	1	2	5	7	8
20-34	6	1.2		1	1	1	1	2	2	2
35-49	11	2.2	4	<1	<1	1	3	5	7	7
50-64	27	4.9	14	1	1	4	6	9	11	18
65+	16	6.0	11	1	3	5	9	10	12	13
B. *Operated*										
0-19 YRS	145	3.2	22	<1	1	2	3	6	8	16
20-34	123	4.3	6	1	2	4	5	7	9	14
35-49	274	5.2	14	1	2	4	7	9	13	21
50-64	356	5.9	39	2	2	5	7	10	15	32
65+	264	7.3	31	2	3	5	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.6	2	<1	<1	1	2	2	5	6
B. *Operated*	1375	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	94	3.5	10	<1	<1	2	5	8	10	16
B. *Operated*	1162	5.5	27	1	2	4	7	10	14	25
1. SINGLE DX	1391	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1256	5.4	26	1	2	4	6	10	14	25
A. NOT OPERATED	110	3.2	10	<1	<1	2	5	8	10	15
B. OPERATED	2537	4.0	16	1	1	3	5	8	10	20
TOTAL 0-19 YRS	739	2.1	5	<1	<1	2	2	3	5	8
20-34	344	3.4	4	1	1	3	4	6	7	10
35-49	592	4.1	9	1	1	3	5	7	9	16
50-64	605	5.1	26	1	2	4	6	8	11	23
65+	367	6.6	25	2	2	5	8	13	16	29
GRAND TOTAL	**2647**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	3.1	5	1	1	3	4	6	7	7
35-49	11	3.5	5	1	1	3	5	7	8	8
50-64	13	2.7	3	<1	<1	2	4	5	6	6
65+	11	3.3	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	120	2.5	2	<1	1	2	3	4	6	8
20-34	416	3.8	5	1	2	3	5	6	8	10
35-49	655	4.9	6	2	2	5	6	8	9	13
50-64	787	5.6	7	2	3	5	7	9	10	15
65+	496	6.4	10	3	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	6	<1	<1	1	4	6	6	6
20-34	20	3.2	25	<1	<1	1	4	6	15	23
35-49	45	3.3	9	<1	1	2	4	8	10	13
50-64	77	4.7	11	1	1	4	6	9	11	16
65+	132	5.9	31	1	2	4	8	12	15	32
B. *Operated*										
0-19 YRS	57	4.5	14	1	1	3	6	10	13	18
20-34	355	5.5	16	2	2	5	7	9	12	22
35-49	824	7.4	24	2	3	6	9	12	17	27
50-64	1310	8.3	38	3	3	7	10	14	18	34
65+	1181	9.9	51	3	4	8	11	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.1	3	1	1	3	4	5	7	8
B. *Operated*	2474	5.1	8	2	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	278	4.9	22	<1	1	4	6	10	13	23
B. *Operated*	3727	8.3	38	3	3	7	10	14	19	33
1. SINGLE DX	2519	5.1	8	2	2	5	7	8	10	15
2. MULTIPLE DX	4005	8.1	38	2	3	7	10	14	19	32
A. NOT OPERATED	323	4.6	20	<1	1	3	6	9	13	23
B. OPERATED	6201	7.0	29	2	3	6	8	12	16	29
TOTAL 0-19 YRS	183	3.1	7	<1	1	2	4	6	8	14
20-34	799	4.5	11	1	2	4	6	8	9	19
35-49	1535	6.2	17	2	2	5	8	10	13	22
50-64	2187	7.2	28	2	3	6	9	12	16	29
65+	1820	8.6	41	3	3	7	10	15	20	34
GRAND TOTAL	**6524**	**6.9**	**28**	**2**	**2**	**6**	**8**	**12**	**16**	**29**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	7	1	1	3	6	8	8	8
20-34	51	3.8	6	1	1	3	5	8	10	10
35-49	126	3.7	4	1	2	3	5	6	7	11
50-64	157	3.8	4	1	1	4	5	6	8	10
65+	142	4.5	8	1	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	11	5.1	11	1	1	6	7	10	11	11
20-34	13	7.5	36	2	3	7	9	16	22	24
35-49	35	7.1	12	2	3	8	9	12	14	17
50-64	61	8.5	18	2	4	8	10	14	17	23
65+	35	11.2	41	2	4	10	15	22	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.9	47	1	2	4	6	10	29	30
20-34	255	4.9	13	2	2	4	6	9	11	16
35-49	783	5.1	8	2	2	4	6	9	10	15
50-64	1531	5.2	10	2	2	4	6	9	11	17
65+	2539	6.3	19	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	24	14.8	159	3	4	10	21	28	44	55
20-34	121	9.3	33	2	4	8	11	15	22	33
35-49	379	9.5	45	2	3	8	11	16	21	31
50-64	678	9.6	37	2	4	9	12	17	20	32
65+	693	10.8	66	3	4	9	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	4.0	6	1	2	4	5	7	9	12
B. *Operated*	155	8.5	25	2	3	8	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	5139	5.7	15	2	2	5	7	10	13	20
B. *Operated*	1895	10.1	51	2	4	9	12	17	23	38
1. SINGLE DX	639	5.1	14	1	2	4	7	10	12	19
2. MULTIPLE DX	7034	6.9	28	2	2	6	9	13	16	27
A. NOT OPERATED	5623	5.5	14	2	2	5	7	10	12	19
B. OPERATED	2050	10.0	49	2	3	9	12	17	22	37
TOTAL 0-19 YRS	74	8.4	91	1	2	5	9	22	29	51
20-34	440	6.1	23	2	2	5	8	11	14	25
35-49	1323	6.2	23	2	2	5	8	11	15	22
50-64	2427	6.4	22	2	2	5	8	11	15	25
65+	3409	7.2	32	2	3	6	9	13	17	28
GRAND TOTAL	**7673**	**6.7**	**27**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64										
65+	3	5.7	65	<1	<1	1	11	15	15	15
B. Operated										
0-19 YRS	25	3.0	3	1	1	3	4	5	6	8
20-34	85	3.6	3	1	2	3	5	6	6	10
35-49	123	3.9	5	1	2	4	5	6	8	13
50-64	132	4.1	6	2	2	4	5	6	8	15
65+	115	4.8	8	2	2	4	6	7	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	4	7.8	63	1	1	6	14	18	18	18
35-49	8	6.9	24	2	2	6	11	14	14	14
50-64	13	4.3	10	<1	1	3	6	10	10	10
65+	32	6.8	38	2	2	5	8	14	20	31
B. Operated										
0-19 YRS	10	3.7	3	2	2	3	5	6	7	7
20-34	45	5.5	11	2	3	4	7	10	13	15
35-49	73	6.2	14	2	3	5	8	11	14	19
50-64	144	6.8	24	2	3	5	8	13	16	30
65+	222	8.3	32	3	3	6	11	16	20	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.5	18	<1	<1	2	4	10	15	15
B. Operated	480	4.1	6	2	2	4	5	6	8	14
2. MULTIPLE DX										
A. Not Operated	60	6.1	30	<1	1	4	8	13	16	30
B. Operated	494	7.2	26	2	3	6	9	14	17	27
1. SINGLE DX	490	4.1	6	1	2	4	5	6	8	15
2. MULTIPLE DX	554	7.1	26	2	3	5	9	14	17	29
A. NOT OPERATED	70	5.8	29	<1	1	4	7	13	15	29
B. OPERATED	974	5.7	18	2	2	4	7	11	14	22
TOTAL 0-19 YRS	40	3.1	3	<1	1	3	4	5	6	8
20-34	135	4.5	8	2	2	4	5	9	10	15
35-49	208	4.8	10	2	2	4	6	9	11	18
50-64	289	5.5	17	2	2	4	6	10	13	22
65+	372	7.1	27	2	3	5	9	14	19	28
GRAND TOTAL	**1044**	**5.7**	**19**	**2**	**2**	**4**	**7**	**11**	**14**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	3	4.3	5	3	3	3	6	7	7	7
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	13	3.5	4	2	2	4	5	7	8	8
65+	24	4.4	16	1	1	3	5	8	14	18
B. Operated										
0-19 YRS	60	3.2	7	<1	1	2	4	6	8	15
20-34	143	3.8	7	1	2	3	4	7	9	12
35-49	285	4.4	7	1	2	4	5	8	9	14
50-64	270	5.7	19	2	2	5	7	9	12	29
65+	275	7.7	25	2	3	7	9	14	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	9	4.6	25	1	1	2	6	13	14	14
35-49	18	4.0	8	1	1	4	5	8	10	11
50-64	59	4.2	6	1	1	4	5	8	10	12
65+	160	6.5	24	2	2	5	9	13	15	26
B. Operated										
0-19 YRS	31	5.8	46	1	1	3	8	12	15	36
20-34	87	7.1	48	2	2	6	8	14	17	44
35-49	289	7.5	33	2	2	6	9	14	18	33
50-64	580	9.3	46	3	3	8	11	16	21	38
65+	998	12.2	77	3	4	10	15	21	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.8	10	1	1	3	4	7	8	18
B. Operated	1033	5.5	17	1	2	4	7	10	13	22
2. MULTIPLE DX										
A. Not Operated	252	5.6	20	1	2	4	8	11	14	23
B. Operated	1985	10.3	64	2	3	9	13	19	24	43
1. SINGLE DX	1083	5.4	17	1	2	4	7	9	13	22
2. MULTIPLE DX	2237	9.8	61	2	3	8	12	18	23	41
A. NOT OPERATED	302	5.3	18	1	2	4	7	11	14	22
B. OPERATED	3018	8.7	53	2	3	7	11	17	21	38
TOTAL 0-19 YRS	102	3.9	19	<1	1	3	4	8	11	25
20-34	242	5.0	24	1	2	4	6	9	13	21
35-49	597	5.9	22	1	2	5	7	11	14	26
50-64	922	7.8	39	2	3	6	9	14	18	33
65+	1457	10.6	66	2	3	9	14	19	24	44
GRAND TOTAL	**3320**	**8.4**	**51**	**2**	**2**	**7**	**11**	**16**	**21**	**37**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	209	2.6	3	<1	1	2	4	5	6	9
20-34	275	3.9	6	1	1	3	5	7	9	17
35-49	432	4.9	10	1	2	4	6	9	11	16
50-64	479	4.9	9	1	2	4	6	9	11	17
65+	572	5.7	15	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS.	219	6.7	13	2	3	6	8	11	12	23
20-34	184	9.5	19	5	5	8	11	15	18	26
35-49	249	10.7	39	5	6	9	12	17	21	41
50-64	303	11.4	28	6	7	10	13	18	22	29
65+	291	13.3	35	7	7	12	16	20	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	186	6.1	13	1	1	3	5	8	10	20
20-34	410	5.4	15	1	2	5	7	10	12	22
35-49	665	6.2	17	2	2	5	8	12	15	20
50-64	1250	6.8	23	2	2	6	8	12	16	23
65+	3213	8.7	40	2	3	7	11	16	20	32
B. *Operated*										
0-19 YRS.	231	10.6	109	4	4	8	12	16	26	53
20-34	365	14.1	94	5	6	11	18	25	31	56
35-49	586	15.5	143	5	6	12	19	30	37	73
50-64	1021	17.4	155	6	8	14	20	32	42	75
65+	2217	19.6	135	7	9	17	24	35	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	4.8	11	1	1	4	6	9	11	16
B. *Operated*	1246	10.6	33	4	5	9	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	5724	7.6	33	2	2	6	10	14	18	28
B. *Operated*	4420	17.6	142	6	7	15	22	32	41	69
1. SINGLE DX	3213	7.0	28	1	2	6	9	13	17	25
2. MULTIPLE DX	10144	12.0	105	2	3	9	15	24	31	54
A. NOT OPERATED	7691	6.9	29	1	2	6	9	13	17	26
B. OPERATED	5666	16.1	127	5	6	13	20	29	38	65
TOTAL 0-19 YRS.	845	6.2	46	1	1	5	8	11	15	29
20-34	1234	8.3	55	1	2	6	10	17	22	33
35-49	1932	9.3	76	2	2	7	11	18	24	46
50-64	3053	10.5	92	2	3	8	13	20	28	54
65+	6293	12.5	100	3	3	10	16	24	32	53
GRAND TOTAL	**13357**	**10.8**	**91**	**2**	**3**	**8**	**14**	**21**	**29**	**50**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	7558	2.9	3	1	1	3	4	5	6	9
20-34	2678	2.9	4	1	1	2	4	5	7	10
35-49	1151	3.4	5	1	1	3	4	6	7	11
50-64	815	3.8	6	1	1	3	5	7	9	13
65+	756	4.3	9	1	2	4	5	8	10	17
B. *Operated*										
0-19 YRS.	147	5.0	51	1	1	4	6	8	11	76
20-34	206	5.1	9	2	2	4	6	9	10	19
35-49	119	5.9	22	1	2	5	8	10	13	28
50-64	80	7.1	28	1	2	6	9	12	14	32
65+	49	11.6	80	1	2	9	15	23	30	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	13151	3.7	6	1	2	3	4	6	7	12
20-34	4021	3.9	8	1	1	3	5	7	9	16
35-49	2641	4.8	11	1	2	4	6	8	11	18
50-64	3402	5.5	16	2	2	4	7	10	12	20
65+	6793	6.7	27	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS.	284	9.5	149	2	3	6	9	20	35	83
20-34	391	7.4	32	2	2	6	9	14	18	31
35-49	370	9.8	66	2	3	8	12	17	23	47
50-64	467	10.2	66	2	3	8	12	18	24	64
65+	841	13.0	68	4	5	11	16	25	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12958	3.1	4	1	1	3	4	5	7	10
B. *Operated*	601	6.0	33	1	2	5	7	11	14	35
2. MULTIPLE DX										
A. *Not Operated*	30008	4.7	14	1	2	4	6	9	11	19
B. *Operated*	2353	10.6	82	2	3	8	13	20	28	49
1. SINGLE DX	13559	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	32361	5.1	21	1	2	4	6	10	13	23
A. NOT OPERATED	42966	4.2	12	1	2	3	5	8	10	17
B. OPERATED	2954	9.7	75	2	3	7	12	19	26	47
TOTAL 0-19 YRS.	21140	3.5	8	1	1	3	4	6	7	12
20-34	7296	3.8	9	1	1	3	5	7	9	15
35-49	4281	4.9	17	1	2	4	6	9	12	19
50-64	4764	5.7	22	1	2	4	7	10	13	24
65+	8439	7.2	36	2	2	6	9	14	18	31
GRAND TOTAL	**45920**	**4.6**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	5	1	1	5	6	7	7	7
20-34	74	4.6	4	2	2	4	6	7	8	12
35-49	453	5.1	8	2	2	5	6	9	11	14
50-64	910	5.1	8	1	2	5	7	9	10	14
65+	1132	5.3	10	1	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	40	8.8	20	2	3	9	11	13	16	25
35-49	171	9.8	22	3	5	9	12	14	18	26
50-64	289	12.2	40	5	7	11	14	19	22	30
65+	212	13.2	63	3	4	12	16	20	22	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.1	6	2	2	5	6	8	10	10
20-34	79	5.5	9	2	3	5	7	10	12	15
35-49	679	5.8	10	2	2	5	7	10	11	18
50-64	2447	6.1	15	2	2	5	8	10	13	22
65+	7390	7.1	25	2	3	6	9	12	16	26
B. *Operated*										
0-19 YRS	6	13.0	48	4	4	13	19	22	22	22
20-34	70	12.3	78	3	4	11	14	21	27	49
35-49	421	12.0	46	4	6	10	15	20	25	44
50-64	1369	13.8	77	4	5	12	17	24	30	52
65+	2587	15.7	122	4	5	13	19	29	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2574	5.2	9	1	2	5	7	9	11	14
B. *Operated*	713	11.7	44	4	5	11	14	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	10605	6.8	22	2	3	6	8	12	15	24
B. *Operated*	4453	14.7	102	4	5	12	18	27	34	57
1. SINGLE DX	3287	6.6	24	2	2	5	9	12	15	22
2. MULTIPLE DX	15058	9.1	59	2	3	7	11	17	23	40
A. NOT OPERATED	13179	6.5	20	2	2	5	8	11	14	23
B. OPERATED	5166	14.3	95	4	5	12	17	26	32	55
TOTAL 0-19 YRS	22	7.1	29	1	2	6	7	16	20	22
20-34	263	7.6	37	2	3	6	10	13	18	36
35-49	1724	7.5	27	2	3	6	10	14	17	28
50-64	5015	8.4	45	2	3	7	11	16	21	34
65+	11321	9.0	61	2	3	7	11	17	23	40
GRAND TOTAL	**18345**	**8.7**	**53**	**2**	**3**	**7**	**11**	**16**	**22**	**38**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.8	4	<1	1	2	4	5	5	12
20-34	72	2.7	2	1	1	3	4	4	5	6
35-49	62	3.3	7	1	1	3	4	6	8	14
50-64	33	3.2	5	1	1	2	4	6	8	10
65+	18	5.0	17	1	1	4	6	9	14	18
B. *Operated*										
0-19 YRS	179	3.1	6	1	1	3	4	5	7	14
20-34	1018	3.2	4	1	1	3	4	5	7	11
35-49	905	3.3	4	1	1	3	4	5	7	11
50-64	575	3.9	9	1	2	3	4	7	9	15
65+	184	4.4	9	1	2	4	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.5	5	1	1	3	4	7	8	11
20-34	96	4.6	12	<1	1	4	6	8	10	21
35-49	105	4.4	17	<1	1	3	5	9	10	24
50-64	121	4.8	13	1	2	4	6	9	11	20
65+	147	7.5	54	2	2	5	10	17	19	33
B. *Operated*										
0-19 YRS	108	4.1	13	1	1	3	5	8	13	19
20-34	1015	4.3	9	1	2	4	5	7	9	16
35-49	1308	4.7	24	1	2	4	5	8	10	19
50-64	1194	5.4	24	2	2	4	6	10	13	28
65+	628	7.7	59	2	3	5	8	16	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.1	5	1	1	3	4	6	7	13
B. *Operated*	2861	3.4	5	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	531	5.3	26	1	1	4	6	10	14	24
B. *Operated*	4253	5.2	26	1	2	4	6	9	13	28
1. SINGLE DX	3088	3.4	5	1	1	3	4	6	7	13
2. MULTIPLE DX	4784	5.2	26	1	2	4	6	9	13	28
A. NOT OPERATED	758	4.6	21	1	1	4	6	9	12	21
B. OPERATED	7114	4.5	19	1	2	4	5	8	11	23
TOTAL 0-19 YRS	391	3.4	8	1	1	3	4	6	8	15
20-34	2201	3.8	7	1	1	3	4	7	8	13
35-49	2380	4.1	16	1	2	3	5	7	9	15
50-64	1923	4.9	19	1	2	4	6	9	12	24
65+	977	7.0	50	2	2	5	8	14	20	39
GRAND TOTAL	**7872**	**4.5**	**19**	**1**	**2**	**4**	**5**	**8**	**11**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1248	3.5	7	1	1	3	4	6	8	14
20-34	1557	4.7	12	1	2	4	6	9	11	18
35-49	1014	5.0	14	1	2	4	6	9	12	19
50-64	652	4.8	14	1	1	4	6	9	12	21
65+	684	4.7	16	1	1	4	6	9	12	19
B. Operated										
0-19 YRS	333	6.3	34	1	1	5	8	13	17	30
20-34	753	7.7	35	1	2	6	10	15	19	29
35-49	600	7.5	39	1	2	6	10	15	19	32
50-64	496	8.8	66	1	2	7	11	16	22	41
65+	396	9.1	68	1	2	7	12	17	25	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1312	4.2	15	1	1	3	5	8	10	22
20-34	2588	5.8	23	1	2	4	7	11	14	25
35-49	2652	5.9	18	1	2	5	7	11	14	22
50-64	2904	6.1	21	1	2	5	8	11	14	24
65+	6318	6.8	27	2	2	5	9	13	17	26
B. Operated										
0-19 YRS	480	9.4	98	2	2	7	11	19	30	47
20-34	1760	11.1	105	2	3	8	13	23	32	52
35-49	1827	11.8	124	2	3	9	14	24	35	62
50-64	2201	12.6	131	2	3	9	15	26	35	62
65+	3084	14.9	159	2	4	11	19	30	41	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5155	4.5	12	1	1	4	6	8	11	19
B. Operated	2578	7.9	48	1	2	6	10	16	20	32
2. MULTIPLE DX										
A. Not Operated	15774	6.1	23	1	2	5	8	12	15	25
B. Operated	9352	12.7	135	2	3	9	16	26	36	61
1. SINGLE DX	7733	5.6	27	1	1	4	7	11	15	25
2. MULTIPLE DX	25126	8.6	75	2	2	6	10	17	25	46
A. NOT OPERATED	20929	5.7	21	1	2	4	7	11	14	23
B. OPERATED	11930	11.7	120	2	3	9	15	24	33	58
TOTAL 0-19 YRS	3373	4.9	30	1	1	3	6	9	14	29
20-34	6658	7.1	49	1	2	5	9	14	20	38
35-49	6093	7.7	59	1	2	6	9	15	21	42
50-64	6253	8.4	72	2	2	6	10	17	24	46
65+	10482	9.1	81	2	2	6	11	19	25	48
GRAND TOTAL	**32859**	**7.9**	**65**	**1**	**2**	**5**	**10**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	29	9.8	155	3	4	6	9	17	21	70
35-49	52	7.6	67	2	3	5	8	13	24	53
50-64	67	7.9	26	2	2	7	10	16	19	21
65+	21	6.8	15	2	3	6	9	13	15	15
B. Operated										
0-19 YRS										
20-34	4	8.8	183	1	1	2	16	29	29	29
35-49	17	7.9	70	1	1	5	11	19	28	32
50-64	35	9.7	98	1	1	9	12	20	23	53
65+	7	7.1	65	1	1	6	8	21	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	197	10.5	97	2	3	7	12	23	35	59
35-49	654	10.9	88	2	3	8	14	23	28	46
50-64	943	11.7	84	3	4	9	15	22	29	46
65+	479	12.6	93	3	4	10	16	24	30	47
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	60	15.3	189	2	3	10	20	38	47	56
35-49	222	13.5	153	1	3	10	18	29	35	64
50-64	310	15.5	200	1	2	13	20	30	41	84
65+	176	16.7	168	3	4	13	21	37	45	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	8.0	58	2	3	6	9	15	18	48
B. Operated	63	8.8	88	1	1	7	12	21	26	50
2. MULTIPLE DX										
A. Not Operated	2276	11.6	88	3	3	9	15	23	30	46
B. Operated	769	15.2	179	2	3	12	19	32	43	77
1. SINGLE DX	234	8.2	66	1	2	6	10	17	20	53
2. MULTIPLE DX	3045	12.5	114	2	3	9	16	24	34	52
A. NOT OPERATED	2447	11.3	87	2	3	8	15	22	29	46
B. OPERATED	832	14.7	174	1	2	11	19	31	41	75
TOTAL 0-19 YRS	6	5.3	2	3	3	5	7	7	7	7
20-34	290	11.4	126	2	3	8	13	27	36	61
35-49	945	11.3	104	2	3	8	14	24	31	51
50-64	1355	12.4	111	2	3	10	16	23	32	52
65+	683	13.4	114	3	4	11	17	27	35	55
GRAND TOTAL	**3279**	**12.2**	**111**	**2**	**3**	**9**	**16**	**24**	**33**	**53**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	8	1	1	4	5	8	9	9
20-34	23	5.6	27	<1	<1	5	8	14	17	20
35-49	37	6.1	14	2	2	6	8	10	12	19
50-64	71	7.3	36	1	2	5	10	15	20	27
65+	40	9.1	61	1	3	7	10	20	28	37
B. *Operated*										
0-19 YRS	16	6.0	107	1	1	3	5	9	33	44
20-34	106	3.5	14	1	1	2	4	8	10	21
35-49	94	3.9	20	1	1	2	4	10	15	21
50-64	124	4.9	29	1	1	2	6	14	16	23
65+	60	5.2	24	1	1	3	7	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.2	11	2	2	4	8	11	12	13
20-34	93	7.0	25	1	2	6	9	11	13	30
35-49	265	8.9	49	2	3	7	11	17	23	37
50-64	600	10.3	66	2	3	8	12	19	26	43
65+	594	12.2	87	3	4	10	15	24	31	48
B. *Operated*										
0-19 YRS	30	7.5	37	1	2	6	9	16	22	26
20-34	103	7.3	65	1	2	5	8	16	26	46
35-49	228	9.0	78	1	1	7	12	22	27	57
50-64	456	10.8	93	1	2	8	15	24	30	45
65+	421	13.3	123	1	2	11	16	27	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	7.0	35	1	1	5	9	14	19	31
B. *Operated*	400	4.4	25	1	1	2	5	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	1585	10.5	70	2	3	8	13	20	26	44
B. *Operated*	1238	11.0	101	1	2	9	15	24	30	48
1. SINGLE DX	581	5.2	30	1	1	3	7	13	16	25
2. MULTIPLE DX	2823	10.7	83	2	2	8	14	22	28	45
A. NOT OPERATED	1766	10.1	67	2	3	8	12	20	26	43
B. OPERATED	1638	9.4	90	1	1	7	13	22	28	45
TOTAL 0-19 YRS	89	6.0	37	1	2	4	8	11	14	37
20-34	325	5.9	37	1	1	4	8	12	16	30
35-49	624	8.0	56	1	2	6	11	17	23	36
50-64	1251	9.8	74	1	2	8	13	20	26	42
65+	1115	12.1	99	2	2	10	16	25	31	49
GRAND TOTAL	**3404**	**9.7**	**78**	**1**	**2**	**8**	**13**	**21**	**27**	**44**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	5.1	12	1	2	4	6	9	13	19
20-34	196	6.0	14	1	2	5	8	11	13	16
35-49	101	6.4	15	1	2	6	8	11	14	19
50-64	78	6.0	13	1	2	5	8	11	13	17
65+	49	7.6	48	1	2	5	9	15	19	39
B. *Operated*										
0-19 YRS	8	4.9	20	1	1	4	7	12	14	14
20-34	39	10.2	171	1	1	6	14	22	28	75
35-49	34	6.8	56	1	1	5	9	12	23	39
50-64	51	7.4	44	1	1	4	12	18	22	24
65+	27	6.3	22	1	2	6	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.0	24	1	2	4	8	12	17	24
20-34	253	7.6	41	2	3	6	9	13	18	42
35-49	325	8.5	49	2	3	7	10	16	20	37
50-64	606	10.6	84	3	4	8	13	20	28	54
65+	633	10.5	66	3	3	8	13	20	25	43
B. *Operated*										
0-19 YRS	25	12.4	95	2	2	11	18	26	31	43
20-34	86	10.5	60	2	3	9	13	19	22	46
35-49	147	12.4	130	2	2	10	16	27	32	62
50-64	229	13.3	124	1	3	11	18	29	37	99+
65+	254	17.2	162	2	4	14	24	32	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	6.1	17	1	2	5	8	11	13	19
B. *Operated*	159	7.6	74	1	1	5	11	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	1933	9.6	65	2	3	7	11	18	24	46
B. *Operated*	741	14.1	135	2	3	11	18	29	36	68
1. SINGLE DX	672	6.4	31	1	2	5	8	12	15	25
2. MULTIPLE DX	2674	10.8	88	2	3	8	13	22	29	52
A. NOT OPERATED	2446	8.8	57	2	3	7	11	17	22	42
B. OPERATED	900	13.0	130	2	2	10	17	27	35	66
TOTAL 0-19 YRS	238	6.3	31	1	2	5	8	13	18	26
20-34	574	7.6	45	2	2	6	9	14	18	37
35-49	607	9.0	67	2	3	7	11	17	22	40
50-64	964	10.7	90	2	3	8	13	22	30	57
65+	963	12.0	99	3	3	9	15	25	32	52
GRAND TOTAL	**3346**	**9.9**	**80**	**2**	**3**	**7**	**12**	**20**	**27**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.2	3	1	1	3	4	6	6	8
20-34	532	3.1	4	1	1	3	4	6	7	9
35-49	513	3.3	4	1	1	3	4	6	7	10
50-64	521	3.8	6	1	1	3	5	7	9	13
65+	440	4.7	9	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	388	6.5	6	4	4	6	7	10	11	14
20-34	4605	6.6	6	4	4	6	7	9	11	15
35-49	4001	6.9	6	4	5	6	8	10	12	16
50-64	3611	7.5	8	4	5	7	8	11	13	17
65+	1868	9.1	18	5	5	8	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.2	6	1	2	4	6	7	8	13
20-34	587	3.9	7	1	1	3	5	7	9	14
35-49	753	4.4	9	1	1	4	6	8	10	14
50-64	1463	5.2	13	1	2	4	7	9	12	19
65+	2878	7.0	26	2	2	6	9	13	16	26
B. *Operated*										
0-19 YRS	276	9.2	23	4	5	8	11	16	20	30
20-34	3555	8.3	16	4	5	7	10	13	15	22
35-49	4653	8.8	20	4	5	8	10	14	17	25
50-64	6858	10.2	31	5	6	9	12	17	20	32
65+	7349	13.5	66	6	7	11	16	23	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2077	3.6	6	1	1	3	5	7	8	12
B. *Operated*	14473	7.2	9	4	5	7	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	5761	5.9	20	1	2	5	8	11	14	23
B. *Operated*	22691	10.7	42	5	5	9	13	18	22	35
1. SINGLE DX	16550	6.8	10	2	4	6	8	10	12	17
2. MULTIPLE DX	28452	9.7	41	3	4	8	12	17	21	33
A. NOT OPERATED	7838	5.3	17	1	2	4	7	10	13	21
B. OPERATED	37164	9.3	32	4	5	8	11	15	19	31
TOTAL 0-19 YRS	815	6.9	15	2	3	6	8	11	14	23
20-34	9279	6.9	12	2	4	6	8	11	13	19
35-49	9920	7.4	16	3	4	7	9	12	14	21
50-64	12453	8.6	25	3	4	7	10	14	17	27
65+	12535	11.1	57	3	4	9	14	20	24	39
GRAND TOTAL	**45002**	**8.6**	**32**	**3**	**4**	**7**	**10**	**15**	**19**	**30**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.7	5	1	1	3	5	8	8	9
20-34	372	3.4	4	1	1	3	4	6	7	10
35-49	324	3.7	7	1	1	3	5	7	8	13
50-64	211	4.2	6	1	1	4	6	8	9	12
65+	182	5.1	10	1	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	32	6.8	7	3	4	6	9	10	12	16
20-34	399	7.4	12	4	4	7	9	11	13	19
35-49	383	7.7	12	4	5	7	9	12	15	21
50-64	266	8.0	14	4	5	7	9	13	15	22
65+	179	10.4	41	5	5	9	12	17	22	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.1	5	1	2	4	5	8	9	10
20-34	481	4.7	10	1	2	4	6	8	10	15
35-49	514	5.3	13	1	2	4	7	9	12	18
50-64	618	5.7	12	2	2	5	7	10	12	18
65+	998	7.7	25	2	3	7	10	14	17	28
B. *Operated*										
0-19 YRS	52	9.4	33	4	5	8	12	15	21	36
20-34	677	9.0	27	4	5	7	11	15	18	33
35-49	960	9.4	27	4	5	8	11	16	18	28
50-64	935	11.4	44	5	6	9	14	19	23	37
65+	1017	15.1	80	6	7	13	18	27	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1153	3.9	7	1	1	3	5	7	9	13
B. *Operated*	1259	8.0	17	4	5	7	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	2685	6.1	18	2	2	5	8	11	14	22
B. *Operated*	3641	11.4	52	5	5	9	14	20	25	39
1. SINGLE DX	2412	6.1	16	1	2	5	8	11	13	20
2. MULTIPLE DX	6326	9.2	45	2	3	8	11	17	22	34
A. NOT OPERATED	3838	5.5	16	1	2	4	7	10	13	20
B. OPERATED	4900	10.6	45	4	5	8	13	18	23	37
TOTAL 0-19 YRS	222	5.6	17	1	2	5	7	10	13	22
20-34	1929	6.5	20	2	2	6	8	11	14	24
35-49	2181	7.3	23	2	3	6	9	13	16	24
50-64	2030	8.5	35	2	3	7	11	15	19	30
65+	2376	10.9	63	3	3	9	14	20	27	39
GRAND TOTAL	**8738**	**8.3**	**39**	**2**	**3**	**7**	**10**	**16**	**20**	**32**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	27	3.7	7	1	1	3	4	8	10	11
35-49	32	4.4	9	1	1	3	6	9	10	13
50-64	39	3.5	3	<1	1	4	4	6	7	8
65+	52	4.4	8	1	1	4	7	8	9	12
B. *Operated*										
0-19 YRS	8	7.4	13	2	3	6	10	12	13	13
20-34	140	7.9	13	3	4	7	10	13	15	18
35-49	126	8.1	20	2	3	8	10	13	16	23
50-64	132	8.4	22	2	2	8	12	15	16	19
65+	184	11.8	56	2	3	11	15	23	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	28	4.5	5	1	2	4	6	8	9	9
35-49	55	5.1	17	1	2	4	6	10	15	20
50-64	59	6.4	28	1	2	5	8	11	19	27
65+	286	7.7	31	2	3	7	9	13	17	32
B. *Operated*										
0-19 YRS	10	13.1	73	5	5	11	16	28	29	29
20-34	129	10.0	22	4	5	9	13	15	17	25
35-49	138	10.8	60	2	4	9	13	18	22	49
50-64	342	13.5	89	3	4	12	16	23	28	54
65+	893	16.6	96	4	6	15	21	29	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	4.1	7	1	1	3	6	8	9	12
B. *Operated*	590	9.3	33	2	3	8	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	431	7.0	28	2	2	6	8	12	15	28
B. *Operated*	1512	14.8	90	3	5	13	18	26	32	50
1. SINGLE DX	743	8.2	32	1	2	7	11	15	18	28
2. MULTIPLE DX	1943	13.1	87	2	4	11	17	24	30	48
A. NOT OPERATED	584	6.2	24	1	2	5	8	11	14	27
B. OPERATED	2102	13.2	80	3	4	11	17	24	29	47
TOTAL 0-19 YRS	24	9.1	46	2	4	6	11	17	28	29
20-34	324	8.1	20	2	3	8	11	14	15	19
35-49	351	8.4	40	2	2	7	11	15	18	28
50-64	572	10.9	73	2	3	10	14	19	25	50
65+	1415	13.7	90	2	4	12	18	26	32	45
GRAND TOTAL	**2686**	**11.7**	**76**	**2**	**3**	**10**	**15**	**22**	**28**	**44**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.2	8	1	2	6	7	10	10	10
20-34	28	4.4	15	1	1	3	5	10	13	18
35-49	28	4.9	10	2	2	4	6	10	11	13
50-64	48	6.2	28	1	2	5	8	12	14	32
65+	62	6.0	16	1	2	6	8	10	13	22
B. *Operated*										
0-19 YRS	4	11.0	5	8	8	11	12	13	13	13
20-34	19	6.6	20	2	3	5	8	12	17	21
35-49	52	6.0	23	2	2	4	8	12	14	28
50-64	64	8.2	34	2	2	7	11	17	21	23
65+	42	10.0	56	1	2	9	16	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	9.3	29	1	2	11	12	17	19	20
20-34	63	5.6	8	1	2	5	7	10	11	13
35-49	94	6.9	47	1	2	5	7	12	14	42
50-64	166	7.6	34	2	2	6	10	13	18	32
65+	395	9.9	64	2	3	8	12	18	23	48
B. *Operated*										
0-19 YRS	9	17.6	155	4	6	13	21	39	40	40
20-34	74	12.7	178	2	3	10	16	23	33	84
35-49	143	12.8	117	2	3	11	17	26	34	58
50-64	229	16.3	199	2	3	13	21	30	41	75
65+	380	16.9	131	3	5	15	21	30	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	5.6	18	1	2	5	7	11	13	22
B. *Operated*	181	7.9	36	2	2	6	11	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	739	8.6	52	2	3	7	11	15	20	39
B. *Operated*	835	15.7	154	2	3	13	21	29	37	74
1. SINGLE DX	357	6.8	28	1	2	5	9	13	17	26
2. MULTIPLE DX	1574	12.4	118	2	3	9	16	24	32	57
A. NOT OPERATED	915	8.0	46	2	2	7	10	14	19	36
B. OPERATED	1016	14.3	142	2	3	12	19	27	35	70
TOTAL 0-19 YRS	44	10.5	59	1	3	10	12	17	25	40
20-34	184	8.4	91	1	2	6	10	17	23	49
35-49	317	9.2	82	2	2	6	11	21	27	42
50-64	507	11.5	127	2	2	9	15	23	30	70
65+	879	12.7	104	2	3	10	16	25	31	51
GRAND TOTAL	**1931**	**11.3**	**106**	**2**	**3**	**9**	**15**	**23**	**29**	**52**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	5.1	9	2	2	4	6	8	11	17
20-34	664	5.6	12	2	2	5	7	9	11	18
35-49	675	6.3	17	2	2	5	8	11	14	24
50-64	416	6.6	19	2	3	6	8	12	15	24
65+	255	7.5	29	2	3	7	9	13	15	29
B. *Operated*										
0-19 YRS	17	12.3	96	2	3	11	17	28	35	37
20-34	71	10.9	108	2	2	8	15	20	25	61
35-49	66	10.3	60	2	2	9	14	17	23	44
50-64	75	9.9	56	1	2	9	13	23	25	29
65+	43	13.4	203	2	3	11	14	24	52	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.3	21	2	3	5	8	11	13	26
20-34	1518	7.1	20	2	3	6	9	12	16	25
35-49	2182	8.0	27	2	3	7	10	14	18	28
50-64	1716	8.3	32	3	3	7	10	14	19	29
65+	1675	9.5	45	3	4	8	12	17	21	36
B. *Operated*										
0-19 YRS	25	18.6	408	2	3	13	18	53	64	93
20-34	314	16.3	183	4	5	13	20	32	44	73
35-49	542	16.8	179	3	5	13	21	36	45	79
50-64	557	17.1	208	4	5	13	20	33	52	90
65+	546	17.6	151	5	6	14	21	34	41	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2147	6.2	17	2	2	5	8	11	13	23
B. *Operated*	272	11.0	96	2	2	9	14	20	27	54
2. MULTIPLE DX										
A. *Not Operated*	7207	8.2	32	3	3	7	10	14	18	30
B. *Operated*	1984	17.0	183	4	5	14	21	34	46	84
1. SINGLE DX	2419	6.7	28	2	2	5	8	12	16	27
2. MULTIPLE DX	9191	10.1	77	3	3	8	12	19	25	50
A. NOT OPERATED	9354	7.7	29	2	3	6	9	14	17	29
B. OPERATED	2256	16.3	176	3	5	13	20	32	45	82
TOTAL 0-19 YRS	295	7.1	66	2	2	5	8	12	19	46
20-34	2567	8.0	51	2	3	6	9	15	20	37
35-49	3465	9.1	61	2	3	7	11	17	23	43
50-54	2754	9.8	80	3	3	7	12	19	24	53
65+	2519	11.1	81	3	4	9	14	21	29	51
GRAND TOTAL	**11610**	**9.4**	**69**	**2**	**3**	**7**	**11**	**18**	**23**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.7	2	1	1	2	3	5	6	7
20-34	150	3.5	6	1	1	3	5	6	8	15
35-49	147	4.2	6	1	2	4	5	7	9	14
50-64	219	4.8	19	1	2	4	6	8	9	19
65+	356	5.4	15	1	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	8	5.3	6	2	2	5	7	9	9	9
20-34	16	5.8	10	1	2	6	8	11	11	11
35-49	27	5.2	25	1	2	4	6	8	12	28
50-64	30	8.4	18	2	3	8	11	15	17	18
65+	43	8.9	22	2	4	8	12	15	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	3.8	6	1	1	3	5	7	8	14
20-34	504	5.0	18	1	2	4	6	10	12	20
35-49	744	5.8	16	2	2	5	7	11	12	20
50-64	1481	6.6	25	2	2	5	8	12	15	26
65+	4396	8.2	39	2	3	7	10	15	20	31
B. *Operated*										
0-19 YRS	23	8.6	78	1	2	5	10	22	31	37
20-34	110	8.3	61	1	3	7	10	15	18	48
35-49	207	9.7	70	3	4	8	11	18	22	46
50-64	523	11.6	108	3	4	8	14	23	32	58
65+	1187	13.4	108	3	4	10	17	27	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	4.4	12	1	1	4	5	8	10	18
B. *Operated*	124	7.3	21	2	2	7	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	7384	7.3	33	2	2	6	9	13	18	29
B. *Operated*	2050	12.3	104	3	4	9	15	24	32	56
1. SINGLE DX	1138	4.8	14	1	1	4	6	9	11	18
2. MULTIPLE DX	9434	8.4	52	2	3	6	10	16	21	36
A. NOT OPERATED	8398	6.9	31	2	2	6	8	13	17	28
B. OPERATED	2174	12.0	100	3	4	9	15	24	31	56
TOTAL 0-19 YRS	432	3.7	10	1	1	3	5	7	8	16
20-34	780	5.2	24	1	1	4	6	10	13	20
35-49	1125	6.3	28	2	2	5	8	11	14	26
50-64	2253	7.6	49	2	2	6	9	14	19	36
65+	5982	9.1	56	2	3	7	11	17	23	38
GRAND TOTAL	**10572**	**8.0**	**50**	**2**	**2**	**6**	**10**	**15**	**20**	**36**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	4.0	12	1	1	3	5	8	13	19
20-34	17	8.7	72	3	3	5	9	24	28	30
35-49	11	7.2	23	3	3	6	9	16	16	16
50-64	12	8.8	31	1	2	9	11	16	21	22
65+	10	4.7	14	1	1	4	6	10	14	14
B. *Operated*										
0-19 YRS	16	9.6	110	2	2	6	10	21	37	44
20-34	8	9.9	31	1	1	12	14	15	15	15
35-49	15	8.9	21	4	4	7	13	15	18	19
50-64	7	5.3	35	1	1	3	6	16	18	18
65+	6	9.2	12	5	5	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	6.4	82	1	2	4	7	11	20	75
20-34	54	13.1	125	2	3	8	22	30	37	41
35-49	62	10.0	95	2	3	7	11	23	28	56
50-64	99	10.3	70	2	3	8	14	23	31	38
65+	113	11.8	93	2	3	9	15	24	31	56
B. *Operated*										
0-19 YRS	21	17.7	409	2	4	11	21	85	99+	99+
20-34	29	17.5	294	3	5	11	18	46	60	71
35-49	55	15.8	206	5	5	11	18	37	49	76
50-64	82	15.6	169	3	4	12	20	34	52	87
65+	105	19.3	193	5	7	15	23	40	56	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	5.0	22	1	1	3	6	10	15	24
B. *Operated*	52	8.8	50	2	2	7	12	15	19	44
2. MULTIPLE DX										
A. *Not Operated*	511	9.5	94	2	2	6	12	22	30	48
B. *Operated*	292	17.3	219	4	5	13	21	40	58	91
1. SINGLE DX	234	5.8	31	1	2	4	7	13	16	26
2. MULTIPLE DX	803	12.4	153	2	3	8	15	28	40	70
A. NOT OPERATED	693	8.3	79	1	2	5	10	19	26	43
B. OPERATED	344	16.0	203	3	4	12	19	37	56	82
TOTAL 0-19 YRS	352	6.3	90	1	2	4	7	12	19	90
20-34	108	13.3	161	2	3	9	19	30	41	64
35-49	143	11.9	133	3	4	8	13	26	37	59
50-64	200	12.2	115	2	3	9	15	26	35	59
65+	234	14.8	150	3	4	12	19	29	41	61
GRAND TOTAL	1037	10.9	133	2	2	7	14	24	35	62

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	206	4.9	17	1	1	4	7	11	14	18
20-34	27	5.6	12	2	2	5	9	11	12	12
35-49	16	5.0	7	<1	1	5	6	9	10	10
50-64	7	6.9	59	<1	<1	4	8	20	23	23
65+	10	12.1	104	3	3	9	16	29	32	32
B. *Operated*										
0-19 YRS	91	4.6	24	1	2	2	6	10	12	29
20-34	60	4.8	20	1	2	3	6	9	14	23
35-49	34	3.9	7	1	2	3	5	8	10	10
50-64	28	4.7	13	1	1	3	6	11	13	13
65+	11	5.4	10	1	1	7	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	5.4	23	1	1	4	7	11	14	24
20-34	83	6.0	17	1	2	5	8	10	13	23
35-49	75	7.7	28	2	3	7	10	13	19	30
50-64	112	8.1	43	2	2	7	11	15	18	39
65+	187	10.7	95	3	3	8	13	22	27	39
B. *Operated*										
0-19 YRS	73	10.2	190	2	2	6	12	17	40	72
20-34	142	8.6	48	1	2	7	12	17	24	30
35-49	112	8.5	61	2	2	6	12	18	26	35
50-64	154	9.1	58	2	2	7	11	18	25	38
65+	142	15.6	139	2	3	13	20	30	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	5.3	21	1	1	4	7	11	15	22
B. *Operated*	224	4.6	18	1	2	3	6	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	638	7.8	52	1	2	6	10	15	20	33
B. *Operated*	623	10.5	97	2	2	8	14	22	29	51
1. SINGLE DX	490	5.0	20	1	1	3	7	10	13	22
2. MULTIPLE DX	1261	9.1	76	2	2	7	12	18	25	42
A. NOT OPERATED	904	7.1	44	1	2	5	9	14	19	32
B. OPERATED	847	8.9	83	2	2	6	12	18	26	43
TOTAL 0-19 YRS	551	5.7	46	1	1	4	7	12	15	33
20-34	312	6.9	34	1	2	5	9	14	18	28
35-49	237	7.3	41	2	2	5	9	16	21	31
50-64	301	8.3	49	2	2	7	11	15	21	37
65+	350	12.6	117	2	3	10	16	25	34	51
GRAND TOTAL	1751	8.0	64	1	2	6	10	16	23	38

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	5.2	11	2	2	4	7	9	13	16
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	3	6.0	37	2	2	3	10	13	13	13
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	6	7.7	32	2	2	7	14	14	14	14
20-34	3	5.0	12	3	3	3	8	9	9	9
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.1	12	1	2	6	8	11	13	17
20-34	19	5.1	13	1	1	4	7	11	12	12
35-49	13	7.2	23	2	3	5	9	16	18	18
50-64	7	9.9	32	4	4	7	15	18	18	18
65+	31	12.3	75	3	4	9	17	26	29	39
B. *Operated*										
0-19 YRS	9	11.7	243	1	1	3	17	39	44	44
20-34	19	10.8	160	2	2	9	13	20	42	58
35-49	13	12.1	163	1	2	6	16	35	41	43
50-64	16	13.4	39	3	5	13	15	22	26	28
65+	24	17.6	215	3	4	12	26	41	52	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	5.0	11	2	2	4	7	9	13	15
B. *Operated*	12	5.8	22	2	2	3	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	127	7.8	36	2	2	6	9	15	19	31
B. *Operated*	81	13.6	161	2	2	10	17	31	43	57
1. SINGLE DX	83	5.1	12	2	2	4	7	9	14	16
2. MULTIPLE DX	208	10.1	92	2	2	7	12	20	29	53
A. NOT OPERATED	198	6.8	29	2	2	5	8	13	17	29
B. OPERATED	93	12.6	150	2	2	10	15	29	43	57
TOTAL 0-19 YRS	132	6.1	28	2	2	5	7	12	15	34
20-34	45	7.3	81	1	2	4	9	13	18	58
35-49	29	8.9	90	1	2	5	12	18	33	43
50-64	27	11.2	42	2	3	12	14	20	23	28
65+	58	14.1	138	3	4	10	18	29	40	55
GRAND TOTAL	**291**	**8.6**	**74**	**2**	**2**	**6**	**11**	**17**	**28**	**48**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.0	13	<1	1	4	7	10	12	14
20-34	8	11.6	476	<1	<1	2	10	50	64	64
35-49	5	3.8	27	<1	<1	1	5	13	13	13
50-64	18	4.7	24	<1	<1	3	6	14	15	15
65+	15	5.5	34	1	1	2	8	16	18	19
B. *Operated*										
0-19 YRS	72	6.2	49	<1	<1	4	8	16	22	35
20-34	55	9.0	59	<1	2	6	15	21	24	30
35-49	42	7.5	42	<1	1	5	11	16	22	24
50-64	63	8.1	71	1	2	4	13	19	22	46
65+	32	9.9	114	1	2	6	13	19	36	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.6	35	<1	<1	3	5	12	18	28
20-34	53	4.6	16	<1	1	3	6	12	12	17
35-49	89	7.6	65	1	1	5	10	15	19	48
50-64	193	8.5	62	1	2	6	11	18	27	37
65+	555	10.3	63	2	3	8	13	21	26	39
B. *Operated*										
0-19 YRS	113	15.1	146	2	3	12	21	29	44	56
20-34	328	13.1	135	2	2	10	18	27	37	55
35-49	375	13.9	171	2	2	10	19	32	38	79
50-64	565	12.5	144	2	2	9	17	29	38	57
65+	630	16.7	206	2	3	13	22	35	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	5.8	75	<1	1	3	7	14	16	57
B. *Operated*	264	7.9	64	<1	<1	5	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	1011	8.8	61	1	1	7	11	18	25	36
B. *Operated*	2011	14.3	170	2	3	11	20	32	41	64
1. SINGLE DX	330	7.4	66	<1	<1	4	11	17	22	40
2. MULTIPLE DX	3022	12.5	140	1	2	9	17	27	36	56
A. NOT OPERATED	1077	8.6	63	1	1	6	11	18	25	37
B. OPERATED	2275	13.6	161	2	2	10	19	31	39	62
TOTAL 0-19 YRS	326	8.6	97	<1	<1	5	12	22	27	46
20-34	444	11.6	124	1	2	8	16	25	32	55
35-49	511	12.2	149	1	2	8	17	28	37	72
50-64	839	11.1	121	1	2	7	15	25	34	52
65+	1232	13.5	148	2	3	10	18	30	38	58
GRAND TOTAL	**3352**	**12.0**	**135**	**1**	**2**	**8**	**16**	**26**	**35**	**55**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	2	1	1	2	3	5	5	5
20-34	5	4.2	10	2	2	2	7	9	9	9
35-49	4	8.5	52	3	3	6	13	19	19	19
50-64	14	11.3	329	1	3	6	8	23	62	73
65+	24	8.1	42	1	2	6	10	18	23	27
B. *Operated*										
0-19 YRS	3	3.7	6	<1	<1	4	5	6	6	6
20-34	7	8.9	79	1	1	5	17	22	23	23
35-49	3	8.3	36	2	2	9	13	14	14	14
50-64	13	13.2	349	1	1	4	15	53	55	55
65+	12	17.8	350	4	4	13	20	48	64	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.5	13	1	2	6	9	11	14	16
20-34	29	7.9	48	2	2	6	9	14	18	38
35-49	57	9.6	81	1	2	8	12	18	23	52
50-64	157	10.0	52	2	3	9	13	19	23	38
65+	800	12.9	78	3	4	11	16	24	28	48
B. *Operated*										
0-19 YRS	13	16.6	89	6	7	14	22	30	37	39
20-34	51	12.3	80	2	3	10	16	24	28	42
35-49	58	18.8	174	3	4	17	27	36	44	56
50-64	170	19.5	221	3	5	15	26	40	53	69
65+	363	21.0	230	4	6	17	27	39	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.9	111	1	2	5	8	17	21	71
B. *Operated*	38	12.7	252	1	1	6	16	35	54	67
2. MULTIPLE DX										
A. *Not Operated*	1065	12.0	74	2	4	10	15	22	27	47
B. *Operated*	655	19.6	213	3	5	16	26	38	48	71
1. SINGLE DX	92	9.9	173	1	2	5	10	21	39	70
2. MULTIPLE DX	1720	14.9	141	3	4	12	19	29	38	63
A. NOT OPERATED	1119	11.8	77	2	4	10	15	22	27	48
B. OPERATED	693	19.3	217	3	4	16	26	38	49	71
TOTAL 0-19 YRS	45	8.6	60	1	2	6	11	17	24	39
20-34	92	10.2	71	2	2	8	14	23	26	40
35-49	122	13.9	143	2	2	10	20	32	37	54
50-64	354	14.7	174	2	4	11	19	32	44	67
65+	1199	15.3	140	3	4	12	19	29	38	64
GRAND TOTAL	**1812**	**14.7**	**143**	**2**	**4**	**11**	**19**	**29**	**38**	**64**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	4.1	4	2	2	4	5	6	7	11
20-34	555	4.3	4	2	2	4	5	7	8	10
35-49	161	4.8	5	2	2	4	6	8	9	11
50-64	86	4.8	5	2	2	5	6	7	9	12
65+	68	5.9	10	2	3	5	7	11	13	16
B. *Operated*										
0-19 YRS	21	5.7	4	3	4	5	7	8	9	10
20-34	23	7.4	12	4	4	6	10	12	15	16
35-49	13	9.0	26	2	4	7	13	17	19	19
50-64	11	9.6	34	4	5	8	10	18	25	26
65+	4	12.8	114	3	3	10	19	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	4.8	5	2	2	4	6	8	9	13
20-34	937	5.2	7	2	3	5	6	8	10	15
35-49	452	6.6	16	2	3	6	8	11	14	21
50-64	488	7.3	15	3	3	6	9	12	15	21
65+	866	9.3	34	3	4	8	11	16	21	28
B. *Operated*										
0-19 YRS	73	6.5	11	2	3	6	7	10	15	18
20-34	187	8.6	24	3	4	7	10	14	16	30
35-49	121	11.4	60	3	4	9	15	22	26	42
50-64	132	12.4	56	5	6	10	15	21	26	43
65+	167	15.3	83	5	6	13	19	28	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1331	4.4	4	2	2	4	5	7	8	11
B. *Operated*	72	7.8	22	4	4	7	9	14	16	28
2. MULTIPLE DX										
A. *Not Operated*	3254	6.7	19	2	3	6	8	12	15	23
B. *Operated*	680	11.3	58	4	4	9	14	20	27	40
1. SINGLE DX	1403	4.6	6	2	2	4	6	7	9	13
2. MULTIPLE DX	3934	7.5	29	2	3	6	9	14	18	28
A. NOT OPERATED	4585	6.1	16	2	3	5	7	10	13	22
B. OPERATED	752	10.9	55	4	4	9	14	20	26	40
TOTAL 0-19 YRS	1066	4.6	5	2	2	4	6	7	9	13
20-34	1702	5.3	9	2	2	5	6	9	10	16
35-49	747	7.0	25	2	3	6	8	13	16	27
50-64	717	8.0	27	3	3	7	10	14	17	26
65+	1105	10.0	46	3	4	8	12	18	23	37
GRAND TOTAL	**5337**	**6.8**	**25**	**2**	**3**	**5**	**8**	**12**	**16**	**26**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	464	4.1	5	1	2	4	5	6	8	11
20-34	565	4.1	6	2	2	4	5	6	7	11
35-49	130	4.5	5	2	2	4	6	8	9	12
50-64	98	5.6	14	2	2	5	7	9	12	21
65+	90	6.3	12	3	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	37	5.3	14	1	2	4	6	9	11	22
20-34	51	5.9	12	2	3	5	7	10	11	21
35-49	32	5.3	8	1	2	5	7	10	11	12
50-64	28	7.2	25	1	2	7	10	16	17	18
65+	18	12.7	85	2	4	9	16	28	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	497	4.8	8	2	2	4	6	8	10	15
20-34	801	5.3	11	2	2	4	6	9	11	19
35-49	370	6.3	16	2	3	5	8	11	13	19
50-64	461	7.9	31	3	3	7	9	14	19	31
65+	832	9.2	36	3	4	8	12	17	20	30
B. *Operated*										
0-19 YRS	99	6.6	20	1	2	6	9	13	14	25
20-34	227	8.5	41	2	3	7	10	15	19	34
35-49	200	9.4	38	2	4	8	12	17	21	31
50-64	234	13.0	97	3	5	11	16	25	32	57
65+	297	15.9	129	3	5	13	20	29	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1347	4.4	7	2	2	4	5	7	8	15
B. *Operated*	166	6.6	26	2	2	5	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	2961	6.8	24	2	3	5	8	12	16	26
B. *Operated*	1057	11.6	87	2	3	9	15	22	29	50
1. SINGLE DX	1513	4.6	9	2	2	4	6	8	9	17
2. MULTIPLE DX	4018	8.1	45	2	3	6	10	15	20	35
A. NOT OPERATED	4308	6.1	20	2	2	5	7	11	14	25
B. OPERATED	1223	10.9	81	2	3	8	14	21	27	48
TOTAL 0-19 YRS	1097	4.7	9	2	2	4	6	8	10	16
20-34	1644	5.3	15	2	2	4	6	9	12	21
35-49	732	6.8	23	2	3	6	8	12	15	25
50-64	821	9.1	54	2	3	7	11	17	23	38
65+	1237	10.7	67	3	4	8	13	20	25	42
GRAND TOTAL	**5531**	**7.1**	**38**	**2**	**2**	**5**	**8**	**14**	**18**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.5	2	<1	1	2	3	5	5	7
20-34	516	2.2	3	<1	1	2	3	4	5	8
35-49	704	2.3	3	<1	1	2	3	4	5	9
50-64	381	2.6	3	1	1	2	3	5	7	8
65+	144	3.2	6	1	1	3	4	7	8	13
B. *Operated*										
0-19 YRS	20	7.8	13	1	2	8	10	12	13	13
20-34	258	7.2	15	2	3	7	9	11	13	20
35-49	338	7.8	24	2	2	7	9	13	15	26
50-64	326	8.0	19	2	3	8	10	13	15	21
65+	148	8.2	31	1	2	8	11	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.2	4	1	1	3	4	6	7	11
20-34	444	3.2	6	1	1	3	4	6	8	11
35-49	649	3.4	7	1	1	3	4	6	8	16
50-64	621	3.8	9	1	1	3	5	8	10	15
65+	441	5.2	14	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	33	7.7	32	1	1	7	11	13	16	29
20-34	336	8.6	32	2	3	8	10	15	19	32
35-49	588	9.2	46	2	3	8	11	16	22	37
50-64	804	9.8	50	2	3	9	12	17	21	40
65+	617	10.8	64	2	3	9	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1918	2.4	3	<1	1	2	3	4	6	9
B. *Operated*	1090	7.8	21	2	2	7	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	2219	3.8	9	1	1	3	5	7	10	16
B. *Operated*	2378	9.7	50	2	3	8	12	17	22	38
1. SINGLE DX	3008	4.3	16	1	1	3	6	10	12	19
2. MULTIPLE DX	4597	6.9	39	1	1	5	9	14	18	30
A. NOT OPERATED	4137	3.2	7	1	1	2	4	6	8	13
B. OPERATED	3468	9.1	42	2	3	8	11	16	20	35
TOTAL 0-19 YRS	190	4.2	14	1	1	3	6	9	12	15
20-34	1654	4.5	18	1	1	3	7	10	12	20
35-49	2279	5.2	27	1	1	3	7	11	14	25
50-64	2132	6.5	34	1	1	5	9	13	16	27
65+	1350	7.9	47	1	2	6	11	16	19	32
GRAND TOTAL	**7605**	**5.9**	**32**	**1**	**1**	**4**	**8**	**12**	**16**	**26**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	2.5	2	1	1	2	3	5	5	7
20-34	2238	2.1	2	1	1	2	3	4	4	6
35-49	2592	2.1	2	<1	1	2	3	4	5	6
50-64	1453	2.3	2	1	1	2	3	4	5	7
65+	365	2.6	2	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	123	5.5	11	2	2	5	7	10	12	17
20-34	1228	5.6	11	1	2	5	7	10	12	17
35-49	1606	6.1	17	1	2	5	8	11	13	20
50-64	1149	6.5	17	2	2	6	8	12	14	19
65+	398	7.5	24	2	2	6	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	2.5	2	<1	1	2	3	4	5	8
20-34	829	2.7	4	1	1	2	3	5	6	10
35-49	1219	2.8	4	1	1	2	3	5	6	10
50-64	1175	3.1	5	1	1	3	4	6	7	11
65+	621	3.8	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	67	7.3	23	2	2	6	10	14	16	24
20-34	659	6.7	16	2	2	6	9	12	14	20
35-49	1124	7.4	28	2	3	6	9	14	17	29
50-64	1368	8.5	32	2	3	8	11	16	19	27
65+	954	10.1	57	2	3	9	13	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6849	2.2	2	1	1	2	3	4	5	7
B. *Operated*	4504	6.1	16	2	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	3938	3.0	5	1	1	2	4	6	7	11
B. *Operated*	4172	8.3	36	2	3	7	10	15	19	28
1. SINGLE DX	11353	3.7	11	1	1	3	5	8	10	16
2. MULTIPLE DX	8110	5.7	28	1	1	4	8	12	15	25
A. NOT OPERATED	10787	2.5	3	1	1	2	3	5	6	9
B. OPERATED	8676	7.2	27	2	2	6	9	13	16	25
TOTAL 0-19 YRS	485	3.9	11	1	1	3	5	8	10	16
20-34	4954	3.7	10	1	1	3	5	8	10	15
35-49	6541	4.1	15	1	1	3	5	9	11	18
50-64	5145	5.1	21	1	1	4	7	11	14	22
65+	2338	6.8	40	1	2	5	9	14	18	27
GRAND TOTAL	**19463**	**4.6**	**19**	**1**	**1**	**3**	**6**	**10**	**13**	**20**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.9	6	1	1	2	3	6	10	12
20-34	76	2.3	3	<1	1	2	3	4	6	10
35-49	55	3.3	6	1	1	3	5	7	9	11
50-64	64	2.9	5	<1	1	2	4	6	8	9
65+	50	5.6	14	1	2	5	7	12	13	14
B. *Operated*										
0-19 YRS	474	6.4	15	1	1	6	9	11	13	19
20-34	209	6.7	17	1	2	7	9	12	13	17
35-49	157	7.1	31	1	2	6	9	13	18	28
50-64	204	6.1	26	1	1	4	9	13	18	22
65+	128	6.1	42	1	1	4	8	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	3.8	10	<1	1	3	5	8	10	17
20-34	146	4.1	11	1	1	3	5	8	11	20
35-49	122	4.7	15	1	1	4	6	10	13	20
50-64	251	6.3	19	1	2	5	9	12	15	23
65+	617	8.0	40	2	2	7	10	15	20	31
B. *Operated*										
0-19 YRS	603	7.6	31	1	2	7	10	14	17	28
20-34	486	8.9	40	2	2	8	12	17	21	32
35-49	478	9.3	75	2	2	7	12	17	22	40
50-64	708	10.5	77	2	2	9	13	22	27	39
65+	987	11.7	94	2	3	9	16	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.2	7	1	1	2	4	7	10	13
B. *Operated*	1172	6.5	22	1	1	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	1256	6.5	30	1	2	5	8	13	16	27
B. *Operated*	3262	9.9	70	2	2	8	13	20	25	41
1. SINGLE DX	1491	5.8	21	1	1	5	8	11	14	21
2. MULTIPLE DX	4518	9.0	61	1	2	7	12	18	23	38
A. NOT OPERATED	1575	5.8	27	1	1	4	8	12	15	25
B. OPERATED	4434	9.0	60	1	2	7	12	18	23	38
TOTAL 0-19 YRS	1271	6.5	24	1	1	6	9	12	15	23
20-34	917	7.1	32	1	2	6	9	14	18	30
35-49	812	7.8	57	1	2	6	10	16	19	37
50-64	1227	8.5	59	1	2	7	11	18	23	35
65+	1782	9.9	74	2	2	8	13	20	25	43
GRAND TOTAL	**6009**	**8.2**	**53**	**1**	**2**	**7**	**11**	**16**	**21**	**35**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	8	1	1	2	6	8	9	9
20-34	137	2.2	3	<1	1	2	3	4	4	11
35-49	146	2.2	2	<1	1	2	3	4	5	7
50-64	80	2.4	2	1	1	2	3	4	5	8
65+	24	2.8	4	1	1	2	4	5	7	9
B. *Operated*										
0-19 YRS	14	6.2	33	2	2	4	8	11	21	24
20-34	56	5.5	8	2	2	5	8	9	10	12
35-49	71	6.3	35	1	2	5	8	12	17	31
50-64	63	6.4	34	1	2	4	9	13	16	35
65+	76	5.2	19	1	2	4	7	10	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	8	1	1	4	7	9	9	9
20-34	74	3.2	5	1	1	2	4	7	8	10
35-49	99	3.3	4	1	1	3	4	6	8	9
50-64	81	4.0	9	1	1	3	5	7	11	16
65+	82	5.0	16	1	1	4	5	10	15	19
B. *Operated*										
0-19 YRS	17	4.1	7	2	2	3	5	8	10	11
20-34	101	7.1	44	1	2	5	10	14	18	36
35-49	117	7.0	39	1	2	5	10	14	17	37
50-64	206	7.8	41	2	2	6	10	14	19	35
65+	456	10.3	81	2	3	8	13	21	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	280	5.9	25	1	2	5	8	11	13	31
2. MULTIPLE DX										
A. *Not Operated*	353	3.9	9	1	1	3	5	7	9	17
B. *Operated*	897	8.8	63	2	2	7	11	17	23	41
1. SINGLE DX	677	3.8	15	1	1	2	5	8	10	18
2. MULTIPLE DX	1250	7.4	53	1	2	5	10	15	21	36
A. NOT OPERATED	750	3.1	6	1	1	2	4	6	8	14
B. OPERATED	1177	8.1	56	2	2	6	10	16	22	38
TOTAL 0-19 YRS	58	4.7	14	1	1	4	7	9	10	23
20-34	368	4.2	19	1	1	3	5	9	12	24
35-49	433	4.4	22	1	1	3	5	9	13	25
50-64	430	5.9	32	1	1	4	7	12	15	31
65+	638	8.8	69	2	2	6	11	18	24	42
GRAND TOTAL	**1927**	**6.2**	**43**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.2	3	1	1	3	4	6	7	8
20-34	110	3.8	38	1	1	3	4	6	7	33
35-49	56	3.2	3	1	1	3	4	5	6	10
50-64	51	3.0	[illegible]	1	1	3	4	5	7	9
65+	69	4.4	9	1	1	3	6	9	11	14
B. *Operated*										
0-19 YRS	118	2.8	6	<1	1	2	3	6	7	12
20-34	214	3.3	6	1	1	2	4	7	9	13
35-49	186	3.5	8	1	1	3	4	7	8	13
50-64	248	3.6	11	1	1	3	4	7	8	19
65+	292	3.8	7	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	4.0	9	1	2	3	5	7	8	10
20-34	279	4.5	12	1	1	4	5	8	10	20
35-49	252	5.1	11	1	2	4	6	9	13	17
50-64	317	6.1	18	2	2	5	7	11	14	25
65+	983	7.8	35	2	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	289	3.9	12	1	1	3	5	7	10	18
20-34	540	5.8	27	1	2	4	7	11	14	31
35-49	675	5.9	26	1	2	4	8	12	15	25
50-64	948	6.6	44	1	2	4	8	13	18	38
65+	1930	7.8	54	2	2	6	10	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	3.5	13	1	1	3	4	6	8	11
B. *Operated*	1058	3.5	8	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	2079	6.3	26	2	2	5	8	11	15	26
B. *Operated*	4382	6.7	43	1	2	5	9	14	18	34
1. SINGLE DX	1486	3.5	9	1	1	3	4	7	9	13
2. MULTIPLE DX	6461	6.6	37	1	2	5	8	13	17	31
A. NOT OPERATED	2507	5.9	25	1	2	5	7	11	14	25
B. OPERATED	5440	6.1	37	1	2	4	8	12	17	31
TOTAL 0-19 YRS	797	3.7	9	1	1	3	5	7	8	13
20-34	1143	4.8	22	1	1	4	6	9	12	21
35-49	1169	5.2	20	1	1	4	6	10	13	24
50-64	1564	5.9	34	1	2	4	7	12	16	29
65+	3274	7.4	44	2	2	6	9	14	18	34
GRAND TOTAL	**7947**	**6.0**	**33**	**1**	**2**	**4**	**8**	**12**	**16**	**29**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	4	2.3		2	2	2	3	3	3	3
65+	11	2.4	2	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	513	1.9	2	<1	<1	1	2	3	5	8
20-34	338	3.1	5	<1	1	2	4	6	7	13
35-49	255	3.0	5	<1	1	2	4	6	7	11
50-64	251	3.3	5	1	1	3	4	6	7	11
65+	348	4.0	9	1	1	3	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	2	2	3	3	3
20-34	17	3.9	8	1	1	4	6	8	8	8
35-49	14	4.0	10	<1	1	3	6	9	10	10
50-64	30	5.6	23	<1	1	4	7	14	15	16
65+	112	6.4	46	1	2	4	9	13	16	40
B. *Operated*										
0-19 YRS	630	2.4	7	<1	<1	2	3	5	6	11
20-34	523	4.0	11	1	1	3	5	8	10	15
35-49	576	4.4	16	1	1	3	6	9	13	20
50-64	896	5.0	18	1	2	4	6	10	13	20
65+	1701	6.6	38	2	2	5	8	13	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.0	1	<1	<1	2	3	4	4	5
B. *Operated*	1705	2.9	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	182	5.6	35	1	1	4	7	12	15	33
B. *Operated*	4326	5.1	25	1	1	4	6	10	14	24
1. SINGLE DX	1737	2.9	6	<1	1	2	4	6	7	13
2. MULTIPLE DX	4508	5.1	26	1	1	4	6	10	14	24
A. NOT OPERATED	214	5.1	32	1	1	3	6	11	15	33
B. OPERATED	6031	4.5	21	1	1	3	6	9	12	20
TOTAL 0-19 YRS	1159	2.2	5	<1	<1	1	3	4	5	10
20-34	884	3.6	9	1	1	3	5	8	10	14
35-49	849	4.0	13	1	1	3	5	8	11	18
50-64	1181	4.7	16	1	1	3	6	10	12	20
65+	2172	6.2	35	1	2	4	8	12	16	30
GRAND TOTAL	**6245**	**4.5**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	936	3.2	3	1	1	3	4	5	6	8
20-34	440	3.4	5	1	1	3	4	6	7	10
35-49	217	4.0	7	1	1	3	5	8	10	14
50-64	204	4.0	6	1	1	4	5	7	9	13
65+	401	5.8	20	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	388	3.0	10	<1	<1	2	4	6	8	15
20-34	371	3.3	7	<1	1	2	4	7	8	12
35-49	356	3.7	11	<1	1	3	5	7	11	17
50-64	522	3.6	10	1	1	3	4	7	9	19
65+	657	4.5	14	1	1	4	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1822	4.3	8	1	2	4	5	8	10	14
20-34	1476	4.9	14	1	2	4	6	9	11	20
35-49	1085	5.9	19	1	2	5	8	11	13	21
50-64	1886	6.9	23	2	3	6	9	12	15	24
65+	7806	8.8	38	2	3	7	11	16	20	32
B. *Operated*										
0-19 YRS	833	4.1	16	<1	1	3	5	9	12	20
20-34	974	5.5	43	1	1	4	6	11	15	35
35-49	1241	6.5	51	1	1	5	8	13	18	33
50-64	2348	7.3	47	1	2	5	9	15	19	34
65+	4869	9.6	74	2	2	7	12	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2198	3.8	8	1	1	3	5	7	9	14
B. *Operated*	2294	3.7	11	<1	1	3	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	14075	7.4	31	2	2	6	9	14	18	28
B. *Operated*	10265	7.9	61	1	2	6	10	16	22	39
1. SINGLE DX	4492	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	24340	7.6	44	1	2	6	10	15	19	33
A. NOT OPERATED	16273	6.9	30	1	2	5	9	13	17	27
B. OPERATED	12559	7.1	54	1	1	5	9	15	21	36
TOTAL 0-19 YRS	3979	3.9	9	1	1	3	5	7	9	14
20-34	3261	4.7	21	1	1	4	6	9	12	21
35-49	2899	5.8	32	1	1	4	7	11	15	26
50-64	4960	6.6	34	1	2	5	8	13	17	29
65+	13733	8.8	50	2	3	7	11	17	22	35
GRAND TOTAL	**28832**	**7.0**	**40**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.4	1	2	2	4	4	4	4	4
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	40	3.2	10	<1	1	2	4	7	8	18
65+	48	3.3	13	<1	1	2	4	8	14	16
B. *Operated*										
0-19 YRS	7	5.7	6	2	2	7	7	9	9	9
20-34	10	2.7	3	<1	<1	2	3	5	7	7
35-49	166	4.2	8	1	1	4	6	8	9	16
50-64	2311	5.6	8	1	2	5	7	9	10	15
65+	3758	6.5	11	2	3	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.0	37	3	3	4	11	14	14	14
35-49	17	5.2	12	1	2	4	8	11	12	12
50-64	195	4.2	19	1	1	3	5	7	11	26
65+	626	6.0	31	1	1	4	8	13	17	27
B. *Operated*										
0-19 YRS	16	7.3	15	1	2	7	10	12	15	16
20-34	20	4.6	21	1	1	3	6	10	15	20
35-49	277	5.4	13	1	2	5	7	10	13	17
50-64	4844	7.3	23	2	3	6	9	12	15	22
65+	12692	9.2	37	3	4	8	11	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.3	11	<1	1	2	4	7	10	17
B. *Operated*	6252	6.1	10	2	2	6	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	841	5.6	28	1	1	4	7	11	16	27
B. *Operated*	17849	8.6	34	2	4	7	10	15	19	30
1. SINGLE DX	6348	6.1	11	2	2	6	7	10	12	17
2. MULTIPLE DX	18690	8.5	34	2	3	7	10	15	19	30
A. NOT OPERATED	937	5.3	27	1	1	4	7	11	15	25
B. OPERATED	24101	8.0	29	2	3	7	9	14	18	28
TOTAL 0-19 YRS	23	6.8	13	1	2	7	9	11	13	16
20-34	38	4.1	15	<1	1	3	4	8	13	20
35-49	463	5.0	11	1	2	4	7	9	11	16
50-64	7390	6.6	19	2	2	6	8	11	14	21
65+	17124	8.5	33	2	3	7	10	15	19	30
GRAND TOTAL	**25038**	**7.9**	**29**	**2**	**3**	**7**	**9**	**14**	**17**	**28**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	1	2	2	2	4	5	5	5
20-34	65	3.6	4	1	1	3	5	6	8	9
35-49	67	4.0	6	1	1	3	6	7	8	11
50-64	76	3.8	4	1	1	3	5	7	8	9
65+	32	4.4	4	1	2	4	5	8	8	8
B. *Operated*										
0-19 YRS	16	3.1	6	<1	<1	3	4	6	8	9
20-34	95	2.4	4	<1	<1	2	3	4	6	12
35-49	118	2.6	3	<1	<1	2	3	5	7	9
50-64	136	3.2	8	1	1	2	4	6	8	17
65+	85	4.0	10	1	1	3	5	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	1	2	2	4	5	5	5	5
20-34	108	4.3	9	1	1	4	5	8	10	16
35-49	138	4.9	6	2	2	5	6	8	9	12
50-64	239	5.3	8	2	3	5	7	9	11	15
65+	241	6.3	11	3	3	6	8	10	14	19
B. *Operated*										
0-19 YRS	26	3.4	6	<1	1	3	4	7	9	10
20-34	151	4.2	17	1	1	3	6	10	12	22
35-49	336	4.0	9	1	1	3	6	8	9	16
50-64	507	5.4	18	1	2	4	7	11	14	20
65+	588	6.8	31	2	2	5	9	13	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	3.8	4	1	1	4	5	7	8	9
B. *Operated*	450	3.0	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	737	5.4	9	2	2	5	7	9	11	16
B. *Operated*	1608	5.5	22	1	1	4	7	11	14	22
1. SINGLE DX	697	3.3	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	2345	5.5	18	1	2	4	7	10	13	21
A. NOT OPERATED	984	5.0	8	1	2	4	6	8	10	15
B. OPERATED	2058	5.0	19	1	1	4	6	10	13	21
TOTAL 0-19 YRS	60	3.3	4	<1	1	3	4	6	8	10
20-34	419	3.7	10	1	1	3	5	8	11	16
35-49	659	3.9	7	1	1	3	5	8	9	13
50-64	958	4.9	13	1	2	4	6	9	12	18
65+	946	6.4	24	2	2	5	8	12	15	24
GRAND TOTAL	**3042**	**5.0**	**16**	**1**	**1**	**4**	**6**	**10**	**12**	**20**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4		<1	<1	1	2	2	3	3
20-34	3	2.7	2	<1	<1	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	315	1.9	1	<1	1	2	2	3	4	6
20-34	159	2.8	2	1	1	3	3	4	6	7
35-49	188	2.6	1	1	1	3	3	4	5	6
50-64	333	3.2	3	1	2	3	4	5	6	8
65+	192	3.4	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	1.9	3	<1	<1	1	2	4	5	11
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.5	7	<1	<1	3	5	7	7	7
50-64	17	3.9	19	<1	<1	1	5	11	14	15
65+	21	4.0	6	1	1	4	5	8	9	9
B. *Operated*										
0-19 YRS	349	2.1	1	<1	1	2	3	3	4	6
20-34	109	3.7	9	1	1	3	4	7	9	18
35-49	152	3.6	6	1	2	3	4	6	8	14
50-64	340	4.3	10	2	2	3	5	8	11	16
65+	355	5.3	17	2	2	4	6	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	1187	2.8	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	84	2.9	8	<1	<1	2	4	6	9	14
B. *Operated*	1305	3.8	10	1	1	3	4	7	10	19
1. SINGLE DX	1211	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX	1389	3.8	10	1	1	3	4	7	10	19
A. NOT OPERATED	108	2.6	7	<1	<1	2	3	5	9	13
B. OPERATED	2492	3.3	7	1	1	3	4	6	8	15
TOTAL 0-19 YRS	718	2.0	1	<1	<1	2	2	3	4	6
20-34	273	3.2	5	1	1	3	4	5	7	13
35-49	346	3.1	4	1	1	3	4	5	6	11
50-64	693	3.8	7	1	2	3	4	6	8	14
65+	570	4.6	12	2	2	4	5	8	11	21
GRAND TOTAL	**2600**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	4.0	7	1	1	4	5	7	9	14
20-34	315	4.1	4	1	2	4	5	7	8	10
35-49	156	4.7	6	1	2	4	6	8	9	12
50-64	117	5.1	5	2	2	5	7	8	9	12
65+	71	5.6	6	2	3	5	7	9	10	14
B. *Operated*										
0-19 YRS	61	3.8	9	1	1	3	5	10	10	14
20-34	134	4.3	14	1	1	3	5	7	10	20
35-49	88	4.1	10	1	2	3	5	8	9	19
50-64	63	4.9	15	1	1	4	6	9	14	21
65+	51	4.8	9	2	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.9	4	1	1	4	5	7	8	10
20-34	153	5.2	8	1	2	5	7	9	11	14
35-49	172	5.4	10	2	2	5	7	9	11	15
50-64	239	6.2	11	2	3	6	8	10	12	18
65+	280	7.6	22	3	3	7	9	13	15	28
B. *Operated*										
0-19 YRS	34	4.8	15	1	1	4	6	11	14	16
20-34	103	5.2	13	1	2	4	7	10	13	17
35-49	130	6.0	18	2	2	5	8	11	15	21
50-64	172	8.0	39	2	2	6	12	16	20	31
65+	203	9.5	45	2	3	8	12	18	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	4.4	6	1	2	4	6	7	9	12
B. *Operated*	397	4.3	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	904	6.2	15	2	2	6	8	11	12	19
B. *Operated*	642	7.5	34	2	2	6	10	14	19	29
1. SINGLE DX	1241	4.4	8	1	2	4	6	8	9	14
2. MULTIPLE DX	1546	6.7	23	2	2	6	8	12	15	26
A. NOT OPERATED	1748	5.3	11	1	2	5	7	9	11	16
B. OPERATED	1039	6.3	28	1	2	5	8	13	16	28
TOTAL 0-19 YRS	340	4.0	8	1	1	4	5	7	10	14
20-34	705	4.5	9	1	2	4	6	8	9	15
35-49	546	5.1	11	2	2	4	7	9	11	18
50-64	591	6.4	20	2	2	5	8	12	14	23
65+	605	7.8	29	2	3	6	10	14	17	29
GRAND TOTAL	**2787**	**5.7**	**18**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.4	1	<1	<1	1	2	2	4	5
20-34	30	1.7	1	<1	<1	2	2	3	3	4
35-49	12	1.8	1	<1	<1	2	2	3	3	3
50-64	17	3.6	54	<1	1	2	3	3	22	32
65+	15	2.0	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	390	1.5		<1	<1	1	2	2	3	4
20-34	130	1.8	1	<1	1	2	2	3	3	4
35-49	103	1.7	1	<1	1	2	2	3	3	4
50-64	81	2.0	1	<1	1	2	2	3	4	7
65+	50	2.4	3	1	1	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	1.5	1	<1	<1	1	2	2	3	8
20-34	16	3.6	9	<1	<1	2	4	9	10	10
35-49	19	2.8	5	<1	1	2	3	7	8	8
50-64	23	3.1	6	1	1	2	4	8	9	9
65+	30	3.6	9	1	1	2	5	7	9	16
B. *Operated*										
0-19 YRS	151	2.0	2	<1	1	2	2	3	4	8
20-34	104	2.4	3	<1	1	2	3	4	5	11
35-49	155	2.6	5	<1	1	2	3	5	6	13
50-64	223	3.4	14	1	1	2	4	6	9	24
65+	207	4.6	28	1	1	3	5	9	13	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	1.8	7	<1	<1	1	2	3	4	5
B. *Operated*	754	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	130	2.7	6	<1	<1	2	3	6	8	11
B. *Operated*	840	3.2	13	1	1	2	3	6	9	18
1. SINGLE DX	904	1.7	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX	970	3.1	12	1	1	2	3	6	9	17
A. NOT OPERATED	280	2.2	7	<1	<1	2	2	4	6	10
B. OPERATED	1594	2.5	8	<1	1	2	3	4	7	13
TOTAL 0-19 YRS	659	1.6	1	<1	<1	1	2	3	3	5
20-34	280	2.1	2	<1	1	2	2	3	4	10
35-49	289	2.3	3	<1	1	2	3	4	6	11
50-64	344	3.1	13	1	1	2	3	6	8	22
65+	302	4.0	22	1	1	2	4	8	11	27
GRAND TOTAL	**1874**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**7**	**13**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.3	4	<1	1	2	3	4	6	12
20-34	46	2.7	6	<1	1	2	4	5	6	14
35-49	45	2.1	3	<1	1	1	3	4	5	9
50-64	79	1.8	5	1	1	1	2	3	5	15
65+	25	2.5	4	<1	1	2	3	5	7	8
B. *Operated*										
0-19 YRS	740	2.1	3	<1	1	2	3	4	5	8
20-34	524	2.5	4	1	1	2	3	4	5	12
35-49	305	2.9	4	1	1	2	4	5	7	10
50-64	371	3.3	4	1	1	3	4	6	7	11
65+	149	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.9	5	1	1	2	3	6	9	11
20-34	67	4.2	12	1	1	3	6	9	11	16
35-49	69	3.7	11	1	1	2	5	7	10	17
50-64	132	4.4	30	1	1	3	6	10	11	31
65+	79	8.2	63	1	1	6	10	17	25	42
B. *Operated*										
0-19 YRS	312	2.6	4	1	1	2	3	5	6	9
20-34	439	3.8	20	1	1	3	4	7	10	23
35-49	398	4.5	25	1	1	3	5	8	12	25
50-64	651	5.4	34	1	2	4	6	9	13	27
65+	404	6.6	49	2	2	4	8	14	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	2.2	4	<1	1	1	3	4	6	12
B. *Operated*	2089	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	409	4.8	29	1	1	3	6	10	13	28
B. *Operated*	2204	4.7	30	1	1	3	5	9	13	27
1. SINGLE DX	2372	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2613	4.7	30	1	1	3	5	9	13	28
A. NOT OPERATED	692	3.7	21	1	1	2	5	8	11	23
B. OPERATED	4293	3.7	18	1	1	3	4	7	10	21
TOTAL 0-19 YRS	1202	2.3	3	<1	1	2	3	4	5	9
20-34	1076	3.1	12	1	1	2	4	6	8	17
35-49	817	3.7	15	1	1	3	4	7	10	20
50-64	1233	4.4	24	1	1	3	5	8	11	22
65+	657	6.0	41	1	2	4	7	12	18	35
GRAND TOTAL	**4985**	**3.7**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	18	2.0	2	<1	1	1	3	5	6	6
50-64	6	2.2	3	1	1	1	4	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	65	2.1	6	<1	1	2	2	3	4	18
20-34	669	2.3	2	<1	1	2	3	4	5	8
35-49	2102	2.4	2	<1	1	2	3	4	5	8
50-64	1006	2.3	2	1	1	2	3	4	5	8
65+	412	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	23	4.5	11	1	1	4	5	9	13	14
35-49	44	3.7	10	<1	1	3	5	8	10	16
50-64	29	3.9	10	1	1	3	5	7	10	15
65+	14	4.6	10	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	25	3.4	6	<1	1	3	4	7	9	10
20-34	460	3.4	8	1	1	3	4	7	9	13
35-49	1467	3.4	6	1	1	3	4	6	8	12
50-64	1041	3.5	9	1	1	2	4	7	9	15
65+	648	4.0	11	1	2	3	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.0	2	<1	1	1	3	4	5	6
B. *Operated*	4254	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	114	4.0	10	1	1	3	5	8	10	15
B. *Operated*	3641	3.5	8	1	1	3	4	7	9	15
1. SINGLE DX	4288	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	3755	3.5	8	1	1	3	4	7	9	15
A. NOT OPERATED	148	3.5	9	1	1	3	5	7	9	15
B. OPERATED	7895	2.9	5	1	1	2	3	5	7	12
TOTAL 0-19 YRS	97	2.5	6	<1	1	2	3	4	6	15
20-34	1157	2.8	5	<1	1	2	3	5	7	11
35-49	3631	2.8	4	1	1	2	3	5	7	10
50-64	2082	2.9	6	1	1	2	3	5	8	13
65+	1076	3.4	8	1	2	2	4	7	9	14
GRAND TOTAL	**8043**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.8	6	1	1	3	5	7	10	11
20-34	67	3.2	3	1	2	3	4	5	7	10
35-49	33	3.1	6	<1	<1	3	4	7	8	10
50-64	18	4.4	13	1	1	3	6	11	12	13
65+	12	4.6	20	1	1	3	7	11	14	15
B. *Operated*										
0-19 YRS	474	2.8	2	1	1	3	4	5	5	8
20-34	679	3.2	3	1	1	3	4	5	6	9
35-49	515	3.0	3	1	1	3	4	5	6	10
50-64	364	3.1	5	1	1	3	4	5	6	13
65+	180	2.8	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	2	<1	1	2	4	5	5	7
20-34	81	3.9	9	1	1	3	5	7	9	17
35-49	62	5.7	39	<1	<1	4	7	11	20	34
50-64	50	5.1	23	<1	1	4	6	11	14	25
65+	68	4.8	18	1	1	4	6	9	14	21
B. *Operated*										
0-19 YRS	130	3.2	3	1	1	3	4	6	7	10
20-34	461	4.1	9	1	2	3	5	7	9	18
35-49	561	4.3	11	1	1	4	5	8	10	15
50-64	495	4.7	19	1	2	4	6	8	11	20
65+	279	5.1	26	1	2	3	6	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	3.5	6	<1	1	3	4	7	10	13
B. *Operated*	2212	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	294	4.6	19	<1	1	3	6	9	13	24
B. *Operated*	1926	4.4	14	1	2	3	5	8	11	19
1. SINGLE DX	2373	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	2220	4.4	15	1	2	3	5	8	11	21
A. NOT OPERATED	455	4.2	15	<1	1	3	5	8	10	21
B. OPERATED	4138	3.7	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	668	3.0	3	1	1	3	4	5	6	8
20-34	1288	3.5	6	1	1	3	4	6	7	12
35-49	1171	3.8	9	1	1	3	5	7	9	15
50-64	927	4.1	14	1	1	3	5	8	10	18
65+	539	4.3	18	1	1	3	5	9	12	22
GRAND TOTAL	**4593**	**3.7**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	520	2.6	3	1	1	2	3	5	6	8
20-34	827	2.4	3	<1	1	2	3	5	5	9
35-49	154	2.8	4	<1	1	2	4	5	7	9
50-64	7	4.6	27	<1	<1	3	4	14	16	16
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	566	4.4	6	1	2	4	6	7	9	12
20-34	1810	4.4	7	1	1	4	6	7	8	12
35-49	437	5.6	7	2	2	6	7	9	10	14
50-64	66	6.6	6	2	4	6	8	9	11	14
65+	27	8.4	17	2	3	7	10	12	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	399	3.3	4	1	1	3	4	6	7	11
20-34	733	3.2	5	1	1	3	4	6	8	11
35-49	206	4.0	9	1	1	3	5	7	8	15
50-64	22	3.9	4	1	1	3	5	7	7	7
65+	27	6.7	21	2	2	5	9	14	16	20
B. *Operated*										
0-19 YRS	663	5.4	9	1	2	5	7	9	11	14
20-34	3550	5.8	10	1	2	6	7	9	11	17
35-49	1709	7.2	20	2	4	7	8	11	15	22
50-64	216	9.1	31	4	5	8	10	15	19	32
65+	148	12.1	40	6	7	10	15	21	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1509	2.5	3	1	1	2	3	5	6	9
B. *Operated*	2906	4.7	7	1	1	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	1387	3.4	6	1	1	3	4	6	8	13
B. *Operated*	6286	6.4	16	2	2	6	8	10	13	21
1. SINGLE DX	4415	4.0	7	1	1	4	5	7	8	12
2. MULTIPLE DX	7673	5.9	15	1	2	5	7	10	12	20
A. NOT OPERATED	2896	3.0	5	1	1	2	4	5	7	11
B. OPERATED	9192	5.9	14	1	2	5	7	9	12	19
TOTAL 0-19 YRS	2148	4.1	7	1	1	4	5	7	9	13
20-34	6920	4.8	9	1	1	5	6	8	10	15
35-49	2506	6.4	17	1	2	6	8	10	13	20
50-64	311	8.1	26	2	4	7	9	14	16	26
65+	203	10.9	39	3	5	9	13	20	23	33
GRAND TOTAL	**12088**	**5.2**	**13**	**1**	**1**	**5**	**7**	**9**	**11**	**18**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1101	4.2	4	2	2	4	5	7	8	11
20-34	2722	4.4	5	1	2	4	5	7	8	11
35-49	298	4.9	6	2	2	5	6	8	9	14
50-64	28	5.3	9	2	2	5	7	9	11	14
65+	5	6.2	13	3	3	4	9	11	11	11
B. *Operated*										
0-19 YRS	285	5.4	9	1	2	5	7	9	11	15
20-34	1363	5.1	10	1	1	5	7	9	10	15
35-49	343	5.9	11	1	2	6	7	10	12	17
50-64	52	6.9	26	1	2	6	9	14	18	23
65+	12	9.9	38	3	4	8	13	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	887	4.9	6	2	2	4	6	8	9	13
20-34	2441	5.3	10	2	2	5	7	9	11	16
35-49	460	6.4	12	2	3	6	8	11	13	18
50-64	67	7.8	18	3	3	7	11	13	16	21
65+	27	9.9	86	2	3	6	14	22	31	40
B. *Operated*										
0-19 YRS	592	6.5	14	2	2	6	8	11	13	18
20-34	5138	6.4	17	2	2	6	8	11	13	21
35-49	1633	7.8	27	2	3	7	9	13	17	26
50-64	223	8.7	34	2	3	7	10	15	20	26
65+	83	15.4	246	3	4	11	19	29	55	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4154	4.4	5	2	2	4	5	7	8	11
B. *Operated*	2055	5.3	11	1	1	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	3882	5.4	10	2	2	5	7	9	11	17
B. *Operated*	7669	6.9	23	2	2	6	8	11	14	24
1. SINGLE DX	6209	4.7	7	1	2	4	6	8	9	14
2. MULTIPLE DX	11551	6.4	19	2	2	6	8	11	13	22
A. NOT OPERATED	8036	4.9	8	2	2	4	6	8	10	15
B. OPERATED	9724	6.5	21	1	2	6	8	11	14	23
TOTAL 0-19 YRS	2865	5.0	8	2	2	5	6	9	10	14
20-34	11664	5.5	13	1	2	5	7	9	11	18
35-49	2734	7.0	21	2	3	6	8	12	15	24
50-64	370	8.0	29	2	2	7	10	14	18	25
65+	127	13.4	191	3	3	9	17	25	35	98
GRAND TOTAL	**17760**	**5.8**	**16**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.9	3	1	2	4	5	6	7	7
20-34	88	3.7	6	1	1	3	5	6	8	14
35-49	23	3.1	4	<1	1	3	4	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	78	3.4	5	<1	1	3	5	7	8	9
20-34	1269	4.7	7	1	1	5	6	7	8	12
35-49	674	6.0	5	2	2	6	7	8	10	13
50-64	30	6.3	5	1	3	7	7	9	10	11
65+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	7	1	1	4	5	8	9	9
20-34	145	3.6	9	<1	1	3	5	7	10	13
35-49	50	3.8	5	<1	1	4	6	6	8	9
50-64	6	8.3	75	<1	<1	5	10	23	25	25
65+										
B. *Operated*										
0-19 YRS	109	4.9	9	1	1	5	7	9	10	14
20-34	4497	5.9	8	1	2	6	7	9	10	15
35-49	4733	7.0	7	3	5	7	8	9	11	17
50-64	521	7.4	10	4	5	7	8	10	11	18
65+	53	9.2	12	4	5	9	11	14	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.6	5	1	1	3	5	6	8	11
B. *Operated*	2053	5.1	7	1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	212	3.8	10	<1	1	3	5	7	9	15
B. *Operated*	9913	6.5	8	2	3	6	8	9	11	16
1. SINGLE DX	2175	5.0	7	1	1	5	7	8	9	12
2. MULTIPLE DX	10125	6.5	8	2	3	6	8	9	11	16
A. NOT OPERATED	334	3.7	8	<1	1	3	5	7	9	13
B. OPERATED	11966	6.3	8	2	2	6	7	9	11	16
TOTAL 0-19 YRS	209	4.2	8	1	1	4	6	8	9	13
20-34	5999	5.6	8	1	2	6	7	8	10	14
35-49	5480	6.8	7	2	4	7	8	9	11	16
50-64	557	7.4	10	3	5	7	8	10	11	19
65+	55	9.0	13	3	5	9	11	14	16	20
GRAND TOTAL	**12300**	**6.2**	**8**	**1**	**2**	**6**	**7**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	11	2.4	1	1	1	2	3	4	5	5
20-34	126	2.5	3	<1	<1	2	3	5	6	8
35-49	98	2.3	3	<1	<1	2	3	4	6	10
50-64	49	2.1	1	<1	1	2	2	3	3	5
65+	16	2.9	9	1	1	2	3	4	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	3	2	2	4	6	7	7	7
20-34	26	3.5	5	<1	1	3	4	7	8	8
35-49	5	4.4	9	1	1	4	6	9	9	9
50-64	4	3.3	2	2	2	3	4	5	5	5
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	35	3.4	8	<1	1	2	4	8	11	12
20-34	883	4.8	20	1	1	4	7	8	10	16
35-49	730	5.4	12	1	1	6	7	9	10	17
50-64	211	4.9	18	1	1	4	7	8	11	22
65+	90	5.9	26	1	1	4	8	13	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.3	3	1	1	3	4	6	7	7
B. *Operated*	300	2.4	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	50	3.8	4	1	1	3	5	7	8	9
B. *Operated*	1949	5.0	17	1	1	5	7	9	11	18
1. SINGLE DX	310	2.4	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	1999	5.0	17	1	1	5	7	9	10	18
A. NOT OPERATED	60	3.8	4	1	1	3	5	7	8	9
B. OPERATED	2249	4.7	16	1	1	4	7	8	10	17
TOTAL 0-19 YRS	61	3.4	6	1	1	3	4	7	9	12
20-34	1039	4.5	18	<1	1	3	6	8	10	16
35-49	835	5.0	12	1	1	5	7	8	10	16
50-64	266	4.3	15	1	1	3	6	8	10	19
65+	108	5.4	24	1	1	3	8	13	15	23
GRAND TOTAL	**2309**	**4.6**	**15**	**1**	**1**	**4**	**7**	**8**	**10**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.7	4	1	1	3	5	6	7	10
20-34	167	3.7	5	1	2	3	4	6	7	12
35-49	32	4.2	5	1	1	4	6	7	8	9
50-64	7	8.1	58	2	2	5	12	21	23	23
65+	6	5.0	6	2	2	4	7	9	9	9
B. *Operated*										
0-19 YRS	82	2.5	3	<1	1	2	3	5	6	8
20-34	499	2.4	2	<1	1	2	3	4	5	6
35-49	241	2.4	3	<1	1	2	3	4	5	9
50-64	64	2.8	7	<1	1	2	3	5	7	17
65+	24	4.6	28	1	1	3	5	9	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	4.1	8	1	2	3	5	7	9	16
20-34	273	4.7	7	1	2	4	6	8	10	13
35-49	90	6.1	23	2	3	6	7	10	12	31
50-64	41	6.5	10	2	3	6	8	10	12	16
65+	71	7.2	20	2	3	6	9	14	16	24
B. *Operated*										
0-19 YRS	111	3.9	10	1	1	3	5	7	11	16
20-34	502	4.3	16	1	1	3	6	8	10	16
35-49	352	4.7	21	1	1	3	7	9	11	26
50-64	136	5.3	25	1	2	3	7	11	18	24
65+	86	7.5	53	1	2	5	9	18	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	3.9	6	1	2	3	5	7	8	13
B. *Operated*	910	2.5	4	<1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	564	5.3	12	1	2	5	6	9	11	17
B. *Operated*	1187	4.7	21	1	1	3	6	9	11	21
1. SINGLE DX	1189	2.8	5	1	1	2	3	5	6	10
2. MULTIPLE DX	1751	4.9	18	1	1	4	6	9	11	20
A. NOT OPERATED	843	4.8	11	1	2	4	6	8	10	16
B. OPERATED	2097	3.8	15	1	1	3	5	8	10	19
TOTAL 0-19 YRS	349	3.6	7	1	1	3	5	7	8	14
20-34	1441	3.6	9	1	1	3	5	7	8	12
35-49	715	4.1	16	1	1	3	5	8	10	18
50-64	248	5.0	20	1	1	3	7	10	15	23
65+	187	6.9	36	1	2	5	9	15	19	27
GRAND TOTAL	**2940**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49	7	6.0	7	1	2	7	8	9	9	9
50-64	10	4.2	12	<1	<1	4	5	9	12	12
65+	17	2.6	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	364	5.8	6	1	3	6	7	8	10	12
35-49	684	6.5	5	3	4	6	8	9	11	14
50-64	1049	7.4	7	4	5	7	8	11	12	16
65+	850	7.8	8	4	5	7	9	12	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	2.3	4	<1	1	1	3	6	7	7
35-49	47	3.8	10	<1	<1	3	5	9	10	14
50-64	75	3.5	8	<1	1	3	5	7	9	13
65+	138	4.8	13	1	1	4	7	9	12	18
B. *Operated*										
0-19 YRS	11	7.9	21	3	4	6	10	16	18	18
20-34	1607	6.7	6	4	4	6	8	9	11	15
35-49	3182	7.6	9	4	5	7	9	11	13	18
50-64	3032	8.5	13	5	5	8	10	13	15	20
65+	2855	9.2	20	5	5	8	10	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.6	8	<1	<1	3	5	7	9	12
B. *Operated*	2951	7.1	7	4	4	7	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	284	4.1	11	<1	1	3	6	9	11	15
B. *Operated*	10687	8.1	13	4	5	7	9	12	14	21
1. SINGLE DX	2990	7.1	8	3	4	7	8	10	12	16
2. MULTIPLE DX	10971	8.0	14	4	5	7	9	12	14	20
A. NOT OPERATED	323	4.1	11	<1	1	3	6	9	10	15
B. OPERATED	13638	7.9	12	4	5	7	9	12	14	20
TOTAL 0-19 YRS	17	6.1	21	1	1	5	8	13	17	18
20-34	1998	6.5	6	3	4	6	8	9	11	15
35-49	3920	7.3	8	4	5	7	9	11	12	17
50-64	4166	8.1	12	4	5	8	9	12	14	19
65+	3860	8.7	18	4	5	8	10	13	16	23
GRAND TOTAL	**13961**	**7.8**	**12**	**4**	**5**	**7**	**9**	**12**	**14**	**19**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	10	1.8	2	<1	<1	1	2	4	6	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	89	2.1	3	<1	<1	2	2	3	5	10
35-49	101	1.9	3	<1	<1	1	2	4	6	8
50-64	20	1.7	1	<1	<1	1	2	3	4	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	24	3.6	3	1	1	3	5	6	7	9
35-49	14	3.9	10	1	1	3	5	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.3	5	1	1	3	4	7	8	8
20-34	193	3.7	9	<1	1	3	6	7	8	17
35-49	253	4.1	11	<1	1	3	6	8	10	15
50-64	36	4.1	8	1	1	3	7	8	8	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	218	1.9	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*	40	3.7	5	1	1	3	5	7	9	11
B. *Operated*	490	3.9	10	<1	1	3	6	8	9	15
1. SINGLE DX	234	1.9	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX	530	3.9	9	<1	1	3	6	8	9	15
A. NOT OPERATED	56	3.2	5	1	1	3	4	6	8	11
B. OPERATED	708	3.3	8	<1	1	2	5	7	8	13
TOTAL 0-19 YRS	21	2.6	3	<1	1	2	3	4	6	8
20-34	316	3.2	7	<1	1	2	4	6	8	13
35-49	371	3.5	9	<1	<1	2	6	7	9	14
50-64	56	3.3	7	<1	1	2	6	8	8	11
65+										
GRAND TOTAL	**764**	**3.3**	**8**	**<1**	**1**	**2**	**5**	**7**	**8**	**13**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.1	2	1	1	2	3	4	5	6
20-34	359	2.0	2	<1	1	2	3	4	4	6
35-49	92	2.3	3	<1	<1	2	3	5	6	8
50-64	7	1.6		<1	<1	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	236	2.0	2	<1	1	2	2	3	4	7
20-34	2214	2.3	3	<1	1	2	2	5	6	9
35-49	2244	2.4	5	<1	1	2	2	6	7	9
50-64	302	2.0	2	<1	1	2	2	4	6	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	3.0	5	1	1	2	4	6	7	13
20-34	455	3.1	6	1	1	2	4	6	8	12
35-49	248	3.5	29	<1	1	2	4	7	10	16
50-64	25	2.2	3	1	1	2	3	3	6	8
65+										
B. *Operated*										
0-19 YRS	294	3.2	5	1	1	3	4	6	8	12
20-34	4797	4.3	9	1	1	4	6	8	9	14
35-49	6980	5.0	12	1	1	5	7	9	10	15
50-64	868	4.5	13	1	1	3	7	9	11	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	581	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	4996	2.3	4	<1	1	2	2	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	918	3.1	12	1	1	2	4	6	8	15
B. *Operated*	12939	4.7	11	1	1	4	7	8	10	15
1. SINGLE DX	5577	2.3	4	<1	1	2	2	5	6	9
2. MULTIPLE DX	13857	4.6	11	1	1	4	7	8	10	15
A. NOT OPERATED	1499	2.7	8	<1	1	2	3	5	7	12
B. OPERATED	17935	4.0	10	1	1	3	6	8	9	14
TOTAL 0-19 YRS	843	2.7	4	1	1	2	3	5	6	10
20-34	7825	3.6	8	<1	1	2	5	7	8	12
35-49	9564	4.3	12	1	1	3	7	8	10	14
50-64	1202	3.8	11	<1	1	2	6	8	10	15
65+										
GRAND TOTAL	**19434**	**3.9**	**10**	**1**	**1**	**3**	**6**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	11	3.1	4	1	1	3	4	6	8	8
50-64	20	2.8	5	<1	<1	2	4	6	7	9
65+	7	4.4	10	1	1	5	6	9	10	10
B. *Operated*										
0-19 YRS										
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	173	1.9	3	<1	<1	2	2	3	4	10
50-64	638	1.9	3	<1	1	2	2	3	3	9
65+	250	2.3	2	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	2	5.0	32	<1	<1	4	9	9	9	9
35-49	46	4.3	7	1	1	4	5	9	10	11
50-64	65	3.9	21	<1	1	3	4	7	13	29
65+	86	5.4	19	1	1	4	7	10	14	21
B. *Operated*										
0-19 YRS										
20-34	11	3.8	8	<1	1	3	6	8	10	10
35-49	284	3.6	11	1	1	2	5	8	10	16
50-64	1499	3.6	16	1	1	2	4	8	10	18
65+	826	4.3	22	1	1	2	5	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.2	5	<1	1	3	4	6	8	10
B. *Operated*	1064	2.0	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	201	4.6	17	1	1	4	6	10	12	20
B. *Operated*	2620	3.8	17	1	1	2	5	8	11	20
1. SINGLE DX	1104	2.0	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	2821	3.9	17	1	1	2	5	8	11	20
A. NOT OPERATED	241	4.4	15	1	1	3	5	9	11	20
B. OPERATED	3684	3.3	14	<1	1	2	3	7	10	17
TOTAL 0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	18	3.8	8	<1	<1	3	6	8	10	10
35-49	514	3.1	8	<1	1	2	4	7	9	14
50-64	2222	3.1	13	<1	1	2	3	7	9	17
65+	1169	3.9	18	1	1	2	4	9	12	21
GRAND TOTAL	**3925**	**3.4**	**14**	**1**	**1**	**2**	**4**	**8**	**10**	**18**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.2	3	<1	1	2	2	4	5	11
20-34	136	2.3	3	<1	1	2	3	4	5	10
35-49	37	2.8	7	<1	1	2	3	6	9	14
50-64	18	3.9	7	<1	<1	4	6	8	9	9
65+	17	4.2	11	<1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS	153	3.0	5	<1	1	2	4	6	7	10
20-34	1506	3.1	6	<1	1	2	4	6	7	11
35-49	1063	3.3	8	<1	1	2	5	7	9	13
50-64	590	3.4	13	<1	1	2	5	7	9	18
65+	272	3.9	22	1	1	2	4	8	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	10	<1	1	3	5	7	11	16
20-34	177	2.7	4	<1	<1	2	4	5	7	11
35-49	98	3.7	9	<1	1	3	6	8	10	14
50-64	82	5.4	44	<1	1	3	6	12	22	36
65+	113	7.6	34	2	2	6	10	15	21	28
B. *Operated*										
0-19 YRS	191	3.9	10	1	1	3	5	7	9	19
20-34	2491	4.6	11	1	1	4	6	8	10	15
35-49	3387	5.3	14	1	1	5	7	9	11	18
50-64	2045	5.5	21	1	1	5	8	10	13	22
65+	1016	7.2	73	1	2	5	9	16	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	2.6	5	<1	1	2	3	5	7	11
B. *Operated*	3584	3.3	9	<1	1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	533	4.5	22	<1	1	3	6	9	13	23
B. *Operated*	9130	5.3	22	1	1	5	7	9	12	23
1. SINGLE DX	3845	3.2	9	<1	1	2	4	7	8	13
2. MULTIPLE DX	9663	5.3	22	1	1	5	7	9	12	23
A. NOT OPERATED	794	3.9	17	<1	1	3	5	8	11	22
B. OPERATED	12714	4.8	19	1	1	4	7	9	11	20
TOTAL 0-19 YRS	460	3.4	8	1	1	2	5	7	8	15
20-34	4310	3.9	9	1	1	3	6	7	9	14
35-49	4585	4.8	13	1	1	5	7	9	10	16
50-64	2735	5.0	21	1	1	3	7	10	12	22
65+	1418	6.6	61	1	2	4	8	14	20	42
GRAND TOTAL	**13508**	**4.7**	**19**	**1**	**1**	**4**	**7**	**9**	**11**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	278	2.0	2	<1	1	2	2	4	5	7
20-34	380	2.3	4	<1	1	2	3	4	5	10
35-49	71	2.7	4	<1	1	2	3	5	7	11
50-64	19	3.9	28	<1	1	2	4	9	18	23
65+	9	4.7	11	2	2	3	7	10	10	10
B. *Operated*										
0-19 YRS	158	2.8	5	1	1	2	4	6	7	9
20-34	1155	3.6	7	1	1	2	6	7	8	11
35-49	747	6.4	9	1	2	7	8	10	11	14
50-64	494	7.7	10	3	4	8	9	11	13	17
65+	196	8.9	11	4	5	9	10	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	2.6	3	<1	<1	2	4	5	6	9
20-34	513	2.8	6	<1	1	2	3	5	7	13
35-49	142	3.5	8	<1	1	3	4	7	8	15
50-64	60	3.6	8	<1	1	3	4	6	10	15
65+	53	7.3	78	1	1	5	8	14	23	51
B. *Operated*										
0-19 YRS	173	3.8	7	1	1	3	5	7	10	14
20-34	3335	5.0	8	1	1	5	7	8	10	14
35-49	2136	7.2	13	2	3	7	8	11	12	19
50-64	951	8.9	17	3	5	8	10	14	16	24
65+	522	10.0	33	2	4	9	12	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	757	2.3	4	<1	1	2	3	4	5	10
B. *Operated*	2750	5.4	12	1	1	5	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1019	3.1	11	<1	1	2	4	6	8	15
B. *Operated*	7117	6.5	16	1	2	6	8	11	13	20
1. SINGLE DX	3507	4.8	12	1	1	4	7	9	10	15
2. MULTIPLE DX	8136	6.1	16	1	1	6	8	10	13	20
A. NOT OPERATED	1776	2.8	8	<1	1	2	3	5	7	14
B. OPERATED	9867	6.2	15	1	2	6	8	10	12	19
TOTAL 0-19 YRS	860	2.7	4	<1	1	2	3	5	7	10
20-34	5383	4.3	8	1	1	4	6	8	9	13
35-49	3096	6.7	13	1	2	7	8	10	12	17
50-64	1524	8.2	16	2	4	8	10	13	15	23
65+	780	9.4	31	2	4	9	11	16	19	32
GRAND TOTAL	**11643**	**5.7**	**15**	**1**	**1**	**6**	**8**	**10**	**12**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	3	<1	<1	2	3	5	6	6
20-34	58	2.2	3	<1	1	1	3	5	5	8
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	133	5.0	2	3	3	5	6	7	8	9
20-34	1950	5.1	3	3	3	5	6	7	8	10
35-49	156	5.4	3	3	4	5	6	7	9	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	3	1	1	3	4	5	5	5
20-34	27	2.4	3	<1	<1	2	4	4	6	7
35-49	4	4.0	18	<1	<1	2	7	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	121	5.7	5	3	4	5	6	8	11	13
20-34	1791	5.6	4	3	4	5	6	8	9	13
35-49	244	6.0	4	3	4	6	7	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.3	3	<1	1	2	3	5	6	8
B. *Operated*	2239	5.1	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	39	2.7	4	<1	<1	2	4	5	7	10
B. *Operated*	2156	5.6	4	3	4	5	6	8	9	13
1. SINGLE DX	2308	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX	2195	5.6	4	3	4	5	6	8	9	13
A. NOT OPERATED	108	2.4	3	<1	1	2	3	5	6	9
B. OPERATED	4395	5.3	3	3	4	5	6	7	8	12
TOTAL 0-19 YRS	271	5.1	4	2	3	5	6	7	9	12
20-34	3826	5.2	4	3	3	5	6	7	8	11
35-49	406	5.8	4	3	4	6	7	8	9	12
50-64										
65+										
GRAND TOTAL	**4503**	**5.3**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

487 Hospitals, North Central Region, January-December 1983

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.6	1	<1	<1	1	2	3	4	7
20-34	45	2.1	18	<1	1	1	2	3	4	29
35-49	11	1.7	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	941	1.3		<1	<1	1	2	2	2	3
20-34	1314	1.4	1	<1	<1	1	1	2	3	5
35-49	109	1.4	1	<1	<1	1	2	2	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.3	3	1	1	2	2	5	7	7
20-34	39	2.6	6	<1	1	2	3	6	9	12
35-49	16	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	182	2.1	2	1	1	2	2	3	4	8
20-34	529	3.2	20	1	1	2	3	7	9	17
35-49	151	2.8	7	<1	1	2	3	6	7	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.9	9	<1	<1	1	2	3	4	20
B. *Operated*	2364	1.3	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	64	2.3	5	<1	1	2	2	5	7	12
B. *Operated*	862	2.9	14	1	1	2	3	6	8	16
1. SINGLE DX	2456	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	926	2.9	13	1	1	2	3	6	8	15
A. NOT OPERATED	156	2.1	7	<1	1	1	2	3	6	12
B. OPERATED	3226	1.8	5	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	1168	1.5	1	<1	<1	1	2	2	3	5
20-34	1927	1.9	7	<1	<1	1	2	3	5	12
35-49	287	2.2	5	<1	<1	2	2	4	6	11
50-64										
65+										
GRAND TOTAL	**3382**	**1.8**	5	<1	<1	1	2	3	4	9

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	4.0	21	1	1	3	5	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	6	3.5	18	<1	<1	2	3	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
1. SINGLE DX	7	3.4	15	<1	<1	3	3	10	12	12
2. MULTIPLE DX	3	6.0	13	3	3	5	9	10	10	10
A. NOT OPERATED	2	6.5	25	3	3	6	10	10	10	10
B. OPERATED	8	3.6	13	<1	<1	3	4	10	12	12
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	4.6	15	1	1	3	6	11	12	12
35-49										
50-64										
65+										
GRAND TOTAL	10	4.2	15	<1	<1	3	5	11	12	12

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	1.6	1	<1	<1	1	2	3	3	5
20-34	1056	1.6	5	<1	<1	1	2	3	3	6
35-49	91	1.6	1	<1	<1	1	2	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2019	1.6	2	<1	<1	1	2	3	3	5
20-34	11392	1.5	1	<1	<1	1	2	2	3	5
35-49	1236	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.2	4	<1	1	2	2	4	6	11
20-34	256	2.5	4	<1	1	2	3	5	7	11
35-49	21	2.4	4	1	1	2	3	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	396	2.4	3	<1	1	2	3	5	6	11
20-34	2153	2.4	6	<1	1	2	3	5	7	11
35-49	377	2.4	5	<1	1	2	3	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1439	1.6	4	<1	<1	1	2	3	3	5
B. *Operated*	14647	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	342	2.4	4	<1	1	2	3	5	6	11
B. *Operated*	2926	2.4	5	<1	1	2	3	5	6	11
1. SINGLE DX	16086	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	3268	2.4	5	<1	1	2	3	5	6	11
A. NOT OPERATED	1781	1.8	4	<1	<1	1	2	3	4	7
B. OPERATED	17573	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2772	1.7	2	<1	<1	1	2	3	4	6
20-34	14857	1.7	2	<1	<1	1	2	3	4	7
35-49	1725	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**19354**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.3	2	1	1	2	3	4	5	7
20-34	293	2.5	4	<1	1	2	3	5	6	9
35-49	28	2.6	12	<1	1	1	3	4	12	17
50-64										
65+										
B. *Operated*										
0-19 YRS	185	2.0	2	<1	1	2	2	4	5	8
20-34	1806	1.7	2	<1	<1	1	2	3	4	7
35-49	171	1.8	1	<1	<1	1	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.8	4	1	2	3	5	6	7	9
20-34	102	2.9	4	1	1	2	4	6	7	9
35-49	15	4.2	10	1	1	4	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	82	3.3	15	<1	1	2	4	6	7	26
20-34	562	2.7	7	<1	1	2	3	6	7	12
35-49	91	3.1	11	<1	1	2	3	6	8	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	2.4	4	<1	1	2	3	5	6	10
B. *Operated*	2162	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	145	3.2	5	1	1	3	4	6	7	10
B. *Operated*	735	2.8	8	<1	1	2	3	6	7	14
1. SINGLE DX	2542	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	880	2.9	8	<1	1	2	4	6	7	12
A. NOT OPERATED	525	2.6	4	<1	1	2	3	5	7	10
B. OPERATED	2897	2.0	4	<1	<1	2	2	4	5	9
TOTAL 0-19 YRS	354	2.5	6	<1	1	2	3	5	6	9
20-34	2763	2.0	3	<1	<1	2	2	4	5	9
35-49	305	2.4	6	<1	1	2	3	4	7	14
50-64										
65+										
GRAND TOTAL	**3422**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	366	2.2	2	<1	1	2	3	4	5	7
20-34	2012	2.4	3	1	1	2	3	4	5	8
35-49	128	2.4	2	1	1	2	3	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.9	4	<1	<1	3	4	6	6	6
20-34	51	2.9	11	<1	1	2	3	5	7	22
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.5	6	1	1	3	4	6	8	15
20-34	543	3.4	7	1	1	3	4	6	8	13
35-49	39	3.4	3	1	1	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	42	4.4	18	1	1	3	4	11	12	23
35-49	4	7.0	24	1	1	7	10	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2506	2.4	3	1	1	2	3	4	5	8
B. *Operated*	64	2.8	9	<1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*	704	3.4	7	1	1	3	4	6	8	13
B. *Operated*	50	4.3	18	1	1	3	5	11	13	23
1. SINGLE DX	2570	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	754	3.5	8	1	1	3	4	6	8	14
A. NOT OPERATED	3210	2.6	4	1	1	2	3	5	6	9
B. OPERATED	114	3.5	13	1	1	2	4	7	11	22
TOTAL 0-19 YRS	502	2.5	3	<1	1	2	3	5	6	9
20-34	2648	2.7	4	1	1	2	3	5	6	10
35-49	174	2.7	4	1	1	2	4	5	6	9
50-64										
65+										
GRAND TOTAL	**3324**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	2	<1	<1	2	3	4	5	5
20-34	115	2.6	5	<1	1	2	3	5	7	15
35-49	8	1.8	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.0	11	<1	<1	1	5	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	2	<1	1	3	4	5	5	5
20-34	39	3.7	15	<1	<1	2	4	7	13	19
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.5	5	<1	<1	2	3	5	6	14
B. *Operated*	5	2.8	9	<1	<1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	54	3.5	11	<1	<1	3	4	6	8	19
B. *Operated*	4	4.0	29	<1	<1	1	7	12	12	12
1. SINGLE DX	146	2.5	5	<1	<1	2	3	5	6	14
2. MULTIPLE DX	58	3.5	12	<1	<1	3	4	7	10	19
A. NOT OPERATED	195	2.8	7	<1	<1	2	3	5	7	17
B. OPERATED	9	3.3	16	<1	<1	2	4	10	12	12
TOTAL 0-19 YRS	32	2.5	2	<1	<1	2	4	4	5	5
20-34	160	2.9	8	<1	<1	2	4	6	8	17
35-49	12	2.0	1	<1	<1	2	3	3	4	4
50-64										
65+										
GRAND TOTAL	**204**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	3.2	3	1	1	3	4	5	7	11
20-34	1582	3.2	5	1	1	3	4	6	7	12
35-49	146	3.4	4	1	1	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	36	4.8	33	<1	2	3	6	8	11	35
20-34	163	3.8	10	1	1	3	5	8	10	18
35-49	15	4.0	6	1	1	3	5	7	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.3	7	1	1	3	4	6	9	14
20-34	504	3.7	10	1	1	3	4	7	10	17
35-49	56	4.0	8	1	1	3	5	8	11	13
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.6	6	1	1	4	6	8	9	9
20-34	154	4.1	18	<1	<1	3	5	8	13	24
35-49	18	4.3	12	<1	1	3	7	9	11	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2051	3.2	5	1	1	3	4	6	7	12
B. *Operated*	214	4.0	14	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	665	3.7	9	1	1	3	4	7	10	16
B. *Operated*	193	4.2	16	<1	<1	3	5	8	12	23
1. SINGLE DX	2265	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	858	3.8	11	<1	1	3	5	7	10	17
A. NOT OPERATED	2716	3.4	6	1	1	3	4	6	8	13
B. OPERATED	407	4.1	15	<1	1	3	5	8	11	20
TOTAL 0-19 YRS	485	3.4	7	1	1	3	4	6	7	12
20-34	2403	3.4	8	1	1	3	4	6	8	15
35-49	235	3.6	6	1	1	3	4	7	9	13
50-64										
65+										
GRAND TOTAL	**3123**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	500	3.4	6	1	1	3	4	6	7	10
20-34	2484	4.0	6	1	2	3	5	7	9	12
35-49	72	4.6	8	2	2	4	5	7	10	19
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.1	14	<1	<1	4	5	11	12	12
20-34	15	8.8	98	<1	<1	3	15	26	28	29
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	3.6	4	1	2	3	4	6	7	11
20-34	1009	4.3	11	1	2	3	5	8	10	17
35-49	29	5.4	21	1	1	4	7	12	17	19
50-64										
65+										
B. *Operated*										
0-19 YRS	8	7.0	19	1	2	6	9	13	15	15
20-34	40	6.3	47	1	1	4	8	12	21	35
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3056	3.9	6	1	2	3	5	7	8	12
B. *Operated*	23	7.6	73	<1	<1	3	12	23	27	29
2. MULTIPLE DX										
A. *Not Operated*	1285	4.2	10	1	2	3	5	7	9	17
B. *Operated*	49	6.3	42	1	1	5	8	12	16	35
1. SINGLE DX	3079	4.0	6	1	2	3	5	7	9	12
2. MULTIPLE DX	1334	4.2	12	1	2	3	5	7	10	17
A. NOT OPERATED	4341	4.0	7	1	2	3	5	7	9	13
B. OPERATED	72	6.7	51	<1	1	4	9	14	26	34
TOTAL 0-19 YRS	762	3.5	6	1	1	3	4	6	7	12
20-34	3548	4.1	8	1	2	3	5	7	9	14
35-49	103	4.9	13	1	2	4	6	8	12	20
50-64										
65+										
GRAND TOTAL	**4413**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2223	1.1	1	<1	<1	<1	1	1	2	4
20-34	8729	1.2	1	<1	<1	<1	1	1	2	4
35-49	362	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	268	1.2	2	<1	<1	1	1	1	2	6
20-34	1036	1.2	1	<1	<1	<1	1	2	3	5
35-49	42	1.5	3	<1	<1	1	1	3	5	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	1.6	2	<1	<1	1	2	3	4	7
20-34	819	1.7	7	<1	<1	1	2	3	4	8
35-49	56	1.6	2	<1	<1	1	1	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	42	2.2	10	<1	<1	1	2	4	8	18
20-34	168	2.1	5	<1	<1	1	2	5	7	12
35-49	6	1.5	2	<1	<1	1	1	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11314	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	1346	1.2	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	1112	1.7	5	<1	<1	1	2	3	4	8
B. *Operated*	216	2.1	6	<1	<1	1	2	4	7	14
1. SINGLE DX	12660	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1328	1.8	6	<1	<1	1	2	3	5	9
A. NOT OPERATED	12426	1.2	2	<1	<1	<1	1	1	2	5
B. OPERATED	1562	1.4	2	<1	<1	1	1	2	3	8
TOTAL 0-19 YRS	2770	1.2	1	<1	<1	<1	1	2	2	4
20-34	10752	1.2	2	<1	<1	<1	1	1	2	5
35-49	466	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**13988**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.3	2	<1	1	2	3	4	5	7
20-34	652	3.7	15	1	1	3	4	6	10	22
35-49	50	3.5	16	1	1	2	4	6	8	26
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.7	7	1	1	5	5	9	9	9
20-34	73	4.0	19	<1	1	3	5	7	14	23
35-49	4	4.0	23	1	1	2	7	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.4	3	1	1	3	5	6	6	7
20-34	214	4.2	20	<1	1	3	5	8	9	27
35-49	11	4.5	9	1	1	3	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	30	6.0	25	<1	1	4	9	15	16	18
35-49	4	5.5	6	3	3	5	7	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	3.6	14	1	1	3	4	6	10	22
B. *Operated*	83	4.0	18	<1	1	3	5	7	14	23
2. MULTIPLE DX										
A. *Not Operated*	251	4.1	17	<1	1	3	5	8	9	24
B. *Operated*	36	5.8	22	<1	1	4	8	15	16	18
1. SINGLE DX	851	3.6	14	1	1	3	4	6	10	22
2. MULTIPLE DX	287	4.3	18	<1	1	3	6	8	10	24
A. NOT OPERATED	1019	3.7	15	1	1	3	4	7	9	23
B. OPERATED	119	4.6	19	<1	1	3	5	10	15	22
TOTAL 0-19 YRS	100	2.8	3	<1	1	2	3	5	6	8
20-34	969	3.9	17	<1	1	3	4	7	11	23
35-49	69	3.8	14	1	1	3	5	8	9	23
50-64										
65+										
GRAND TOTAL	**1138**	**3.8**	**15**	**<1**	**1**	**3**	**4**	**7**	**10**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.1	3	<1	<1	2	2	4	5	11
20-34	852	2.1	4	<1	<1	1	2	4	5	11
35-49	38	2.1	2	<1	<1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.0	2	<1	<1	2	3	4	5	5
20-34	104	2.3	4	<1	<1	2	3	5	6	11
35-49	6	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.4	3	<1	<1	2	3	5	6	9
20-34	262	2.9	7	<1	1	2	3	5	8	14
35-49	9	1.8		<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.8	17	<1	<1	2	5	11	11	11
20-34	51	4.2	11.	<1	1	3	6	8	10	17
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1070	2.1	4	<1	<1	2	2	4	5	11
B. *Operated*	123	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	338	2.8	6	<1	<1	2	3	5	7	13
B. *Operated*	57	4.1	11	<1	1	3	6	9	11	17
1. SINGLE DX	1193	2.1	4	<1	<1	2	2	4	5	11
2. MULTIPLE DX	395	3.0	7	<1	<1	2	4	6	9	14
A. NOT OPERATED	1408	2.3	4	<1	<1	2	3	4	6	12
B. OPERATED	180	2.9	7	<1	<1	2	4	6	8	14
TOTAL 0-19 YRS	265	2.2	4	<1	<1	2	3	5	6	11
20-34	1269	2.4	5	<1	<1	2	3	4	6	13
35-49	54	2.0	1	<1	<1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**1588**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	404	3.1	4	<1	1	3	4	6	7	9
20-34	760	2.8	3	<1	<1	3	4	5	6	8
35-49	14	2.9	2	<1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	25	3.0	5	<1	<1	2	4	7	8	8
20-34	58	3.2	7	<1	<1	3	4	6	9	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	3.5	4	<1	1	3	5	6	7	10
20-34	1134	3.5	7	<1	1	3	5	6	7	11
35-49	33	2.6	2	<1	1	2	3	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	31	3.7	14	<1	<1	3	5	8	14	16
20-34	93	4.7	10	1	1	4	7	9	11	14
35-49	8	8.0	108	1	1	5	7	25	33	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1178	2.9	3	<1	<1	3	4	5	6	8
B. *Operated*	83	3.1	6	<1	<1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1708	3.5	6	<1	1	3	5	6	7	10
B. *Operated*	132	4.7	17	<1	1	4	7	9	11	19
1. SINGLE DX	1261	2.9	3	<1	<1	3	4	5	6	9
2. MULTIPLE DX	1840	3.6	7	<1	1	3	5	6	8	11
A. NOT OPERATED	2886	3.2	5	<1	<1	3	4	6	[illegible]	[illegible]
B. OPERATED	215	4.1	13	<1	1	3	6	[illegible]	[illegible]	15
TOTAL 0-19 YRS	1001	3.3	4	<1	1	3	4	5	7	10
20-34	2045	3.3	6	<1	<1	3	4	6	7	11
35-49	55	3.5	19	<1	1	3	4	6	7	32
50-64										
65+										
GRAND TOTAL	**3101**	**3.3**	**6**	**<1**	**<1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.6	7	<1	1	3	5	7	8	12
20-34	725	4.1	11	<1	1	3	5	8	11	15
35-49	87	4.8	11	1	2	4	6	9	12	20
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.1	8	<1	<1	4	6	7	9	10
20-34	64	3.0	6	<1	<1	2	4	6	9	13
35-49	6	3.3	2	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	480	3.5	12	<1	1	3	4	7	9	17
20-34	2490	4.1	18	<1	1	3	5	8	11	21
35-49	217	5.4	51	1	1	4	7	10	14	22
50-64										
65+										
B. *Operated*										
0-19 YRS	56	5.4	81	<1	<1	3	5	10	15	56
20-34	313	5.9	38	<1	1	4	7	13	16	31
35-49	24	5.8	24	<1	1	4	8	12	18	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	4.1	10	<1	1	3	5	8	11	15
B. *Operated*	86	3.2	6	<1	<1	2	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	3187	4.1	19	<1	1	3	5	8	11	21
B. *Operated*	393	5.8	43	<1	1	4	7	12	16	38
1. SINGLE DX	999	4.1	10	<1	1	3	5	8	11	15
2. MULTIPLE DX	3580	4.3	22	<1	1	3	5	9	12	22
A. NOT OPERATED	4100	4.1	17	<1	1	3	5	8	11	20
B. OPERATED	479	5.4	38	<1	1	4	7	11	14	34
TOTAL 0-19 YRS	653	3.7	17	<1	1	3	5	7	9	17
20-34	3592	4.3	18	<1	1	3	5	9	11	21
35-49	334	5.2	38	1	1	4	6	10	13	20
50-64										
65+										
GRAND TOTAL	**4579**	**4.2**	**19**	**<1**	**1**	**3**	**5**	**9**	**11**	**21**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1137	2.1	7	<1	<1	1	3	4	5	10
20-34	4589	2.4	9	<1	<1	1	3	5	7	14
35-49	238	2.8	9	<1	<1	2	3	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	299	2.5	5	<1	<1	2	3	5	6	14
20-34	2094	2.6	8	<1	<1	2	3	5	6	14
35-49	128	2.8	12	<1	<1	2	3	5	8	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	2.8	5	<1	<1	2	4	5	7	13
20-34	2356	3.3	16	<1	<1	2	4	6	8	21
35-49	156	3.9	19	<1	1	3	4	8	13	25
50-64										
65+										
B. *Operated*										
0-19 YRS	176	4.0	23	<1	<1	3	5	8	11	31
20-34	1104	3.7	28	<1	<1	2	4	7	10	26
35-49	69	4.3	42	<1	<1	3	5	8	13	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5964	2.4	9	<1	<1	1	3	5	7	13
B. *Operated*	2521	2.6	8	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	3053	3.2	14	<1	<1	2	4	6	8	20
B. *Operated*	1349	3.7	28	<1	<1	2	4	7	11	26
1. SINGLE DX	8485	2.5	8	<1	<1	1	3	5	6	14
2. MULTIPLE DX	4402	3.4	19	<1	<1	2	4	6	9	21
A. NOT OPERATED	9017	2.7	11	<1	<1	2	3	5	7	15
B. OPERATED	3870	3.0	15	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	2153	2.5	8	<1	<1	2	3	5	7	13
20-34	10143	2.8	13	<1	<1	2	3	5	8	17
35-49	591	3.3	16	<1	<1	2	4	7	11	18
50-64										
65+										
GRAND TOTAL	**12887**	**2.8**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.2	1	1	2	3	4	5	5	8
20-34	463	3.3	2	2	2	3	4	4	5	7
35-49	29	4.6	32	2	2	3	4	6	10	33
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.9	5	2	2	3	4	6	8	16
20-34	263	5.0	26	2	3	4	5	7	9	34
35-49	21	4.2	3	2	3	4	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	3.3	2	2	2	3	4	5	6	9
20-34	963	3.5	3	2	2	3	4	5	6	10
35-49	60	3.8	4	2	2	3	4	5	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	190	4.9	17	2	2	4	5	8	14	23
20-34	1776	6.0	45	2	3	4	6	9	14	39
35-49	157	7.0	59	2	3	5	7	12	16	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	3.3	3	2	2	3	4	4	5	8
B. *Operated*	331	4.8	21	2	3	4	5	7	9	26
2. MULTIPLE DX										
A. *Not Operated*	1251	3.5	3	2	2	3	4	5	6	10
B. *Operated*	2123	6.0	44	2	3	4	6	9	15	37
1. SINGLE DX	910	3.8	10	2	2	3	4	5	7	16
2. MULTIPLE DX	3374	5.0	30	2	2	4	5	7	11	32
A. NOT OPERATED	1830	3.4	3	2	2	3	4	5	6	10
B. OPERATED	2454	5.8	41	2	3	4	6	9	14	37
TOTAL 0-19 YRS	552	3.9	8	2	2	3	4	6	7	16
20-34	3465	4.8	28	2	2	4	5	7	10	31
35-49	267	5.8	41	2	3	4	6	9	14	33
50-64										
65+										
GRAND TOTAL	**4284**	**4.8**	**26**	**2**	**2**	**4**	**5**	**7**	**10**	**29**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8551	2.9	1	2	2	3	3	4	4	5
20-34	53926	3.0	1	2	2	3	3	4	4	6
35-49	2413	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2388	2.9	1	2	2	3	3	4	4	6
20-34	15284	3.1	1	2	2	3	4	4	5	6
35-49	685	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	390	3.2	2	2	2	3	4	4	6	8
20-34	2025	3.2	2	1	2	3	4	4	5	7
35-49	112	3.2	2	1	1	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	203	3.4	2	2	2	3	4	5	5	9
20-34	6865	3.7	2	2	3	4	4	5	5	7
35-49	715	3.8	1	2	3	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64890	3.0	1	2	2	3	3	4	4	6
B. *Operated*	18357	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	2527	3.2	2	1	2	3	4	4	5	7
B. *Operated*	7783	3.7	2	2	3	4	4	5	5	7
1. SINGLE DX	83247	3.0	1	2	2	3	4	4	4	6
2. MULTIPLE DX	10310	3.6	2	2	2	3	4	5	5	7
A. NOT OPERATED	67417	3.0	1	2	2	3	3	4	4	6
B. OPERATED	26140	3.3	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	11532	2.9	1	2	2	3	3	4	4	6
20-34	78100	3.1	1	2	2	3	4	4	5	6
35-49	3925	3.2	1	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**93557**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	38	3.4	6	1	2	3	4	5	5	16
35-49	4	4.0	7	2	2	3	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	7.5	26	2	3	6	8	17	19	19
20-34	230	7.7	56	3	3	6	7	11	20	47
35-49	21	11.7	392	3	4	6	8	22	59	94
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	<1	<1	2	3	4	4	4
20-34	45	4.9	49	1	2	3	4	6	15	43
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	49	7.9	78	3	3	6	8	12	19	60
20-34	584	8.5	76	3	4	6	8	16	27	55
35-49	93	9.5	88	3	4	6	8	18	35	48
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.5	5	1	2	3	4	5	6	16
B. *Operated*	264	8.0	81	3	3	6	7	11	20	49
2. MULTIPLE DX										
A. *Not Operated*	55	4.5	41	1	2	3	4	6	10	42
B. *Operated*	726	8.5	78	3	4	6	8	16	27	55
1. SINGLE DX	310	7.3	72	2	3	6	7	11	19	48
2. MULTIPLE DX	781	8.3	76	3	3	6	8	15	26	53
A. NOT OPERATED	101	4.0	25	1	2	3	4	5	8	35
B. OPERATED	990	8.4	79	3	4	6	8	14	26	51
TOTAL 0-19 YRS	74	7.0	59	2	2	5	7	12	19	52
20-34	897	7.9	68	3	3	6	7	13	23	49
35-49	120	9.6	137	3	3	6	8	18	34	62
50-64										
65+										
GRAND TOTAL	**1091**	**8.0**	**75**	**3**	**3**	**6**	**7**	**13**	**24**	**50**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	1	1	2	3	3	4	4	6
20-34	258	2.9	2	1	1	3	4	4	5	7
35-49	11	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	54	3.7	2	1	2	4	5	5	6	7
20-34	289	4.4	3	2	2	4	6	7	7	9
35-49	20	4.5	3	1	2	4	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.0	2	1	1	3	4	5	6	7
20-34	213	3.5	6	1	2	3	4	5	6	14
35-49	16	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	165	5.3	19	2	2	5	6	8	9	21
20-34	938	5.4	18	2	3	5	6	8	9	21
35-49	81	5.3	6	2	3	5	6	8	10	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.9	1	1	1	3	4	4	5	7
B. *Operated*	363	4.3	3	2	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	278	3.4	5	1	1	3	4	5	6	14
B. *Operated*	1184	5.3	17	2	3	5	6	8	9	20
1. SINGLE DX	671	3.7	3	1	2	3	5	6	7	8
2. MULTIPLE DX	1462	5.0	15	2	2	5	6	7	9	17
A. NOT OPERATED	586	3.1	3	1	1	3	4	5	5	10
B. OPERATED	1547	5.1	14	2	2	5	6	7	9	17
TOTAL 0-19 YRS	307	4.3	12	2	2	4	5	7	8	13
20-34	1698	4.6	12	2	2	4	6	7	8	15
35-49	128	4.7	5	2	2	4	6	7	8	14
50-64										
65+										
GRAND TOTAL	**2133**	**4.6**	**12**	**2**	**2**	**4**	**6**	**7**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	1	<1	1	3	4	4	4	4
20-34	61	3.0	1	1	2	3	4	4	5	5
35-49	9	2.7	1	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	113	2.8	1	1	1	3	4	4	5	6
20-34	803	3.0	1	1	1	3	4	4	5	6
35-49	50	3.2	1	1	1	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	1	2	2	3	4	5	5	5
20-34	29	3.5	1	2	2	3	4	5	5	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	61	3.4	3	1	2	3	4	4	7	12
20-34	578	3.7	6	1	2	3	4	5	7	11
35-49	48	4.6	6	1	3	4	5	8	11	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.0	1	1	2	3	4	4	4	5
B. *Operated*	966	3.0	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	41	3.4	1	2	2	3	4	5	5	6
B. *Operated*	687	3.7	6	1	2	3	4	5	7	12
1. SINGLE DX	1046	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	728	3.7	6	1	2	3	4	5	7	12
A. NOT OPERATED	121	3.1	1	1	2	3	4	4	5	6
B. OPERATED	1653	3.3	3	1	2	3	4	5	5	8
TOTAL 0-19 YRS	193	3.0	2	1	2	3	4	4	5	10
20-34	1471	3.3	3	1	2	3	4	5	5	8
35-49	110	3.7	4	1	2	3	4	6	7	12
50-64										
65+										
GRAND TOTAL	**1774**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	1	2	2	3	4	4	4	4
20-34	246	3.0	1	1	2	3	4	4	5	6
35-49	12	3.0	2	<1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	33	3.2	1	2	2	3	4	5	5	5
20-34	186	3.5	3	2	2	3	4	5	5	9
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.3	1	2	2	3	4	5	6	7
20-34	151	3.5	2	2	2	3	4	5	5	11
35-49	7	3.3	2	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	35	4.0	4	2	3	4	4	6	7	13
20-34	275	3.7	2	2	2	4	4	5	6	7
35-49	15	5.9	15	3	3	5	6	8	16	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	3.0	1	1	2	3	4	4	5	6
B. *Operated*	224	3.5	3	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	185	3.5	2	2	2	3	4	5	5	10
B. *Operated*	325	3.9	3	2	2	4	4	6	7	8
1. SINGLE DX	530	3.2	2	1	2	3	4	4	5	6
2. MULTIPLE DX	510	3.7	3	2	2	3	4	5	6	9
A. NOT OPERATED	491	3.2	2	1	2	3	4	4	5	6
B. OPERATED	549	3.7	3	2	2	2	4	5	6	8
TOTAL 0-19 YRS	143	3.3	2	2	2	3	4	5	5	8
20-34	858	3.4	2	2	2	3	4	5	5	7
35-49	39	4.1	9	1	2	3	5	6	8	19
50-64										
65+										
GRAND TOTAL	**1040**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	1	2	2	3	4	4	4	4
20-34	151	3.8	1	2	3	4	4	5	5	6
35-49	8	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.1	1	3	3	4	5	6	6	6
20-34	114	4.8	9	3	3	4	6	7	8	20
35-49	11	4.9	1	4	4	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.5	8	2	2	4	4	9	12	13
20-34	202	3.8	4	2	2	4	4	5	7	12
35-49	10	7.0	54	1	1	4	8	19	26	26
50-64										
65+										
B. *Operated*										
0-19 YRS	98	6.4	30	2	3	5	7	10	12	39
20-34	1023	6.1	22	3	3	5	7	8	11	25
35-49	83	6.6	26	2	3	6	7	10	13	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	3.8	1	2	3	4	4	5	5	6
B. *Operated*	135	4.8	8	3	3	4	6	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	234	4.0	7	2	2	4	4	6	8	15
B. *Operated*	1204	6.1	23	3	3	5	7	9	11	26
1. SINGLE DX	305	4.2	4	2	3	4	5	6	7	9
2. MULTIPLE DX	1438	5.8	21	2	3	5	7	8	11	25
A. NOT OPERATED	404	3.9	4	2	2	4	4	5	6	12
B. OPERATED	1339	6.0	22	3	3	5	7	8	11	25
TOTAL 0-19 YRS	141	5.7	24	2	2	4	7	9	11	31
20-34	1490	5.4	17	2	3	5	6	8	9	21
35-49	112	6.3	24	2	3	5	7	9	13	33
50-64										
65+										
GRAND TOTAL	**1743**	**5.5**	**18**	**2**	**3**	**5**	**6**	**8**	**10**	**25**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.8	1	1	1	3	3	4	5	5
20-34	311	3.0	1	1	2	3	4	4	5	7
35-49	19	3.1	2	<1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	313	5.0	2	3	3	5	6	7	8	9
20-34	2305	4.9	2	3	3	5	6	6	7	8
35-49	82	4.8	3	2	2	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	2	1	1	3	4	5	6	7
20-34	134	3.2	2	1	1	3	4	5	6	9
35-49	15	3.7	21	1	1	3	3	4	16	20
50-64										
65+										
B. *Operated*										
0-19 YRS	347	5.7	5	3	3	5	7	8	10	14
20-34	2850	5.3	6	3	3	5	6	7	8	13
35-49	259	5.9	12	3	3	5	6	8	10	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	3.0	1	1	2	3	4	4	5	6
B. *Operated*	2700	4.9	2	3	3	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	172	3.2	4	1	1	3	4	5	6	11
B. *Operated*	3456	5.4	6	3	3	5	6	7	8	13
1. SINGLE DX	3075	4.7	2	2	3	5	6	6	7	8
2. MULTIPLE DX	3628	5.3	6	3	3	5	6	7	8	13
A. NOT OPERATED	547	3.1	2	1	2	3	4	4	5	8
B. OPERATED	6156	5.2	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	728	5.1	4	2	3	5	5	7	8	12
20-34	5600	5.0	4	2	3	5	6	7	8	10
35-49	375	5.4	11	2	3	5	6	7	9	20
50-64										
65+										
GRAND TOTAL	**6703**	**5.0**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.	68	2.8	1	1	2	3	3	4	4	9
20-34	646	3.1	1	1	2	3	4	4	5	5
35-49	31	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS.	201	4.0	2	2	2	4	5	6	6	7
20-34	1380	4.2	5	2	3	4	5	6	7	8
35-49	83	4.6	3	2	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	46	3.2	2	1	2	3	4	5	5	7
20-34	445	3.3	1	2	2	3	4	5	5	8
35-49	28	3.3	2	2	2	3	4	5	6	7
50-64										
65+										
B. Operated										
0-19 YRS.	650	4.7	5	2	3	4	6	7	9	12
20-34	4477	4.7	3	2	3	5	6	7	8	10
35-49	351	5.1	5	2	3	5	6	7	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	745	3.1	1	1	2	3	4	4	5	5
B. Operated	1664	4.2	5	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	519	3.3	2	2	2	3	4	5	5	7
B. Operated	5478	4.6	4	2	3	5	6	7	8	10
1. SINGLE DX	2409	3.9	4	2	2	4	5	6	6	8
2. MULTIPLE DX	5997	4.6	4	2	3	4	6	7	8	10
A. NOT OPERATED	1264	3.2	1	2	2	3	4	4	5	6
B. OPERATED	7142	4.6	4	2	3	4	6	7	7	10
TOTAL 0-19 YRS.	965	4.4	4	2	2	4	5	6	8	10
20-34	6948	4.4	4	2	3	4	5	6	7	9
35-49	493	4.8	4	2	3	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**8406**	**4.4**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.	9	4.2	7	3	3	3	4	9	11	11
20-34	62	3.6	2	2	2	3	4	5	6	10
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS.	381	5.5	2	4	4	5	6	7	8	11
20-34	2145	5.5	2	4	4	6	6	7	7	8
35-49	77	5.8	1	4	5	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	15	4.6	9	1	2	3	7	7	11	12
20-34	39	4.4	3	2	3	4	6	7	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS.	1178	6.0	5	4	4	6	7	8	10	15
20-34	5675	5.8	4	4	4	6	6	7	8	12
35-49	297	6.0	3	4	4	6	7	8	9	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.6	3	2	2	3	4	5	7	11
B. Operated	2603	5.5	2	4	4	6	6	7	7	9
2. MULTIPLE DX										
A. Not Operated	55	4.5	4	2	2	4	6	7	8	12
B. Operated	7150	5.9	4	4	4	6	6	7	8	12
1. SINGLE DX	2676	5.5	2	3	4	5	6	7	7	9
2. MULTIPLE DX	7205	5.8	4	4	4	6	6	7	8	12
A. NOT OPERATED	128	4.0	3	2	2	3	4	7	7	11
B. OPERATED	9753	5.8	3	4	4	6	6	7	8	11
TOTAL 0-19 YRS.	1583	5.9	4	4	4	6	6	8	9	14
20-34	7921	5.7	3	4	4	6	6	7	8	11
35-49	377	5.9	2	4	4	6	7	8	8	11
50-64										
65+										
GRAND TOTAL	**9881**	**5.8**	**3**	**4**	**4**	**6**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	3.4	1	2	2	3	4	5	5	7
20-34	763	3.2	1	2	2	3	4	4	5	6
35-49	46	3.0	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	206	4.0	2	2	2	4	5	6	6	8
20-34	1348	4.2	2	2	3	4	5	6	7	8
35-49	61	4.7	4	2	3	4	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	3.4	1	2	2	3	4	4	5	5
20-34	519	3.5	2	2	2	3	4	5	6	8
35-49	32	3.5	2	2	2	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	562	4.7	4	2	3	4	6	7	8	11
20-34	3449	4.7	4	2	3	4	6	7	8	11
35-49	237	4.9	4	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	3.2	1	2	2	3	4	4	5	6
B. *Operated*	1615	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	634	3.5	1	2	2	3	4	5	6	7
B. *Operated*	4248	4.7	4	2	3	4	6	7	8	11
1. SINGLE DX	2557	3.8	2	2	2	4	5	6	6	8
2. MULTIPLE DX	4882	4.5	4	2	3	4	5	7	7	11
A. NOT OPERATED	1576	3.3	1	2	2	3	4	5	5	7
B. OPERATED	5863	4.5	4	2	3	4	6	7	7	11
TOTAL 0-19 YRS	984	4.2	3	2	2	4	5	6	7	10
20-34	6079	4.3	3	2	3	4	5	6	7	10
35-49	376	4.5	4	2	2	4	6	7	7	11
50-64										
65+										
GRAND TOTAL	**7439**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	1	1	2	3	3	4	5	5
20-34	139	3.1	1	1	2	3	4	4	5	6
35-49	13	3.3		2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	61	4.2	2	2	2	4	5	6	7	8
20-34	539	4.5	2	2	2	5	6	6	7	8
35-49	28	4.8	4	1	2	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.1	17	1	2	3	4	9	15	17
20-34	97	3.3	3	1	2	3	4	4	5	11
35-49	11	3.1	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	151	5.4	4	3	3	5	6	8	9	13
20-34	1426	5.4	6	3	3	5	6	7	8	14
35-49	137	5.7	3	3	4	6	7	8	9	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	3.0	1	1	2	3	4	4	5	6
B. *Operated*	628	4.5	3	2	2	4	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	122	3.4	4	1	2	3	4	4	6	15
B. *Operated*	1714	5.4	6	3	3	5	6	8	8	13
1. SINGLE DX	794	4.2	3	2	2	4	5	6	7	8
2. MULTIPLE DX	1836	5.3	6	3	3	5	6	7	8	14
A. NOT OPERATED	288	3.2	2	1	2	3	4	4	5	8
B. OPERATED	2342	5.2	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	240	4.8	5	2	2	5	6	7	8	13
20-34	2201	4.9	5	2	3	5	6	7	8	12
35-49	189	5.2	4	2	3	5	7	8	8	10
50-64										
65+										
GRAND TOTAL	**2630**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	2	1	1	4	4	6	6	6
20-34	162	3.4	2	1	2	3	4	5	6	7
35-49	12	3.8	2	2	2	3	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	457	5.5	2	4	4	5	6	7	7	8
20-34	8886	5.6	1	4	4	6	6	7	7	9
35-49	429	6.0	1	4	4	6	7	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	8	2	2	3	6	8	8	8
20-34	43	3.3	3	1	2	3	4	6	7	10
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	384	5.8	7	3	4	5	6	8	9	12
20-34	9922	5.9	4	4	4	6	6	7	8	12
35-49	892	6.4	5	4	5	6	7	8	9	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.4	2	1	2	3	4	5	6	7
B. *Operated*	9772	5.6	2	4	4	6	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	51	3.3	3	1	1	3	4	6	7	10
B. *Operated*	11198	5.9	4	4	4	6	7	8	8	12
1. SINGLE DX	9953	5.6	2	4	4	6	6	7	7	9
2. MULTIPLE DX	11249	5.9	4	4	4	6	7	8	8	12
A. NOT OPERATED	232	3.4	2	1	2	3	4	5	6	8
B. OPERATED	20970	5.8	3	4	4	6	6	7	8	10
TOTAL 0-19 YRS	852	5.6	4	3	4	5	6	7	8	11
20-34	19013	5.7	3	4	4	6	6	7	8	10
35-49	1337	6.2	4	4	4	6	7	8	9	14
50-64										
65+										
GRAND TOTAL	**21202**	**5.8**	**3**	**4**	**4**	**6**	**6**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	3.2	1	2	2	3	4	4	5	8
20-34	1373	3.4	2	2	2	3	4	5	5	8
35-49	67	3.5	1	2	2	4	4	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	225	3.6	4	2	2	3	4	5	6	10
20-34	1569	3.6	2	2	2	3	4	5	6	8
35-49	80	4.0	8	2	2	4	4	5	6	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	3.6	3	2	2	3	4	6	7	11
20-34	976	3.7	3	1	2	3	4	5	6	9
35-49	51	4.2	23	1	2	4	4	6	6	36
50-64										
65+										
B. *Operated*										
0-19 YRS	723	4.5	5	2	3	4	5	7	8	12
20-34	4402	4.7	7	2	3	4	6	7	8	14
35-49	332	4.9	7	2	3	4	6	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1631	3.4	2	2	2	3	4	5	5	8
B. *Operated*	1874	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1197	3.7	4	2	2	3	4	5	6	10
B. *Operated*	5457	4.7	7	2	3	4	6	7	8	14
1. SINGLE DX	3505	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	6654	4.5	6	2	3	4	5	7	8	13
A. NOT OPERATED	2828	3.5	3	2	2	3	4	5	6	9
B. OPERATED	7331	4.4	6	2	3	4	5	7	8	13
TOTAL 0-19 YRS	1309	4.0	4	2	2	4	5	6	7	11
20-34	8320	4.1	5	2	2	4	5	6	7	11
35-49	530	4.5	8	2	3	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**10159**	**4.1**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1021	2.9	1	2	2	3	3	4	4	5
20-34	7497	3.1	1	2	2	3	4	4	5	6
35-49	357	3.1	2	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	545	3.0	1	2	2	3	3	4	4	6
20-34	3688	3.2	1	2	2	3	4	4	5	6
35-49	190	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	3.1	1	2	2	3	4	4	5	6
20-34	1710	3.2	1	2	2	3	4	4	5	6
35-49	120	3.3	2	1	2	3	4	5	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	553	3.5	2	2	2	3	4	5	6	8
20-34	4901	3.6	3	2	2	3	4	5	6	8
35-49	352	3.8	2	2	2	4	5	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8875	3.1	1	2	2	3	4	4	5	6
B. *Operated*	4423	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	2069	3.2	1	2	2	3	4	4	5	6
B. *Operated*	5806	3.6	2	2	2	3	4	5	6	7
1. SINGLE DX	13298	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX	7875	3.5	2	2	2	3	4	5	6	8
A. NOT OPERATED	10944	3.1	1	2	2	3	4	4	5	6
B. OPERATED	10229	3.4	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	2358	3.1	1	2	2	3	3	4	5	6
20-34	17796	3.2	2	2	2	3	4	4	5	7
35-49	1019	3.4	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**21173**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	2.8	1	1	2	3	3	4	4	5
20-34	1282	2.8	1	1	1	3	3	4	4	6
35-49	78	2.8	2	1	1	3	3	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1329	2.8	1	1	2	3	3	4	4	5
20-34	10444	2.9	1	1	2	3	3	4	4	6
35-49	724	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.1	3	1	2	3	4	4	6	11
20-34	389	3.0	1	1	2	3	3	4	5	6
35-49	17	3.2	1	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	684	3.1	2	2	2	3	4	4	5	7
20-34	6253	3.2	2	2	2	3	4	4	5	7
35-49	567	3.6	3	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1564	2.8	1	1	2	3	3	4	4	6
B. *Operated*	12497	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	481	3.0	1	1	2	3	4	4	5	6
B. *Operated*	7504	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	14061	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX	7985	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	2045	2.8	1	1	2	3	3	4	4	6
B. OPERATED	20001	3.0	1	1	2	3	4	4	5	6
TOTAL 0-19 YRS	2292	2.9	1	1	2	3	3	4	4	6
20-34	18368	3.0	1	1	2	3	4	4	5	6
35-49	1386	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**22046**	**3.0**	**1**	**1**	**2**	**3**	**4**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	2.9	1	2	2	3	3	4	5	6
20-34	540	3.2	1	2	2	3	4	4	5	6
35-49	17	3.1	1	1	1	3	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	1419	3.2	4	2	2	3	4	4	5	6
20-34	5948	3.2	1	2	2	3	4	4	5	6
35-49	167	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.7	3	2	2	3	4	6	6	9
20-34	187	3.4	1	2	2	3	4	5	5	7
35-49	9	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	1160	3.4	2	2	2	3	4	5	5	8
20-34	4286	3.6	2	2	2	3	4	5	5	7
35-49	166	3.8	1	2	3	4	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	702	3.2	1	2	2	3	4	4	5	6
B. Operated	7534	3.2	2	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	248	3.5	2	2	2	3	4	5	6	8
B. Operated	5612	3.5	2	2	2	3	4	5	5	8
1. SINGLE DX	8236	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX	5860	3.5	2	2	2	3	4	5	5	8
A. NOT OPERATED	950	3.2	1	2	2	3	4	4	5	7
B. OPERATED	13146	3.4	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	2776	3.3	3	2	2	3	4	4	5	7
20-34	10961	3.4	1	2	2	3	4	5	5	7
35-49	359	3.5	1	2	2	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**14096**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	2.8	1	1	2	3	3	4	4	5
20-34	545	2.9	1	1	2	3	3	4	5	6
35-49	17	3.5	2	1	2	3	4	5	6	7
50-64										
65+										
B. Operated										
0-19 YRS	676	2.9	1	2	2	3	3	4	4	5
20-34	2932	3.1	1	2	2	3	4	4	5	6
35-49	108	3.3	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.2	1	2	2	3	3	4	6	9
20-34	192	3.2	2	2	2	3	4	4	5	8
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	539	3.4	2	2	2	3	4	5	5	8
20-34	2669	3.6	5	2	2	3	4	5	6	8
35-49	138	4.1	8	2	2	4	4	6	7	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	688	2.9	1	1	2	3	3	4	5	6
B. Operated	3716	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	250	3.2	2	2	2	3	4	4	5	8
B. Operated	3346	3.6	4	2	2	3	4	5	6	8
1. SINGLE DX	4404	3.0	1	2	2	3	4	4	5	6
2. MULTIPLE DX	3596	3.5	4	2	2	3	4	5	6	8
A. NOT OPERATED	938	3.0	1	1	2	3	3	4	5	7
B. OPERATED	7062	3.3	3	2	2	3	4	5	5	7
TOTAL 0-19 YRS	1395	3.1	1	2	2	3	4	4	5	7
20-34	6338	3.3	3	2	2	3	4	4	5	7
35-49	267	3.7	5	2	2	3	4	5	7	11
50-64										
65+										
GRAND TOTAL	**8000**	**3.3**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1396	3.1	4	1	2	3	4	4	5	7
20-34	6745	3.2	2	1	2	3	4	5	5	8
35-49	365	3.1	2	1	2	3	4	5	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3351	3.4	4	2	2	3	4	5	6	8
20-34	16827	3.6	3	2	2	3	4	5	6	9
35-49	755	3.8	3	2	2	4	4	5	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1008	3.3	3	1	2	3	4	5	6	10
20-34	4320	3.4	4	1	2	3	4	5	6	12
35-49	320	3.8	33	1	2	3	4	5	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	4420	4.5	8	2	2	4	5	7	9	15
20-34	23691	4.7	12	2	2	4	5	7	9	18
35-49	1988	5.4	19	2	3	4	6	8	11	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8508	3.2	2	1	2	3	4	4	5	8
B. *Operated*	20933	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5645	3.4	5	1	2	3	4	5	6	11
B. *Operated*	30099	4.7	12	2	2	4	5	7	9	18
1. SINGLE DX	29441	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	35747	4.5	11	2	2	4	5	7	9	17
A. NOT OPERATED	14156	3.3	4	1	2	3	4	5	6	9
B. OPERATED	51032	4.3	9	2	2	4	5	6	8	15
TOTAL 0-19 YRS	10177	3.8	6	2	2	3	4	6	7	13
20-34	51583	4.0	8	2	2	3	5	6	7	14
35-49	3428	4.6	16	2	2	4	5	7	9	20
50-64										
65+										
GRAND TOTAL	**65188**	**4.0**	**8**	**2**	**2**	**3**	**5**	**6**	**8**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.0	4	2	2	4	5	6	8	14
20-34	192	3.7	3	2	2	3	4	6	7	10
35-49	9	3.8	10	2	2	3	4	9	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	3	7.0	63	1	1	4	13	16	16	16
20-34	18	3.9	11	<1	1	3	5	7	12	15
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.5	5	2	2	4	6	7	9	11
20-34	92	4.6	7	2	2	4	6	8	10	14
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	34	8.4	67	1	2	6	7	18	30	34
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	3.8	3	2	2	3	4	6	7	10
B. *Operated*	23	4.1	16	<1	1	3	5	9	15	16
2. MULTIPLE DX										
A. *Not Operated*	129	4.6	7	2	2	4	6	8	10	14
B. *Operated*	39	7.7	62	1	2	5	7	16	30	34
1. SINGLE DX	288	3.8	4	2	2	3	4	6	7	14
2. MULTIPLE DX	168	5.3	21	2	2	4	6	9	13	30
A. NOT OPERATED	394	4.0	4	2	2	4	5	7	8	12
B. OPERATED	62	6.4	47	1	1	4	7	16	21	34
TOTAL 0-19 YRS	106	4.2	6	2	2	4	5	7	8	15
20-34	336	4.5	13	2	2	4	5	7	10	18
35-49	14	3.3	7	1	2	3	3	6	11	12
50-64										
65+										
GRAND TOTAL	**456**	**4.4**	**11**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.6	1	<1	1	1	2	3	3	4
20-34	123	1.7	1	<1	1	1	2	3	4	4
35-49	10	1.4		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	63	1.8	1	<1	1	1	2	3	4	6
20-34	448	1.8	2	<1	1	1	2	3	4	8
35-49	26	1.8	1	<1	1	2	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	89	2.1	1	<1	1	2	3	3	4	5
35-49	5	2.2	3	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.7	3	1	1	2	3	5	7	8
20-34	269	2.7	8	1	1	2	3	5	8	11
35-49	26	3.2	6	<1	1	2	5	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	1.7	1	<1	1	1	2	3	4	4
B. *Operated*	537	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	100	2.0	1	<1	1	2	3	3	4	5
B. *Operated*	347	2.7	7	1	1	2	3	5	7	11
1. SINGLE DX	699	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	447	2.6	6	1	1	2	3	5	7	10
A. NOT OPERATED	262	1.9	1	<1	1	2	2	3	4	4
B. OPERATED	884	2.2	4	<1	1	2	2	4	6	10
TOTAL 0-19 YRS	150	2.1	2	<1	1	2	2	4	5	8
20-34	929	2.1	4	<1	1	2	2	4	5	9
35-49	67	2.3	4	1	1	2	2	5	6	10
50-64										
65+										
GRAND TOTAL	**1146**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.7	12	2	2	4	5	10	14	15
20-34	187	4.0	8	1	1	3	5	8	10	15
35-49	7	6.3	22	1	1	5	8	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.4	8	1	1	3	4	7	9	15
20-34	192	3.3	9	1	1	3	4	6	10	16
35-49	16	4.3	20	<1	<1	3	4	10	16	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	4	2	2	3	5	6	8	11
20-34	117	4.9	17	<1	1	4	6	10	13	21
35-49	9	8.0	69	2	2	5	10	22	28	28
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.1	3	1	2	3	4	5	6	9
20-34	176	4.3	19	1	1	3	5	8	11	28
35-49	12	3.1	2	2	2	3	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	4.1	9	1	1	3	5	9	11	15
B. *Operated*	253	3.4	10	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	147	4.9	18	1	2	4	6	10	13	22
B. *Operated*	223	4.1	16	1	1	3	5	7	10	26
1. SINGLE DX	466	3.7	10	1	1	3	4	7	10	15
2. MULTIPLE DX	370	4.4	17	1	1	3	5	9	12	24
A. NOT OPERATED	360	4.4	13	1	1	3	5	9	12	19
B. OPERATED	476	3.7	13	1	1	3	4	7	10	19
TOTAL 0-19 YRS	120	3.6	7	1	2	3	4	6	8	15
20-34	672	4.0	13	1	1	3	5	8	11	19
35-49	44	5.0	27	1	2	3	5	10	16	28
50-64										
65+										
GRAND TOTAL	**836**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1031	4.2	6	2	2	4	5	7	8	12
20-34	773	4.5	9	1	2	4	5	7	10	18
35-49	519	5.1	9	2	2	4	6	9	11	17
50-64	430	5.8	12	2	2	5	7	10	12	18
65+	338	6.9	19	2	3	6	9	12	14	25
B. *Operated*										
0-19 YRS	455	4.8	16	1	1	4	6	9	12	21
20-34	444	5.6	20	1	2	5	7	10	13	21
35-49	233	6.3	31	1	2	5	8	13	19	28
50-64	211	7.5	31	2	2	6	10	16	19	28
65+	135	10.3	97	2	3	8	13	19	29	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1071	4.7	9	2	2	4	6	8	10	17
20-34	1317	6.1	19	2	2	5	7	11	14	22
35-49	1335	7.1	30	2	3	6	9	13	16	26
50-64	1847	8.3	37	3	3	7	10	15	19	31
65+	3057	9.7	44	3	4	8	12	17	22	34
B. *Operated*										
0-19 YRS	378	7.1	57	1	2	5	8	13	17	50
20-34	785	9.4	72	2	3	7	12	20	26	47
35-49	725	11.0	91	2	3	8	14	24	33	46
50-64	983	13.4	142	3	4	10	17	28	37	73
65+	1162	16.3	183	3	5	12	21	32	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3091	4.9	10	2	2	4	6	9	11	17
B. *Operated*	1478	6.2	31	1	2	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	8627	7.8	35	2	3	6	10	15	19	30
B. *Operated*	4033	12.5	132	2	3	9	16	26	36	65
1. SINGLE DX	4569	5.3	17	1	2	4	7	10	13	21
2. MULTIPLE DX	12660	9.3	71	2	3	7	11	18	25	45
A. NOT OPERATED	11718	7.1	30	2	3	6	9	13	17	28
B. OPERATED	5511	10.8	113	2	2	7	13	23	32	57
TOTAL 0-19 YRS	2935	4.9	16	1	2	4	6	8	11	18
20-34	3319	6.5	33	2	2	5	8	12	17	32
35-49	2812	7.7	46	2	2	6	9	15	20	38
50-64	3471	9.4	70	2	3	7	11	18	24	44
65+	4692	11.2	87	3	4	9	13	21	29	52
GRAND TOTAL	**17229**	**8.3**	**60**	**2**	**3**	**6**	**10**	**16**	**22**	**42**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	374	4.2	6	1	2	4	5	7	9	13
20-34	153	4.1	9	1	2	3	5	7	10	15
35-49	84	4.6	9	1	1	4	6	9	10	15
50-64	62	5.6	12	2	2	5	7	10	13	16
65+	42	6.1	15	2	2	5	8	11	15	19
B. *Operated*										
0-19 YRS	211	3.9	10	1	1	3	5	8	10	17
20-34	148	5.0	29	1	1	4	6	10	13	34
35-49	101	4.9	20	1	1	4	6	10	13	27
50-64	83	5.5	28	1	1	4	7	12	15	29
65+	64	8.9	57	1	2	6	13	18	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	503	4.6	12	2	2	4	6	8	10	13
20-34	224	5.2	14	1	2	4	7	9	12	20
35-49	194	6.9	19	2	3	6	9	13	15	23
50-64	271	8.3	38	2	3	7	10	16	22	32
65+	407	9.4	50	2	3	8	11	18	24	39
B. *Operated*										
0-19 YRS	196	6.1	29	1	2	5	8	12	17	30
20-34	209	8.3	107	2	2	5	10	18	24	74
35-49	211	9.6	80	2	2	7	12	21	27	46
50-64	307	11.6	115	2	3	9	15	24	32	62
65+	306	13.1	167	2	3	9	16	29	39	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	4.5	8	1	2	4	6	8	10	15
B. *Operated*	607	5.1	26	1	1	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	1599	6.8	31	2	2	5	9	12	17	30
B. *Operated*	1229	10.2	113	2	2	7	13	21	32	62
1. SINGLE DX	1322	4.7	16	1	1	4	6	9	12	20
2. MULTIPLE DX	2828	8.3	69	2	2	6	10	17	23	45
A. NOT OPERATED	2314	6.1	25	2	2	5	8	11	15	26
B. OPERATED	1836	8.5	90	1	2	5	10	18	26	50
TOTAL 0-19 YRS	1284	4.6	13	1	2	4	6	8	10	18
20-34	734	5.8	45	1	2	4	7	11	16	40
35-49	590	7.2	43	1	2	5	9	14	20	35
50-64	723	9.2	73	2	2	7	11	18	25	46
65+	819	10.6	97	2	3	8	13	21	30	51
GRAND TOTAL	**4150**	**7.1**	**55**	**1**	**2**	**5**	**9**	**14**	**20**	**38**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	7	1	1	3	6	9	9	9
20-34	23	3.3	6	1	1	3	4	6	9	12
35-49	9	2.6	2	<1	<1	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	891	3.5	4	1	1	3	4	6	7	11
20-34	1625	3.4	3	1	1	3	4	5	6	10
35-49	287	3.8	5	1	2	3	4	6	8	13
50-64	57	4.2	6	1	1	4	5	8	10	12
65+	8	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	4	<1	<1	1	2	6	7	7
20-34	21	3.1	6	<1	<1	2	4	7	9	10
35-49	4	5.8	25	2	2	4	9	13	13	13
50-64	5	18.4	1079	1	1	5	24	77	77	77
65+	5	8.2	27	1	1	9	13	13	13	13
B. *Operated*										
0-19 YRS	131	4.5	11	1	2	4	5	8	10	18
20-34	336	4.5	12	1	2	4	5	8	12	17
35-49	119	5.1	19	1	2	4	6	9	12	25
50-64	58	6.1	48	2	2	4	6	11	15	47
65+	18	7.2	30	1	1	5	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.4	5	1	1	3	4	7	9	12
B. *Operated*	2868	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	43	5.5	136	<1	1	3	5	11	13	77
B. *Operated*	662	4.8	17	1	2	4	6	9	12	22
1. SINGLE DX	2917	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	705	4.9	24	1	2	4	6	9	12	22
A. NOT OPERATED	92	4.4	67	<1	1	3	5	8	12	50
B. OPERATED	3530	3.7	6	1	2	3	4	6	8	13
TOTAL 0-19 YRS	1046	3.6	5	1	1	3	5	6	7	11
20-34	2005	3.6	5	1	1	3	4	6	7	12
35-49	419	4.2	10	1	2	3	5	7	10	17
50-64	121	5.7	70	1	2	4	6	10	12	57
65+	31	6.3	24	1	1	5	11	14	16	17
GRAND TOTAL	**3622**	**3.7**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	4	<1	<1	1	3	6	6	6
20-34	7	2.0	5	<1	<1	<1	2	6	7	7
35-49	11	1.6	4	<1	<1	<1	<1	3	8	8
50-64	17	1.1		<1	<1	<1	1	1	2	2
65+	6	2.5	4	<1	<1	2	3	6	6	6
B. *Operated*										
0-19 YRS	134	1.6	1	<1	<1	1	2	3	3	5
20-34	189	1.8	1	<1	<1	2	2	3	4	7
35-49	124	2.0	2	<1	<1	2	2	3	4	10
50-64	113	2.4	5	<1	<1	2	3	4	5	15
65+	47	3.1	6	<1	<1	2	4	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	5	<1	<1	2	2	6	8	8
20-34	8	3.6	26	<1	<1	2	3	12	16	16
35-49	5	4.2	11	1	1	3	7	9	9	9
50-64	8	7.5	198	<1	<1	2	5	31	42	42
65+	7	6.4	5	4	4	6	8	10	10	10
B. *Operated*										
0-19 YRS	43	2.5	2	1	1	2	3	5	6	7
20-34	105	3.4	12	<1	1	2	4	6	9	20
35-49	116	4.3	20	1	1	3	5	8	12	27
50-64	140	4.9	26	1	1	3	6	11	15	25
65+	100	5.5	26	1	2	4	7	14	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	1.7	3	<1	<1	<1	1	4	6	6
B. *Operated*	607	2.0	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	38	4.7	50	<1	<1	3	6	9	14	42
B. *Operated*	504	4.3	20	1	1	3	5	8	14	23
1. SINGLE DX	655	2.0	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX	542	4.4	22	<1	1	3	5	8	14	24
A. NOT OPERATED	86	3.0	25	<1	<1	1	3	7	8	33
B. OPERATED	1111	3.1	12	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	194	1.9	1	<1	<1	2	2	3	4	7
20-34	309	2.4	6	<1	<1	2	3	4	6	14
35-49	256	3.1	12	<1	<1	2	3	6	9	14
50-64	278	3.7	22	<1	<1	2	4	8	13	23
65+	160	4.7	20	<1	1	3	6	9	15	21
GRAND TOTAL	**1197**	**3.1**	**13**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	711	4.0	18	1	1	3	5	8	12	24
20-34	385	7.1	76	1	1	4	8	19	26	43
35-49	307	7.9	64	<1	1	5	9	20	27	34
50-64	285	8.0	84	<1	<1	5	9	21	30	39
65+	275	8.3	65	<1	2	7	10	16	21	42
B. *Operated*										
0-19 YRS	714	3.3	19	<1	1	2	3	6	12	23
20-34	787	4.5	30	1	1	3	5	10	15	29
35-49	589	4.6	26	1	1	3	5	10	14	27
50-64	560	5.4	64	1	1	3	5	13	19	49
65+	464	9.1	119	1	1	4	13	23	30	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	898	4.9	21	1	2	4	6	9	12	20
20-34	662	8.4	80	1	2	5	10	20	29	42
35-49	725	9.7	107	1	2	6	12	21	31	55
50-64	1131	10.9	109	2	3	8	14	24	32	53
65+	2495	12.3	100	3	4	9	15	25	32	52
B. *Operated*										
0-19 YRS	467	6.6	105	1	1	3	7	15	25	59
20-34	996	12.6	266	1	2	6	16	33	51	99+
35-49	1094	11.9	222	1	2	6	15	33	47	99
50-64	1632	12.7	218	1	2	7	17	34	45	90
65+	2392	19.1	294	2	3	14	27	43	58	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1963	6.4	56	<1	1	4	7	15	23	36
B. *Operated*	3114	5.1	49	1	1	3	5	12	19	35
2. MULTIPLE DX										
A. *Not Operated*	5911	10.1	95	2	2	7	13	22	29	50
B. *Operated*	6581	14.4	260	1	2	8	20	37	51	95
1. SINGLE DX	5077	5.6	52	1	1	3	6	13	20	36
2. MULTIPLE DX	12492	12.4	187	1	2	8	16	30	42	81
A. NOT OPERATED	7874	9.2	88	1	2	6	12	21	28	48
B. OPERATED	9695	11.4	212	1	1	5	15	31	43	86
TOTAL 0-19 YRS	2790	4.5	35	1	1	3	5	9	13	28
20-34	2830	8.6	141	1	1	4	10	22	32	80
35-49	2715	9.3	138	1	2	5	11	24	34	65
50-64	3608	10.6	156	1	2	6	13	26	37	71
65+	5626	14.7	198	2	3	10	19	33	44	80
GRAND TOTAL	**17569**	**10.4**	**157**	**1**	**2**	**6**	**13**	**26**	**36**	**72**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	4.5	34	<1	<1	2	6	11	17	32
20-34	84	6.4	17	1	3	5	8	12	15	22
35-49	73	6.9	22	2	2	5	9	14	17	22
50-64	64	7.1	27	2	2	6	10	14	15	29
65+	15	10.1	63	2	3	8	10	27	27	27
B. *Operated*										
0-19 YRS	22	7.2	37	1	1	4	13	16	19	21
20-34	55	9.6	134	2	2	6	11	24	38	60
35-49	33	9.4	87	2	2	6	12	22	30	44
50-64	18	8.5	41	2	2	7	11	16	24	28
65+	21	10.9	35	2	3	12	15	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	8.2	92	1	2	5	10	14	25	54
20-34	247	8.4	47	2	3	7	10	14	22	35
35-49	257	9.5	55	2	3	8	11	18	24	45
50-64	307	10.2	83	3	3	8	13	19	26	42
65+	253	11.3	82	2	3	9	14	21	30	52
B. *Operated*										
0-19 YRS	46	16.3	225	3	3	12	21	32	55	70
20-34	141	16.4	232	2	3	11	20	35	45	73
35-49	157	14.0	178	2	3	10	17	29	37	73
50-64	192	16.1	201	3	4	12	20	39	51	99+
65+	177	18.2	238	4	5	14	24	37	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	6.2	29	<1	<1	5	8	13	17	27
B. *Operated*	149	9.2	83	2	2	6	12	19	28	44
2. MULTIPLE DX										
A. *Not Operated*	1158	9.7	71	2	3	7	12	18	25	45
B. *Operated*	723	16.2	213	3	4	11	20	33	48	93
1. SINGLE DX	499	7.1	47	<1	1	5	9	15	20	36
2. MULTIPLE DX	1881	12.2	135	2	3	9	15	26	35	70
A. NOT OPERATED	1508	8.9	63	2	2	7	11	17	23	41
B. OPERATED	872	15.0	198	2	3	11	19	32	46	86
TOTAL 0-19 YRS	276	7.9	101	<1	<1	5	10	17	26	54
20-34	527	10.3	114	2	3	7	12	22	32	60
35-49	530	10.5	97	2	3	8	13	22	28	53
50-64	581	11.7	124	2	3	8	14	24	35	81
65+	466	13.9	149	3	4	11	17	29	38	76
GRAND TOTAL	**2380**	**11.1**	**121**	**2**	**3**	**8**	**14**	**23**	**32**	**67**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	6.8	36	2	2	5	8	15	20	32
20-34	108	7.9	28	2	2	7	11	16	19	22
35-49	164	8.1	31	2	3	7	10	18	19	28
50-64	295	8.1	25	2	3	7	10	16	19	21
65+	212	9.1	38	3	3	8	11	17	21	30
B. *Operated*										
0-19 YRS	43	10.2	168	<1	1	6	12	37	42	52
20-34	106	7.6	39	1	2	5	11	16	23	27
35-49	223	8.2	50	2	2	6	11	17	19	44
50-64	467	9.8	59	2	2	8	14	19	25	36
65+	316	11.4	61	2	3	10	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	7.5	53	1	2	5	8	17	19	44
20-34	127	8.5	41	2	3	6	11	15	22	33
35-49	341	9.3	43	3	3	8	12	17	21	36
50-64	917	9.3	41	2	3	8	12	17	20	32
65+	1293	10.5	49	3	4	9	14	19	23	36
B. *Operated*										
0-19 YRS	33	9.7	114	2	2	4	15	27	36	39
20-34	130	9.7	62	2	2	7	13	20	27	35
35-49	315	9.4	89	2	2	6	12	18	26	42
50-64	908	12.1	109	3	3	9	16	24	33	53
65+	846	15.3	134	3	4	13	20	31	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	975	8.1	32	2	3	7	10	16	20	27
B. *Operated*	1155	9.7	61	2	2	8	13	19	24	40
2. MULTIPLE DX										
A. *Not Operated*	2802	9.7	46	2	3	8	13	18	22	35
B. *Operated*	2232	12.8	118	2	3	10	17	26	33	56
1. SINGLE DX	2130	9.0	49	2	3	7	12	18	21	36
2. MULTIPLE DX	5034	11.1	80	2	3	9	14	21	28	46
A. NOT OPERATED	3777	9.3	43	2	3	8	12	18	21	32
B. OPERATED	3387	11.7	101	2	3	9	16	24	31	50
TOTAL 0-19 YRS	396	7.6	63	1	2	5	9	17	22	41
20-34	471	8.5	44	2	2	7	12	17	23	31
35-49	1043	8.9	57	2	3	7	11	17	21	41
50-64	2587	10.2	68	2	3	8	13	20	25	43
65+	2667	12.0	82	3	4	10	16	22	29	47
GRAND TOTAL	**7164**	**10.5**	**72**	**2**	**3**	**8**	**14**	**20**	**26**	**44**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	29	<1	<1	3	7	14	14	14
20-34	10	4.5	5	2	2	4	5	8	10	10
35-49	46	5.5	15	1	2	4	6	12	15	18
50-64	134	5.0	13	1	1	4	6	9	14	17
65+	312	6.7	22	1	2	6	9	12	17	24
B. *Operated*										
0-19 YRS	28	3.5	20	1	1	2	3	7	12	24
20-34	261	4.0	9	1	1	3	5	8	11	15
35-49	604	5.7	22	1	1	4	8	12	15	21
50-64	2335	9.4	36	2	2	9	13	17	19	26
65+	3216	13.7	38	3	5	14	17	20	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.6	38	<1	<1	3	10	15	17	17
20-34	37	4.8	9	1	1	4	7	9	10	11
35-49	187	6.7	24	1	2	6	8	13	15	20
50-64	882	6.9	22	1	2	6	9	13	16	23
65+	2863	8.2	35	2	3	7	11	15	19	30
B. *Operated*										
0-19 YRS	32	7.6	128	1	1	4	9	14	19	64
20-34	263	5.9	45	1	2	4	7	13	17	36
35-49	724	7.4	56	1	2	5	10	16	20	37
50-64	2963	11.0	67	2	2	10	15	20	25	39
65+	5953	15.9	81	3	5	15	19	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	6.1	19	1	2	5	8	12	15	20
B. *Operated*	6444	11.0	44	2	2	11	15	18	21	29
2. MULTIPLE DX										
A. *Not Operated*	3977	7.8	32	2	2	7	10	14	18	29
B. *Operated*	9935	13.6	84	2	3	13	17	24	30	45
1. SINGLE DX	6951	10.6	44	2	2	11	15	18	21	29
2. MULTIPLE DX	13912	11.9	76	2	3	11	16	22	27	41
A. NOT OPERATED	4484	7.6	31	2	2	6	10	14	18	28
B. OPERATED	16379	12.5	70	2	3	12	17	21	26	40
TOTAL 0-19 YRS	73	5.6	72	1	1	3	7	13	17	55
20-34	571	4.9	26	1	1	3	6	10	13	23
35-49	1561	6.6	38	1	2	5	9	14	17	31
50-64	6314	9.7	51	2	2	9	14	18	21	33
65+	12344	13.3	68	2	4	13	17	22	27	40
GRAND TOTAL	**20863**	**11.5**	**66**	**2**	**2**	**11**	**16**	**20**	**25**	**38**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	6.9	22	2	2	6	9	14	18	21
20-34	109	5.9	28	1	1	4	8	11	13	34
35-49	87	5.7	12	1	2	5	8	10	11	17
50-64	79	6.6	26	1	2	5	9	13	17	25
65+	76	6.4	28	1	1	5	8	14	15	28
B. *Operated*										
0-19 YRS	96	12.3	74	1	2	12	18	23	30	35
20-34	221	5.7	41	1	2	4	7	12	14	33
35-49	231	6.1	39	1	2	4	7	11	15	37
50-64	293	7.5	44	1	2	5	11	15	17	36
65+	146	12.1	58	2	3	12	16	21	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	10.0	56	2	2	8	14	21	23	31
20-34	168	7.5	40	2	2	6	8	14	18	36
35-49	191	7.9	55	2	2	6	9	16	22	42
50-64	299	8.0	33	2	2	6	11	15	19	30
65+	693	9.3	58	2	3	7	11	17	24	39
B. *Operated*										
0-19 YRS	130	15.4	89	2	4	14	21	28	32	47
20-34	190	9.0	72	1	2	6	11	21	27	38
35-49	237	10.1	117	2	2	6	11	22	36	51
50-64	368	12.2	140	2	2	8	16	26	37	56
65+	426	18.3	204	3	4	16	23	38	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	6.3	23	1	2	5	8	13	15	22
B. *Operated*	987	7.9	53	1	2	5	11	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	1501	8.7	51	2	3	7	11	17	22	38
B. *Operated*	1351	13.6	154	2	3	10	18	29	40	60
1. SINGLE DX	1487	7.4	44	1	2	5	10	15	19	33
2. MULTIPLE DX	2852	11.0	106	2	3	8	14	23	31	51
A. NOT OPERATED	2001	8.1	45	2	2	6	10	16	21	35
B. OPERATED	2338	11.2	120	2	2	8	15	24	33	53
TOTAL 0-19 YRS	525	10.9	68	2	2	9	15	22	27	35
20-34	688	7.1	49	1	2	5	9	14	21	36
35-49	746	7.8	67	2	2	5	9	15	23	44
50-64	1039	9.2	78	1	2	7	12	18	26	49
65+	1341	12.3	121	2	3	9	16	25	34	58
GRAND TOTAL	**4339**	**9.8**	**88**	**2**	**2**	**7**	**13**	**20**	**28**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	4	<1	1	2	4	6	6	7
20-34	31	3.8	17	<1	<1	2	5	9	13	19
35-49	17	2.0	3	<1	<1	1	2	5	6	7
50-64	13	4.1	9	<1	<1	4	5	8	10	11
65+	6	10.2	115	2	2	4	19	27	28	28
B. *Operated*										
0-19 YRS	1009	2.7	4	1	1	2	3	5	6	9
20-34	2031	2.7	3	1	1	2	4	5	6	9
35-49	1046	2.9	4	1	1	2	4	5	7	11
50-64	576	3.3	19	1	1	2	4	6	7	16
65+	155	3.6	9	1	1	2	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.0	6	<1	<1	1	2	4	6	14
20-34	88	2.9	17	<1	<1	1	3	6	9	25
35-49	52	2.7	9	<1	<1	1	3	8	9	12
50-64	51	4.0	16	<1	<1	3	5	9	12	22
65+	36	5.9	18	1	1	5	8	11	16	18
B. *Operated*										
0-19 YRS	798	2.9	4	1	1	2	4	5	6	10
20-34	1727	3.3	7	1	1	2	4	6	8	14
35-49	1356	3.3	9	1	1	2	4	7	9	16
50-64	1242	3.5	8	1	1	3	4	7	9	14
65+	527	4.7	32	1	1	3	5	10	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.7	18	<1	<1	2	5	7	11	24
B. *Operated*	4817	2.8	6	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	270	3.3	15	<1	<1	2	4	8	11	19
B. *Operated*	5650	3.4	10	1	1	2	4	6	9	16
1. SINGLE DX	4909	2.9	6	1	1	2	4	5	6	10
2. MULTIPLE DX	5920	3.4	10	1	1	2	4	6	9	16
A. NOT OPERATED	362	3.4	15	<1	<1	2	4	8	11	19
B. OPERATED	10467	3.1	8	1	1	2	4	6	8	14
TOTAL 0-19 YRS	1875	2.7	4	<1	1	2	4	5	6	9
20-34	3877	3.0	5	1	1	2	4	5	7	12
35-49	2471	3.1	7	1	1	2	4	6	8	14
50-64	1882	3.5	11	1	1	3	4	6	9	15
65+	724	4.6	27	1	1	3	5	10	14	25
GRAND TOTAL	**10829**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	3.8	9	1	1	3	5	7	10	15
20-34	130	3.6	8	<1	1	3	5	7	9	15
35-49	84	4.9	24	1	1	4	6	10	16	26
50-64	80	4.8	18	1	1	4	6	8	10	28
65+	109	5.5	22	1	1	5	7	10	14	27
B. *Operated*										
0-19 YRS	1550	3.2	5	1	1	3	4	5	6	11
20-34	2084	3.5	6	1	1	3	4	6	7	12
35-49	681	3.8	7	1	1	3	5	7	9	14
50-64	333	4.8	23	1	1	3	5	10	14	24
65+	202	7.0	39	1	2	4	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	286	4.1	26	<1	1	3	5	9	11	15
20-34	235	4.8	44	1	1	4	6	9	12	24
35-49	245	5.6	28	1	1	4	7	11	16	28
50-64	319	6.4	30	1	1	5	8	14	17	26
65+	579	7.2	30	1	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	771	4.2	16	1	1	3	5	7	10	23
20-34	1132	4.6	22	1	1	3	5	9	11	25
35-49	618	5.1	21	1	2	4	6	11	15	22
50-64	496	6.4	38	1	2	4	8	14	19	33
65+	440	10.0	90	2	2	7	13	24	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	4.3	14	1	1	3	5	8	11	19
B. *Operated*	4850	3.7	9	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	1694	5.9	32	1	1	4	8	12	16	26
B. *Operated*	3457	5.5	35	1	2	4	6	11	17	32
1. SINGLE DX	5538	3.8	10	1	1	3	4	6	9	17
2. MULTIPLE DX	5151	5.7	34	1	1	4	7	12	16	30
A. NOT OPERATED	2382	5.5	28	1	1	4	7	11	15	26
B. OPERATED	8307	4.5	20	1	1	3	5	8	12	25
TOTAL 0-19 YRS	2892	3.6	11	1	1	3	4	6	8	16
20-34	3581	4.0	14	1	1	3	5	7	9	17
35-49	1628	4.6	17	1	1	3	5	9	12	21
50-64	1258	5.8	31	1	1	4	7	13	17	30
65+	1330	8.0	53	1	2	6	10	16	23	38
GRAND TOTAL	**10689**	**4.7**	**22**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	13.5	65	7	7	11	19	25	25	25
20-34	9	7.6	9	3	3	7	10	11	11	11
35-49	12	7.4	42	1	2	5	9	16	24	25
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	4	6.5	16	3	3	5	9	12	12	12
B. *Operated*										
0-19 YRS	3	7.7	20	3	3	8	11	12	12	12
20-34	6	15.8	71	4	4	16	25	25	25	25
35-49	4	14.5	83	3	3	15	21	24	24	24
50-64	1	18.0		18	18	18	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	17.7	44	12	12	16	23	25	25	25
20-34	7	8.6	7	5	5	8	10	13	13	13
35-49	18	7.1	24	2	3	5	9	15	19	20
50-64	31	8.3	32	2	3	8	10	16	23	25
65+	23	9.0	33	2	3	7	13	18	21	24
B. *Operated*										
0-19 YRS										
20-34	5	8.4	1	7	7	8	9	10	10	10
35-49	8	20.3	412	7	7	12	22	56	68	68
50-64	9	22.1	266	6	7	19	31	49	55	55
65+	6	15.8	186	3	3	12	22	38	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	8.1	31	2	3	7	10	13	24	25
B. *Operated*	14	13.9	62	3	3	14	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	82	8.6	31	2	3	7	11	17	21	25
B. *Operated*	28	17.8	246	5	6	11	21	40	56	68
1. SINGLE DX	45	9.9	46	2	3	9	12	24	25	25
2. MULTIPLE DX	110	10.9	100	3	3	8	12	21	27	60
A. NOT OPERATED	113	8.5	31	2	3	7	11	16	23	25
B. OPERATED	42	16.5	185	3	5	12	21	32	46	68
TOTAL 0-19 YRS	10	13.0	53	3	5	12	16	25	25	25
20-34	27	9.8	29	4	4	9	11	17	25	25
35-49	42	10.4	126	2	3	7	12	21	26	68
50-64	43	11.4	108	2	3	8	13	23	32	55
65+	33	10.0	62	3	3	7	13	20	24	40
GRAND TOTAL	**155**	**10.6**	**84**	**3**	**3**	**8**	**12**	**22**	**25**	**54**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	63	6.6	14	2	3	6	8	11	14	19
35-49	194	7.2	30	2	2	6	9	12	16	32
50-64	321	6.7	18	1	2	6	9	12	15	21
65+	275	7.5	25	2	3	6	10	13	16	28
B. *Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	99	6.4	62	2	2	4	8	12	16	46
35-49	494	7.1	31	2	2	6	10	14	18	25
50-64	641	7.1	29	2	2	6	9	14	17	26
65+	233	8.5	57	2	2	6	12	17	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	15	1	1	5	9	10	10	10
20-34	92	8.1	39	2	3	7	10	13	17	38
35-49	647	7.1	20	2	3	6	9	13	16	22
50-64	1766	7.6	22	2	3	7	10	13	16	25
65+	3129	8.5	30	3	3	7	11	15	18	28
B. *Operated*										
0-19 YRS	6	9.7	49	3	3	7	15	20	21	21
20-34	109	8.4	50	2	2	7	11	16	19	43
35-49	599	9.7	62	2	2	8	13	19	24	41
50-64	1258	10.8	82	2	3	9	14	21	26	50
65+	1004	14.2	126	2	4	11	18	29	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	856	7.1	23	2	2	6	9	12	15	28
B. *Operated*	1470	7.2	36	2	2	6	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	5641	8.0	27	2	3	7	10	14	17	26
B. *Operated*	2976	11.6	95	2	3	9	15	23	30	51
1. SINGLE DX	2326	7.2	31	2	2	6	9	14	17	28
2. MULTIPLE DX	8617	9.3	53	2	3	8	11	17	22	38
A. NOT OPERATED	6497	7.9	27	2	3	7	10	14	17	26
B. OPERATED	4446	10.2	80	2	2	8	13	20	27	45
TOTAL 0-19 YRS	19	6.3	27	1	1	5	9	13	18	21
20-34	363	7.5	45	2	2	6	10	14	17	40
35-49	1934	7.9	38	2	2	6	10	15	19	32
50-64	3986	8.5	44	2	3	7	11	16	20	33
65+	4641	9.7	58	2	3	8	12	18	23	39
GRAND TOTAL	**10943**	**8.8**	**49**	**2**	**3**	**7**	**11**	**16**	**21**	**37**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	6.3	18	1	1	6	9	11	13	21
20-34	1280	6.9	17	2	2	6	9	12	14	20
35-49	1825	7.4	21	2	2	7	10	13	16	23
50-64	987	7.8	21	2	3	7	10	14	17	22
65+	275	8.4	23	2	3	8	11	15	17	28
B. *Operated*										
0-19 YRS	213	7.0	33	1	2	5	9	14	18	28
20-34	4844	7.2	30	1	2	6	9	14	17	26
35-49	6889	7.7	32	1	2	6	10	15	18	28
50-64	3156	8.5	39	2	2	7	12	17	20	29
65+	697	9.8	49	1	2	9	14	19	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.5	16	1	3	8	11	14	16	16
20-34	622	7.8	25	1	2	7	10	13	17	26
35-49	1738	8.5	27	2	3	8	11	15	18	25
50-64	1822	8.8	29	2	3	8	11	16	19	26
65+	1368	9.6	33	3	4	9	12	17	20	30
B. *Operated*										
0-19 YRS	59	7.7	34	1	2	6	11	16	19	28
20-34	1681	9.4	53	2	2	8	12	18	22	30
35-49	3432	10.3	55	2	3	9	14	19	24	30
50-64	3140	11.4	67	2	3	10	15	21	27	41
65+	1461	14.6	97	3	4	13	19	27	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4415	7.4	20	2	2	7	10	13	16	22
B. *Operated*	15779	7.8	34	1	2	7	10	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	5783	8.8	29	2	3	8	11	15	19	27
B. *Operated*	9773	11.1	67	2	3	9	15	21	26	41
1. SINGLE DX	20194	7.7	31	1	2	7	10	15	18	27
2. MULTIPLE DX	15556	10.3	55	2	3	9	13	19	24	37
A. NOT OPERATED	10198	8.2	26	2	3	7	10	14	17	25
B. OPERATED	25552	9.1	50	2	2	8	12	18	22	33
TOTAL 0-19 YRS	353	7.1	30	1	2	6	10	14	18	28
20-34	8627	7.6	33	1	2	6	10	14	18	28
35-49	13864	8.4	37	2	2	7	11	16	20	29
50-64	9105	9.5	47	2	3	8	12	18	22	33
65+	3801	11.5	66	2	3	10	15	22	27	40
GRAND TOTAL	**35750**	**8.8**	**43**	**2**	**2**	**7**	**11**	**17**	**21**	**32**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.3	23	1	2	4	6	8	16	23
20-34	193	6.6	15	2	2	6	8	12	13	17
35-49	338	7.2	19	2	2	7	10	13	14	21
50-64	230	7.5	23	2	3	7	9	13	15	25
65+	69	7.9	29	2	2	7	10	14	20	27
B. *Operated*										
0-19 YRS	14	4.2	7	1	1	3	6	8	9	9
20-34	432	7.1	30	2	2	6	9	15	19	25
35-49	1159	7.3	27	1	2	6	10	14	18	24
50-64	623	7.8	31	1	2	7	11	15	19	25
65+	68	7.6	67	1	1	6	10	15	16	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.2	24	3	3	5	9	16	18	18
20-34	146	7.7	24	2	3	7	10	15	18	24
35-49	444	7.9	26	2	3	7	10	14	17	28
50-64	605	8.4	22	2	3	8	11	14	18	22
65+	398	8.4	25	2	3	7	11	15	17	25
B. *Operated*										
0-19 YRS	7	10.1	53	3	3	9	15	22	23	23
20-34	181	10.3	108	2	2	8	13	18	24	62
35-49	800	9.3	51	2	2	8	12	18	23	35
50-64	729	10.6	61	2	3	9	14	20	25	43
65+	220	12.7	131	2	3	10	17	24	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	849	7.2	20	2	2	7	9	13	15	23
B. *Operated*	2296	7.4	30	1	2	6	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	1602	8.2	24	2	3	7	11	14	17	24
B. *Operated*	1937	10.3	70	2	2	8	13	20	25	42
1. SINGLE DX	3145	7.3	27	1	2	6	10	14	17	24
2. MULTIPLE DX	3539	9.3	50	2	3	8	12	17	22	35
A. NOT OPERATED	2451	7.8	23	2	3	7	10	14	17	24
B. OPERATED	4233	8.7	50	1	2	7	11	17	21	33
TOTAL 0-19 YRS	49	6.0	25	1	2	5	8	12	18	23
20-34	952	7.7	42	2	2	6	10	15	19	27
35-49	2741	8.0	34	1	2	7	10	15	19	29
50-64	2187	8.9	39	2	3	8	12	17	20	31
65+	755	9.5	64	2	3	8	12	17	22	43
GRAND TOTAL	**6684**	**8.4**	**40**	**2**	**2**	**7**	**11**	**16**	**20**	**30**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.1	27	1	2	4	9	15	17	17
20-34	302	6.6	21	1	2	6	9	11	15	22
35-49	416	6.9	20	1	1	6	9	13	14	18
50-64	210	6.9	18	1	1	7	10	13	14	17
65+	35	6.4	11	1	1	6	9	10	12	13
B. *Operated*										
0-19 YRS	6	4.2	10	1	1	3	7	9	9	9
20-34	160	6.5	37	1	1	5	9	13	16	25
35-49	208	6.8	25	1	2	6	9	14	16	23
50-64	55	6.9	28	1	2	5	9	15	19	19
65+	3	3.7	1	3	3	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.6	12	1	2	5	7	11	14	15
20-34	382	7.2	17	1	3	7	9	12	14	20
35-49	593	8.5	28	2	3	8	11	14	18	30
50-64	498	8.4	27	2	3	8	11	14	17	25
65+	236	9.0	35	2	3	8	12	16	20	31
B. *Operated*										
0-19 YRS	7	6.1	15	1	1	7	9	11	11	11
20-34	155	9.7	47	2	3	9	13	17	23	40
35-49	279	10.6	51	2	3	10	13	18	24	39
50-64	137	9.9	40	2	2	9	14	18	20	29
65+	34	13.1	65	3	4	11	17	21	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	975	6.8	19	1	1	6	9	12	14	19
B. *Operated*	432	6.6	29	1	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1738	8.2	26	2	3	7	10	14	17	26
B. *Operated*	612	10.3	49	2	3	9	13	18	23	38
1. SINGLE DX	1407	6.7	22	1	1	6	9	13	15	20
2. MULTIPLE DX	2350	8.8	33	2	3	8	11	15	19	31
A. NOT OPERATED	2713	7.7	24	1	2	7	10	14	16	24
B. OPERATED	1044	8.8	44	1	2	8	12	16	20	35
TOTAL 0-19 YRS	54	5.6	15	1	1	5	8	11	14	17
20-34	999	7.3	27	1	2	6	10	13	16	25
35-49	1496	8.2	31	1	2	8	11	14	18	28
50-64	900	8.2	28	1	2	7	11	15	17	24
65+	308	9.1	38	2	3	8	12	17	20	33
GRAND TOTAL	**3757**	**8.0**	**30**	**1**	**2**	**7**	**10**	**14**	**17**	**26**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	4	2	2	4	6	7	7	7
20-34	126	6.8	17	2	2	6	9	12	14	23
35-49	167	6.8	13	1	2	6	9	12	14	15
50-64	109	7.1	13	2	2	7	10	12	13	15
65+	67	7.2	10	2	3	7	9	12	12	14
B. *Operated*										
0-19 YRS	4	9.3	113	2	2	5	15	25	25	25
20-34	78	5.0	22	1	2	3	7	11	16	24
35-49	143	4.8	19	1	1	3	6	11	14	19
50-64	84	5.8	21	1	2	5	7	11	17	22
65+	32	7.1	43	1	1	5	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.4	13	4	4	7	8	14	15	15
20-34	157	7.2	22	2	3	6	9	12	15	24
35-49	253	7.8	21	2	3	7	10	14	17	22
50-64	317	8.3	18	3	4	8	10	13	16	23
65+	405	9.3	32	3	4	8	12	17	20	25
B. *Operated*										
0-19 YRS	3	13.0	112	1	1	17	20	21	21	21
20-34	51	9.3	40	2	2	9	12	16	21	35
35-49	122	10.5	48	1	3	9	13	21	24	35
50-64	110	13.4	84	2	3	12	18	28	31	43
65+	72	13.4	104	3	3	11	16	26	38	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	6.9	13	1	2	7	9	12	13	16
B. *Operated*	341	5.4	23	1	2	4	7	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	1139	8.4	25	3	3	8	10	14	18	24
B. *Operated*	358	11.8	72	2	3	10	15	22	29	41
1. SINGLE DX	816	6.2	18	1	2	5	9	12	14	20
2. MULTIPLE DX	1497	9.2	38	2	3	8	12	17	21	32
A. NOT OPERATED	1614	7.9	22	2	3	7	10	14	16	24
B. OPERATED	699	8.7	59	1	2	6	12	18	24	37
TOTAL 0-19 YRS	20	7.7	44	1	2	6	8	19	23	25
20-34	412	6.9	24	2	2	6	9	12	16	24
35-49	685	7.4	26	1	2	6	10	14	17	24
50-64	620	8.7	35	2	3	8	11	15	19	31
65+	576	9.5	42	2	3	8	12	17	21	37
GRAND TOTAL	**2313**	**8.2**	**33**	**2**	**2**	**7**	**11**	**15**	**19**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	4.1	11	1	1	3	5	8	10	17
20-34	1465	5.8	16	1	2	5	8	11	13	21
35-49	1956	6.6	21	1	2	6	9	12	15	23
50-64	1095	6.9	20	1	2	6	9	12	15	23
65+	475	7.1	26	1	1	6	10	13	17	24
B. *Operated*										
0-19 YRS	101	4.2	10	1	1	3	5	9	11	16
20-34	1240	5.1	23	1	1	3	7	11	15	24
35-49	1799	5.8	27	1	1	4	8	12	16	25
50-64	1195	7.0	32	1	2	6	10	14	18	26
65+	477	9.0	50	1	2	8	12	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	4.7	14	1	1	4	6	10	12	17
20-34	1769	7.3	29	1	2	6	9	13	17	26
35-49	2843	8.0	33	2	3	7	10	14	18	28
50-64	2736	8.1	30	2	3	7	10	15	18	28
65+	2520	8.9	36	2	3	8	11	16	20	30
B. *Operated*										
0-19 YRS	70	6.5	52	1	2	4	8	13	26	37
20-34	1111	7.8	54	1	2	6	11	16	21	36
35-49	2118	8.8	54	2	2	7	12	18	22	34
50-64	2053	10.5	67	2	2	9	13	20	25	42
65+	1516	13.6	99	2	3	11	18	27	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5187	6.4	20	1	2	5	8	12	15	23
B. *Operated*	4812	6.2	31	1	1	4	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	10067	8.1	32	2	3	7	10	15	18	28
B. *Operated*	6868	10.2	72	2	2	8	14	20	26	42
1. SINGLE DX	9999	6.3	25	1	2	5	9	12	16	24
2. MULTIPLE DX	16935	8.9	50	2	2	7	11	17	22	35
A. NOT OPERATED	15254	7.5	29	2	2	6	10	14	17	26
B. OPERATED	11680	8.5	59	1	2	7	11	18	23	37
TOTAL 0-19 YRS	566	4.6	17	1	1	4	6	9	11	24
20-34	5585	6.5	30	1	2	5	9	13	16	26
35-49	8716	7.4	36	1	2	6	10	14	18	28
50-64	7079	8.4	42	2	2	7	11	16	21	31
65+	4988	10.2	51	2	3	8	13	20	26	39
GRAND TOTAL	**26934**	**8.0**	**42**	**1**	**2**	**6**	**10**	**16**	**20**	**31**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.8	11	1	1	3	5	7	8	18
20-34	150	4.5	10	1	1	4	5	8	13	15
35-49	197	4.9	15	1	1	4	6	9	12	18
50-64	204	4.9	16	1	2	4	6	10	12	22
65+	127	5.7	10	2	2	5	7	11	12	14
B. *Operated*										
0-19 YRS	404	2.6	4	<1	1	2	3	4	6	10
20-34	970	2.9	6	1	1	2	3	5	7	12
35-49	1430	3.2	5	1	1	3	4	5	7	14
50-64	1290	3.5	7	1	1	3	4	6	8	14
65+	361	3.7	7	1	1	3	4	6	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.4	19	1	1	3	5	8	11	25
20-34	162	5.0	14	1	1	4	7	9	11	16
35-49	379	6.1	15	1	2	5	8	11	13	20
50-64	554	6.3	22	1	2	5	8	11	14	25
65+	681	7.7	31	2	2	6	10	14	19	28
B. *Operated*										
0-19 YRS	160	3.5	17	1	1	2	3	7	9	15
20-34	606	4.1	16	1	1	3	5	7	11	22
35-49	1085	4.6	20	1	2	3	5	9	12	22
50-64	1357	5.0	22	1	2	4	6	10	13	22
65+	633	6.7	46	1	2	5	8	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	4.6	13	1	1	4	6	9	12	18
B. *Operated*	4455	3.2	6	1	1	3	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	1900	6.5	24	1	2	5	8	12	15	26
B. *Operated*	3841	5.0	25	1	2	3	6	10	14	24
1. SINGLE DX	5405	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX	5741	5.5	25	1	2	4	7	11	14	25
A. NOT OPERATED	2850	5.9	21	1	2	5	8	11	14	24
B. OPERATED	8296	4.0	16	1	1	3	5	8	11	20
TOTAL 0-19 YRS	960	3.3	10	1	1	2	4	6	8	15
20-34	1888	3.6	10	1	1	3	4	7	9	15
35-49	3091	4.2	13	1	1	3	5	8	11	18
50-64	3405	4.6	17	1	2	3	6	9	12	20
65+	1802	6.4	32	1	2	5	8	13	17	28
GRAND TOTAL	**11146**	**4.5**	**18**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	6	2.0	2	1	1	1	4	4	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	8	2.0	2	<1	<1	1	3	4	4	4
65+	3	4.7	30	<1	<1	2	9	11	11	11
B. *Operated*										
0-19 YRS	438	3.3	2	1	2	3	4	5	6	8
20-34	869	3.3	2	1	2	3	4	5	6	8
35-49	892	3.6	3	1	2	3	4	6	7	9
50-64	1111	3.6	3	1	2	3	4	6	6	8
65+	545	3.8	4	1	2	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	4	<1	<1	1	2	6	7	7
20-34	26	1.7	2	<1	<1	1	2	4	5	7
35-49	30	2.1	2	<1	<1	1	3	5	5	6
50-64	50	2.2	3	<1	<1	1	3	5	6	8
65+	51	3.6	11	<1	1	2	6	9	11	14
B. *Operated*										
0-19 YRS	392	3.8	5	2	2	3	4	5	6	11
20-34	1208	3.8	5	1	2	4	5	6	7	10
35-49	1772	4.0	6	2	2	4	5	6	8	12
50-64	3113	4.4	8	2	2	4	5	7	8	14
65+	2079	4.9	10	2	2	4	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.1	5	<1	<1	1	2	4	6	11
B. *Operated*	3855	3.5	3	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	165	2.6	6	<1	<1	1	3	6	8	12
B. *Operated*	8564	4.3	8	2	2	4	5	7	8	13
1. SINGLE DX	3881	3.5	3	1	2	3	4	5	6	9
2. MULTIPLE DX	8729	4.3	8	2	2	4	5	7	8	13
A. NOT OPERATED	191	2.5	6	<1	<1	1	3	6	8	12
B. OPERATED	12419	4.1	6	2	2	4	5	6	8	12
TOTAL 0-19 YRS	843	3.5	4	1	2	3	4	5	6	9
20-34	2109	3.6	4	1	2	3	4	6	6	9
35-49	2698	3.8	5	1	2	3	5	6	7	11
50-64	4282	4.2	7	2	2	4	5	6	8	13
65+	2678	4.6	9	2	2	4	6	8	9	15
GRAND TOTAL	**12610**	**4.0**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	9	1.9	1	<1	<1	2	2	4	4	4
35-49	7	2.4	2	<1	<1	2	4	4	4	4
50-64	6	3.5	15	<1	<1	2	4	10	11	11
65+	5	7.6	22	1	1	7	11	13	13	13
B. *Operated*										
0-19 YRS	472	1.8	1	<1	<1	2	2	3	3	5
20-34	716	1.9	1	<1	<1	2	2	3	4	6
35-49	466	2.2	2	<1	1	2	3	4	4	8
50-64	319	2.6	3	<1	1	2	3	4	6	8
65+	120	3.3	5	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	15	2.9	11	<1	<1	1	3	10	11	11
35-49	20	4.7	27	1	1	2	6	12	17	20
50-64	22	4.2	11	<1	1	3	5	9	10	12
65+	28	6.6	14	2	2	6	11	12	12	12
B. *Operated*										
0-19 YRS	64	2.3	2	1	1	2	3	4	5	7
20-34	226	2.8	5	<1	1	2	3	5	7	13
35-49	259	3.8	12	1	1	3	4	7	10	19
50-64	340	4.4	18	1	1	3	5	10	13	23
65+	190	5.3	20	1	2	4	7	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.2	11	<1	<1	2	4	9	11	13
B. *Operated*	2093	2.1	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	97	4.4	17	<1	1	3	6	11	12	18
B. *Operated*	1079	4.0	14	1	1	3	4	8	11	21
1. SINGLE DX	2123	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1176	4.0	14	1	1	3	5	8	12	20
A. NOT OPERATED	127	4.1	15	<1	1	2	6	11	12	16
B. OPERATED	3172	2.8	7	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	551	1.8	1	<1	<1	2	2	3	3	5
20-34	966	2.1	2	<1	<1	2	3	4	5	8
35-49	752	2.8	7	<1	1	2	3	5	7	15
50-64	687	3.6	11	1	1	3	4	7	10	17
65+	343	4.7	15	1	1	3	6	10	13	21
GRAND TOTAL	**3299**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	12.9	73	1	3	11	18	25	30	39
20-34	44	11.5	115	1	1	9	15	30	36	44
35-49	43	10.4	70	1	2	8	15	22	25	41
50-64	56	11.3	89	2	3	7	15	23	31	42
65+	31	13.3	135	2	4	8	17	32	42	48
B. *Operated*										
0-19 YRS	126	16.1	164	2	3	13	22	38	47	52
20-34	108	14.4	183	2	3	9	21	37	42	57
35-49	123	14.0	179	2	2	9	18	34	45	57
50-64	119	10.7	122	2	2	8	14	23	35	54
65+	82	16.0	136	2	4	13	22	32	37	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	15.4	97	2	3	14	22	28	31	46
20-34	72	14.9	135	2	3	12	20	34	45	89
35-49	98	13.8	115	2	4	11	19	30	37	46
50-64	170	15.6	145	3	4	12	22	33	43	50
65+	196	17.7	179	3	4	13	25	39	46	55
B. *Operated*										
0-19 YRS	151	22.6	206	4	6	21	30	44	49	99
20-34	250	21.7	239	3	5	18	32	45	53	66
35-49	276	23.1	382	3	4	17	33	55	72	99+
50-64	419	21.9	246	3	6	17	30	46	55	93
65+	442	24.9	328	4	7	20	35	50	63	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	12.1	88	1	2	10	16	25	31	42
B. *Operated*	558	14.2	161	2	3	10	19	33	43	54
2. MULTIPLE DX										
A. *Not Operated*	639	15.9	143	3	4	13	22	33	42	51
B. *Operated*	1538	23.0	290	4	6	18	32	48	59	94
1. SINGLE DX	865	13.4	136	2	3	10	18	29	38	53
2. MULTIPLE DX	2177	20.9	257	3	5	16	29	45	54	86
A. NOT OPERATED	946	14.6	128	2	3	12	20	31	39	49
B. OPERATED	2096	20.6	271	3	4	16	29	45	55	86
TOTAL 0-19 YRS	513	17.0	153	2	4	14	23	33	43	59
20-34	474	18.1	214	2	3	13	27	40	49	64
35-49	540	18.3	286	2	3	13	26	43	56	91
50-64	764	18.0	213	2	4	14	25	42	48	69
65+	751	21.6	276	3	5	16	31	46	53	84
GRAND TOTAL	**3042**	**18.8**	**234**	**2**	**4**	**14**	**27**	**42**	**50**	**79**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	5.1	18	1	1	4	7	12	14	19
20-34	168	3.5	10	1	1	3	4	6	9	19
35-49	253	4.0	8	1	1	3	5	8	9	15
50-64	169	4.8	15	1	2	4	6	9	13	25
65+	288	7.7	25	2	2	7	11	14	17	21
B. *Operated*										
0-19 YRS	1383	4.5	18	1	1	3	5	9	13	21
20-34	1175	4.4	13	1	1	3	5	8	11	18
35-49	638	5.6	25	1	2	4	7	12	15	23
50-64	500	7.1	42	1	2	5	10	15	18	27
65+	341	10.3	49	2	2	10	15	18	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	6.1	42	<1	1	4	7	14	19	39
20-34	392	5.2	17	1	1	4	7	10	13	22
35-49	740	5.6	29	1	2	4	7	10	14	31
50-64	1106	7.2	35	2	2	6	9	13	20	33
65+	4071	10.1	45	3	3	9	13	18	23	33
B. *Operated*										
0-19 YRS	494	6.0	62	1	1	3	6	12	18	44
20-34	916	7.0	85	1	2	4	8	15	20	51
35-49	741	8.9	111	1	2	5	11	18	26	57
50-64	1035	11.1	117	2	2	9	14	24	32	56
65+	1634	17.0	142	3	4	15	22	31	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1118	5.2	18	1	1	4	7	11	14	20
B. *Operated*	4037	5.5	26	1	1	4	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	6483	8.7	44	2	2	7	11	17	21	33
B. *Operated*	4820	11.5	131	2	2	8	16	25	33	58
1. SINGLE DX	5155	5.4	25	1	1	4	7	12	15	23
2. MULTIPLE DX	11303	9.9	83	2	2	7	13	20	27	45
A. NOT OPERATED	7601	8.2	41	2	2	7	11	16	21	32
B. OPERATED	8857	8.7	92	1	2	5	12	19	27	48
TOTAL 0-19 YRS	2291	5.0	30	1	1	3	6	10	14	28
20-34	2651	5.4	40	1	1	4	6	11	15	32
35-49	2372	6.4	54	1	2	4	8	13	18	38
50-64	2810	8.5	70	2	2	6	11	17	24	44
65+	6334	11.8	79	3	3	10	15	22	28	45
GRAND TOTAL	**16458**	**8.5**	**69**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.8	28	<1	<1	2	3	15	17	17
20-34	7	2.0	3	<1	<1	1	3	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	9.0	21	5	5	8	12	14	14	14
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	309	4.3	23	1	2	4	5	7	9	18
20-34	185	3.2	6	<1	1	3	4	6	8	14
35-49	112	3.4	9	1	1	3	4	6	8	19
50-64	107	4.4	11	1	2	3	6	9	11	16
65+	37	4.7	7	2	2	4	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	10	<1	<1	1	4	6	10	14
20-34	13	4.8	53	<1	<1	3	4	12	25	28
35-49	21	4.0	22	<1	<1	2	5	9	16	20
50-64	32	8.4	113	1	1	4	12	20	27	52
65+	31	17.2	387	4	4	9	23	41	58	92
B. *Operated*										
0-19 YRS	342	4.9	28	1	2	4	5	8	11	24
20-34	257	4.8	22	1	2	3	6	9	11	28
35-49	246	5.6	53	1	2	4	6	10	15	27
50-64	257	6.4	22	2	2	5	8	12	13	25
65+	160	9.7	80	2	3	7	13	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.7	21	<1	<1	2	4	11	17	17
B. *Operated*	750	3.9	14	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	118	8.6	171	<1	1	4	10	22	32	70
B. *Operated*	1262	5.9	39	1	2	4	7	12	15	33
1. SINGLE DX	780	3.9	14	1	1	3	5	7	9	17
2. MULTIPLE DX	1380	6.1	51	1	2	4	7	12	15	37
A. NOT OPERATED	148	7.6	144	<1	<1	4	8	18	28	60
B. OPERATED	2012	5.2	31	1	2	4	6	10	13	27
TOTAL 0-19 YRS	688	4.6	25	1	2	4	5	7	10	22
20-34	462	4.1	17	1	1	3	5	7	10	22
35-49	381	4.8	39	1	1	3	5	5	14	23
50-64	399	6.0	27	1	2	5	8	12	14	26
65+	230	9.9	120	2	2	6	12	19	29	58
GRAND TOTAL	**2160**	**5.3**	**39**	**1**	**2**	**4**	**6**	**10**	**14**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	8	1	1	4	7	9	9	9
20-34	41	6.5	18	1	2	6	8	11	13	24
35-49	73	6.2	14	1	1	5	9	12	13	14
50-64	60	6.1	17	1	2	5	8	10	12	25
65+	22	5.9	16	1	2	5	9	11	14	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	50	5.8	32	2	2	3	8	14	20	26
35-49	63	5.6	18	1	2	5	8	11	12	21
50-64	55	5.6	24	1	2	4	6	14	17	25
65+	21	5.4	19	1	1	3	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	5	1	1	3	6	6	6	6
20-34	56	7.3	20	3	3	6	10	14	16	22
35-49	121	7.3	19	2	3	6	9	13	17	21
50-64	146	7.7	21	1	3	7	10	14	16	23
65+	167	8.7	24	2	3	8	11	15	18	26
B. *Operated*										
0-19 YRS	3	7.7	41	3	3	5	12	15	15	15
20-34	33	5.8	17	1	2	5	8	12	14	17
35-49	73	10.2	55	1	2	9	13	19	26	38
50-64	75	10.6	81	2	2	9	13	19	34	45
65+	47	13.1	45	4	5	12	18	22	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	6.2	16	1	2	5	9	11	13	20
B. *Operated*	190	5.6	23	1	2	4	8	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	496	7.9	22	2	3	7	10	15	17	23
B. *Operated*	231	10.3	60	2	2	9	14	19	23	41
1. SINGLE DX	392	5.9	19	1	2	5	8	12	14	22
2. MULTIPLE DX	727	8.6	35	2	3	7	11	16	19	29
A. NOT OPERATED	698	7.4	21	2	3	7	10	14	16	23
B. OPERATED	421	8.2	49	1	2	6	11	17	21	37
TOTAL 0-19 YRS	16	4.7	12	1	1	4	6	9	13	15
20-34	180	6.4	22	2	2	5	9	12	16	23
35-49	330	7.4	28	1	2	6	10	14	17	27
50-64	336	7.7	37	1	2	6	10	15	18	37
65+	257	9.0	32	2	3	8	12	17	20	28
GRAND TOTAL	**1119**	**7.7**	**31**	**2**	**2**	**6**	**10**	**15**	**18**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	3.6	11	1	1	2	5	9	12	14
20-34	574	5.3	21	1	1	4	7	10	13	24
35-49	600	5.5	18	1	2	5	7	10	13	23
50-64	363	5.0	13	1	1	4	6	10	12	17
65+	153	6.2	22	1	2	5	8	13	16	22
B. *Operated*										
0-19 YRS	783	5.0	32	1	1	2	8	12	15	23
20-34	958	4.1	19	1	1	3	5	9	12	21
35-49	756	4.1	17	1	1	3	5	10	12	20
50-64	819	3.6	12	1	1	3	4	8	10	17
65+	436	4.0	17	1	1	3	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	4.4	15	1	1	3	6	9	12	18
20-34	1067	5.7	20	1	1	4	7	11	14	22
35-49	1511	6.8	24	1	2	6	9	13	16	24
50-64	1419	6.9	24	2	2	6	9	13	16	25
65+	1423	7.5	33	2	2	6	10	15	18	25
B. *Operated*										
0-19 YRS	814	5.7	53	1	1	3	6	12	17	44
20-34	1282	5.0	31	1	1	3	6	11	16	29
35-49	1252	6.2	41	1	2	4	8	14	19	30
50-64	1242	6.4	41	1	2	4	8	14	19	31
65+	914	8.8	105	1	2	5	11	19	25	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2049	5.1	18	1	1	4	7	10	13	22
B. *Operated*	3752	4.2	19	1	1	3	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	5761	6.6	26	1	2	5	9	13	16	25
B. *Operated*	5504	6.3	52	1	2	4	8	14	19	35
1. SINGLE DX	5801	4.5	19	1	1	3	6	10	13	21
2. MULTIPLE DX	11265	6.5	39	1	2	5	8	13	18	30
A. NOT OPERATED	7810	6.2	24	1	2	5	8	12	15	24
B. OPERATED	9256	5.4	40	1	1	3	7	12	17	31
TOTAL 0-19 YRS	2257	5.0	34	1	1	3	6	12	15	28
20-34	3881	5.0	24	1	1	3	6	10	14	26
35-49	4119	5.9	28	1	2	4	8	12	16	25
50-64	3843	5.9	27	1	2	4	8	12	16	26
65+	2966	7.3	54	1	2	5	9	15	20	32
GRAND TOTAL	**17066**	**5.8**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	4	4.0	11	2	2	3	6	9	9	9
20-34	30	4.8	7	2	2	4	7	9	9	12
35-49	54	6.0	11	2	2	6	7	10	13	18
50-64	13	6.1	13	2	2	6	9	11	13	13
65+	4	8.3	30	4	4	6	12	16	16	16
B. *Operated*										
0-19 YRS.	3	4.0	7	2	2	3	6	7	7	7
20-34	11	7.7	48	2	2	4	15	18	19	19
35-49	18	6.4	26	1	2	5	8	14	19	21
50-64	3	4.7	4	3	3	4	6	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	19	6.2	11	3	3	5	7	9	14	18
20-34	167	6.6	12	2	3	6	8	11	13	18
35-49	217	6.4	14	3	3	5	9	11	13	18
50-64	128	7.5	22	2	3	6	10	15	17	21
65+	56	8.0	28	2	3	7	10	16	19	27
B. *Operated*										
0-19 YRS.	3	2.3		2	2	2	3	3	3	3
20-34	43	8.8	22	3	4	8	10	16	19	22
35-49	56	8.9	28	2	3	9	11	13	21	28
50-64	26	6.5	14	2	3	5	10	11	14	15
65+	7	12.3	30	6	6	10	15	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.6	11	2	2	5	7	9	12	17
B. *Operated*	35	6.5	29	2	2	4	8	17	19	21
2. MULTIPLE DX										
A. *Not Operated*	567	6.8	17	3	3	6	9	12	15	20
B. *Operated*	135	8.5	25	2	3	8	11	14	18	25
1. SINGLE DX	148	5.8	15	2	2	5	7	11	15	19
2. MULTIPLE DX	722	7.1	18	2	3	6	9	13	15	23
A. NOT OPERATED	700	6.6	16	2	3	6	9	12	15	19
B. OPERATED	170	8.0	26	2	3	7	11	15	18	24
TOTAL 0-19 YRS.	29	5.3	11	2	2	4	7	9	10	18
20-34	259	6.7	16	2	3	6	8	11	15	21
35-49	345	6.7	17	2	3	6	9	12	14	23
50-64	170	7.2	20	2	3	6	10	14	16	19
65+	67	8.4	29	3	3	7	10	16	20	26
GRAND TOTAL	**870**	**6.9**	**18**	**2**	**3**	**6**	**9**	**12**	**15**	**22**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	73	3.2	10	<1	<1	2	4	7	9	18
20-34	5	3.2	5	1	1	3	4	7	7	7
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS.	128	6.1	12	2	2	5	8	11	13	18
20-34	22	8.4	25	1	2	9	12	15	16	17
35-49	13	10.8	44	2	2	11	15	20	22	22
50-64	6	6.5	35	1	1	5	12	15	15	15
65+	5	12.0	37	4	4	13	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	210	4.9	31	1	1	3	6	12	15	23
20-34	27	7.9	48	1	2	6	10	17	23	30
35-49	11	9.1	31	2	2	10	11	16	21	21
50-64	14	5.5	31	<1	<1	3	10	14	17	18
65+	17	8.9	42	2	3	6	16	18	18	18
B. *Operated*										
0-19 YRS.	236	12.8	215	2	3	7	16	31	41	80
20-34	41	10.0	84	1	2	7	14	19	26	48
35-49	20	16.4	335	2	3	11	16	36	65	81
50-64	19	11.7	107	2	3	10	14	26	38	43
65+	16	11.6	41	3	4	11	15	19	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	3.2	10	<1	<1	2	4	7	9	17
B. *Operated*	174	7.0	20	2	2	6	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	279	5.6	35	1	1	4	7	14	17	26
B. *Operated*	332	12.5	192	2	3	8	15	28	40	79
1. SINGLE DX	257	5.7	19	1	1	5	8	12	15	18
2. MULTIPLE DX	611	9.4	132	1	2	6	12	20	32	65
A. NOT OPERATED	362	5.1	30	<1	1	3	7	12	16	22
B. OPERATED	506	10.6	139	2	3	7	13	21	34	66
TOTAL 0-19 YRS.	647	7.8	107	1	1	5	9	18	28	64
20-34	95	8.7	57	1	2	7	13	16	20	42
35-49	46	12.4	175	2	2	10	14	21	23	81
50-64	40	8.5	75	<1	1	6	13	16	25	43
65+	40	10.2	41	2	3	9	16	18	19	27
GRAND TOTAL	**868**	**8.3**	**101**	**1**	**1**	**5**	**10**	**18**	**25**	**50**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.6	11	<1	<1	1	1	2	3	18
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	731	2.3	3	1	1	2	3	4	5	9
20-34	181	2.6	2	1	1	2	3	4	6	9
35-49	106	2.9	4	1	2	2	3	4	6	13
50-64	90	2.6	2	1	2	2	3	4	5	7
65+	82	2.5	1	1	2	2	3	4	5	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	2.0	5	<1	1	1	2	4	5	14
20-34	4	1.5		1	1	1	2	2	2	2
35-49	4	3.0	5	1	1	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	6	3.0	10	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	237	2.8	11	1	1	2	3	5	7	16
20-34	90	2.9	6	1	1	2	3	5	7	14
35-49	48	3.0	4	1	1	2	4	6	8	9
50-64	90	3.8	15	2	2	2	4	9	11	23
65+	146	3.2	11	1	2	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	1.6	10	<1	<1	1	1	2	3	18
B. *Operated*	1190	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	70	2.1	5	1	1	1	2	5	5	13
B. *Operated*	611	3.1	10	1	1	2	3	5	8	17
1. SINGLE DX	1301	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	681	3.0	10	1	1	2	3	5	8	16
A. NOT OPERATED	181	1.8	8	<1	<1	1	2	3	5	12
B. OPERATED	1801	2.7	5	1	1	2	3	4	6	11
TOTAL 0-19 YRS	1131	2.3	5	<1	1	2	2	4	5	10
20-34	276	2.7	3	1	1	2	3	4	6	11
35-49	159	2.9	4	1	1	2	3	5	6	10
50-64	182	3.2	8	1	2	2	3	5	9	19
65+	234	3.0	8	1	2	2	3	5	7	20
GRAND TOTAL	**1982**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	9	1	1	2	5	7	9	14
20-34	21	4.0	9	1	1	3	7	8	9	9
35-49	18	5.2	16	1	2	4	7	13	13	13
50-64	12	2.1	2	<1	<1	2	3	4	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1219	4.9	18	1	1	3	8	10	12	19
20-34	149	5.9	42	1	1	3	9	12	17	27
35-49	83	5.0	18	1	1	3	9	11	12	20
50-64	54	6.4	61	1	2	4	9	13	16	51
65+	25	5.5	20	1	1	3	10	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393	4.6	35	<1	1	3	5	9	17	33
20-34	91	5.9	87	1	1	4	7	11	13	63
35-49	66	6.5	29	2	2	5	8	14	19	28
50-64	51	6.0	16	1	2	5	8	12	14	16
65+	67	8.0	42	2	2	7	9	17	25	30
B. *Operated*										
0-19 YRS	1604	7.3	83	1	1	4	10	16	23	54
20-34	154	7.4	74	1	2	5	10	13	21	72
35-49	123	9.4	134	2	2	7	12	20	28	91
50-64	162	12.7	159	2	2	10	16	28	33	69
65+	97	12.5	169	2	2	9	16	24	29	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.6	9	1	1	2	5	8	10	14
B. *Operated*	1530	5.1	22	1	1	3	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	668	5.4	41	1	1	4	6	11	17	32
B. *Operated*	2140	8.0	97	1	1	5	11	17	25	64
1. SINGLE DX	1650	5.0	21	1	1	3	8	10	13	19
2. MULTIPLE DX	2808	7.4	85	1	1	4	10	16	23	54
A. NOT OPERATED	788	5.2	37	1	1	3	6	10	15	31
B. OPERATED	3670	6.8	68	1	1	4	9	15	20	45
TOTAL 0-19 YRS	3284	6.0	53	1	1	3	8	13	18	37
20-34	415	6.4	62	1	1	4	9	12	16	54
35-49	290	7.3	73	1	2	5	9	15	21	56
50-64	279	9.8	119	1	2	6	13	21	29	64
65+	190	9.9	111	2	2	7	13	19	26	62
GRAND TOTAL	**4458**	**6.5**	**63**	**1**	**1**	**4**	**9**	**14**	**19**	**41**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	636	3.8	5	1	2	3	5	7	8	10
20-34	10	3.4	2	2	2	3	4	5	6	6
35-49	6	6.5	20	2	2	5	9	13	14	14
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.4	14	<1	<1	1	2	5	8	22
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	631	3.9	5	2	2	3	5	7	8	12
20-34	26	2.9	2	1	1	3	4	5	5	5
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.5	2	1	1	2	3	5	5	5
B. *Operated*	655	3.8	5	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	60	2.4	14	<1	<1	1	2	5	7	22
B. *Operated*	659	3.9	5	2	2	3	5	7	8	12
1. SINGLE DX	661	3.8	5	1	2	3	5	7	8	10
2. MULTIPLE DX	719	3.7	6	1	2	3	5	7	8	12
A. NOT OPERATED	66	2.4	13	<1	<1	1	2	5	7	22
B. OPERATED	1314	3.9	5	2	2	3	5	7	8	11
TOTAL 0-19 YRS	1332	3.8	6	1	2	3	5	7	8	12
20-34	37	3.1	2	1	1	3	4	5	5	6
35-49	8	6.1	14	2	2	5	7	12	14	14
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1380**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.6	2	<1	1	2	3	5	5	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	657	3.5	3	1	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.5	3	1	1	4	5	6	7	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	182	5.0	7	2	2	4	6	8	11	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.6	2	<1	1	2	3	5	5	6
B. *Operated*	657	3.5	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	23	3.5	3	1	1	4	5	6	7	8
B. *Operated*	182	5.0	7	2	2	4	6	8	11	14
1. SINGLE DX	698	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	205	4.8	7	2	2	4	6	8	10	14
A. NOT OPERATED	64	2.9	2	1	1	3	4	5	6	8
B. OPERATED	839	3.8	4	2	2	3	5	6	7	12
TOTAL 0-19 YRS	903	3.8	4	1	2	3	5	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**903**	**3.8**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.3	10	<1	1	2	4	7	9	16
20-34	7	5.4	21	1	1	3	10	12	12	12
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	8	4.9	7	1	2	5	6	9	10	10
B. *Operated*										
0-19 YRS	417	5.7	45	1	1	4	7	11	16	29
20-34	70	4.2	10	1	1	3	6	8	10	15
35-49	23	6.5	20	1	1	6	9	13	15	18
50-64	30	5.2	20	1	1	3	8	12	15	18
65+	14	8.4	43	1	2	7	11	16	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	5.5	25	1	1	4	8	12	18	23
20-34	22	5.7	13	1	2	5	8	10	14	16
35-49	23	4.3	7	1	2	4	6	7	9	12
50-64	33	5.6	13	1	2	4	8	10	13	15
65+	62	5.6	21	1	1	5	7	11	15	23
B. *Operated*										
0-19 YRS	423	8.8	121	1	2	6	10	19	29	71
20-34	94	7.6	30	2	2	6	10	17	20	24
35-49	64	9.4	52	1	3	8	12	18	29	35
50-64	71	10.7	62	2	3	10	15	20	24	41
65+	94	15.1	211	2	3	10	18	36	49	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.4	10	<1	1	2	4	8	10	15
B. *Operated*	554	5.6	38	1	1	4	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	313	5.5	21	1	1	4	7	11	15	23
B. *Operated*	746	9.7	114	1	2	7	12	20	29	65
1. SINGLE DX	711	5.1	33	1	1	3	7	10	13	26
2. MULTIPLE DX	1059	8.5	90	1	2	6	10	18	24	59
A. NOT OPERATED	470	4.8	18	1	1	3	6	10	13	22
B. OPERATED	1300	7.9	86	1	2	5	10	17	24	53
TOTAL 0-19 YRS	1147	6.5	69	1	1	4	8	13	20	47
20-34	193	6.1	23	1	2	5	8	13	17	23
35-49	115	7.5	40	1	2	6	9	15	19	32
50-64	137	8.1	47	1	2	7	11	17	20	36
65+	178	10.8	143	1	2	7	13	21	36	63
GRAND TOTAL	**1770**	**7.1**	**70**	**1**	**1**	**5**	**9**	**15**	**20**	**46**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5		<1	<1	1	2	2	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	762	2.2	2	<1	1	2	3	4	5	7
20-34	70	3.1	4	1	1	3	4	6	6	13
35-49	20	2.7	1	1	1	3	3	4	5	5
50-64	7	2.6	1	1	1	3	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.4	1	<1	<1	1	1	3	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	771	2.5	2	1	1	2	3	4	5	7
20-34	79	3.3	4	1	1	3	4	5	8	13
35-49	40	3.3	3	1	2	3	4	5	7	8
50-64	10	3.5	4	1	1	3	4	7	7	7
65+	5	4.8	13	2	2	3	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.6		<1	<1	1	2	3	3	3
B. *Operated*	860	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	45	1.4	1	<1	<1	1	1	3	3	4
B. *Operated*	905	2.6	2	1	1	2	3	4	6	8
1. SINGLE DX	879	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	950	2.5	2	1	1	2	3	4	5	8
A. NOT OPERATED	64	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	1765	2.5	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	1591	2.3	2	<1	1	2	3	4	5	7
20-34	154	3.2	4	1	1	3	4	5	7	14
35-49	61	3.0	2	1	1	3	4	5	6	8
50-64	17	3.1	3	1	1	3	4	6	7	7
65+	6	4.7	11	2	2	4	5	10	11	11
GRAND TOTAL	**1829**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.9	1	<1	<1	2	2	4	4	5
20-34	19	2.8	4	<1	<1	2	4	6	7	8
35-49	9	3.1	3	<1	<1	3	4	6	6	6
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	8	5.1	15	1	1	4	7	11	13	13
B. *Operated*										
0-19 YRS	892	4.8	12	1	1	4	7	9	11	16
20-34	203	4.3	9	1	1	4	6	7	10	14
35-49	61	4.3	8	1	1	4	6	8	9	16
50-64	37	4.8	16	1	2	3	7	12	14	15
65+	24	5.1	23	1	1	3	7	9	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	3.5	18	<1	<1	2	4	8	11	24
20-34	39	4.3	9	1	1	4	5	9	10	15
35-49	50	5.6	10	1	2	5	7	11	12	13
50-64	53	6.5	17	2	3	5	9	13	15	18
65+	50	6.8	22	2	2	6	8	12	19	23
B. *Operated*										
0-19 YRS	658	5.6	23	1	1	4	8	11	14	22
20-34	288	5.9	18	1	2	5	7	11	15	22
35-49	176	6.7	22	1	2	6	9	12	16	24
50-64	170	9.1	68	2	2	7	12	15	24	52
65+	107	10.2	111	2	2	8	12	18	23	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.6	4	<1	1	2	3	5	6	12
B. *Operated*	1217	4.7	12	1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	272	5.2	17	1	1	4	7	11	13	22
B. *Operated*	1399	6.6	36	1	2	5	8	13	16	26
1. SINGLE DX	1294	4.6	11	1	1	4	6	9	11	16
2. MULTIPLE DX	1671	6.3	33	1	1	5	8	12	16	25
A. NOT OPERATED	349	4.6	15	<1	1	4	6	9	12	21
B. OPERATED	2616	5.7	26	1	1	5	8	11	14	22
TOTAL 0-19 YRS	1669	5.0	17	1	1	4	7	10	12	19
20-34	549	5.1	14	1	1	5	7	9	12	17
35-49	296	5.9	18	1	2	5	8	11	13	21
50-64	262	7.9	52	2	2	6	11	15	17	42
65+	189	8.4	76	2	2	7	11	16	20	33
GRAND TOTAL	**2965**	**5.6**	**24**	**1**	**1**	**5**	**7**	**11**	**14**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.6	23	<1	<1	2	4	7	16	19
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	673	3.7	4	1	2	3	4	6	7	14
20-34	37	5.1	17	1	1	4	6	10	15	19
35-49	17	4.1	4	2	2	4	5	8	9	9
50-64	10	3.8	3	2	2	3	5	6	7	7
65+	9	4.2	10	2	2	3	5	9	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	1.7	9	<1	<1	1	1	3	4	21
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	378	4.2	15	1	2	3	5	7	8	17
20-34	97	4.6	5	2	2	4	5	8	9	13
35-49	82	4.3	4	2	2	4	5	7	8	10
50-64	105	5.3	15	2	3	4	5	8	12	24
65+	43	5.5	9	2	3	5	6	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.6	23	<1	<1	2	4	7	16	19
B. *Operated*	746	3.7	5	1	2	3	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	57	1.6	7	<1	<1	1	1	3	4	20
B. *Operated*	705	4.5	12	2	2	4	5	7	9	17
1. SINGLE DX	760	3.7	5	1	2	3	5	6	7	15
2. MULTIPLE DX	762	4.3	12	1	1	4	5	7	9	18
A. NOT OPERATED	71	2.0	11	<1	<1	1	1	4	5	21
B. OPERATED	1451	4.1	9	1	2	4	5	7	8	15
TOTAL 0-19 YRS	1114	3.7	8	1	1	3	5	6	8	14
20-34	137	4.6	8	1	2	4	5	8	10	16
35-49	100	4.2	4	2	2	4	5	7	9	10
50-64	117	5.1	14	2	3	4	5	8	11	24
65+	54	5.2	10	2	2	4	6	11	12	15
GRAND TOTAL	**1522**	**4.0**	**9**	**1**	**2**	**3**	**5**	**6**	**8**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	3.2	12	<1	1	2	4	8	12	16
20-34	66	5.6	31	1	1	5	8	10	14	35
35-49	55	6.1	13	1	2	5	8	11	13	15
50-64	29	7.6	23	1	2	6	10	14	17	22
65+	13	7.8	41	1	2	6	9	16	24	26
B. *Operated*										
0-19 YRS	1928	4.6	30	1	1	3	5	9	12	25
20-34	532	4.3	21	1	1	3	5	9	13	24
35-49	295	5.2	24	1	1	3	7	12	16	24
50-64	164	6.8	74	1	1	4	9	14	19	48
65+	55	7.6	58	1	1	4	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	418	4.5	27	<1	1	3	5	10	14	25
20-34	145	6.7	31	1	2	6	8	12	17	32
35-49	124	7.3	62	1	1	6	9	12	17	53
50-64	117	7.4	29	1	2	6	10	15	19	25
65+	149	8.5	35	1	2	7	11	17	21	25
B. *Operated*										
0-19 YRS	897	6.2	44	1	2	4	7	14	20	34
20-34	358	6.8	62	1	2	4	9	14	18	33
35-49	304	8.3	76	1	2	5	11	17	20	44
50-64	301	10.0	79	2	2	8	13	21	28	44
65+	145	13.0	217	2	2	9	15	28	41	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	4.4	19	<1	1	3	6	10	12	20
B. *Operated*	2974	4.8	31	1	1	3	5	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	953	6.2	36	1	1	5	8	13	17	26
B. *Operated*	2005	7.7	74	1	2	5	10	17	23	42
1. SINGLE DX	3407	4.7	29	1	1	3	5	10	14	25
2. MULTIPLE DX	2958	7.2	62	1	1	5	9	15	21	39
A. NOT OPERATED	1386	5.6	31	<1	1	4	8	12	16	25
B. OPERATED	4979	5.9	50	1	1	4	7	13	18	34
TOTAL 0-19 YRS	3513	4.9	32	1	1	3	5	10	15	28
20-34	1101	5.5	38	1	1	4	7	12	16	32
35-49	778	6.8	51	1	2	4	9	14	18	33
50-64	611	8.5	67	1	2	6	11	18	22	42
65+	362	10.1	116	1	2	7	13	20	27	70
GRAND TOTAL	**6365**	**5.9**	**46**	**1**	**1**	**4**	**7**	**13**	**18**	**33**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2229	3.2	12	1	1	2	3	6	8	20
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	67	6.4	56	1	1	4	8	14	23	37
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1472	8.2	111	1	2	4	9	19	29	59
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	196	20.1	399	2	3	13	30	71	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2229	3.2	12	1	1	2	3	6	8	20
B. *Operated*	67	6.4	56	1	1	4	8	14	23	37
2. MULTIPLE DX										
A. *Not Operated*	1472	8.2	111	1	2	4	9	19	29	59
B. *Operated*	196	20.1	399	2	3	13	30	71	99+	99+
1. SINGLE DX	2296	3.3	14	1	1	2	3	6	9	22
2. MULTIPLE DX	1668	9.6	159	1	2	5	11	25	38	92
A. NOT OPERATED	3701	5.2	57	1	1	3	5	11	18	40
B. OPERATED	263	16.6	347	1	2	11	25	57	87	99+
TOTAL 0-19 YRS	3964	6.0	84	1	1	3	6	13	23	60
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3964**	**6.0**	**84**	**1**	**1**	**3**	**6**	**13**	**23**	**60**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2644	3.1	6	1	1	2	4	5	7	12
20-34	969	3.4	7	1	1	3	4	6	8	14
35-49	484	3.8	8	1	1	3	5	[illegible]	8	14
50-64	314	4.6	15	1	1	4	5	8	10	23
65+	233	5.2	21	1	1	4	6	10	13	29
B. *Operated*										
0-19 YRS	45	4.3	14	1	2	3	5	7	12	[illegible]
20-34	32	5.5	17	1	2	4	8	12	14	17
35-49	26	5.3	15	1	2	4	8	11	13	16
50-64	20	5.1	7	1	2	5	7	9	10	11
65+	12	10.2	143	1	2	5	11	33	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4025	3.6	11	1	1	3	4	7	9	15
20-34	1438	5.4	25	1	2	4	7	10	13	25
35-49	1245	5.9	25	1	2	5	7	11	14	25
50-64	1434	6.3	29	1	2	5	8	12	16	26
65+	2004	7.6	34	2	3	6	9	15	19	28
B. *Operated*										
0-19 YRS	113	8.5	84	2	2	6	10	17	28	51
20-34	127	9.0	67	2	2	7	12	19	23	44
35-49	146	11.2	100	2	2	9	13	19	32	57
50-64	203	12.9	131	3	4	9	16	26	36	56
65+	219	14.2	113	3	4	11	17	28	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4644	3.4	8	1	1	3	4	6	8	15
B. *Operated*	135	5.4	26	1	2	4	7	11	14	33
2. MULTIPLE DX										
A. *Not Operated*	10146	5.3	24	1	2	4	7	10	14	24
B. *Operated*	808	11.7	108	2	3	9	14	24	35	53
1. SINGLE DX	4779	3.5	9	1	1	3	4	6	8	15
2. MULTIPLE DX	10954	5.8	33	1	2	4	7	11	16	28
A. NOT OPERATED	14790	4.7	20	1	1	3	6	9	13	22
B. OPERATED	943	10.8	101	2	2	8	13	22	32	50
TOTAL 0-19 YRS	6827	3.5	11	1	1	3	4	6	8	15
20-34	2566	4.9	22	1	1	4	6	9	12	24
35-49	1901	5.7	29	1	2	4	7	11	14	27
50-64	1971	6.7	42	1	2	5	8	13	17	34
65+	2468	8.0	44	2	2	6	10	16	20	37
GRAND TOTAL	**15733**	**5.1**	**27**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	899	3.0	3	1	1	3	4	5	6	8
20-34	117	4.4	6	1	2	4	5	8	10	13
35-49	77	5.0	9	1	2	4	7	10	11	15
50-64	100	5.9	14	2	2	5	7	11	12	20
65+	83	5.6	26	1	2	4	6	10	13	33
B. *Operated*										
0-19 YRS	15	7.2	22	2	2	6	10	15	17	18
20-34	15	6.7	24	1	2	5	10	15	16	16
35-49	12	6.9	27	1	2	6	10	13	16	16
50-64	9	15.9	118	4	5	15	20	33	39	39
65+	7	15.1	32	6	7	16	20	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1716	3.6	9	1	1	3	4	6	8	14
20-34	331	5.4	24	1	2	4	6	10	12	29
35-49	298	6.2	28	2	2	5	8	12	13	20
50-64	479	6.2	26	2	2	5	8	11	14	26
65+	865	8.0	33	2	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	69	9.4	111	2	2	6	10	20	28	63
20-34	58	11.4	111	3	4	8	12	20	29	70
35-49	62	12.4	95	3	3	10	16	23	33	47
50-64	120	14.5	145	4	5	11	18	26	31	76
65+	136	16.4	136	4	6	13	21	35	43	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1276	3.6	7	1	1	3	4	6	8	13
B. *Operated*	58	9.3	50	2	2	7	15	18	21	38
2. MULTIPLE DX										
A. *Not Operated*	3689	5.4	23	1	2	4	7	10	13	24
B. *Operated*	445	13.6	131	3	4	10	18	26	35	68
1. SINGLE DX	1334	3.9	10	1	1	3	5	7	10	16
2. MULTIPLE DX	4134	6.2	41	1	2	4	8	12	17	33
A. NOT OPERATED	4965	4.9	19	1	2	4	6	10	12	21
B. OPERATED	503	13.1	123	3	3	10	17	25	35	64
TOTAL 0-19 YRS	2699	3.6	11	1	1	3	4	6	8	15
20-34	521	5.8	34	1	2	4	7	11	13	30
35-49	449	6.8	38	2	2	5	9	13	16	27
50-64	708	7.7	56	2	2	6	9	15	20	33
65+	1091	8.9	53	2	3	7	11	17	22	37
GRAND TOTAL	**5468**	**5.7**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	394	3.0	4	1	1	3	4	5	7	12
20-34	661	3.6	7	1	1	3	5	7	8	13
35-49	329	3.8	11	1	1	3	5	8	10	16
50-64	151	4.0	7	1	1	3	5	7	9	13
65+	53	4.5	7	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS.	18	4.3	7	1	2	3	7	8	9	9
20-34	56	4.5	13	1	2	4	5	8	11	22
35-49	57	4.4	12	1	1	3	6	9	11	18
50-64	35	5.5	17	2	2	5	6	9	16	22
65+	11	4.8	15	<1	1	4	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	538	3.7	10	1	1	3	4	6	8	20
20-34	1187	4.9	16	1	2	4	6	9	13	21
35-49	916	5.8	28	1	2	4	7	11	14	29
50-64	713	5.9	20	1	2	5	8	11	14	23
65+	560	5.7	16	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS.	26	4.9	26	1	1	4	5	8	14	77
20-34	142	7.7	31	2	2	7	10	14	17	31
35-49	165	9.6	48	2	3	8	13	19	21	38
50-64	130	7.8	32	2	2	7	10	14	19	28
65+	100	9.1	56	2	3	7	11	18	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1588	3.6	7	1	1	3	4	7	9	13
B. *Operated*	177	4.7	13	1	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	3914	5.2	19	1	2	4	7	10	13	23
B. *Operated*	563	8.4	42	2	2	7	11	17	20	43
1. SINGLE DX	1765	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX	4477	5.6	23	1	2	4	7	11	14	25
A. NOT OPERATED	5502	4.8	16	1	1	4	6	9	12	21
B. OPERATED	740	7.5	37	2	2	6	10	15	19	31
TOTAL 0-19 YRS.	976	3.4	8	1	1	3	4	6	8	15
20-34	2046	4.7	15	1	1	4	6	9	12	20
35-49	1467	5.7	28	1	2	4	7	12	15	28
50-64	1029	5.9	20	1	2	5	8	11	14	24
65+	724	6.1	22	2	2	5	8	11	14	24
GRAND TOTAL	**6242**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	41	2.7	4	<1	<1	2	4	6	7	8
20-34	66	2.8	2	1	1	3	4	5	6	7
35-49	93	3.3	3	1	1	3	4	5	7	8
50-64	177	3.4	5	1	1	3	4	6	8	12
65+	195	3.2	5	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS.	46	2.2	8	<1	<1	1	2	6	6	16
20-34	65	4.4	7	1	1	4	6	8	10	11
35-49	83	5.1	7	1	2	4	6	9	10	15
50-64	153	5.1	13	1	2	4	7	9	11	23
65+	127	4.7	12	1	1	4	6	9	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	107	2.8	6	<1	1	2	3	6	8	12
20-34	72	3.9	6	1	1	3	5	7	9	12
35-49	146	4.2	12	1	1	4	5	8	10	18
50-64	425	4.7	10	1	2	4	6	8	9	16
65+	846	4.7	12	1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS.	40	3.4	7	<1	1	3	5	7	8	13
20-34	50	5.3	14	1	1	5	7	9	13	17
35-49	107	5.8	24	2	2	5	7	9	12	34
50-64	277	6.3	28	1	2	5	7	11	14	29
65+	431	6.6	32	1	2	5	8	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	3.2	4	1	1	3	4	6	7	10
B. *Operated*	474	4.6	11	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	1596	4.5	11	1	1	4	6	8	10	16
B. *Operated*	905	6.2	28	1	2	5	8	11	15	29
1. SINGLE DX	1046	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX	2501	5.1	18	1	1	4	7	9	12	21
A. NOT OPERATED	2168	4.1	9	1	1	3	5	8	9	14
B. OPERATED	1379	5.7	23	1	1	5	7	10	13	25
TOTAL 0-19 YRS.	234	2.8	6	<1	1	2	3	6	7	13
20-34	253	4.0	8	1	1	3	5	8	9	13
35-49	429	4.6	13	1	1	4	6	8	10	15
50-64	1032	5.0	15	1	2	4	6	9	11	21
65+	1599	5.0	17	1	1	4	6	9	12	21
GRAND TOTAL	**3547**	**4.7**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.6	6	1	1	3	5	7	9	10
20-34	47	3.0	3	1	1	3	4	5	6	11
35-49	44	3.5	6	<1	<1	3	5	6	8	13
50-64	27	3.9	9	<1	1	3	6	8	10	13
65+	24	4.0	5	<1	<1	4	5	8	8	9
B. *Operated*										
0-19 YRS	231	2.2	3	<1	<1	2	2	4	6	10
20-34	210	2.7	4	<1	1	2	3	6	7	10
35-49	114	3.0	4	1	1	3	3	5	7	12
50-64	96	3.7	14	<1	1	3	4	8	10	22
65+	63	3.9	11	1	1	2	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	3.8	6	1	1	3	5	8	9	12
20-34	134	4.8	13	1	1	4	6	9	11	21
35-49	161	4.3	20	1	1	3	5	8	11	27
50-64	195	4.9	15	1	2	4	7	9	11	22
65+	375	8.2	67	1	2	6	11	16	23	45
B. *Operated*										
0-19 YRS	101	5.5	24	1	1	3	8	12	14	24
20-34	155	4.8	21	1	1	3	6	11	15	21
35-49	130	6.3	93	1	2	4	7	13	16	53
50-64	182	7.7	73	1	2	5	10	16	20	49
65+	211	11.0	167	1	2	6	17	29	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	3.5	6	1	1	3	5	7	8	12
B. *Operated*	714	2.8	6	<1	1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	975	5.9	38	1	1	4	7	12	16	27
B. *Operated*	779	7.5	90	1	2	4	9	17	25	68
1. SINGLE DX	910	3.0	6	<1	1	2	3	6	8	12
2. MULTIPLE DX	1754	6.6	62	1	1	4	8	14	21	44
A. NOT OPERATED	1171	5.5	33	1	1	4	7	11	15	26
B. OPERATED	1493	5.3	55	1	1	3	6	12	18	42
TOTAL 0-19 YRS	496	3.4	10	<1	1	2	4	8	10	15
20-34	546	3.9	12	1	1	3	5	8	11	19
35-49	449	4.5	37	1	1	3	5	8	13	31
50-64	500	5.6	38	1	1	4	7	12	16	27
65+	673	8.5	95	1	2	6	11	20	27	71
GRAND TOTAL	**2664**	**5.4**	**46**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	4	13.0	66	7	7	10	18	25	25	25
65+	10	7.6	30	<1	1	7	10	16	19	19
B. *Operated*										
0-19 YRS	22	6.6	40	1	2	4	9	15	23	25
20-34	21	5.1	51	1	1	3	5	13	25	30
35-49	27	9.1	153	<1	1	5	10	21	31	62
50-64	57	10.9	84	1	1	10	14	22	26	52
65+	124	17.6	198	3	4	14	22	41	52	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	13	1	1	6	7	8	8	8
20-34	6	7.2	30	4	4	5	7	17	18	18
35-49	11	8.5	52	1	2	7	10	21	25	25
50-64	51	9.8	78	1	2	8	14	20	23	50
65+	224	11.3	77	3	3	9	15	22	28	50
B. *Operated*										
0-19 YRS	25	6.9	28	1	2	6	10	15	17	19
20-34	81	11.7	134	1	2	8	17	27	38	87
35-49	113	15.9	207	1	2	12	24	40	46	99+
50-64	429	23.1	338	3	5	19	32	46	64	98
65+	1293	24.0	254	6	8	20	31	47	58	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	7.9	40	<1	1	7	10	17	23	25
B. *Operated*	251	13.2	162	1	2	10	17	28	45	57
2. MULTIPLE DX										
A. *Not Operated*	295	10.8	75	2	3	8	14	21	26	49
B. *Operated*	1941	22.6	273	4	6	19	30	45	58	94
1. SINGLE DX	269	12.8	155	1	2	10	17	27	44	57
2. MULTIPLE DX	2236	21.1	263	3	5	17	28	43	55	93
A. NOT OPERATED	313	10.6	74	2	3	8	14	20	25	49
B. OPERATED	2192	21.5	270	3	5	17	29	44	56	93
TOTAL 0-19 YRS	52	6.5	31	1	1	5	9	14	19	25
20-34	108	10.2	118	1	2	6	14	26	31	75
35-49	153	14.1	193	1	2	9	20	36	44	99
50-64	541	20.5	311	2	4	16	27	43	58	94
65+	1651	21.7	245	4	6	18	28	43	55	86
GRAND TOTAL	**2505**	**20.2**	**258**	**3**	**4**	**16**	**27**	**42**	**54**	**91**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.1	14	1	1	2	4	6	7	18
20-34	907	2.9	4	1	1	2	4	5	6	10
35-49	2390	3.1	4	1	1	3	4	6	7	10
50-64	1791	3.4	6	1	1	3	4	6	8	12
65+	660	3.7	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	7	3.1	10	1	1	2	3	9	10	10
20-34	117	3.0	7	1	1	2	3	6	7	15
35-49	733	2.9	4	1	1	2	3	6	8	11
50-64	888	2.9	5	1	1	2	3	5	8	11
65+	186	3.1	6	1	2	2	3	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	3.7	6	1	1	3	5	7	8	12
20-34	1625	3.9	8	1	1	3	5	7	9	14
35-49	5380	4.3	9	1	2	4	5	8	10	15
50-64	6675	4.5	10	1	2	4	6	8	10	15
65+	4693	5.1	13	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	9	2.6	2	1	1	2	3	5	6	6
20-34	200	5.1	16	1	2	4	7	10	12	20
35-49	1492	4.9	16	1	2	3	7	10	13	19
50-64	2280	5.1	22	2	2	3	7	11	14	24
65+	791	7.1	47	2	2	5	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5863	3.2	5	1	1	3	4	6	7	11
B. *Operated*	1931	2.9	5	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	18571	4.5	10	1	2	4	6	8	10	16
B. *Operated*	4772	5.4	25	2	2	4	7	11	14	24
1. SINGLE DX	7794	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	23343	4.7	13	1	2	4	6	9	11	18
A. NOT OPERATED	24434	4.2	9	1	1	3	5	8	10	15
B. OPERATED	6703	4.7	20	1	2	3	6	10	13	21
TOTAL 0-19 YRS	329	3.4	8	1	1	3	4	6	7	11
20-34	2849	3.6	8	1	1	3	5	7	8	14
35-49	9995	4.0	9	1	1	3	5	8	9	15
50-64	11634	4.3	11	1	2	3	5	8	10	17
65+	6330	5.2	17	1	2	4	6	10	12	20
GRAND TOTAL	**31137**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	752	3.4	6	1	1	3	5	6	8	13
20-34	57	2.8	3	1	1	2	3	5	6	9
35-49	58	3.7	8	<1	1	3	5	7	9	14
50-64	95	5.0	14	<1	1	4	8	10	13	15
65+	94	5.5	20	1	1	4	8	11	14	22
B. *Operated*										
0-19 YRS	45	2.9	5	<1	1	2	4	5	8	9
20-34	46	4.6	13	1	1	3	8	10	12	14
35-49	72	3.6	11	1	1	3	4	8	11	17
50-64	145	4.5	17	1	1	3	6	9	12	19
65+	89	4.6	13	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	865	4.4	14	1	1	3	5	8	11	20
20-34	208	3.8	8	1	1	3	5	8	9	14
35-49	356	5.0	20	1	1	4	6	10	14	23
50-64	874	6.8	32	1	2	5	9	14	17	29
65+	1442	7.6	38	1	2	6	10	15	19	32
B. *Operated*										
0-19 YRS	115	6.7	62	1	1	4	9	18	23	74
20-34	95	6.9	36	1	2	5	8	16	21	28
35-49	205	7.0	69	1	2	5	8	16	21	58
50-64	506	7.6	55	2	2	6	10	15	20	58
65+	551	9.3	87	2	2	6	12	19	26	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1056	3.7	9	1	1	3	5	8	9	14
B. *Operated*	397	4.2	13	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	3745	6.2	30	1	2	5	8	12	16	28
B. *Operated*	1472	8.1	69	1	2	6	10	17	22	55
1. SINGLE DX	1453	3.9	10	1	1	3	5	8	10	15
2. MULTIPLE DX	5217	6.7	42	1	2	5	8	14	18	34
A. NOT OPERATED	4801	5.7	26	1	1	4	7	11	15	26
B. OPERATED	1869	7.2	60	1	2	5	9	15	20	47
TOTAL 0-19 YRS	1777	4.1	14	1	1	3	5	8	10	21
20-34	406	4.4	16	1	1	3	6	9	13	21
35-49	691	5.3	34	1	1	4	6	11	15	28
50-64	1620	6.8	38	1	2	5	9	14	17	37
65+	2176	7.8	50	1	2	6	10	16	20	37
GRAND TOTAL	**6670**	**6.1**	**36**	**1**	**1**	**4**	**8**	**12**	**17**	**31**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	2.2	2	1	1	2	3	4	5	6
20-34	283	2.4	6	<1	1	2	3	4	6	9
35-49	327	2.2	2	<1	1	2	3	4	5	8
50-64	197	2.3	3	1	1	2	3	5	6	8
65+	129	3.3	17	<1	1	2	4	6	8	17
B. *Operated*										
0-19 YRS	102	2.5	4	<1	1	2	3	6	7	11
20-34	66	5.1	19	1	2	4	7	8	10	29
35-49	82	5.5	12	1	2	5	7	10	12	16
50-64	73	5.6	15	1	2	5	7	10	12	21
65+	111	7.0	25	1	2	5	9	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.1	5	1	1	3	4	6	9	26
20-34	324	3.7	14	1	1	3	4	7	9	22
35-49	345	3.3	6	1	1	3	4	6	8	12
50-64	471	4.1	15	1	1	3	5	9	10	23
65+	971	5.7	30	1	2	5	8	14	17	27
B. *Operated*										
0-19 YRS	161	3.4	11	<1	1	2	4	7	11	18
20-34	157	6.2	28	1	2	5	8	12	15	27
35-49	249	6.6	29	1	2	5	8	13	19	27
50-64	377	8.2	38	2	2	7	10	15	19	32
65+	982	10.0	63	2	3	8	13	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1037	2.4	5	1	1	2	3	4	6	9
B. *Operated*	434	5.1	18	1	1	4	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	2244	5.0	22	1	1	4	6	10	14	24
B. *Operated*	1926	8.4	51	1	2	7	11	16	21	34
1. SINGLE DX	1471	3.2	10	1	1	2	4	7	9	15
2. MULTIPLE DX	4170	6.5	38	1	1	5	9	14	18	30
A. NOT OPERATED	3281	4.2	18	1	1	3	5	9	12	22
B. OPERATED	2360	7.8	46	1	2	6	10	15	20	32
TOTAL 0-19 YRS	497	2.9	6	1	1	2	3	6	7	13
20-34	830	3.8	16	1	1	3	4	8	10	25
35-49	1003	3.9	14	1	1	3	5	8	11	20
50-64	1118	5.3	26	1	1	4	7	11	15	26
65+	2193	8.0	48	1	2	6	11	16	20	34
GRAND TOTAL	**5641**	**5.7**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2952	2.4	3	1	1	2	3	5	6	8
20-34	2390	2.8	4	1	1	2	4	5	7	10
35-49	1159	3.5	10	1	1	3	4	7	8	13
50-64	718	3.6	7	1	1	3	5	7	8	13
65+	526	4.1	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	331	4.0	4	2	2	4	5	7	8	12
20-34	399	4.4	12	1	1	4	6	8	10	20
35-49	181	4.9	14	1	1	4	7	9	11	18
50-64	113	5.4	15	1	1	5	7	10	13	19
65+	59	6.9	26	1	1	6	10	15	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2179	3.1	5	1	1	3	4	6	7	11
20-34	2784	3.7	9	1	1	3	5	7	9	14
35-49	2012	4.8	14	1	1	4	6	9	11	19
50-64	2079	5.1	13	1	2	4	6	10	12	18
65+	3153	5.9	18	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	297	5.2	11	1	2	4	7	10	12	17
20-34	672	6.3	24	1	1	5	8	12	15	24
35-49	467	7.7	33	1	2	6	10	15	19	28
50-64	472	9.0	36	2	3	8	12	17	21	28
65+	500	10.7	71	2	3	9	14	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7745	2.9	5	1	1	2	4	6	7	11
B. *Operated*	1083	4.6	11	1	2	4	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	12207	4.6	13	1	1	4	6	9	11	18
B. *Operated*	2408	7.9	40	1	2	6	10	16	20	30
1. SINGLE DX	8828	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	14615	5.1	19	1	1	4	6	10	13	22
A. NOT OPERATED	19952	4.0	11	1	1	3	5	8	10	16
B. OPERATED	3491	6.9	33	1	2	5	9	14	18	27
TOTAL 0-19 YRS	5759	2.9	5	1	1	2	4	5	7	11
20-34	6245	3.7	10	1	1	3	5	7	9	16
35-49	3819	4.8	17	1	1	4	6	9	12	20
50-64	3382	5.3	18	1	2	4	7	10	13	21
65+	4238	6.3	26	1	2	5	8	12	16	25
GRAND TOTAL	**23443**	**4.4**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**19**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	353	3.0	5	1	1	2	4	6	7	12
20-34	129	2.9	8	1	1	2	3	5	6	15
35-49	84	3.0	7	<1	1	2	4	7	8	71
50-64	83	3.4	7	1	1	3	4	7	9	14
65+	119	5.2	43	1	1	3	6	10	15	34
B. *Operated*										
0-19 YRS	22	4.3	12	1	1	3	6	10	11	12
20-34	47	4.7	18	1	1	3	6	10	13	22
35-49	35	4.9	17	1	1	4	7	11	13	18
50-64	46	5.0	16	1	1	4	8	11	12	16
65+	42	7.1	29	2	2	5	10	16	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	880	3.3	6	1	1	3	4	6	8	12
20-34	440	4.2	15	1	1	3	5	8	12	20
35-49	439	5.2	22	1	1	4	7	10	13	28
50-64	721	7.1	56	1	2	5	8	15	21	37
65+	1520	6.9	31	2	2	5	8	13	18	26
B. *Operated*										
0-19 YRS	73	5.7	27	1	1	5	8	11	14	29
20-34	150	7.4	87	1	1	6	9	14	19	46
35-49	151	7.9	60	1	2	6	10	15	20	49
50-64	250	10.9	116	1	2	8	14	23	32	49
65+	406	12.1	90	2	3	10	16	24	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	3.4	13	1	1	2	4	7	9	16
B. *Operated*	192	5.3	20	1	1	4	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	4000	5.7	30	1	1	4	7	11	15	27
B. *Operated*	1030	10.1	91	1	2	7	13	21	28	48
1. SINGLE DX	960	3.8	15	1	1	3	5	8	10	17
2. MULTIPLE DX	5030	6.6	45	1	2	5	8	14	18	34
A. NOT OPERATED	4768	5.3	28	1	1	4	7	10	15	26
B. OPERATED	1222	9.3	83	1	2	7	12	20	26	46
TOTAL 0-19 YRS	1328	3.4	7	1	1	3	4	6	8	12
20-34	766	4.6	30	1	1	3	6	9	13	23
35-49	709	5.5	30	1	1	4	7	11	15	28
50-64	1100	7.6	68	1	2	5	9	16	23	40
65+	2087	7.8	48	2	2	6	10	16	20	36
GRAND TOTAL	**5990**	**6.1**	**42**	**1**	**1**	**4**	**7**	**13**	**18**	**32**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2573	3.5	10	1	1	3	4	6	8	15
20-34	1216	3.8	19	1	1	3	4	7	8	22
35-49	1024	4.1	18	1	1	3	5	7	10	22
50-64	1117	4.9	47	1	1	3	6	9	13	31
65+	1407	5.4	43	1	1	4	6	10	13	26
B. *Operated*										
0-19 YRS	194	3.4	17	1	1	2	4	7	9	26
20-34	276	3.4	13	1	1	2	4	6	8	22
35-49	308	3.4	10	1	1	2	4	7	9	17
50-64	360	4.4	25	1	1	3	5	9	13	29
65+	227	5.4	66	1	1	3	6	9	14	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3488	4.8	22	1	1	4	6	9	13	25
20-34	2228	4.7	21	1	1	4	6	9	11	23
35-49	2609	5.1	15	1	2	4	6	9	12	20
50-64	4958	6.3	33	1	2	5	8	12	16	30
65+	11365	7.3	38	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	257	7.0	70	1	1	4	8	15	23	48
20-34	437	6.1	39	1	1	4	8	13	21	29
35-49	660	7.0	73	1	2	4	9	16	21	50
50-64	1222	9.3	105	1	2	6	12	20	29	58
65+	1987	12.0	149	2	3	8	15	26	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7337	4.2	25	1	1	3	5	8	10	22
B. *Operated*	1365	4.0	25	1	1	3	4	8	10	29
2. MULTIPLE DX										
A. *Not Operated*	24648	6.3	32	1	2	5	8	12	16	29
B. *Operated*	4563	9.7	116	1	2	6	12	21	31	65
1. SINGLE DX	8702	4.2	25	1	1	3	5	8	10	23
2. MULTIPLE DX	29211	6.8	47	1	2	5	8	13	18	36
A. NOT OPERATED	31985	5.8	31	1	2	4	7	11	15	28
B. OPERATED	5928	8.4	101	1	2	5	10	18	27	59
TOTAL 0-19 YRS	6512	4.4	20	1	1	3	5	8	11	23
20-34	4157	4.5	22	1	1	3	5	8	11	25
35-49	4601	5.0	25	1	1	4	6	9	13	25
50-64	7657	6.5	48	1	2	5	8	13	18	35
65+	14986	7.7	57	1	2	6	9	15	21	40
GRAND TOTAL	**37913**	**6.2**	**43**	**1**	**2**	**4**	**8**	**12**	**17**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	598	2.3	4	1	1	2	3	4	6	10
20-34	49	5.0	12	1	1	4	7	10	11	13
35-49	14	4.2	7	<1	1	4	5	8	10	10
50-64	4	3.8	4	2	2	4	5	6	6	6
65+	13	8.6	43	2	2	7	10	19	23	24
B. *Operated*										
0-19 YRS	106	4.9	7	1	2	4	7	9	9	13
20-34	31	8.7	25	2	3	7	11	16	19	22
35-49	15	7.9	41	2	2	7	9	11	24	29
50-64	5	9.8	49	4	4	7	15	20	20	20
65+	2	23.0	392	9	9	23	37	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	480	3.8	25	1	1	2	4	7	12	25
20-34	109	6.9	120	1	1	4	7	14	23	72
35-49	62	7.2	49	1	1	4	9	16	20	36
50-64	56	6.6	25	1	1	6	9	15	17	21
65+	55	10.5	143	2	2	7	11	23	36	67
B. *Operated*										
0-19 YRS	124	10.8	167	1	2	7	14	25	41	99+
20-34	120	15.3	312	1	2	9	20	42	65	93
35-49	46	14.9	269	2	3	9	18	39	60	99+
50-64	40	17.5	270	1	2	12	25	45	64	99+
65+	30	16.9	308	2	3	11	22	31	43	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	2.6	6	1	1	2	3	5	7	14
B. *Operated*	159	6.3	24	1	2	5	8	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	762	5.2	53	1	1	3	6	11	16	36
B. *Operated*	360	14.0	255	1	2	9	19	36	58	99+
1. SINGLE DX	837	3.3	11	1	1	2	4	7	9	18
2. MULTIPLE DX	1122	8.0	134	1	1	4	9	20	29	81
A. NOT OPERATED	1440	4.0	32	1	1	2	4	8	12	27
B. OPERATED	519	11.7	197	1	2	7	14	27	44	99+
TOTAL 0-19 YRS	1308	3.9	33	1	1	2	4	8	11	30
20-34	309	10.0	185	1	1	5	10	23	40	83
35-49	137	9.5	131	1	2	6	12	20	33	85
50-64	105	10.8	145	1	2	7	14	25	43	80
65+	100	12.4	190	2	2	8	15	29	37	79
GRAND TOTAL	**1959**	**6.0**	**87**	**1**	**1**	**3**	**7**	**14**	**22**	**65**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	2.3	3	1	1	2	3	4	6	9
20-34	57	3.8	8	1	1	3	5	7	8	16
35-49	26	4.3	31	<1	1	3	4	9	14	28
50-64	9	9.6	209	1	1	2	14	35	43	43
65+	9	6.9	118	1	1	3	5	25	35	35
B. *Operated*										
0-19 YRS	26	8.4	285	1	2	5	8	10	26	90
20-34	23	4.9	19	1	1	3	7	9	13	21
35-49	6	10.0	78	2	2	7	16	24	25	25
50-64	2	12.0	50	7	7	12	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.7	42	1	1	3	5	9	13	25
20-34	138	5.6	27	1	1	4	7	13	17	26
35-49	60	9.0	91	1	1	6	12	21	27	45
50-64	65	9.1	51	1	2	7	11	20	22	38
65+	70	9.6	83	1	2	7	13	19	27	46
B. *Operated*										
0-19 YRS	93	13.3	276	1	2	8	17	36	59	99+
20-34	136	18.0	410	1	2	10	21	52	72	99+
35-49	63	13.8	157	2	3	11	18	28	37	64
50-64	36	12.0	69	3	4	11	15	25	29	40
65+	37	23.3	613	3	3	14	33	63	87	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	3.1	17	1	1	2	3	6	8	25
B. *Operated*	57	7.3	147	1	2	5	8	10	20	85
2. MULTIPLE DX										
A. *Not Operated*	548	6.5	54	1	1	4	8	14	20	40
B. *Operated*	365	16.0	327	2	2	10	19	41	65	99
1. SINGLE DX	355	3.8	40	1	1	2	4	8	9	28
2. MULTIPLE DX	913	10.3	184	1	1	6	12	23	38	86
A. NOT OPERATED	846	5.3	43	1	1	3	6	12	17	35
B. OPERATED	422	14.8	311	2	2	9	17	37	63	98
TOTAL 0-19 YRS	531	5.5	94	1	1	3	6	10	18	80
20-34	354	10.0	210	1	1	5	11	22	47	83
35-49	155	10.2	117	1	1	7	13	23	30	60
50-64	112	10.1	68	1	2	8	13	21	25	41
65+	116	13.7	294	2	2	8	15	35	44	95
GRAND TOTAL	**1268**	**8.5**	**152**	**1**	**1**	**4**	**10**	**19**	**33**	**77**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	1.8	1	<1	<1	1	2	3	5	6
20-34	97	1.9	2	<1	<1	1	3	4	5	7
35-49	31	2.2	1	1	1	2	3	4	4	4
50-64	13	2.3	5	<1	<1	1	3	6	8	8
65+	12	2.4	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	822	2.2	2	<1	<1	2	3	4	5	8
20-34	1244	2.6	4	1	1	2	3	5	6	10
35-49	319	3.0	4	1	1	2	4	6	7	10
50-64	105	4.0	13	1	1	3	5	8	10	22
65+	37	4.0	14	1	1	3	5	7	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.2	4	<1	1	2	3	4	5	10
20-34	285	2.8	6	<1	1	2	4	6	7	11
35-49	119	3.8	11	<1	1	3	5	7	9	20
50-64	91	3.9	10	1	1	3	5	8	12	15
65+	205	6.4	31	1	1	5	9	14	16	30
B. *Operated*										
0-19 YRS	906	4.1	25	1	1	3	5	8	11	25
20-34	1618	4.5	22	1	1	3	5	9	11	21
35-49	607	5.7	36	1	2	4	7	12	15	33
50-64	289	6.9	64	1	2	4	8	14	20	43
65+	232	9.5	75	1	2	7	12	19	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	2.0	2	<1	<1	2	3	4	5	7
B. *Operated*	2527	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	847	3.9	15	<1	1	3	5	8	11	18
B. *Operated*	3652	5.1	34	1	1	3	6	10	14	29
1. SINGLE DX	2744	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	4499	4.9	30	1	1	3	6	10	14	28
A. NOT OPERATED	1064	3.5	13	<1	1	2	4	7	10	18
B. OPERATED	6179	4.1	23	1	1	3	5	8	11	25
TOTAL 0-19 YRS	1939	3.1	14	<1	1	2	3	6	8	18
20-34	3244	3.5	14	1	1	3	4	7	9	16
35-49	1076	4.6	24	1	1	3	6	9	13	26
50-64	498	5.6	44	1	1	4	6	12	16	34
65+	486	7.6	54	1	2	5	10	16	21	33
GRAND TOTAL	**7243**	**4.0**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	4.0	10	1	1	3	5	7	9	18
20-34	473	5.5	26	1	2	4	7	10	12	29
35-49	284	5.5	13	1	2	5	7	10	12	19
50-64	259	6.6	17	1	2	6	9	12	14	19
65+	430	9.4	34	3	4	8	12	16	20	31
B. *Operated*										
0-19 YRS	49	11.5	105	2	3	9	14	24	27	63
20-34	80	11.3	96	2	3	9	14	23	29	57
35-49	27	15.0	169	2	3	10	19	37	45	50
50-64	25	16.1	86	5	8	14	17	29	39	41
65+	13	11.0	16	3	7	11	14	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	5.3	32	1	1	4	7	10	13	20
20-34	530	6.9	34	1	2	6	9	12	15	33
35-49	384	7.4	35	2	2	6	9	14	18	33
50-64	674	9.0	35	2	3	8	11	17	21	31
65+	3138	11.5	50	3	4	10	15	20	24	36
B. *Operated*										
0-19 YRS	99	14.0	134	1	3	11	19	27	43	80
20-34	234	14.3	217	2	3	10	18	36	52	99+
35-49	135	15.5	147	3	4	12	20	32	38	66
50-64	145	16.6	190	3	4	14	21	34	47	91
65+	376	19.0	187	4	7	16	23	35	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1746	6.4	25	1	2	5	8	12	15	25
B. *Operated*	194	12.5	103	2	3	10	16	26	29	57
2. MULTIPLE DX										
A. *Not Operated*	4943	10.1	48	2	3	9	13	18	23	34
B. *Operated*	989	16.6	187	3	4	13	21	34	46	81
1. SINGLE DX	1940	7.0	36	1	2	5	9	13	17	29
2. MULTIPLE DX	5932	11.1	77	2	3	9	14	21	27	47
A. NOT OPERATED	6689	9.1	45	2	3	7	12	17	21	33
B. OPERATED	1183	15.9	176	3	4	13	20	32	44	75
TOTAL 0-19 YRS	665	6.5	56	1	1	4	8	14	20	44
20-34	1317	8.0	78	1	2	6	9	15	23	55
35-49	830	8.3	62	2	2	6	10	17	23	39
50-64	1103	9.6	61	2	3	8	12	18	23	40
65+	3957	12.0	66	3	4	10	15	21	27	42
GRAND TOTAL	**7872**	**10.1**	**70**	**2**	**3**	**8**	**13**	**19**	**25**	**44**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	21	2	2	7	8	13	18	18
20-34	9	5.2	10	<1	1	5	7	10	11	11
35-49	5	5.4	17	1	1	4	7	12	12	12
50-64	7	7.9	42	1	1	8	9	19	21	21
65+	3	5.0	3	4	4	4	6	7	7	7
B. *Operated*										
0-19 YRS	10	28.9	502	3	7	23	33	65	82	82
20-34	18	26.7	400	2	4	24	37	55	69	75
35-49	2	25.5	181	16	16	25	35	35	35	35
50-64	3	20.7	992	1	1	4	44	57	57	57
65+	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	15	13.1	354	<1	2	5	11	47	60	64
35-49	11	11.8	114	1	3	9	15	27	39	40
50-64	13	17.1	459	1	3	12	20	46	74	80
65+	41	11.3	44	3	5	11	14	20	25	31
B. *Operated*										
0-19 YRS	19	39.7	315	14	20	43	66	99+	99+	99+
20-34	43	35.0	567	7	11	39	81	99+	99+	99+
35-49	14	51.7	863	17	21	67	98	99+	99+	99+
50-64	18	34.7	507	10	16	28	65	90	99+	99+
65+	13	24.0	454	1	3	16	31	63	69	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.3	19	1	2	6	8	11	17	21
B. *Operated*	34	27.1	418	2	3	24	37	57	72	82
2. MULTIPLE DX										
A. *Not Operated*	85	12.1	168	2	2	8	14	25	38	74
B. *Operated*	107	36.6	570	8	13	38	71	99+	99+	99+
1. SINGLE DX	68	16.7	326	1	2	9	24	41	57	81
2. MULTIPLE DX	192	25.8	540	3	4	20	44	89	99+	99+
A. NOT OPERATED	119	10.4	132	1	2	7	12	20	30	69
B. OPERATED	141	34.3	547	5	10	33	65	99+	99+	99+
TOTAL 0-19 YRS	44	25.7	470	2	3	23	43	68	99+	99+
20-34	85	26.2	542	2	3	23	46	87	99+	99+
35-49	32	29.1	835	2	4	22	72	99+	99+	99+
50-64	41	23.5	523	1	3	17	36	78	88	99+
65+	58	14.3	171	3	4	11	16	29	38	70
GRAND TOTAL	**260**	**23.4**	**498**	**2**	**4**	**17**	**40**	**82**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.0	1	1	1	2	3	3	4	6
20-34	84	2.4	4	1	1	2	3	4	6	13
35-49	114	3.2	4	1	1	3	4	6	7	11
50-64	120	4.2	7	1	1	4	6	8	9	13
65+	152	5.4	17	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	6	5.3	17	2	2	3	9	12	12	12
35-49	7	8.1	81	1	1	5	10	24	27	27
50-64	3	8.3	37	3	3	7	13	15	15	15
65+	3	15.0	39	10	10	13	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	7	1	1	3	5	7	9	13
20-34	388	4.2	9	1	1	3	5	8	10	13
35-49	541	4.8	13	1	1	4	6	9	11	19
50-64	793	6.2	21	1	2	5	8	12	14	22
65+	1809	8.7	42	2	3	7	11	17	21	33
B. *Operated*										
0-19 YRS	42	7.4	33	1	2	7	9	14	19	31
20-34	160	9.3	107	1	2	7	11	17	24	55
35-49	150	10.7	96	2	3	8	14	22	33	47
50-64	178	11.5	121	2	3	8	14	24	32	67
65+	237	15.4	154	4	5	11	19	31	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	3.9	10	1	1	3	5	8	9	15
B. *Operated*	21	8.0	47	1	2	6	11	18	24	27
2. MULTIPLE DX										
A. *Not Operated*	3625	7.0	32	1	2	6	9	13	17	27
B. *Operated*	767	11.9	125	2	3	9	15	24	34	60
1. SINGLE DX	527	4.1	12	1	1	3	5	8	10	17
2. MULTIPLE DX	4392	7.8	52	1	2	6	10	15	20	38
A. NOT OPERATED	4131	6.6	30	1	2	5	8	13	17	26
B. OPERATED	788	11.8	123	2	3	9	15	24	34	60
TOTAL 0-19 YRS	174	4.2	16	1	1	3	6	8	11	20
20-34	638	5.3	39	1	1	4	7	10	13	26
35-49	812	5.7	34	1	1	4	7	11	15	33
50-64	1094	6.9	40	1	2	5	8	13	16	32
65+	2201	9.2	57	2	3	7	12	18	23	41
GRAND TOTAL	**4919**	**7.4**	**49**	**1**	**2**	**6**	**9**	**15**	**20**	**36**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	5.2	19	1	2	4	6	11	15	21
20-34	113	7.5	39	1	2	6	10	14	20	33
35-49	44	10.1	183	1	2	7	10	18	31	86
50-64	84	11.5	89	2	3	9	15	24	27	55
65+	395	11.7	73	3	4	10	15	20	24	47
B. *Operated*										
0-19 YRS	16	16.3	301	2	2	6	28	45	52	54
20-34	14	15.1	158	3	4	12	17	33	47	51
35-49	8	17.4	89	6	6	17	22	31	34	34
50-64	1	30.0		30	30	30	30	30	30	30
65+	8	21.5	290	6	7	15	34	48	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	180	9.7	77	2	3	7	11	17	30	46
20-34	201	11.1	87	2	3	8	14	22	30	46
35-49	125	13.8	178	4	5	10	14	26	46	75
50-64	277	13.6	92	3	4	12	17	25	32	50
65+	1852	14.3	78	4	5	13	18	25	30	45
B. *Operated*										
0-19 YRS	87	18.7	240	4	5	11	27	41	48	69
20-34	158	24.1	305	5	7	19	37	49	62	99+
35-49	70	27.0	309	5	9	24	37	53	62	77
50-64	84	29.1	365	6	9	24	40	59	67	96
65+	226	22.9	203	7	9	20	28	48	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	9.9	73	2	3	8	13	18	23	41
B. *Operated*	47	17.3	209	2	3	13	24	44	49	54
2. MULTIPLE DX										
A. *Not Operated*	2635	13.6	86	3	5	12	17	25	31	48
B. *Operated*	625	23.9	274	5	7	20	33	49	61	99+
1. SINGLE DX	809	10.3	84	2	3	8	13	20	26	50
2. MULTIPLE DX	3260	15.6	139	4	5	13	19	30	40	63
A. NOT OPERATED	3397	12.8	86	3	4	11	16	23	29	47
B. OPERATED	672	23.4	272	5	6	19	33	49	59	97
TOTAL 0-19 YRS	409	10.5	126	2	2	7	11	25	39	49
20-34	486	14.6	194	2	3	10	18	37	47	80
35-49	247	17.0	253	3	4	11	21	40	53	79
50-64	446	16.1	182	3	4	13	20	34	48	67
65+	2481	14.7	96	4	5	13	18	26	33	55
GRAND TOTAL	**4069**	**14.5**	**132**	**3**	**4**	**12**	**18**	**28**	**38**	**61**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	3.1	22	<1	1	1	2	8	15	22
20-34	71	3.6	48	<1	<1	2	3	6	11	48
35-49	54	2.6	3	<1	1	2	3	5	6	8
50-64	107	3.5	21	<1	1	2	5	7	8	26
65+	385	4.7	14	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	1362	4.2	29	1	1	2	4	12	18	25
20-34	158	4.5	24	1	1	3	5	8	10	28
35-49	133	5.5	34	1	1	4	6	10	16	34
50-64	221	5.5	35	1	1	4	6	10	14	38
65+	336	7.2	48	1	2	5	9	15	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	4.9	47	1	1	3	5	9	20	37
20-34	78	6.1	52	1	1	4	7	12	21	39
35-49	47	7.5	52	1	1	5	10	17	24	34
50-64	244	7.5	60	1	2	5	9	17	23	43
65+	1321	9.1	55	2	2	7	12	18	24	35
B. *Operated*										
0-19 YRS	433	6.8	70	1	1	4	8	17	23	45
20-34	216	8.5	75	1	2	6	10	19	26	56
35-49	139	9.3	88	2	2	6	12	22	35	50
50-64	329	10.5	146	2	2	6	13	25	36	62
65+	863	12.7	118	2	3	10	16	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	3.8	20	1	1	2	4	8	12	21
B. *Operated*	2210	4.9	33	1	1	3	5	12	18	28
2. MULTIPLE DX										
A. *Not Operated*	1799	8.5	56	1	2	6	11	18	24	36
B. *Operated*	1980	10.4	111	1	2	7	14	22	31	52
1. SINGLE DX	3121	4.6	30	1	1	3	5	11	16	26
2. MULTIPLE DX	3779	9.4	86	1	2	7	12	20	27	45
A. NOT OPERATED	2710	6.9	49	1	1	5	9	15	21	32
B. OPERATED	4190	7.5	77	1	1	4	9	18	24	43
TOTAL 0-19 YRS	2198	4.6	38	1	1	2	4	13	18	28
20-34	523	6.3	56	1	1	4	7	13	21	43
35-49	373	6.7	57	1	1	4	8	14	23	42
50-64	901	7.7	87	1	1	5	8	18	26	44
65+	2905	9.4	74	2	2	7	12	20	26	41
GRAND TOTAL	**6900**	**7.2**	**66**	**1**	**1**	**4**	**9**	**17**	**23**	**41**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	1.6	1	<1	1	1	2	3	4	5
20-34	41	1.8	1	<1	<1	1	3	4	4	5
35-49	32	2.2	3	<1	<1	2	3	4	5	9
50-64	44	2.3	4	<1	1	2	3	4	5	13
65+	76	4.3	19	1	1	3	5	8	11	26
B. *Operated*										
0-19 YRS	3048	1.7	2	<1	1	1	2	3	4	7
20-34	701	2.9	4	1	1	3	4	5	6	11
35-49	582	2.8	5	1	1	2	3	5	6	11
50-64	796	2.7	4	1	1	2	3	5	7	10
65+	769	3.2	8	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.0	13	<1	1	2	3	6	10	21
20-34	98	3.3	7	1	1	2	4	8	9	14
35-49	69	4.4	17	1	1	3	5	10	12	21
50-64	104	5.3	17	1	2	4	7	11	15	19
65+	346	7.7	39	1	2	6	10	15	20	31
B. *Operated*										
0-19 YRS	631	4.0	24	1	1	2	4	9	15	27
20-34	567	6.3	52	1	1	4	7	13	18	45
35-49	382	6.3	41	1	2	4	8	12	18	35
50-64	616	6.3	62	1	1	4	7	13	19	47
65+	1201	7.3	49	1	2	5	9	15	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	2.3	6	<1	1	1	3	5	6	12
B. *Operated*	5896	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	735	5.7	29	1	1	4	8	12	16	26
B. *Operated*	3397	6.2	48	1	1	4	8	13	19	35
1. SINGLE DX	6264	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	4132	6.1	44	1	1	4	8	13	19	33
A. NOT OPERATED	1103	4.6	24	1	1	3	6	11	15	23
B. OPERATED	9293	3.7	24	1	1	2	4	8	12	25
TOTAL 0-19 YRS	3972	2.1	6	<1	1	1	2	4	5	15
20-34	1407	4.3	26	1	1	3	5	8	12	27
35-49	1065	4.1	21	1	1	3	5	8	11	24
50-64	1560	4.2	31	1	1	3	5	9	12	27
65+	2392	6.0	38	1	1	4	8	13	18	32
GRAND TOTAL	**10396**	**3.8**	**24**	**1**	**1**	**2**	**4**	**8**	**12**	**25**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.3	3	<1	1	2	3	5	6	7
20-34	37	2.4	3	<1	1	2	3	5	6	7
35-49	18	2.4	2	<1	1	2	3	5	6	6
50-64	13	3.2	6	1	1	3	3	8	9	9
65+	15	2.6	4	<1	<1	2	4	5	7	8
B. *Operated*										
0-19 YRS	766	1.7	2	<1	<1	1	2	3	4	8
20-34	855	2.1	3	<1	1	2	2	3	5	8
35-49	329	2.1	4	<1	1	2	2	4	5	9
50-64	185	2.1	3	<1	1	2	2	3	4	12
65+	110	2.7	4	1	1	2	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.9	2	1	1	1	2	3	5	7
20-34	65	3.5	14	<1	1	2	5	7	8	24
35-49	53	3.6	7	1	1	3	5	7	10	11
50-64	38	5.1	17	1	1	4	7	12	14	18
65+	127	6.9	22	2	2	6	9	13	17	23
B. *Operated*										
0-19 YRS	290	3.3	16	1	1	2	4	7	9	20
20-34	588	3.5	17	1	1	2	4	7	10	20
35-49	325	3.3	14	1	1	2	4	6	8	17
50-64	262	3.9	32	1	1	3	5	8	10	22
65+	241	5.9	54	1	1	3	7	13	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	2245	2.0	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	326	4.8	18	1	1	3	7	10	13	21
B. *Operated*	1706	3.8	24	1	1	2	4	8	11	24
1. SINGLE DX	2363	2.0	3	<1	1	2	2	3	5	9
2. MULTIPLE DX	2032	4.0	24	1	1	2	5	8	11	24
A. NOT OPERATED	444	4.2	15	1	1	3	6	9	12	19
B. OPERATED	3951	2.8	13	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	1134	2.1	6	<1	1	1	2	4	6	12
20-34	1545	2.7	9	<1	1	2	3	5	7	15
35-49	725	2.8	9	1	1	2	3	5	7	12
50-64	498	3.3	20	1	1	2	4	7	9	16
65+	493	5.3	36	1	1	3	7	11	17	30
GRAND TOTAL	**4395**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	14.0	152	1	2	11	23	29	36	51
20-34	9	4.2	4	2	2	4	6	7	8	8
35-49	15	6.6	18	1	2	5	9	10	16	18
50-64	28	10.1	205	1	1	5	12	19	33	75
65+	188	8.9	79	1	2	7	11	17	21	70
B. *Operated*										
0-19 YRS	139	11.5	113	2	3	8	14	26	37	51
20-34	69	12.3	101	4	5	10	13	19	27	66
35-49	114	11.1	34	5	6	10	14	20	22	32
50-64	525	12.4	40	6	6	11	14	18	22	36
65+	3267	15.5	38	8	9	15	18	23	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	16.7	243	1	1	11	29	41	44	48
20-34	15	7.1	61	<1	1	5	8	12	28	33
35-49	31	9.0	109	1	2	7	10	16	17	60
50-64	79	12.6	116	2	3	9	18	24	37	56
65+	931	13.4	118	2	4	11	17	26	34	57
B. *Operated*										
0-19 YRS	91	16.6	201	4	5	13	19	30	43	81
20-34	165	20.0	249	5	6	16	25	46	53	98
35-49	215	18.8	168	6	8	15	21	37	43	90
50-64	1010	17.7	124	7	9	15	20	29	39	85
65+	11308	19.4	98	9	10	17	23	31	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	9.9	106	1	2	7	12	21	28	61
B. *Operated*	4114	14.8	44	6	8	14	18	22	26	38
2. MULTIPLE DX										
A. *Not Operated*	1087	13.2	121	2	3	11	17	27	36	57
B. *Operated*	12789	19.2	105	8	10	17	22	31	39	62
1. SINGLE DX	4422	14.5	50	5	7	14	17	22	27	38
2. MULTIPLE DX	13876	18.8	108	7	9	17	22	30	39	61
A. NOT OPERATED	1395	12.5	120	2	3	10	16	26	34	57
B. OPERATED	16903	18.2	93	8	9	16	21	29	36	58
TOTAL 0-19 YRS	329	13.9	161	2	2	10	19	29	40	56
20-34	258	16.6	212	3	5	12	21	36	48	90
35-49	375	15.2	134	4	6	13	18	29	39	70
50-64	1642	15.6	105	6	7	13	18	25	34	72
65+	15694	18.1	92	7	9	16	21	29	36	57
GRAND TOTAL	**18298**	**17.7**	**98**	**6**	**9**	**16**	**21**	**29**	**36**	**58**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	590	18.3	169	1	2	19	25	34	41	52
20-34	30	22.6	328	2	3	23	35	44	48	67
35-49	17	11.4	258	<1	1	4	11	43	46	46
50-64	24	10.4	146	1	2	6	11	24	43	50
65+	82	16.2	283	1	2	10	22	40	53	80
B. *Operated*										
0-19 YRS	584	15.4	154	1	2	13	24	32	38	53
20-34	179	15.5	225	1	2	11	18	37	51	74
35-49	63	15.2	273	1	2	12	17	32	52	93
50-64	77	15.9	147	3	4	13	19	35	45	55
65+	216	19.0	148	6	8	16	23	34	45	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	292	18.4	146	2	3	19	26	33	40	49
20-34	40	19.9	434	1	1	9	44	50	58	65
35-49	33	21.4	386	2	3	15	33	52	63	72
50-64	63	20.8	442	2	3	14	34	63	94	99+
65+	320	18.6	337	2	4	12	21	44	61	87
B. *Operated*										
0-19 YRS	493	22.3	263	3	4	20	32	46	58	94
20-34	478	22.9	362	2	5	17	31	52	71	93
35-49	148	26.0	479	2	3	20	43	66	94	99+
50-64	208	23.8	303	4	8	18	32	53	67	99+
65+	832	24.9	265	7	10	21	30	49	63	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	743	17.9	192	1	2	17	25	36	43	53
B. *Operated*	1119	16.1	172	1	2	13	22	33	43	64
2. MULTIPLE DX										
A. *Not Operated*	748	18.9	278	2	3	15	26	43	52	87
B. *Operated*	2159	23.8	306	3	7	19	31	50	65	99+
1. SINGLE DX	1862	16.8	181	1	2	15	23	34	43	62
2. MULTIPLE DX	2907	22.6	303	3	5	18	30	49	62	99
A. NOT OPERATED	1491	18.4	235	1	2	16	26	39	48	77
B. OPERATED	3278	21.2	273	2	4	17	28	45	58	95
TOTAL 0-19 YRS	1959	18.4	191	1	2	17	26	36	45	62
20-34	727	20.9	340	2	3	15	28	49	62	92
35-49	261	21.9	427	1	2	16	33	56	73	99+
50-64	372	20.8	299	3	4	16	28	49	64	99+
65+	1450	22.2	275	4	7	18	28	46	60	92
GRAND TOTAL	**4769**	**20.3**	**263**	**2**	**3**	**17**	**27**	**43**	**54**	**91**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	482	2.6	5	1	1	2	3	5	6	10
20-34	186	3.3	6	1	1	3	4	6	8	12
35-49	101	4.6	12	1	1	3	6	9	14	16
50-64	122	5.0	15	1	2	4	6	9	12	22
65+	143	7.9	41	2	2	6	10	13	20	33
B. *Operated*										
0-19 YRS	1012	3.8	11	1	1	3	5	7	10	15
20-34	748	6.4	35	1	2	5	8	12	14	29
35-49	433	7.0	38	2	2	6	9	12	15	37
50-64	351	8.5	47	2	2	7	10	16	21	33
65+	201	10.9	51	3	4	9	14	20	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.1	10	1	1	3	5	8	10	17
20-34	123	4.4	17	1	1	3	6	9	11	23
35-49	105	8.0	97	1	1	5	9	18	26	56
50-64	179	7.5	46	2	2	6	9	14	20	46
65+	441	10.2	62	2	3	8	13	20	24	40
B. *Operated*										
0-19 YRS	491	8.4	68	1	2	6	11	17	25	44
20-34	653	11.6	134	2	3	8	14	24	35	61
35-49	461	11.7	139	2	3	8	14	23	33	64
50-64	424	14.4	187	3	4	10	17	31	44	85
65+	433	16.5	179	4	5	13	21	33	42	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1034	3.9	15	1	1	3	5	8	11	19
B. *Operated*	2745	6.1	34	1	2	5	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	1005	7.8	55	1	2	6	10	16	21	40
B. *Operated*	2462	12.3	146	2	3	9	15	25	36	67
1. SINGLE DX	3779	5.5	30	1	1	4	7	11	14	27
2. MULTIPLE DX	3467	11.0	124	2	2	8	14	22	33	61
A. NOT OPERATED	2039	5.9	39	1	1	4	7	12	17	31
B. OPERATED	5207	9.0	96	1	2	6	11	19	27	55
TOTAL 0-19 YRS	2142	4.6	27	1	1	3	5	9	13	27
20-34	1710	7.9	77	1	2	5	9	15	22	51
35-49	1100	8.8	90	2	2	6	10	17	24	58
50-64	1076	10.3	111	2	3	7	12	21	31	60
65+	1218	12.3	110	3	4	9	15	23	32	57
GRAND TOTAL	**7246**	**8.2**	**82**	**1**	**2**	**5**	**10**	**17**	**24**	**50**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	2.6	4	<1	1	2	3	5	7	9
20-34	228	3.2	5	<1	1	3	4	6	8	12
35-49	163	3.6	8	<1	1	3	5	7	9	14
50-64	186	4.3	14	1	1	3	5	8	12	20
65+	204	5.5	19	1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	1194	3.5	7	1	1	3	4	6	8	13
20-34	1741	4.4	9	1	2	4	5	7	9	15
35-49	1145	5.2	10	2	2	4	7	9	10	15
50-64	1000	5.8	17	2	2	5	7	9	12	17
65+	638	7.6	20	2	3	7	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	3.3	11	1	1	3	4	6	8	22
20-34	255	3.9	11	1	1	3	5	7	10	19
35-49	211	4.9	12	1	1	4	7	10	12	16
50-64	310	5.9	25	1	2	4	7	12	15	26
65+	655	8.4	45	2	3	7	10	16	21	35
B. *Operated*										
0-19 YRS	648	5.4	27	1	2	4	6	11	13	28
20-34	1273	6.9	61	2	2	5	8	12	17	44
35-49	889	7.3	44	2	2	6	9	13	17	33
50-64	1063	8.5	47	2	3	7	10	16	21	36
65+	1189	11.8	83	3	4	10	14	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1010	3.8	11	1	1	3	5	8	11	16
B. *Operated*	5718	5.0	13	1	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1569	6.3	32	1	1	5	8	12	16	28
B. *Operated*	5062	8.3	61	2	2	6	10	16	22	42
1. SINGLE DX	6728	4.8	13	1	2	4	6	9	11	17
2. MULTIPLE DX	6631	7.8	54	1	2	6	10	15	21	40
A. NOT OPERATED	2579	5.3	25	1	1	4	7	11	14	26
B. OPERATED	10780	6.5	38	1	2	5	8	12	16	32
TOTAL 0-19 YRS	2209	4.0	14	1	1	3	5	7	10	20
20-34	3497	5.2	30	1	2	4	6	9	12	26
35-49	2408	5.8	24	1	2	5	7	10	13	25
50-64	2559	6.8	32	2	2	5	8	12	17	29
65+	2686	9.5	59	2	3	8	12	18	23	41
GRAND TOTAL	**13359**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.0	5	<1	1	1	2	3	4	16
20-34	45	2.3	4	<1	1	2	3	5	5	12
35-49	21	2.7	8	<1	<1	2	3	5	10	13
50-64	13	2.8	4	1	1	2	4	6	8	8
65+	30	5.1	32	1	1	3	6	7	19	29
B. *Operated*										
0-19 YRS	74	2.4	1	1	1	2	3	4	5	6
20-34	68	3.3	4	1	1	3	4	6	7	12
35-49	17	3.9	7	1	2	3	4	7	11	13
50-64	9	4.6	8	1	1	5	6	9	10	10
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.0	7	<1	1	2	3	6	8	13
20-34	169	3.7	12	1	1	3	4	7	9	22
35-49	117	4.8	20	1	1	4	7	9	11	25
50-64	131	6.1	18	1	1	5	9	13	15	18
65+	277	8.5	42	2	3	7	11	17	22	30
B. *Operated*										
0-19 YRS	58	4.7	21	1	1	4	5	9	13	27
20-34	91	6.7	83	1	1	4	8	14	18	57
35-49	53	6.5	73	1	1	4	8	11	22	53
50-64	46	10.3	188	1	2	6	10	26	45	71
65+	68	12.3	105	2	2	10	16	25	36	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	2.8	11	<1	1	2	3	5	7	19
B. *Operated*	170	3.1	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	843	5.7	28	1	1	4	8	12	16	25
B. *Operated*	316	8.0	96	1	1	5	9	18	27	50
1. SINGLE DX	335	2.9	7	1	1	2	3	5	7	14
2. MULTIPLE DX	1159	6.3	47	1	1	4	8	13	19	36
A. NOT OPERATED	1008	5.2	26	1	1	3	7	11	15	25
B. OPERATED	486	6.3	69	1	1	4	7	13	22	46
TOTAL 0-19 YRS	337	3.0	8	1	1	2	3	5	8	16
20-34	373	4.2	29	1	1	3	5	8	11	25
35-49	208	5.0	32	1	1	3	7	9	12	31
50-64	199	6.8	59	1	1	5	8	13	16	46
65+	377	8.9	55	2	2	7	12	19	24	39
GRAND TOTAL	**1494**	**5.6**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	2	1	1	1	3	4	5	7
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	5	5.4	39	1	1	2	8	16	16	16
20-34	5	5.2	12	2	2	4	6	11	11	11
35-49	2	10.5	113	3	3	10	18	18	18	18
50-64										
65+	2	18.0	128	10	10	18	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.7	20	1	1	3	5	11	16	17
20-34	7	7.6	66	<1	<1	5	10	21	24	24
35-49	5	4.8	14	1	1	4	6	11	11	11
50-64	5	4.2	6	2	2	3	6	8	8	8
65+	12	9.7	27	3	4	10	11	19	19	19
B. *Operated*										
0-19 YRS	13	20.7	631	4	4	14	25	98	99+	99+
20-34	22	18.0	165	3	5	16	24	41	70	99+
35-49	6	17.7	89	7	7	18	27	27	27	27
50-64	5	9.4	49	2	2	8	12	21	21	21
65+	9	40.0	1079	1	4	31	65	88	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	3	1	1	2	3	5	7	7
B. *Operated*	14	7.9	56	1	2	5	11	19	24	26
2. MULTIPLE DX										
A. *Not Operated*	42	6.5	30	1	2	4	10	13	19	24
B. *Operated*	55	21.4	454	3	4	15	27	57	95	99+
1. SINGLE DX	46	4.1	25	1	1	2	4	10	16	26
2. MULTIPLE DX	97	15.0	323	1	2	9	20	37	73	99+
A. NOT OPERATED	74	4.8	22	1	1	3	6	11	16	23
B. OPERATED	69	18.7	401	2	3	13	25	53	90	99+
TOTAL 0-19 YRS	56	7.3	203	1	1	3	8	17	32	99+
20-34	38	12.8	144	1	2	10	21	35	47	99+
35-49	15	10.3	88	1	1	7	17	27	27	27
50-64	11	6.8	29	2	2	7	8	14	20	21
65+	23	22.3	629	2	4	11	24	63	87	90
GRAND TOTAL	**143**	**11.5**	**252**	**1**	**1**	**6**	**14**	**27**	**52**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.6	1	<1	1	1	2	4	4	4
20-34	28	2.2	4	<1	<1	1	3	5	8	8
35-49	6	2.2	2	<1	<1	2	4	4	4	4
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	27	2.9	8	<1	1	2	3	8	10	13
B. *Operated*										
0-19 YRS	181	2.5	2	<1	1	2	3	4	5	7
20-34	527	2.8	2	1	1	3	4	5	5	7
35-49	163	3.0	3	1	1	3	4	5	6	9
50-64	75	2.0	1	<1	<1	2	3	4	4	6
65+	90	2.9	9	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	4	<1	<1	2	4	6	6	6
20-34	38	2.6	10	<1	<1	2	3	5	7	19
35-49	22	4.4	10	1	1	4	7	9	10	11
50-64	22	5.1	14	1	1	4	8	10	12	15
65+	81	6.5	33	1	1	5	9	12	17	33
B. *Operated*										
0-19 YRS	38	2.8	2	<1	1	3	4	5	5	6
20-34	135	4.0	13	1	1	3	4	7	11	19
35-49	74	4.1	11	1	1	3	5	7	13	17
50-64	90	6.4	73	1	1	4	8	13	21	52
65+	177	7.0	80	1	1	4	8	17	24	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.3	5	<1	1	1	3	4	8	12
B. *Operated*	1036	2.7	3	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	180	4.9	23	1	1	3	7	10	12	25
B. *Operated*	514	5.4	48	1	1	3	6	11	17	36
1. SINGLE DX	1117	2.7	3	1	1	3	3	5	6	9
2. MULTIPLE DX	694	5.3	41	1	1	3	6	10	16	33
A. NOT OPERATED	261	4.1	19	<1	1	3	6	9	11	20
B. OPERATED	1550	3.6	19	1	1	3	4	6	9	22
TOTAL 0-19 YRS	251	2.5	2	<1	1	2	3	4	5	6
20-34	728	3.0	5	1	1	3	4	5	6	12
35-49	265	3.4	6	1	1	3	4	6	8	14
50-64	192	4.4	41	1	1	3	5	9	14	37
65+	375	5.6	51	1	1	3	7	12	18	34
GRAND TOTAL	**1811**	**3.7**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.1	2	<1	1	2	3	5	6	6
20-34	38	2.8	4	<1	1	2	4	6	7	7
35-49	12	2.5	3	<1	<1	2	3	5	7	7
50-64	6	1.8	1	<1	<1	2	3	3	3	3
65+	8	5.9	26	<1	<1	4	11	13	13	13
B. *Operated*										
0-19 YRS	981	2.8	3	1	1	2	4	5	6	10
20-34	1785	2.9	4	1	1	2	4	5	6	10
35-49	921	3.0	5	<1	1	2	4	5	7	9
50-64	443	3.2	4	1	1	3	4	6	7	9
65+	124	4.6	20	1	1	3	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	11	<1	<1	1	3	6	7	18
20-34	39	2.6	5	<1	1	2	4	5	8	11
35-49	30	3.1	4	<1	<1	3	5	6	6	7
50-64	30	5.2	32	<1	<1	4	6	12	17	27
65+	19	7.0	27	<1	1	6	10	15	18	19
B. *Operated*										
0-19 YRS	644	3.2	9	1	1	2	4	6	7	13
20-34	1335	3.4	11	1	1	3	4	6	8	14
35-49	869	3.7	12	1	1	3	5	7	9	18
50-64	808	4.2	15	1	1	3	5	8	11	19
65+	339	5.6	28	1	2	4	7	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.7	5	<1	1	2	3	6	7	13
B. *Operated*	4254	2.9	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	151	3.8	16	<1	1	3	5	8	11	19
B. *Operated*	3995	3.8	14	1	1	3	5	7	10	18
1. SINGLE DX	4350	2.9	4	1	1	2	4	5	7	10
2. MULTIPLE DX	4146	3.8	14	1	1	3	5	7	10	18
A. NOT OPERATED	247	3.4	12	<1	1	2	4	7	10	18
B. OPERATED	8249	3.3	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	1690	2.9	6	1	1	2	4	5	6	11
20-34	3197	3.1	7	1	1	2	4	6	7	12
35-49	1832	3.3	8	1	1	3	4	6	8	13
50-64	1287	3.9	12	1	1	3	5	7	9	18
65+	490	5.4	26	1	2	4	7	12	16	27
GRAND TOTAL	**8496**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.7	20	<1	1	2	4	9	12	22
20-34	46	4.4	12	1	1	4	7	9	11	15
35-49	39	7.5	63	<1	1	6	10	14	15	48
50-64	21	7.8	73	1	2	5	10	14	27	40
65+	13	5.4	15	<1	1	5	7	12	14	14
B. Operated										
0-19 YRS	271	3.4	16	1	1	2	4	7	12	22
20-34	291	4.0	21	1	1	2	4	9	14	22
35-49	150	5.7	65	<1	1	3	6	14	20	29
50-64	82	5.5	45	1	1	3	7	16	21	31
65+	64	8.9	82	1	1	4	13	23	27	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	4.5	25	1	1	3	6	10	18	21
20-34	70	7.0	90	1	1	5	7	15	17	55
35-49	44	6.5	49	1	2	5	8	11	13	46
50-64	57	7.3	52	1	1	5	9	14	20	38
65+	69	8.3	52	1	2	7	11	16	20	35
B. Operated										
0-19 YRS	155	6.4	64	1	1	3	8	16	20	45
20-34	287	8.9	104	1	1	5	12	21	25	47
35-49	174	10.0	128	1	2	6	12	23	33	53
50-64	188	9.2	136	1	2	5	11	18	29	72
65+	142	12.8	169	1	2	9	19	39	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	5.4	35	1	1	3	7	11	14	36
B. Operated	858	4.6	36	1	1	2	5	11	19	27
2. MULTIPLE DX										
A. Not Operated	275	7.0	58	1	1	5	9	14	19	39
B. Operated	946	9.3	121	1	1	5	12	21	33	65
1. SINGLE DX	1031	4.7	36	1	1	3	5	11	17	27
2. MULTIPLE DX	1221	8.8	108	1	1	5	11	20	31	56
A. NOT OPERATED	448	6.4	50	1	1	4	8	13	16	40
B. OPERATED	1804	7.1	86	1	1	4	9	18	24	49
TOTAL 0-19 YRS	515	4.4	33	1	1	2	5	10	16	29
20-34	694	6.4	67	1	1	4	7	16	21	42
35-49	407	7.8	93	1	1	4	10	18	25	47
50-64	348	7.9	98	1	1	5	10	17	25	53
65+	288	10.5	119	1	2	7	15	25	39	99+
GRAND TOTAL	**2252**	**6.9**	**79**	**1**	**1**	**4**	**9**	**17**	**23**	**46**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.6	4	<1	<1	2	3	6	7	10
20-34	92	2.9	5	<1	1	2	4	6	7	11
35-49	57	3.5	7	1	1	3	5	7	4	12
50-64	35	3.4	5	1	1	3	5	7	8	9
65+	35	6.4	22	2	3	5	7	12	15	25
B. Operated										
0-19 YRS	543	3.2	4	<1	1	3	4	5	6	8
20-34	635	3.4	5	<1	1	3	5	6	8	11
35-49	175	3.9	8	1	1	4	5	7	10	14
50-64	79	4.8	8	1	2	4	6	9	11	13
65+	22	7.9	20	3	4	6	10	16	18	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	2.9	6	1	1	2	4	7	8	12
20-34	99	4.1	14	1	1	3	5	8	12	20
35-49	67	4.6	11	1	1	4	6	9	11	15
50-64	105	5.9	18	2	2	4	7	10	17	21
65+	210	7.5	34	2	3	6	9	14	20	29
B. Operated										
0-19 YRS	536	4.2	7	1	1	4	5	7	9	15
20-34	832	4.7	10	1	1	4	6	8	9	16
35-49	275	5.4	27	1	2	5	6	9	12	21
50-64	129	7.1	30	1	2	5	9	14	17	26
65+	60	8.2	29	2	2	7	10	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	294	3.4	8	<1	1	3	5	7	9	13
B. Operated	1454	3.5	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	543	5.7	24	1	1	4	7	11	15	23
B. Operated	1832	4.9	15	1	1	4	6	8	11	18
1. SINGLE DX	1748	3.5	6	1	1	3	5	6	8	12
2. MULTIPLE DX	2375	5.1	17	1	1	4	6	9	12	21
A. NOT OPERATED	837	4.9	19	1	1	4	6	10	13	22
B. OPERATED	3286	4.3	11	1	1	4	5	8	10	16
TOTAL 0-19 YRS	1216	3.6	6	1	1	3	5	6	7	12
20-34	1658	4.0	9	1	1	4	5	7	9	15
35-49	574	4.6	18	1	1	4	6	9	11	15
50-64	348	5.8	20	1	2	5	7	12	15	21
65+	327	[illegible]	31	2	3	6	9	14	19	28
GRAND TOTAL	**4123**	**4.4**	**13**	**1**	**1**	**4**	**6**	**8**	**11**	**18**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	4.5	10	1	1	4	6	8	10	13
20-34	1524	5.9	12	2	2	5	8	10	12	17
35-49	1463	6.6	15	2	3	6	8	11	14	20
50-64	611	6.5	14	2	3	6	8	11	14	18
65+	166	7.0	14	2	3	6	9	12	13	17
B. *Operated*										
0-19 YRS	7	11.1	57	2	3	10	13	23	26	26
20-34	212	7.0	26	1	2	6	10	15	17	21
35-49	182	7.4	24	1	2	6	10	14	16	22
50-64	54	8.5	31	1	2	7	11	16	19	29
65+	3	13.3	30	7	7	16	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	5.7	15	1	2	4	8	11	13	18
20-34	1575	7.1	20	2	3	6	9	13	16	23
35-49	2110	7.7	24	2	3	7	9	13	16	25
50-64	1607	7.7	22	2	3	7	10	14	16	22
65+	1331	8.3	26	2	3	7	11	15	18	24
B. *Operated*										
0-19 YRS	8	4.6	5	<1	<1	5	6	7	7	7
20-34	256	9.9	39	2	3	9	14	17	21	27
35-49	443	11.5	45	3	4	10	15	20	25	34
50-64	213	12.1	62	3	4	10	16	21	26	40
65+	102	14.6	119	5	6	12	16	29	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3928	6.2	14	2	2	5	8	11	13	18
B. *Operated*	458	7.5	27	1	2	6	10	15	17	22
2. MULTIPLE DX										
A. *Not Operated*	6782	7.6	23	2	3	7	10	14	16	23
B. *Operated*	1022	11.5	56	3	4	10	15	20	25	36
1. SINGLE DX	4386	6.3	15	2	2	6	8	11	14	20
2. MULTIPLE DX	7804	8.1	29	2	3	7	10	15	18	27
A. NOT OPERATED	10710	7.1	20	2	3	6	9	12	15	22
B. OPERATED	1480	10.2	50	2	3	9	14	18	23	34
TOTAL 0-19 YRS	338	5.2	14	1	1	4	7	11	12	18
20-34	3567	6.8	20	2	2	6	9	12	15	22
35-49	4198	7.7	25	2	3	7	10	14	17	25
50-64	2485	7.8	26	2	3	7	10	14	17	25
65+	1602	8.6	33	2	3	7	11	15	18	30
GRAND TOTAL	**12190**	**7.5**	**25**	**2**	**3**	**6**	**10**	**14**	**17**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	3.0	6	<1	1	2	4	6	8	12
20-34	1067	5.0	11	1	1	4	7	9	11	16
35-49	815	6.1	15	1	2	5	8	11	13	20
50-64	360	6.3	16	1	2	6	9	11	14	20
65+	101	5.4	10	1	2	5	7	9	12	15
B. *Operated*										
0-19 YRS	9	5.2	10	2	2	4	6	11	12	12
20-34	190	6.3	18	1	2	5	9	13	15	17
35-49	153	5.9	18	1	1	5	8	13	14	19
50-64	37	7.5	32	2	2	6	11	15	21	23
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	4.0	10	1	1	3	5	8	10	15
20-34	2054	6.5	19	1	2	6	8	12	15	22
35-49	1918	7.3	21	2	3	6	9	13	16	23
50-64	1206	7.3	20	2	3	6	9	13	16	21
65+	901	7.5	24	2	3	7	9	13	17	26
B. *Operated*										
0-19 YRS	23	6.4	27	1	2	5	9	15	19	19
20-34	332	9.0	46	2	2	8	11	17	23	33
35-49	315	9.4	36	2	3	8	12	17	22	30
50-64	191	11.4	63	3	4	9	15	20	26	39
65+	68	14.1	132	3	4	12	17	23	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2642	5.3	13	1	1	5	7	10	12	17
B. *Operated*	389	6.2	19	1	2	5	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	6488	6.8	20	1	2	6	9	13	15	22
B. *Operated*	929	9.9	54	2	3	8	13	18	24	34
1. SINGLE DX	3031	5.4	14	1	1	5	7	10	13	18
2. MULTIPLE DX	7417	7.2	26	1	2	6	9	14	17	25
A. NOT OPERATED	9130	6.4	19	1	2	5	8	12	15	21
B. OPERATED	1318	8.8	46	2	2	7	12	17	21	32
TOTAL 0-19 YRS	740	3.7	10	1	1	3	5	8	10	14
20-34	3643	6.3	20	1	2	5	8	12	15	22
35-49	3201	7.1	22	2	2	6	9	13	16	23
50-64	1794	7.5	26	2	2	6	10	14	17	26
65+	1070	7.8	33	2	3	7	10	14	17	29
GRAND TOTAL	**10448**	**6.7**	**23**	**1**	**2**	**6**	**9**	**13**	**16**	**23**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.5	4	1	1	2	3	5	5	11
20-34	156	2.9	8	<1	1	2	4	6	8	12
35-49	101	3.9	12	1	1	3	5	8	10	18
50-64	73	3.7	7	1	1	3	5	8	9	12
65+	67	4.7	10	1	1	4	7	10	11	14
B. *Operated*										
0-19 YRS	270	2.5	3	1	1	2	3	4	5	8
20-34	616	3.0	3	1	1	3	4	5	6	9
35-49	478	3.4	5	1	1	3	4	6	7	13
50-64	509	4.3	6	1	2	4	5	7	9	13
65+	128	5.3	10	2	2	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	2.9	6	<1	1	2	4	6	7	13
20-34	229	4.1	13	1	1	3	6	9	10	15
35-49	213	5.0	19	1	1	4	7	9	11	23
50-64	252	6.1	41	1	1	4	7	12	18	26
65+	409	7.4	31	2	2	6	9	14	18	25
B. *Operated*										
0-19 YRS	126	3.2	5	1	1	3	4	6	8	33
20-34	210	3.6	9	1	1	3	4	7	8	12
35-49	214	5.6	49	1	2	4	6	10	17	41
50-64	397	6.0	25	2	3	5	6	11	14	30
65+	217	7.8	38	2	3	6	9	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	3.3	8	1	1	3	4	7	9	12
B. *Operated*	2001	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1196	5.7	27	1	1	4	7	11	15	24
B. *Operated*	1164	5.6	29	1	2	4	6	10	15	30
1. SINGLE DX	2527	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	2360	5.6	28	1	2	4	7	11	15	27
A. NOT OPERATED	1722	5.0	23	1	1	4	7	10	13	23
B. OPERATED	3165	4.3	15	1	1	3	5	7	10	20
TOTAL 0-19 YRS	618	2.7	4	1	1	2	3	5	6	12
20-34	1211	3.3	7	1	1	3	4	6	8	11
35-49	1006	4.3	19	1	1	3	5	7	10	23
50-64	1231	5.2	20	1	2	4	6	9	12	22
65+	821	6.9	29	2	2	5	9	13	17	27
GRAND TOTAL	**4887**	**4.5**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3113	1.5	1	<1	1	1	2	3	3	5
20-34	796	2.1	4	<1	1	1	2	4	5	9
35-49	255	2.2	2	<1	1	2	3	4	5	8
50-64	114	3.0	13	<1	1	2	3	6	9	23
65+	64	2.9	9	1	1	2	4	5	6	21
B. *Operated*										
0-19 YRS	12	3.3	21	<1	<1	1	3	13	14	14
20-34	10	5.2	30	<1	<1	3	6	15	16	16
35-49	4	7.3	125	1	1	2	13	24	24	24
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3335	2.3	6	1	1	2	3	4	5	10
20-34	2400	3.3	12	1	1	2	4	7	9	16
35-49	982	4.3	19	1	1	3	6	9	12	21
50-64	706	4.6	25	1	1	3	6	10	13	23
65+	843	6.0	26	1	1	5	8	12	16	25
B. *Operated*										
0-19 YRS	621	3.6	26	<1	1	2	4	7	10	35
20-34	677	4.1	28	<1	1	2	5	8	12	28
35-49	295	5.4	65	1	1	3	6	12	17	46
50-64	198	6.3	90	1	1	3	7	14	22	54
65+	258	7.8	92	1	1	5	10	17	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4342	1.7	2	<1	1	1	2	3	4	7
B. *Operated*	28	4.5	35	<1	<1	2	4	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	8266	3.4	14	1	1	2	4	7	10	18
B. *Operated*	2049	4.8	49	1	1	3	5	10	16	37
1. SINGLE DX	4370	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	10315	3.7	21	1	1	2	4	8	11	22
A. NOT OPERATED	12608	2.8	11	1	1	2	3	6	8	16
B. OPERATED	2077	4.8	48	1	1	3	5	10	16	37
TOTAL 0-19 YRS	7081	2.1	6	1	1	1	2	4	5	10
20-34	3883	3.2	13	<1	1	2	4	7	9	17
35-49	1536	4.2	26	1	1	3	5	9	12	24
50-64	1020	4.7	37	1	1	3	6	10	14	27
65+	1165	6.2	41	1	1	4	8	13	18	30
GRAND TOTAL	**14685**	**3.1**	**17**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1456	1.8	5	<1	1	1	2	3	4	10
20-34	304	3.3	40	<1	1	2	3	6	11	49
35-49	103	3.3	10	<1	1	2	4	7	10	16
50-64	44	4.4	48	<1	1	2	5	10	12	44
65+	55	5.8	44	<1	1	4	8	14	19	34
B. *Operated*										
0-19 YRS	59	7.0	60	1	1	6	8	11	19	47
20-34	44	11.6	98	1	4	9	13	25	41	43
35-49	27	11.5	149	2	4	8	14	21	33	64
50-64	31	9.8	41	2	4	8	13	20	31	99+
65+	48	13.6	83	2	4	13	17	26	30	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1567	2.9	22	<1	1	2	3	5	9	26
20-34	884	4.5	47	<1	1	2	5	9	17	37
35-49	377	5.7	62	1	1	3	7	10	19	49
50-64	299	5.9	42	1	1	4	8	14	21	37
65+	529	8.0	67	1	1	6	11	17	21	49
B. *Operated*										
0-19 YRS	329	12.4	321	1	1	5	17	45	76	99+
20-34	504	15.2	476	1	1	6	20	60	86	99+
35-49	215	13.4	298	1	1	7	17	44	58	99+
50-64	178	15.8	352	1	1	9	23	49	69	99+
65+	365	19.9	308	1	2	15	28	43	55	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1962	2.3	13	<1	1	1	2	4	6	17
B. *Operated*	209	10.5	86	1	2	8	13	21	29	54
2. MULTIPLE DX										
A. *Not Operated*	3656	4.6	44	1	1	2	5	10	17	37
B. *Operated*	1591	15.5	374	1	1	8	22	49	69	99+
1. SINGLE DX	2171	3.0	26	<1	1	1	3	7	11	27
2. MULTIPLE DX	5247	7.9	169	1	1	3	8	21	37	85
A. NOT OPERATED	5618	3.8	34	<1	1	2	4	8	13	32
B. OPERATED	1800	14.9	343	1	1	8	21	46	66	99+
TOTAL 0-19 YRS	3411	3.4	53	<1	1	1	3	6	12	47
20-34	1736	7.6	197	<1	1	3	7	19	45	99+
35-49	722	7.8	143	1	1	4	8	19	32	76
50-64	552	9.2	164	1	1	5	11	24	41	99
65+	997	12.5	187	1	2	8	16	30	41	65
GRAND TOTAL	**7418**	**6.5**	**132**	**<1**	**1**	**2**	**6**	**17**	**29**	**76**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	6	1	1	2	3	5	9	13
20-34	42	2.9	2	1	1	3	4	5	6	7
35-49	19	2.9	2	1	1	3	4	5	5	5
50-64	9	4.4	24	1	1	2	6	12	16	16
65+	9	3.9	15	2	2	2	4	10	14	14
B. *Operated*										
0-19 YRS	45	4.6	7	2	2	4	6	8	10	14
20-34	102	5.6	8	2	3	5	7	9	11	16
35-49	33	5.0	6	2	2	5	6	9	10	11
50-64	14	6.9	12	2	4	6	9	11	15	16
65+	5	9.6	63	3	3	6	15	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	4.3	15	1	1	3	5	8	11	23
20-34	145	5.2	32	1	2	4	6	8	11	37
35-49	88	5.1	12	1	2	4	7	10	12	17
50-64	93	7.1	27	1	2	6	9	14	18	27
65+	104	9.4	52	2	2	7	13	21	24	33
B. *Operated*										
0-19 YRS	143	8.9	58	3	3	7	11	16	27	59
20-34	348	10.1	80	3	4	8	12	18	27	65
35-49	152	10.0	100	2	3	8	12	19	23	41
50-64	121	10.8	91	3	4	8	12	18	34	55
65+	99	13.6	100	3	4	12	18	29	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.1	6	1	1	2	4	5	7	15
B. *Operated*	199	5.5	9	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	508	6.2	32	1	2	5	8	13	18	27
B. *Operated*	863	10.4	85	3	3	8	13	19	29	63
1. SINGLE DX	317	4.6	10	1	2	4	6	8	10	16
2. MULTIPLE DX	1371	8.9	69	2	3	7	11	17	25	53
A. NOT OPERATED	626	5.6	29	1	1	4	7	12	15	26
B. OPERATED	1062	9.5	75	3	3	7	12	18	26	56
TOTAL 0-19 YRS	305	6.3	39	1	2	4	8	13	16	36
20-34	637	7.8	59	2	2	6	9	14	20	53
35-49	292	7.5	63	1	2	5	10	14	19	35
50-64	237	8.8	63	2	3	7	10	16	19	46
65+	217	11.1	78	2	3	9	15	23	31	75
GRAND TOTAL	**1688**	**8.1**	**61**	**2**	**2**	**6**	**10**	**16**	**22**	**46**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	3.8	10	1	1	3	5	8	10	16
20-34	153	3.2	7	1	1	2	4	7	9	12
35-49	37	3.9	11	1	1	3	7	8	9	16
50-64	17	3.4	7	<1	1	3	4	7	9	10
65+	4	3.0	8	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	150	6.8	17	2	2	6	8	11	13	25
20-34	131	7.2	16	2	3	7	8	10	17	23
35-49	42	7.4	18	2	3	7	9	11	15	24
50-64	13	6.2	18	1	1	6	9	12	14	15
65+	14	8.9	12	2	5	9	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	3.8	10	1	1	3	5	8	9	17
20-34	298	4.0	11	1	1	3	5	8	11	17
35-49	138	4.6	13	1	1	4	6	9	12	19
50-64	74	5.9	20	1	2	5	9	12	14	23
65+	61	6.8	30	1	2	5	8	15	21	23
B. *Operated*										
0-19 YRS	411	11.4	91	3	5	8	12	22	33	53
20-34	652	13.2	152	4	5	9	15	27	38	89
35-49	242	14.9	169	4	6	10	17	30	42	69
50-64	150	16.6	216	3	5	12	21	36	53	99
65+	109	19.1	262	3	6	14	24	41	53	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	3.6	9	1	1	3	5	7	9	14
B. *Operated*	350	7.1	17	2	3	7	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	947	4.3	14	1	1	3	6	9	12	19
B. *Operated*	1564	13.7	157	4	5	10	16	29	39	78
1. SINGLE DX	870	5.0	15	1	1	4	7	9	11	22
2. MULTIPLE DX	2511	10.2	124	1	2	7	12	21	32	69
A. NOT OPERATED	1467	4.1	12	1	1	3	5	9	11	18
B. OPERATED	1914	12.5	138	3	4	9	14	26	35	75
TOTAL 0-19 YRS	1246	6.7	50	1	1	5	8	13	19	38
20-34	1234	9.1	106	1	2	7	10	18	29	63
35-49	459	10.2	120	1	2	7	12	21	30	58
50-64	254	12.1	164	1	2	9	15	27	39	78
65+	188	14.0	199	2	2	10	16	29	48	76
GRAND TOTAL	**3381**	**8.9**	**101**	**1**	**2**	**6**	**10**	**19**	**27**	**57**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	7	<1	1	3	4	8	9	11
20-34	7	2.9	3	1	1	3	4	6	6	6
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	265	2.8	7	<1	1	2	4	6	9	14
20-34	161	2.8	4	<1	1	2	4	6	7	11
35-49	62	3.6	6	1	1	3	5	7	9	11
50-64	31	3.9	8	<1	1	3	6	7	9	14
65+	24	4.8	36	1	1	3	5	9	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.0	5	<1	<1	2	5	6	8	9
20-34	30	3.3	8	<1	1	3	4	6	8	15
35-49	10	2.7	5	<1	<1	2	5	6	7	7
50-64	8	3.9	7	1	1	3	6	8	8	8
65+	16	4.9	12	<1	1	4	7	11	12	12
B. *Operated*										
0-19 YRS	277	4.0	12	1	1	3	5	8	10	19
20-34	258	4.7	23	1	1	3	6	9	13	25
35-49	84	4.7	16	1	1	4	6	8	11	24
50-64	61	5.9	130	1	1	4	6	9	13	82
65+	68	6.4	55	1	1	4	8	14	18	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.1	6	<1	1	3	4	6	9	11
B. *Operated*	543	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	110	3.4	7	<1	<1	3	5	7	8	13
B. *Operated*	748	4.7	30	1	1	3	6	9	12	23
1. SINGLE DX	580	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	858	4.5	27	1	1	3	6	8	11	23
A. NOT OPERATED	147	3.3	7	<1	<1	3	5	7	8	12
B. OPERATED	1291	4.0	21	1	1	3	5	8	10	21
TOTAL 0-19 YRS	613	3.4	9	<1	1	3	4	7	9	15
20-34	456	3.9	16	1	1	3	5	7	10	23
35-49	159	4.1	11	1	1	3	6	7	9	18
50-64	101	5.1	82	1	1	4	6	8	11	51
65+	109	5.8	44	1	1	4	7	12	17	38
GRAND TOTAL	**1438**	**3.9**	**20**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.3	3	<1	1	2	3	5	6	8
20-34	79	1.9	3	<1	<1	1	2	3	5	12
35-49	30	2.6	4	<1	<1	2	3	5	7	9
50-64	17	2.5	6	<1	<1	2	3	6	9	10
65+	16	2.4	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	489	1.9	3	<1	1	1	2	3	5	8
20-34	262	2.9	19	<1	<1	2	3	6	8	19
35-49	81	3.0	14	<1	1	2	3	6	9	23
50-64	28	2.7	7	1	1	2	3	5	9	14
65+	39	4.0	59	1	1	2	4	6	9	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	2.6	7	<1	1	2	3	5	7	14
20-34	374	2.9	10	<1	1	2	3	6	8	14
35-49	179	4.0	20	<1	1	3	5	8	12	21
50-64	143	4.3	32	1	1	3	5	8	12	32
65+	320	5.8	28	1	1	4	8	12	15	27
B. *Operated*										
0-19 YRS	836	3.0	10	1	1	2	4	6	8	15
20-34	1064	3.8	22	<1	1	2	4	8	12	26
35-49	385	4.5	35	1	1	3	6	9	12	25
50-64	296	5.8	63	1	1	4	7	12	16	45
65+	512	6.7	53	1	1	5	8	14	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	899	2.4	12	<1	1	1	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	1338	3.8	19	<1	1	2	5	8	11	22
B. *Operated*	3093	4.3	31	1	1	3	5	9	13	28
1. SINGLE DX	1150	2.4	10	<1	1	2	3	4	6	12
2. MULTIPLE DX	4431	4.2	27	1	1	3	5	9	12	26
A. NOT OPERATED	1589	3.6	17	<1	1	2	4	8	11	19
B. OPERATED	3992	3.9	27	<1	1	2	4	8	12	26
TOTAL 0-19 YRS	1756	2.6	7	<1	1	2	3	5	7	12
20-34	1779	3.4	19	<1	1	2	4	7	10	23
35-49	675	4.1	27	<1	1	3	5	8	12	25
50-64	484	5.0	49	1	1	3	6	10	14	38
65+	887	6.2	44	1	1	4	8	13	17	36
GRAND TOTAL	**5581**	**3.8**	**24**	**<1**	**1**	**2**	**4**	**8**	**12**	**25**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	2.2	3	1	1	2	3	4	5	10
20-34	266	2.1	2	<1	<1	2	3	4	5	8
35-49	80	2.3	3	<1	<1	2	3	5	6	7
50-64	30	2.5	4	1	1	2	3	4	6	10
65+	5	6.0	8	3	3	6	8	10	10	10
B. *Operated*										
0-19 YRS	211	3.0	6	<1	1	2	4	7	9	11
20-34	270	4.4	14	1	1	3	6	9	11	19
35-49	93	4.2	11	<1	1	3	6	9	10	16
50-64	35	4.6	21	1	1	4	6	9	11	25
65+	12	4.3	12	1	1	3	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	2.8	6	<1	1	2	4	6	7	14
20-34	292	3.6	12	<1	1	2	5	8	10	16
35-49	87	3.2	7	<1	1	3	4	6	8	15
50-64	44	5.2	21	<1	1	4	8	12	16	17
65+	44	6.4	34	1	2	4	8	17	19	27
B. *Operated*										
0-19 YRS	263	7.1	99	1	1	5	8	14	19	56
20-34	554	8.5	118	1	1	6	9	15	26	59
35-49	173	8.8	109	1	1	6	11	18	30	80
50-64	70	10.3	85	[illegible]	2	8	13	23	28	46
65+	44	10.1	88	1	2	8	13	18	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	2.2	3	<1	1	2	3	4	6	9
B. *Operated*	621	3.9	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	591	3.7	13	<1	1	3	5	8	11	18
B. *Operated*	1104	8.4	109	1	1	6	10	16	26	58
1. SINGLE DX	1145	3.1	8	<1	1	2	4	7	9	14
2. MULTIPLE DX	1695	6.7	81	1	1	4	8	14	20	50
A. NOT OPERATED	1115	3.0	9	<1	1	2	4	6	8	16
B. OPERATED	1725	6.8	79	1	1	5	8	13	19	49
TOTAL 0-19 YRS	741	4.3	43	1	1	2	5	9	12	32
20-34	1382	5.4	60	<1	1	3	7	11	15	42
35-49	433	5.5	55	<1	1	3	7	11	16	39
50-64	179	6.6	52	1	1	4	9	16	22	36
65+	105	7.7	57	1	2	6	10	17	19	41
GRAND TOTAL	**2840**	**5.3**	**55**	**1**	**1**	**3**	**6**	**11**	**15**	**38**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.9	7	1	1	2	4	6	7	9
20-34	212	2.7	4	<1	1	2	4	5	6	10
35-49	72	2.8	4	<1	<1	2	3	5	7	10
50-64	31	2.6	4	<1	<1	2	3	4	7	11
65+	14	5.6	16	1	2	4	8	12	14	14
B. *Operated*										
0-19 YRS	1142	2.1	4	<1	1	1	2	4	5	11
20-34	1566	2.4	7	<1	1	2	3	5	7	13
35-49	629	2.6	15	<1	1	2	3	5	7	20
50-64	435	2.4	9	<1	1	1	2	5	8	12
65+	124	2.4	5	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.8	18	1	1	3	4	6	9	28
20-34	267	4.1	24	<1	1	3	5	7	11	22
35-49	109	4.6	25	<1	1	3	5	10	14	27
50-64	56	4.8	19	1	1	4	6	11	12	24
65+	77	7.3	48	1	2	5	9	16	20	36
B. *Operated*										
0-19 YRS	1018	3.1	18	1	1	2	3	6	8	18
20-34	1586	3.4	23	<1	1	2	4	7	10	24
35-49	630	4.1	35	1	1	2	4	9	13	32
50-64	516	4.1	32	1	1	2	5	9	13	30
65+	277	6.2	71	1	1	3	7	12	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	2.9	5	<1	1	2	4	6	7	11
B. *Operated*	3896	2.3	8	<1	1	1	2	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	687	4.5	26	1	1	3	5	8	13	27
B. *Operated*	4027	3.7	29	1	1	2	4	8	11	29
1. SINGLE DX	4380	2.4	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	4714	3.8	28	1	1	2	4	8	12	29
A. NOT OPERATED	1171	3.8	18	<1	1	3	4	7	10	24
B. OPERATED	7923	3.0	19	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	2493	2.6	11	<1	1	2	3	5	7	15
20-34	3631	3.0	15	<1	1	2	3	6	8	18
35-49	1440	3.4	25	<1	1	2	4	7	10	25
50-64	1038	3.4	21	1	1	2	4	7	10	26
65+	492	5.4	52	1	1	3	6	12	18	39
GRAND TOTAL	**9094**	**3.1**	**19**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	3.3	10	<1	<1	2	4	7	8	11
20-34	202	3.5	9	<1	1	2	5	7	10	15
35-49	48	3.2	4	1	1	3	4	6	7	9
50-64	35	3.4	7	1	1	3	5	8	9	11
65+	8	5.0	4	3	3	4	6	8	9	9
B. *Operated*										
0-19 YRS	729	3.8	24	1	1	3	4	7	10	25
20-34	508	4.5	26	1	1	3	5	9	13	25
35-49	196	5.4	57	1	1	3	6	10	17	48
50-64	88	4.9	34	1	1	3	6	10	17	75
65+	50	7.4	64	2	2	5	10	15	22	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	4.8	28	1	1	3	5	8	13	28
20-34	148	4.6	14	1	1	4	6	9	10	18
35-49	74	6.0	49	1	1	4	7	12	19	43
50-64	59	5.8	23	1	1	5	7	9	15	29
65+	109	8.9	53	2	3	8	12	17	19	41
B. *Operated*										
0-19 YRS	389	6.9	70	1	1	4	8	14	24	45
20-34	462	8.7	111	1	1	5	10	22	30	55
35-49	187	8.0	72	1	1	6	9	18	28	47
50-64	126	11.1	152	2	2	7	15	23	32	62
65+	147	13.6	146	2	2	12	18	29	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	3.4	9	<1	1	3	4	7	9	12
B. *Operated*	1571	4.4	31	1	1	3	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	537	5.9	34	1	2	4	7	12	17	30
B. *Operated*	1311	8.9	105	1	1	5	11	21	30	56
1. SINGLE DX	2090	4.2	26	1	1	3	5	8	12	26
2. MULTIPLE DX	1848	8.0	86	1	1	5	9	18	27	50
A. NOT OPERATED	1056	4.7	23	1	1	3	6	9	12	26
B. OPERATED	2882	6.4	70	1	1	4	7	15	22	43
TOTAL 0-19 YRS	1491	4.6	36	1	1	3	5	9	14	33
20-34	1320	5.8	56	1	1	3	7	12	21	37
35-49	505	6.2	58	1	1	4	7	13	20	45
50-64	308	7.4	86	1	1	5	8	17	23	58
65+	314	10.8	104	2	2	8	15	23	32	60
GRAND TOTAL	**3938**	**6.0**	**58**	**1**	**1**	**3**	**7**	**13**	**20**	**41**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	9	2.0	6	<1	<1	1	2	6	8	8
20-34	7	3.9	7	1	1	3	6	8	8	8
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS.	29	3.1	13	1	1	2	3	5	14	16
20-34	19	4.5	11	1	1	3	7	10	10	10
35-49	17	4.1	12	1	1	2	7	9	10	11
50-64	9	3.2	22	1	1	1	3	11	15	15
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	9	1.9	2	<1	<1	1	2	4	5	5
20-34	5	4.0	7	1	1	3	6	8	8	8
35-49	5	3.8	4	1	1	4	5	6	6	6
50-64	5	6.6	18	1	1	6	8	13	13	13
65+	9	5.7	26	2	2	4	7	15	17	17
B. *Operated*										
0-19 YRS.	65	6.5	60	<1	1	3	7	17	26	34
20-34	142	8.5	134	1	1	4	11	22	31	55
35-49	55	12.1	281	<1	1	6	14	41	76	99+
50-64	35	12.2	249	1	2	7	12	33	52	67
65+	22	8.7	74	1	2	6	10	21	31	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.7	6	<1	1	2	3	7	8	8
B. *Operated*	76	3.7	13	1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	33	4.2	14	<1	1	3	5	8	13	17
B. *Operated*	319	9.2	155	1	1	5	11	20	37	71
1. SINGLE DX	100	3.5	11	1	1	2	4	9	10	15
2. MULTIPLE DX	352	8.7	143	1	1	5	10	24	35	67
A. NOT OPERATED	57	3.6	11	<1	1	3	5	8	10	17
B. OPERATED	395	8.1	132	1	1	4	9	23	33	67
TOTAL 0-19 YRS.	112	4.9	42	<1	1	3	5	13	22	31
20-34	173	7.8	114	1	1	4	9	18	31	54
35-49	80	9.5	210	1	1	4	10	35	52	99+
50-64	51	9.6	190	1	1	6	11	20	45	67
65+	36	7.3	55	<1	2	5	7	17	26	35
GRAND TOTAL	452	7.5	119	1	1	4	8	18	31	67

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	31	3.4	6	1	1	3	5	7	10	10
20-34	51	5.3	22	1	1	4	7	10	13	26
35-49	19	7.6	60	<1	1	6	9	17	28	33
50-64	13	7.5	25	1	2	7	12	25	83	99+
65+	15	9.0	111	1	3	6	9	18	37	44
B. *Operated*										
0-19 YRS.	236	3.2	8	1	1	2	4	6	8	14
20-34	425	4.1	23	1	1	3	5	8	11	20
35-49	199	3.9	10	1	2	3	4	8	11	19
50-64	141	4.2	13	1	1	3	5	8	12	20
65+	51	7.7	54	2	2	4	10	15	18	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	66	5.6	58	<1	1	3	6	14	29	90
20-34	134	8.5	171	1	1	5	10	15	21	89
35-49	67	6.9	49	1	1	5	9	15	18	42
50-64	73	6.8	27	1	1	6	8	15	17	27
65+	116	10.2	62	2	3	8	14	22	27	38
B. *Operated*										
0-19 YRS.	230	4.8	37	1	1	4	5	9	14	23
20-34	475	5.5	41	1	2	4	5	10	19	39
35-49	301	6.2	62	1	2	4	6	14	20	43
50-64	225	8.0	87	2	2	5	10	16	25	50
65+	127	12.3	150	2	2	9	17	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.8	37	1	1	4	8	11	18	55
B. *Operated*	1052	4.0	16	1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	456	8.0	88	1	1	5	10	17	23	73
B. *Operated*	1343	6.6	67	1	2	4	7	14	21	45
1. SINGLE DX	1181	4.2	20	1	1	3	5	8	12	21
2. MULTIPLE DX	1799	6.9	72	1	2	4	8	15	22	47
A. NOT OPERATED	585	7.5	77	1	1	5	9	17	23	68
B. OPERATED	2395	5.5	47	1	1	4	6	12	17	34
TOTAL 0-19 YRS.	563	4.2	26	1	1	3	5	8	11	27
20-34	1085	5.3	51	1	1	4	6	10	15	43
35-49	586	5.5	44	1	2	4	6	12	17	38
50-64	437	6.6	54	1	2	4	8	14	18	41
65+	309	10.5	102	2	2	8	14	22	30	53
GRAND TOTAL	2980	5.9	54	1	1	4	6	12	18	40

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	3.8	5	1	2	4	5	6	8	13
20-34	171	3.3	5	<1	1	3	4	6	7	9
35-49	45	3.6	5	1	1	3	5	7	7	13
50-64	11	3.6	4	1	1	3	5	7	7	7
65+	5	3.0	5	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	19	5.5	10	1	2	5	8	8	11	14
20-34	8	4.6	20	1	1	3	5	12	15	15
35-49	6	5.3	9	2	2	5	7	10	10	10
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	3.6	6	1	1	3	5	6	8	15
20-34	136	3.5	12	<1	1	3	4	6	8	15
35-49	57	4.3	9	1	1	4	5	7	9	19
50-64	42	4.5	9	<1	1	4	7	9	11	13
65+	57	6.3	47	2	2	4	7	11	16	44
B. *Operated*										
0-19 YRS	44	5.3	19	<1	1	4	9	12	13	18
20-34	35	3.7	5	1	1	4	5	6	8	10
35-49	17	5.9	24	1	2	4	7	14	18	19
50-64	8	8.0	105	<1	<1	5	9	26	32	32
65+	16	10.9	93	2	2	7	12	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	3.7	5	1	1	3	5	6	7	12
B. *Operated*	37	5.1	11	1	2	5	7	8	13	15
2. MULTIPLE DX										
A. *Not Operated*	535	4.0	13	1	1	3	5	7	9	16
B. *Operated*	120	5.9	34	1	1	4	8	12	16	32
1. SINGLE DX	653	3.7	6	1	1	3	5	6	8	13
2. MULTIPLE DX	655	4.3	17	1	1	3	5	8	11	21
A. NOT OPERATED	1151	3.8	9	1	1	3	5	7	8	15
B. OPERATED	157	5.7	29	1	1	4	8	11	14	32
TOTAL 0-19 YRS	690	3.9	7	1	1	3	5	7	9	14
20-34	350	3.5	8	<1	1	3	4	6	7	12
35-49	125	4.3	10	1	1	4	6	7	10	19
50-64	63	4.7	21	<1	1	4	6	9	11	30
65+	80	7.0	56	1	2	5	8	14	24	41
GRAND TOTAL	**1308**	**4.0**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1002	1.9	2	<1	1	1	2	3	5	8
20-34	699	2.6	5	<1	1	2	3	5	6	12
35-49	300	2.9	6	1	1	2	4	6	8	14
50-64	213	3.4	9	1	1	2	4	7	9	17
65+	283	4.7	13	1	1	4	6	10	12	17
B. *Operated*										
0-19 YRS	141	3.0	8	<1	1	2	4	6	8	15
20-34	111	3.5	13	<1	1	2	4	7	10	20
35-49	84	3.9	15	<1	1	3	5	8	10	23
50-64	51	4.1	13	1	1	3	5	8	9	21
65+	32	5.9	19	1	2	5	7	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1719	2.5	5	<1	1	2	3	5	7	12
20-34	1956	3.4	11	<1	1	2	4	7	9	17
35-49	1111	4.4	16	1	1	3	6	10	13	18
50-64	1126	5.3	21	1	1	4	7	10	14	21
65+	3323	7.5	35	1	2	6	10	15	19	29
B. *Operated*										
0-19 YRS	226	4.4	36	1	1	3	5	8	12	29
20-34	310	5.8	53	<1	1	4	7	12	19	42
35-49	188	7.1	58	1	1	4	9	16	23	43
50-64	187	8.3	66	1	2	6	10	20	25	53
65+	402	12.3	113	2	3	9	16	26	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2497	2.7	6	<1	1	2	3	5	7	13
B. *Operated*	419	3.7	13	<1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	9235	5.1	25	1	1	3	7	11	15	23
B. *Operated*	1313	8.1	80	1	1	5	10	19	26	47
1. SINGLE DX	2916	2.8	7	<1	1	2	3	6	8	14
2. MULTIPLE DX	10548	5.4	32	1	1	4	7	12	16	27
A. NOT OPERATED	11732	4.5	22	1	1	3	6	10	14	22
B. OPERATED	1732	7.0	67	1	1	4	9	16	23	44
TOTAL 0-19 YRS	3088	2.4	7	<1	1	2	3	5	6	12
20-34	3076	3.4	15	<1	1	2	4	7	10	19
35-49	1683	4.4	20	1	1	3	5	10	13	23
50-64	1577	5.4	26	1	1	4	7	11	15	25
65+	4040	7.8	44	1	2	6	10	16	20	33
GRAND TOTAL	**13464**	**4.9**	**28**	**1**	**1**	**3**	**6**	**11**	**15**	**25**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.2	4	<1	1	2	3	4	5	12
20-34	57	2.9	9	1	1	2	3	6	7	19
35-49	21	2.9	3	1	1	2	4	5	6	7
50-64	13	3.2	6	1	1	2	3	6	10	11
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	30	6.4	46	1	1	3	8	18	20	29
20-34	74	5.6	38	1	1	3	7	14	17	35
35-49	51	4.9	29	1	1	3	5	11	12	31
50-64	27	4.2	26	1	1	2	4	12	15	23
65+	3	8.0	43	1	1	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.6	3	1	1	2	3	5	6	10
20-34	57	3.4	6	1	1	3	4	7	9	11
35-49	22	4.8	14	1	1	4	5	12	13	14
50-64	20	4.5	12	1	1	3	6	11	12	12
65+	7	5.9	16	2	2	5	10	12	12	12
B. *Operated*										
0-19 YRS	53	7.3	96	1	1	3	11	16	18	54
20-34	135	8.2	120	1	1	4	10	19	31	50
35-49	95	9.6	146	1	1	5	13	29	38	86
50-64	66	7.9	180	1	1	3	10	14	33	78
65+	23	13.0	190	1	1	7	23	39	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.6	6	1	1	2	3	5	7	13
B. *Operated*	185	5.4	35	1	1	3	7	12	18	30
2. MULTIPLE DX										
A. *Not Operated*	153	3.6	8	1	1	3	4	7	11	13
B. *Operated*	372	8.7	138	1	1	4	11	22	37	68
1. SINGLE DX	357	4.0	23	1	1	2	4	9	14	23
2. MULTIPLE DX	525	7.2	106	1	1	3	8	17	29	56
A. NOT OPERATED	325	3.1	7	1	1	2	4	6	9	13
B. OPERATED	557	7.6	106	1	1	4	9	18	30	54
TOTAL 0-19 YRS	210	4.2	38	1	1	2	4	11	15	35
20-34	323	5.8	66	1	1	3	6	14	19	43
35-49	189	7.0	90	1	1	4	8	17	30	61
50-64	126	6.1	105	1	1	3	7	12	21	66
65+	34	10.9	142	1	1	7	14	27	41	43
GRAND TOTAL	**882**	**5.9**	**74**	**1**	**1**	**3**	**7**	**14**	**20**	**44**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	5	1	1	1	3	6	7	7
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	10	2.0	1	1	1	2	3	3	3	3
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	6	3.0	9	1	1	2	3	8	9	9
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	11	3.2	6	1	1	2	5	7	8	8
20-34	7	4.4	3	3	3	4	6	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.0	3	1	1	2	2	4	7	7
B. *Operated*	28	1.8	1	<1	<1	1	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	14	3.1	7	1	1	2	4	9	9	9
B. *Operated*	21	3.6	4	1	1	3	5	7	7	8
1. SINGLE DX	40	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	35	3.4	5	1	1	3	5	7	9	9
A. NOT OPERATED	26	2.6	5	1	1	2	3	7	9	9
B. OPERATED	49	2.6	3	<1	1	2	3	5	6	8
TOTAL 0-19 YRS	34	2.3	4	<1	1	1	3	5	7	8
20-34	26	2.8	4	1	1	2	3	6	7	9
35-49	9	2.0	1	1	1	2	3	4	4	4
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	2	7.0	8	5	5	7	9	9	9	9
GRAND TOTAL	**75**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	698	1.5	1	<1	<1	1	1	2	3	7
20-34	114	1.6	2	<1	<1	1	2	3	5	9
35-49	116	2.0	7	<1	1	1	2	3	7	16
50-64	109	1.4	1	<1	<1	1	1	3	4	5
65+	120	1.8	1	1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	222	2.0	2	<1	1	1	2	4	6	8
20-34	24	3.0	10	<1	1	2	3	8	10	14
35-49	21	4.1	15	<1	<1	3	5	8	13	17
50-64	25	3.4	20	<1	<1	1	3	14	14	15
65+	29	3.3	10	1	1	2	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	2.9	12	<1	1	2	3	6	8	17
20-34	63	3.7	18	1	1	2	4	11	14	17
35-49	88	3.8	21	1	1	2	4	8	16	23
50-64	137	3.1	10	1	1	2	4	6	9	18
65+	296	4.2	17	1	1	3	5	8	13	21
B. *Operated*										
0-19 YRS	101	4.6	29	<1	1	3	6	10	15	32
20-34	45	7.3	61	1	2	5	9	12	22	45
35-49	66	6.9	128	1	1	2	7	15	27	68
50-64	87	7.7	83	1	1	4	12	18	27	82
65+	201	8.4	126	1	1	4	10	20	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1157	1.5	2	<1	<1	1	2	3	4	8
B. *Operated*	321	2.4	6	<1	1	1	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	781	3.6	15	1	1	2	4	8	12	20
B. *Operated*	500	7.2	94	1	1	4	9	16	25	58
1. SINGLE DX	1478	1.7	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	1281	5.0	49	1	1	3	6	12	16	36
A. NOT OPERATED	1938	2.4	8	<1	<1	1	2	5	8	15
B. OPERATED	821	5.3	65	1	1	3	6	12	19	41
TOTAL 0-19 YRS	1218	2.0	6	<1	<1	1	2	4	6	12
20-34	246	3.3	22	<1	1	1	4	9	11	19
35-49	291	3.8	42	<1	1	2	4	9	15	30
50-64	358	3.7	31	<1	1	2	4	10	14	37
65+	646	5.0	53	1	1	3	5	11	15	36
GRAND TOTAL	**2759**	**3.3**	**27**	**<1**	**1**	**2**	**3**	**7**	**12**	**25**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	7.1	41	1	1	6	9	17	23	26
20-34	29	9.1	82	1	1	6	12	25	27	37
35-49	20	6.3	25	1	1	4	10	13	17	19
50-64	9	12.6	103	2	2	11	16	29	33	33
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	118	11.2	103	1	2	8	14	29	33	39
20-34	80	9.1	59	1	2	8	13	20	25	82
35-49	35	12.5	120	2	3	7	17	30	35	37
50-64	30	13.0	99	1	2	11	19	27	34	36
65+	14	18.6	189	2	4	17	27	42	46	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	8.2	43	1	2	6	11	17	20	33
20-34	73	8.4	44	1	1	6	12	18	22	29
35-49	50	9.1	86	2	2	6	10	21	32	46
50-64	28	11.6	79	3	3	10	14	21	24	46
65+	43	13.8	62	3	5	15	19	26	29	32
B. *Operated*										
0-19 YRS	230	20.1	210	3	5	18	29	43	51	75
20-34	169	20.6	231	2	4	18	29	46	51	95
35-49	102	20.3	225	3	4	17	26	42	51	73
50-64	106	21.9	260	2	5	19	30	43	64	99+
65+	114	24.3	297	4	6	22	32	46	59	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	7.8	54	1	2	6	10	19	25	34
B. *Operated*	277	11.3	99	1	2	8	16	28	34	42
2. MULTIPLE DX										
A. *Not Operated*	282	9.6	60	1	2	7	14	20	24	36
B. *Operated*	721	21.2	239	3	5	18	29	45	55	88
1. SINGLE DX	396	10.3	88	1	2	7	14	25	31	41
2. MULTIPLE DX	1003	17.9	216	2	3	14	25	39	49	74
A. NOT OPERATED	401	9.1	59	1	2	7	12	20	24	35
B. OPERATED	998	18.5	220	2	3	15	26	40	50	76
TOTAL 0-19 YRS	495	14.3	165	1	2	10	20	32	41	61
20-34	351	14.5	175	1	2	11	20	34	46	75
35-49	207	14.9	184	2	3	10	21	34	42	62
50-64	173	18.2	214	2	3	15	25	38	53	97
65+	173	21.0	249	4	5	17	29	42	56	72
GRAND TOTAL	**1399**	**15.8**	**192**	**2**	**2**	**12**	**22**	**36**	**46**	**69**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	543	4.4	25	1	1	3	6	9	12	26
20-34	240	4.4	22	<1	1	3	6	10	13	18
35-49	110	5.3	40	<1	1	3	7	12	22	30
50-54	49	7.0	40	1	1	5	9	16	20	29
65+	27	9.3	56	1	2	8	12	19	26	31
B. *Operated*										
0-19 YRS	102	8.8	109	1	1	5	10	20	26	63
20-34	68	8.0	63	1	2	5	9	23	26	32
35-49	26	11.4	88	1	2	8	18	23	32	35
50-64	20	12.5	83	2	3	9	21	27	28	28
65+	5	4.2	13	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1117	6.0	29	1	1	4	8	13	16	26
20-34	586	5.0	24	1	1	3	7	11	14	25
35-49	324	6.5	44	1	1	4	8	13	19	38
50-64	199	8.3	66	1	2	6	10	18	25	44
65+	176	11.6	94	2	2	9	16	24	29	50
B. *Operated*										
0-19 YRS	221	13.9	201	1	2	9	19	33	43	68
20-34	168	10.3	97	2	2	7	13	23	30	46
35-49	73	16.5	240	2	3	10	21	39	53	71
50-64	83	17.2	185	2	3	14	26	40	48	99+
65+	76	22.7	322	3	6	15	34	47	61	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	4.8	28	1	1	3	6	10	14	28
B. *Operated*	221	9.1	89	1	1	6	11	23	27	42
2. MULTIPLE DX										
A. *Not Operated*	2402	6.4	40	1	1	4	9	14	18	30
B. *Operated*	621	14.7	203	2	2	10	20	37	45	70
1. SINGLE DX	1190	5.6	42	1	1	3	7	12	18	31
2. MULTIPLE DX	3023	8.1	85	1	1	5	10	18	26	47
A. NOT OPERATED	3371	5.9	37	1	1	4	8	13	18	30
B. OPERATED	842	13.3	179	1	2	9	18	32	42	67
TOTAL 0-19 YRS	1983	6.6	59	1	1	4	8	14	20	41
20-34	1062	5.9	41	1	1	4	8	13	18	32
35-49	533	7.9	85	1	1	5	10	18	25	48
50-64	351	10.5	106	1	2	7	13	26	32	52
65+	284	14.2	176	2	2	10	18	30	41	63
GRAND TOTAL	**4213**	**7.4**	**74**	**1**	**1**	**5**	**9**	**17**	**24**	**44**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.2	2	<1	1	2	3	5	5	6
20-34	60	4.6	42	1	1	3	4	10	13	43
35-49	28	4.6	29	1	1	3	4	10	20	23
50-64	19	6.7	32	<1	1	5	11	14	18	22
65+	4	4.3	4	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	64	2.9	11	1	1	2	3	6	9	18
20-34	129	2.7	6	1	1	2	3	5	5	12
35-49	41	2.9	7	<1	1	2	3	6	10	13
50-64	23	4.1	45	1	1	2	4	6	17	34
65+	2	15.5	365	2	2	15	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	6.5	215	<1	1	2	5	10	26	86
20-34	68	6.6	116	1	1	3	7	14	17	70
35-49	58	9.8	151	1	1	7	12	19	26	79
50-64	47	7.0	35	1	2	5	9	17	21	25
65+	74	9.1	46	2	2	7	12	19	25	31
B. *Operated*										
0-19 YRS	113	4.0	106	1	1	2	3	6	10	67
20-34	212	4.1	47	1	1	2	4	9	13	55
35-49	84	6.2	92	1	1	3	5	12	33	44
50-64	53	5.9	102	<1	1	3	5	18	27	99
65+	32	11.8	129	1	2	9	17	27	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	4.1	27	1	1	3	4	9	13	23
B. *Operated*	259	3.0	13	1	1	2	3	5	9	20
2. MULTIPLE DX										
A. *Not Operated*	291	7.9	107	1	1	5	10	17	24	67
B. *Operated*	494	5.1	82	1	1	2	5	11	21	59
1. SINGLE DX	418	3.4	19	1	1	2	4	6	10	22
2. MULTIPLE DX	785	6.2	93	1	1	3	7	14	22	61
A. NOT OPERATED	450	6.6	82	1	1	4	8	14	20	45
B. OPERATED	753	4.4	59	1	1	2	4	9	17	46
TOTAL 0-19 YRS	269	3.8	84	<1	1	2	3	6	10	52
20-34	469	4.2	46	1	1	2	4	9	13	44
35-49	211	6.3	88	1	1	3	7	14	24	43
50-64	142	6.1	61	1	1	4	6	16	21	67
65+	112	9.8	73	2	2	7	13	22	28	39
GRAND TOTAL	**1203**	**5.2**	**69**	**1**	**1**	**3**	**5**	**12**	**18**	**45**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	2.0	3	<1	1	2	2	4	5	9
20-34	297	2.9	8	<1	1	2	3	6	8	14
35-49	129	3.8	12	1	1	3	5	9	11	15
50-64	66	4.0	7	1	1	3	5	8	9	12
65+	43	4.3	6	1	1	5	6	7	8	12
B. *Operated*										
0-19 YRS	96	3.8	15	<1	1	2	5	8	12	20
20-34	140	5.0	19	1	1	3	6	11	13	24
35-49	74	6.2	101	1	1	3	6	12	23	65
50-64	39	5.1	13	1	2	4	8	10	12	15
65+	16	7.1	44	2	2	4	10	14	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	448	2.7	5	<1	1	2	3	5	7	11
20-34	503	3.9	12	1	1	3	5	8	10	17
35-49	267	5.3	18	1	1	4	7	10	13	21
50-64	222	6.2	30	1	1	4	8	13	16	26
65+	463	7.9	36	2	2	6	10	16	19	27
B. *Operated*										
0-19 YRS	132	9.1	130	1	1	5	10	23	35	76
20-34	234	9.3	175	1	1	6	10	20	30	91
35-49	120	10.4	136	1	2	7	12	22	39	75
50-64	124	11.0	125	1	2	7	16	22	33	58
65+	82	16.2	274	1	2	11	21	39	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	952	2.8	7	1	1	2	3	6	8	13
B. *Operated*	365	5.1	35	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	1903	5.1	23	1	1	4	7	10	14	23
B. *Operated*	692	10.6	166	1	1	7	13	23	37	77
1. SINGLE DX	1317	3.4	16	1	1	2	4	7	10	18
2. MULTIPLE DX	2595	6.5	67	1	1	4	8	14	20	46
A. NOT OPERATED	2855	4.3	19	1	1	3	6	9	13	22
B. OPERATED	1057	8.7	128	1	1	5	10	20	31	68
TOTAL 0-19 YRS	1093	3.3	25	1	1	2	3	6	9	29
20-34	1174	4.8	50	1	1	3	6	10	15	30
35-49	590	6.1	56	1	1	4	8	12	18	43
50-64	451	7.1	57	1	2	5	9	15	21	39
65+	604	8.8	75	1	2	6	11	17	23	48
GRAND TOTAL	**3912**	**5.5**	**52**	**1**	**1**	**3**	**7**	**12**	**17**	**37**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2336	1.8	5	<1	1	1	2	3	4	8
20-34	1004	2.1	3	<1	<1	1	2	4	5	9
35-49	385	2.2	3	<1	<1	2	3	4	6	9
50-64	151	2.8	4	<1	1	2	4	6	7	10
65+	112	4.8	23	1	1	4	5	9	13	27
B. *Operated*										
0-19 YRS	9	3.1	5	1	1	3	5	6	7	7
20-34	6	3.8	3	2	2	3	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	23.0		23	23	23	23	23	23	23
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2755	4.0	41	1	1	2	4	8	12	35
20-34	3852	4.5	39	<1	1	3	5	10	16	32
35-49	2109	5.2	45	1	1	3	6	11	17	34
50-64	1221	6.5	56	1	1	4	8	13	20	39
65+	1874	7.4	34	1	2	6	9	14	17	30
B. *Operated*										
0-19 YRS	24	8.0	51	1	1	6	11	17	22	32
20-34	174	10.1	126	1	1	6	15	26	35	45
35-49	126	11.1	132	1	1	8	15	25	31	56
50-64	96	15.7	219	3	4	11	19	36	58	87
65+	151	15.7	159	3	5	13	19	31	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3988	2.1	5	<1	<1	1	2	4	5	10
B. *Operated*	19	4.4	24	1	1	3	5	7	16	23
2. MULTIPLE DX										
A. *Not Operated*	11811	5.2	43	1	1	3	6	11	17	33
B. *Operated*	571	12.7	155	1	1	9	17	27	37	66
1. SINGLE DX	4007	2.1	5	<1	1	1	2	4	5	10
2. MULTIPLE DX	12382	5.5	50	1	1	3	6	12	18	37
A. NOT OPERATED	15799	4.4	35	<1	1	3	5	9	14	30
B. OPERATED	590	12.4	153	1	1	9	17	27	37	66
TOTAL 0-19 YRS	5124	3.0	26	<1	1	2	3	5	8	28
20-34	5036	4.2	37	<1	1	2	4	9	15	32
35-49	2621	5.1	46	1	1	3	6	11	17	34
50-64	1469	6.7	68	1	1	4	8	14	21	44
65+	2139	7.8	47	1	2	6	10	15	19	34
GRAND TOTAL	**16389**	**4.7**	**42**	**<1**	**1**	**3**	**5**	**10**	**16**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1108	1.7	2	<1	<1	1	2	3	5	7
20-34	400	1.6	2	<1	<1	1	2	3	4	6
35-49	239	1.8	2	<1	<1	1	2	3	4	8
50-64	136	2.1	17	<1	1	1	2	4	5	14
65+	77	1.8	2	<1	1	1	2	4	5	6
B. *Operated*										
0-19 YRS	5	5.2	39	<1	<1	3	8	16	16	16
20-34	5	3.4	14	1	1	2	5	10	10	10
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	4.3	16	2	2	2	7	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	603	3.3	23	<1	1	2	4	7	9	22
20-34	532	3.2	15	<1	1	2	4	7	10	21
35-49	335	3.8	29	<1	1	2	4	8	13	27
50-64	290	4.1	33	1	1	2	4	9	10	38
65+	242	5.2	40	1	1	3	6	9	15	36
B. *Operated*										
0-19 YRS	17	6.8	58	<1	1	6	7	17	27	31
20-34	35	13.5	408	1	1	9	14	23	67	99
35-49	22	15.0	161	2	2	12	22	45	65	99+
50-64	20	12.9	96	3	5	10	15	26	37	44
65+	22	10.0	60	1	2	7	15	21	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1960	1.7	3	<1	<1	1	2	3	5	7
B. *Operated*	14	4.7	22	<1	1	3	9	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	2002	3.7	26	<1	1	2	4	8	11	26
B. *Operated*	116	12.0	192	1	2	9	15	25	39	99
1. SINGLE DX	1974	1.7	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	2118	4.1	38	<1	1	2	5	9	14	31
A. NOT OPERATED	3962	2.7	15	<1	1	2	3	6	8	21
B. OPERATED	130	11.3	179	1	2	8	15	23	31	99
TOTAL 0-19 YRS	1733	2.3	11	<1	1	1	2	5	7	15
20-34	972	2.9	28	<1	1	2	3	6	10	21
35-49	597	3.4	29	<1	1	2	3	7	12	30
50-64	449	3.9	35	1	1	2	4	8	12	41
65+	341	4.8	36	1	1	3	6	9	15	36
GRAND TOTAL	**4092**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	2.3	4	<1	1	2	3	5	6	10
20-34	372	2.2	5	<1	1	2	3	4	5	13
35-49	282	2.3	3	<1	1	2	3	4	5	9
50-64	228	2.9	6	1	1	2	4	6	7	15
65+	182	4.0	12	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	13	8.5	300	<1	1	3	5	23	57	65
20-34	6	10.8	27	6	6	10	14	18	18	18
35-49	6	3.3	7	1	1	2	5	8	8	8
50-64	7	6.3	26	1	1	5	8	14	16	16
65+	7	6.1	36	1	1	4	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	732	3.7	16	1	1	2	4	7	10	22
20-34	624	3.7	14	1	1	3	4	7	10	19
35-49	641	4.5	20	1	1	3	5	9	13	23
50-64	933	5.0	19	1	1	4	6	10	13	21
65+	1962	7.1	39	1	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	45	10.4	181	1	2	6	13	21	33	75
20-34	58	9.3	162	1	1	4	10	25	36	62
35-49	59	8.4	51	1	1	6	11	19	25	33
50-64	117	10.6	110	1	1	8	13	25	33	48
65+	208	13.1	105	2	3	10	17	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1714	2.6	6	<1	1	2	3	5	7	12
B. *Operated*	39	7.2	114	1	1	4	8	15	18	65
2. MULTIPLE DX										
A. *Not Operated*	4892	5.4	28	1	1	4	7	11	15	25
B. *Operated*	487	11.2	116	1	2	8	15	25	33	57
1. SINGLE DX	1753	2.7	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	5379	5.9	39	1	1	4	7	12	17	30
A. NOT OPERATED	6606	4.7	24	1	1	3	6	10	13	23
B. OPERATED	526	10.9	116	1	2	8	14	24	33	59
TOTAL 0-19 YRS	1440	3.3	20	1	1	2	4	7	9	20
20-34	1060	3.5	22	1	1	2	4	7	10	24
35-49	988	4.1	19	1	1	3	5	9	12	23
50-64	1285	5.2	29	1	1	4	6	10	14	28
65+	2359	7.4	46	1	2	6	9	14	19	35
GRAND TOTAL	**7132**	**5.1**	**33**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	3.4	10	<1	1	3	4	7	9	20
20-34	79	4.8	52	<1	1	3	5	9	16	45
35-49	61	5.7	21	1	2	5	7	11	13	28
50-64	79	5.3	14	1	1	4	7	11	13	16
65+	131	6.2	27	1	1	5	8	14	18	22
B. *Operated*										
0-19 YRS	609	6.2	43	1	2	4	7	13	19	34
20-34	541	5.1	33	1	1	3	6	11	16	31
35-49	489	6.4	49	1	1	4	8	15	20	33
50-64	884	8.4	67	1	2	6	12	17	22	37
65+	1342	9.5	81	1	2	6	14	20	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	4.9	25	1	1	3	6	11	15	27
20-34	183	5.7	20	1	1	5	8	11	14	24
35-49	166	7.2	45	1	1	6	10	13	18	41
50-64	253	7.0	36	1	1	6	9	14	16	30
65+	637	8.3	56	1	2	6	11	18	24	37
B. *Operated*										
0-19 YRS	839	10.0	143	1	2	6	11	22	36	59
20-34	892	8.4	77	1	2	5	11	18	26	47
35-49	1211	9.0	102	1	2	6	11	19	28	56
50-64	2395	11.0	119	2	2	8	15	23	34	59
65+	3949	13.3	163	2	2	10	18	29	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	5.0	25	1	1	3	6	10	14	23
B. *Operated*	3865	7.7	64	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	1434	7.1	44	1	1	5	9	14	20	35
B. *Operated*	9286	11.4	137	2	2	8	15	25	36	62
1. SINGLE DX	4350	7.4	60	1	1	5	10	16	22	36
2. MULTIPLE DX	10720	10.8	127	1	2	7	14	23	34	59
A. NOT OPERATED	1919	6.6	40	1	1	5	9	14	18	31
B. OPERATED	13151	10.3	118	1	2	7	14	22	32	57
TOTAL 0-19 YRS	1778	7.6	91	1	1	5	9	17	25	52
20-34	1695	6.9	58	1	1	4	9	15	22	42
35-49	1927	8.1	82	1	2	5	10	17	24	48
50-64	3611	10.0	101	1	2	7	13	21	30	52
65+	6059	11.8	135	2	2	8	16	25	35	61
GRAND TOTAL	**15070**	**9.8**	**110**	**1**	**2**	**6**	**13**	**22**	**31**	**54**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	1.6	1	<1	<1	1	2	3	4	6
20-34	335	2.4	4	<1	1	2	3	4	6	10
35-49	157	2.8	4	1	1	2	4	5	6	12
50-64	227	3.3	4	1	1	3	4	6	7	10
65+	273	3.7	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	302	1.9	3	<1	1	1	2	4	5	11
20-34	336	2.8	5	1	1	2	4	6	7	10
35-49	167	3.2	7	1	1	2	4	7	8	14
50-64	94	4.5	11	1	1	4	6	9	11	16
65+	95	5.0	13	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.7	5	1	1	2	4	5	7	12
20-34	163	3.6	7	1	1	3	5	7	9	14
35-49	126	3.8	14	1	1	3	4	7	10	22
50-64	214	5.0	50	1	1	4	6	8	11	24
65+	479	5.0	16	1	2	4	6	9	12	23
B. *Operated*										
0-19 YRS	73	2.8	12	<1	1	2	3	5	9	22
20-34	156	5.4	47	1	1	4	6	11	14	50
35-49	119	5.3	43	1	1	3	6	10	15	40
50-64	187	6.7	38	1	1	5	9	15	21	31
65+	254	7.9	68	1	2	5	9	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1335	2.7	4	<1	1	2	4	5	7	10
B. *Operated*	994	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1064	4.5	21	1	1	4	6	8	11	19
B. *Operated*	789	6.3	50	1	1	4	7	14	21	35
1. SINGLE DX	2329	2.8	5	<1	1	2	4	6	7	12
2. MULTIPLE DX	1853	5.2	34	1	1	4	6	10	15	30
A. NOT OPERATED	2399	3.5	12	1	1	3	4	7	9	14
B. OPERATED	1783	4.4	29	1	1	3	5	9	14	29
TOTAL 0-19 YRS	800	1.9	3	<1	1	1	2	4	5	10
20-34	990	3.2	13	1	1	2	4	6	8	14
35-49	569	3.7	16	1	1	3	4	7	9	20
50-64	722	4.9	29	1	1	4	6	9	13	22
65+	1101	5.4	27	1	1	4	6	10	14	29
GRAND TOTAL	**4182**	**3.9**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	4.9	11	1	2	4	6	10	10	16
20-34	232	5.6	17	2	2	5	7	10	13	23
35-49	207	6.7	31	2	3	5	8	11	16	25
50-64	148	7.3	37	2	3	6	9	12	16	34
65+	91	7.7	28	2	3	6	9	15	19	28
B. *Operated*										
0-19 YRS	121	6.9	27	1	2	6	9	13	16	28
20-34	188	7.9	60	1	2	6	9	16	26	40
35-49	148	8.2	50	2	2	6	10	17	20	41
50-64	136	10.8	121	2	2	7	13	24	32	55
65+	93	12.6	106	2	3	9	17	25	40	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	6.0	20	2	2	5	8	13	14	24
20-34	220	6.8	25	2	2	6	8	12	16	29
35-49	228	7.4	30	2	3	6	9	13	16	28
50-64	331	9.5	61	2	3	7	11	17	25	38
65+	357	10.4	54	3	3	8	14	18	26	40
B. *Operated*										
0-19 YRS	94	12.5	123	3	4	8	16	27	39	56
20-34	201	13.1	185	2	3	9	15	30	45	74
35-49	251	14.6	188	2	3	10	19	33	45	70
50-64	359	16.0	225	2	3	12	20	35	46	80
65+	386	18.2	224	3	4	14	25	42	54	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	6.3	25	2	2	5	8	11	15	25
B. *Operated*	686	9.0	74	1	2	6	11	19	26	43
2. MULTIPLE DX										
A. *Not Operated*	1261	8.6	46	2	3	7	11	16	21	35
B. *Operated*	1291	15.7	207	2	3	11	20	35	47	72
1. SINGLE DX	1518	7.5	49	2	2	6	9	15	20	40
2. MULTIPLE DX	2552	12.2	140	2	3	8	15	27	37	63
A. NOT OPERATED	2093	7.7	39	2	3	6	9	14	18	32
B. OPERATED	1977	13.4	171	2	3	9	17	30	43	68
TOTAL 0-19 YRS	494	7.1	45	1	2	5	8	14	18	37
20-34	841	8.2	77	1	2	6	9	16	26	53
35-49	834	9.5	92	2	3	7	11	19	27	49
50-64	974	11.7	137	2	3	8	14	25	35	60
65+	927	13.6	144	3	4	10	17	29	42	64
GRAND TOTAL	**4070**	**10.4**	**111**	**2**	**3**	**7**	**12**	**22**	**31**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.5	4	<1	1	2	3	5	7	9
20-34	175	2.9	8	1	1	2	4	6	9	13
35-49	171	4.8	16	1	1	4	7	10	13	22
50-64	119	5.6	27	1	1	4	7	12	14	26
65+	95	6.1	28	1	1	5	9	12	13	29
B. *Operated*										
0-19 YRS	103	3.8	10	<1	1	3	5	9	11	14
20-34	245	5.9	44	1	1	4	7	11	16	38
35-49	219	6.1	27	1	1	5	8	11	14	32
50-64	233	6.9	58	1	1	4	9	16	20	42
65+	201	7.1	40	1	2	5	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.9	21	1	1	3	4	7	11	29
20-34	281	5.1	28	1	1	4	7	10	14	22
35-49	314	6.5	32	1	1	5	9	14	16	28
50-64	383	8.1	58	1	2	6	10	17	21	41
65+	526	8.6	65	1	2	6	12	18	22	31
B. *Operated*										
0-19 YRS	141	5.8	39	1	1	3	8	14	18	29
20-34	442	8.2	83	1	1	6	10	17	25	63
35-49	544	11.6	142	2	2	8	14	26	37	61
50-64	672	12.5	163	1	2	8	16	30	42	82
65+	874	13.8	175	1	2	10	19	30	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	620	4.4	18	1	1	3	6	10	13	20
B. *Operated*	1001	6.2	40	1	1	4	8	13	16	33
2. MULTIPLE DX										
A. *Not Operated*	1638	7.1	50	1	1	5	9	15	19	31
B. *Operated*	2673	11.7	148	1	2	8	15	27	37	66
1. SINGLE DX	1621	5.5	32	1	1	4	7	12	15	31
2. MULTIPLE DX	4311	9.9	116	1	2	7	13	22	31	61
A. NOT OPERATED	2258	6.4	42	1	1	4	9	14	18	30
B. OPERATED	3674	10.2	124	1	2	7	13	24	33	62
TOTAL 0-19 YRS	438	4.3	23	1	1	3	5	10	13	27
20-34	1143	6.1	53	1	1	4	7	13	18	38
35-49	1248	8.4	85	1	1	6	10	17	26	49
50-64	1407	9.8	113	1	2	7	12	23	33	63
65+	1696	11.0	125	1	2	8	14	24	32	56
GRAND TOTAL	**5932**	**8.7**	**97**	**1**	**1**	**6**	**11**	**19**	**28**	**53**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.6	2	1	1	2	3	5	6	7
20-34	16	3.8	5	1	1	3	4	6	9	10
35-49	10	5.8	11	2	2	5	9	11	12	12
50-64	6	4.5	4	2	2	4	6	7	7	7
65+	8	2.4	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	5	4.6	10	2	2	3	6	10	10	10
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.2	8	1	1	2	4	7	10	15
20-34	40	6.8	79	1	1	4	8	15	25	48
35-49	41	4.9	15	1	1	4	6	10	12	20
50-64	66	5.4	21	1	1	4	7	12	15	20
65+	69	4.4	37	1	1	3	5	8	12	41
B. *Operated*										
0-19 YRS	14	14.1	466	1	1	4	13	49	65	70
20-34	19	6.5	24	1	2	5	9	13	18	22
35-49	14	16.4	271	1	2	15	21	30	57	65
50-64	21	14.9	408	2	2	7	14	44	70	79
65+	23	11.8	228	1	2	5	13	34	45	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.2	5	1	1	3	4	6	7	11
B. *Operated*	10	6.1	20	2	2	4	9	13	16	16
2. MULTIPLE DX										
A. *Not Operated*	275	4.8	31	1	1	3	6	10	13	28
B. *Operated*	91	12.5	269	1	2	5	14	33	61	75
1. SINGLE DX	111	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX	366	6.7	100	1	1	4	7	14	21	63
A. NOT OPERATED	376	4.4	24	1	1	3	5	9	12	20
B. OPERATED	101	11.8	248	1	2	5	13	30	54	74
TOTAL 0-19 YRS	139	4.1	60	1	1	2	4	6	10	50
20-34	77	6.3	50	1	1	4	7	12	19	43
35-49	67	7.4	86	1	1	4	8	17	22	58
50-64	94	7.5	119	1	2	5	7	14	20	72
65+	100	6.0	87	1	1	3	6	12	24	54
GRAND TOTAL	**477**	**6.0**	**80**	**1**	**1**	**4**	**6**	**12**	**20**	**58**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	1.9	2	<1	<1	1	2	4	5	5
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	14	2.4	2	<1	1	2	3	4	5	5
20-34	3035	1.8	1	<1	<1	1	2	3	4	6
35-49	995	1.7	1	<1	<1	1	2	3	4	5
50-64	7	2.4	3	1	1	2	3	5	6	6
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	69	1.6	2	<1	<1	1	2	3	4	7
35-49	24	1.7	2	<1	<1	1	2	3	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.3	2	<1	<1	2	4	4	4	4
20-34	2764	2.3	3	<1	1	2	3	4	5	8
35-49	1098	2.3	3	<1	1	2	3	4	6	9
50-64	10	4.2	16	<1	<1	2	7	11	12	12
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	<1	<1	2	2	5	6	6
B. *Operated*	4054	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	95	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	3888	2.3	3	<1	1	2	3	4	5	8
1. SINGLE DX	4072	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3983	2.3	3	<1	1	2	3	4	5	8
A. NOT OPERATED	113	1.7	2	<1	<1	1	2	3	5	8
B. OPERATED	7942	2.1	2	<1	1	2	2	4	5	7
TOTAL 0-19 YRS	31	2.3	2	<1	<1	2	3	4	4	5
20-34	5882	2.0	2	<1	<1	2	3	4	5	7
35-49	2120	2.0	2	<1	1	2	2	4	5	8
50-64	17	3.5	11	<1	1	2	4	9	11	12
65+	5	2.4		2	2	2	3	3	3	3
GRAND TOTAL	**8055**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	17.0		17	17	17	17	17	17	17
1750-2499	2170	3.6	5	2	2	3	4	6	7	12
2500+	168760	3.2	2	2	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499	1	37.0		37	37	37	37	37	37	37
1500-1749	1	56.0		56	56	56	56	56	56	56
1750-2499	5	6.4	16	3	3	5	8	13	13	13
2500+	71	3.4	2	2	2	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	62	54.9	829	7	10	69	90	99+	99+	99+
1000-1499	408	44.2	260	21	25	42	56	67	73	93
1500-1749	568	26.4	107	12	15	25	32	40	45	55
1750-2499	8229	7.9	44	2	3	6	10	17	21	32
2500+	98264	4.0	4	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	126	72.3	447	31	52	87	99+	99+	99+	99+
1000-1499	315	53.8	348	24	32	54	71	93	99+	99+
1500-1749	211	36.1	232	16	20	33	43	56	67	88
1750-2499	685	19.1	171	4	6	16	24	35	41	76
2500+	1911	8.0	62	2	3	6	9	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170931	3.2	2	2	2	3	4	5	6	7
B. *Operated*	78	4.7	52	2	2	3	4	6	7	51
2. MULTIPLE DX										
A. *Not Operated*	107531	4.6	20	2	2	4	5	7	9	24
B. *Operated*	3248	19.1	456	3	3	10	27	60	84	99+
1. SINGLE DX	171009	3.2	2	2	2	3	4	5	6	7
2. MULTIPLE DX	110779	5.1	39	2	2	4	5	7	11	37
A. NOT OPERATED	278462	3.8	9	2	2	3	4	6	7	14
B. OPERATED	3326	18.8	451	3	3	10	26	59	83	99+
TOTAL 1-999 G	188	66.5	637	12	33	84	99+	99+	99+	99+
1000-1499	724	48.4	321	23	27	47	62	79	93	99+
1500-1749	781	29.0	160	13	15	27	35	45	52	79
1750-2499	11089	7.7	56	2	2	5	10	17	22	36
2500+	269006	3.5	3	2	2	3	4	5	6	9
GRAND TOTAL	**281788**	**3.9**	**17**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	9.0		9	9	9	9	9	9	9
1000-1499	1	40.0		40	40	40	40	40	40	40
1500-1749	2	22.5	13	20	20	22	25	25	25	25
1750-2499	320	5.4	7	3	3	5	6	8	10	16
2500+	1506	4.8	3	3	3	5	6	7	8	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	8	46.9	755	10	11	56	67	77	81	81
1000-1499	108	43.0	240	20	26	43	49	67	76	92
1500-1749	143	25.5	78	13	14	25	32	37	41	48
1750-2499	1439	9.7	42	3	3	7	13	19	22	29
2500+	1236	5.7	9	3	3	5	7	8	10	16
B. *Operated*										
1-999 G	17	73.4	248	48	65	90	99+	99+	99+	99+
1000-1499	96	56.5	258	34	35	59	67	81	90	99+
1500-1749	51	33.7	124	15	21	34	40	50	55	99
1750-2499	111	20.9	124	5	7	19	28	37	44	75
2500+	42	11.4	78	4	5	8	14	27	31	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1830	4.9	5	3	3	5	6	7	8	12
B. *Operated*	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2934	10.1	102	3	3	6	12	21	31	51
B. *Operated*	317	35.3	528	6	8	34	58	81	99+	99+
1. SINGLE DX	1832	4.9	5	3	3	5	6	7	8	12
2. MULTIPLE DX	3251	12.6	199	3	4	7	15	31	46	83
A. NOT OPERATED	4764	8.1	71	3	3	5	8	16	24	47
B. OPERATED	319	35.1	529	6	8	34	58	81	99+	99+
TOTAL 1-999 G	26	62.8	643	12	28	83	99+	99+	99+	99+
1000-1499	205	49.3	292	24	30	47	63	75	83	99+
1500-1749	196	27.6	101	14	15	26	34	41	45	62
1750-2499	1870	9.6	52	3	3	7	13	19	24	35
2500+	2786	5.3	7	3	3	5	6	7	9	15
GRAND TOTAL	**5083**	**9.8**	**143**	**3**	**3**	**6**	**9**	**22**	**36**	**74**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	27	3.5	3	2	2	3	4	6	7	9
2500+	417	2.7	2	1	1	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	56.5	181	47	47	66	91	99+	99+	99+
1000-1499	10	38.7	663	13	13	30	55	75	95	95
1500-1749	10	28.8	172	11	15	27	31	49	60	60
1750-2499	80	8.8	68	2	2	6	11	19	27	45
2500+	250	4.5	22	2	2	3	5	7	11	26
B. *Operated*										
1-999 G	3	38.3	2324	10	10	97	99+	99+	99+	99+
1000-1499	6	56.2	319	22	29	62	71	94	99+	99+
1500-1749	1	90.0		90	90	90	90	90	90	90
1750-2499	8	20.8	122	7	8	19	27	37	41	41
2500+	16	7.4	52	<1	1	5	9	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	2.7	2	1	1	3	3	4	5	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	352	7.4	114	2	2	4	7	16	29	60
B. *Operated*	34	24.3	714	1	2	17	57	98	99+	99+
1. SINGLE DX	445	2.7	2	1	1	3	3	4	5	6
2. MULTIPLE DX	386	8.9	188	2	2	4	8	24	51	99+
A. NOT OPERATED	796	4.8	57	1	2	3	4	8	14	51
B. OPERATED	35	23.7	707	1	2	16	57	97	99+	99+
TOTAL 1-999 G	5	45.6	1306	10	10	94	99+	99+	99+	99+
1000-1499	16	45.3	580	13	14	55	63	90	98	99+
1500-1749	11	34.4	495	11	16	28	36	72	88	90
1750-2499	115	8.4	72	2	2	5	10	20	27	45
2500+	684	3.4	11	1	2	3	4	6	7	18
GRAND TOTAL	**831**	**5.6**	**98**	**1**	**2**	**3**	**5**	**10**	**23**	**75**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.6	52	<1	<1	2	5	8	22	32
20-34	13	2.1	2	<1	<1	2	3	4	5	5
35-49	7	3.6	30	<1	<1	2	2	13	16	16
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	10	2.7	6	1	1	2	3	7	8	8
B. *Operated*										
0-19 YRS	769	2.6	3	<1	1	2	3	4	5	10
20-34	1079	2.5	3	1	1	2	3	4	5	9
35-49	491	2.8	4	<1	1	2	3	5	7	12
50-64	420	3.0	5	1	1	3	3	5	6	10
65+	322	3.9	11	1	1	3	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	41	<1	<1	2	3	13	21	23
20-34	15	2.6	9	<1	<1	1	2	8	10	11
35-49	9	2.3	11	<1	<1	1	2	7	11	11
50-64	12	4.4	14	<1	1	3	6	11	12	12
65+	13	3.1	11	<1	<1	2	3	7	12	13
B. *Operated*										
0-19 YRS	308	4.0	33	1	1	3	4	6	9	26
20-34	316	4.3	35	1	1	3	5	7	9	34
35-49	182	3.9	11	1	1	3	5	7	11	18
50-64	206	4.3	11	1	2	3	5	8	10	20
65+	254	7.3	59	1	2	5	9	16	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.3	24	<1	<1	2	4	7	8	32
B. *Operated*	3081	2.8	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	63	3.4	17	<1	<1	2	4	11	12	22
B. *Operated*	1266	4.8	34	1	1	3	5	9	14	31
1. SINGLE DX	3131	2.8	5	1	1	2	3	5	6	12
2. MULTIPLE DX	1329	4.7	33	1	1	3	5	9	13	30
A. NOT OPERATED	113	3.4	20	<1	<1	2	4	8	12	26
B. OPERATED	4347	3.4	14	1	1	2	4	6	8	19
TOTAL 0-19 YRS	1109	3.0	13	1	1	2	3	5	7	15
20-34	1423	2.9	10	1	1	2	3	5	7	13
35-49	689	3.1	7	<1	1	2	4	6	8	16
50-64	640	3.4	8	1	1	3	4	6	8	15
65+	599	5.3	34	1	1	3	6	11	16	32
GRAND TOTAL	**4460**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	4	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	113	<1	<1	2	6	26	28	28
20-34	22	2.1	3	1	1	2	2	4	6	9
35-49	32	2.9	10	1	1	2	3	5	7	18
50-64	43	1.7	2	<1	1	1	2	3	4	10
65+	80	2.8	11	1	1	2	3	4	10	20
B. *Operated*										
0-19 YRS	3	11.3	162	3	3	5	21	26	26	26
20-34	58	3.3	25	<1	<1	<1	4	7	14	27
35-49	51	3.2	37	<1	<1	<1	2	7	10	41
50-64	84	3.8	31	<1	<1	1	5	10	17	27
65+	59	5.1	55	<1	<1	2	6	15	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		1	1	1	2	2	2	2
B. *Operated*	9	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	183	2.6	11	1	1	2	2	4	7	21
B. *Operated*	255	4.0	38	<1	<1	<1	5	9	18	29
1. SINGLE DX	14	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX	429	3.4	27	<1	<1	2	3	7	14	28
A. NOT OPERATED	188	2.6	11	1	1	2	2	4	7	21
B. OPERATED	264	3.9	37	<1	<1	<1	5	8	17	29
TOTAL 0-19 YRS	9	8.2	116	<1	<1	3	11	27	28	28
20-34	82	2.9	18	<1	<1	1	3	6	9	25
35-49	87	3.0	25	<1	<1	1	2	6	9	32
50-64	130	3.1	22	<1	<1	1	2	8	13	24
65+	144	3.7	30	<1	<1	2	4	7	14	27
GRAND TOTAL	**452**	**3.3**	**96**	**<1**	**<1**	**1**	**3**	**7**	**13**	**28**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1638	2.3	14	<1	<1	1	2	4	6	16
20-34	2447	1.8	9	<1	<1	1	2	3	4	10
35-49	580	2.4	7	<1	<1	1	3	5	7	14
50-64	539	3.2	27	<1	1	2	3	7	11	22
65+	499	6.0	104	<1	1	2	6	17	29	99+
B. *Operated*										
0-19 YRS	614	2.9	11	<1	<1	2	3	7	9	16
20-34	1770	3.0	9	<1	<1	2	4	7	9	14
35-49	971	3.7	11	<1	<1	2	5	9	10	15
50-64	798	4.5	20	1	1	3	6	10	12	21
65+	675	4.8	25	1	1	2	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2584	3.9	39	<1	1	2	4	7	12	37
20-34	2804	4.1	50	<1	1	2	4	7	12	45
35-49	4235	3.9	27	1	1	2	5	7	11	30
50-64	11402	4.0	29	1	1	3	5	7	10	28
65+	10039	5.0	48	1	1	3	5	10	16	39
B. *Operated*										
0-19 YRS	868	5.3	86	1	1	2	5	11	19	51
20-34	1923	5.2	59	<1	1	3	6	10	17	50
35-49	2117	6.0	62	1	1	4	7	12	17	42
50-64	3505	6.7	78	1	1	4	8	14	21	50
65+	3988	6.8	80	1	1	3	9	15	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5703	2.5	22	<1	<1	1	2	5	8	24
B. *Operated*	4828	3.6	14	<1	<1	2	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	31064	4.3	38	1	1	3	5	8	12	34
B. *Operated*	12401	6.3	74	1	1	3	7	13	20	48
1. SINGLE DX	10531	3.0	19	<1	<1	2	3	7	10	20
2. MULTIPLE DX	43465	4.9	49	1	1	3	5	10	15	39
A. NOT OPERATED	36767	4.0	36	<1	1	2	5	7	12	33
B. OPERATED	17229	5.5	59	<1	1	3	7	12	17	41
TOTAL 0-19 YRS	5704	3.6	37	<1	<1	2	4	7	11	32
20-34	8944	3.5	34	<1	<1	2	4	7	10	32
35-49	7903	4.3	35	1	1	3	5	9	13	31
50-64	16244	4.5	40	1	1	3	5	9	13	33
65+	15201	5.5	58	1	1	3	6	12	18	42
GRAND TOTAL	**53996**	**4.5**	**44**	**<1**	**1**	**3**	**5**	**9**	**14**	**36**

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

10 4

Length of Stay by Operation, North Central Region, 1983

A Companion Volume To Length of Stay by Diagnosis, North Central Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 6
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 15

- Summary of All Patients. 16
- Operation Groups 501-764 17

Appendix: ***ICD-9-CM*** **Codes for Selected Operation Groups** 83

Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institut-tions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — see Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — see *also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — see Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	15	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	34	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	15	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	34	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	55	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164965	3.4	17	1	1	2	4	6	8	21
20-34	306394	3.7	11	1	1	3	4	6	8	17
35-49	120080	5.0	22	1	1	4	6	10	13	23
50-64	109397	5.8	29	1	2	4	8	12	16	26
65+	107373	6.5	40	1	2	4	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	150161	5.5	64	1	1	3	6	10	17	48
20-34	286393	5.8	39	1	2	4	7	10	15	34
35-49	228828	7.5	53	1	2	6	9	15	20	39
50-64	331403	9.1	75	2	2	7	11	18	25	46
65+	536371	11.1	95	2	3	8	14	22	29	51
TOT. SINGLE DX	608209	4.5	22	1	1	3	5	9	13	23
" MULTIPLE DX	1533156	8.6	76	1	2	6	11	18	25	46
TOTAL 0-19 YRS	315126	4.4	41	1	1	3	5	8	12	36
20-34	592787	4.8	26	1	1	4	5	8	12	27
35-49	348908	6.7	44	1	2	5	8	13	18	34
50-64	440800	8.3	65	2	2	6	10	17	22	42
65+	643744	10.3	89	2	2	8	13	21	28	49
GRAND TOTAL	**2341365**	**7.2**	**61**	**1**	**2**	**5**	**9**	**15**	**21**	**40**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	10.4	96	2	2	8	13	19	28	52
20-34	131	11.7	62	2	4	10	14	18	26	65
35-49	150	13.1	90	5	5	10	16	22	30	54
50-64	232	14.8	118	5	7	12	17	24	32	65
65+	188	17.6	148	6	7	15	21	34	41	64
2. MULTIPLE DX										
0-19 YRS	197	17.5	272	2	4	13	24	37	63	99+
20-34	202	22.7	386	5	7	16	29	56	80	99+
35-49	272	22.4	323	6	7	16	28	49	63	99+
50-64	545	25.0	361	5	8	19	33	56	77	99+
65+	701	28.1	323	9	10	24	38	55	67	99+
TOT. SINGLE DX	827	14.0	113	3	5	12	16	24	35	60
" MULTIPLE DX	1917	24.7	346	5	8	19	33	54	72	99+
TOTAL 0-19 YRS	323	14.7	216	2	3	11	18	33	50	99+
20-34	333	18.4	287	4	6	13	21	44	68	99+
35-49	422	19.1	260	5	6	14	24	44	58	99+
50-64	777	21.9	311	5	7	16	27	50	66	99+
65+	889	25.9	304	8	9	20	35	53	64	99
GRAND TOTAL	**2744**	**21.5**	**300**	**5**	**7**	**16**	**28**	**48**	**63**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	8.6	74	3	4	7	10	15	17	41
20-34	74	11.3	53	5	5	9	13	20	26	42
35-49	61	13.5	63	4	5	11	18	23	27	41
50-64	73	17.2	145	6	7	14	20	30	38	95
65+	90	18.1	190	6	7	15	22	33	46	82
2. MULTIPLE DX										
0-19 YRS	153	19.4	316	4	5	13	26	45	85	99+
20-34	119	21.6	341	5	7	15	26	46	75	99+
35-49	143	22.3	282	5	7	16	31	52	64	99+
50-64	175	27.3	407	7	9	21	38	64	85	99+
65+	327	27.8	352	7	9	23	36	54	67	96
TOT. SINGLE DX	444	13.1	119	4	5	10	16	25	32	66
" MULTIPLE DX	917	24.6	355	6	7	19	34	54	76	99+
TOTAL 0-19 YRS	299	14.1	227	3	4	9	17	32	47	99+
20-34	193	17.7	255	5	6	13	22	40	59	99
35-49	204	19.7	233	5	6	15	25	47	60	99+
50-64	248	24.3	351	6	8	18	32	58	81	99+
65+	417	25.7	333	7	8	20	35	51	63	94
GRAND TOTAL	**1361**	**20.9**	**307**	**5**	**6**	**15**	**27**	**47**	**64**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	5.4	5	2	3	5	7	9	9	12
20-34	70	6.5	16	2	2	6	8	10	16	22
35-49	35	8.3	32	2	2	7	10	16	19	29
50-64	17	7.6	12	3	4	7	9	13	14	15
65+	4	15.5	208	6	6	9	23	37	37	37
2. MULTIPLE DX										
0-19 YRS	117	12.6	330	3	4	8	11	36	90	99+
20-34	94	13.3	261	3	4	8	13	30	45	91
35-49	53	12.6	188	3	4	8	16	33	46	99
50-64	34	10.2	34	2	4	9	14	18	20	29
65+	16	23.9	606	3	4	16	30	69	85	90
TOT. SINGLE DX	327	6.2	15	2	3	5	8	9	12	22
" MULTIPLE DX	314	13.1	271	3	4	8	14	31	55	99+
TOTAL 0-19 YRS	318	8.0	137	2	3	5	8	11	18	98
20-34	164	10.4	168	2	3	7	10	19	34	80
35-49	88	10.9	130	2	3	7	12	22	35	93
50-64	51	9.3	28	2	4	8	12	17	20	29
65+	20	22.2	523	3	5	12	30	55	81	90
GRAND TOTAL	**641**	**9.6**	**152**	**2**	**3**	**7**	**9**	**17**	**31**	**97**

504: Ventricuiar shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	7.3	40	2	3	6	9	13	19	40
20-34	27	13.3	182	4	4	10	13	19	46	70
35-49	13	12.1	47	3	4	12	16	22	24	25
50-64	16	12.4	21	6	7	12	15	20	21	22
65+	39	15.2	91	4	6	13	20	29	34	49
2. MULTIPLE DX										
0-19 YRS	281	18.3	427	3	3	10	24	56	75	99+
20-34	38	24.7	658	5	6	14	60	95	99+	99+
35-49	51	24.9	439	7	7	19	42	73	99	99+
50-64	92	25.4	352	6	9	21	34	61	91	99+
65+	203	27.0	199	9	11	24	35	48	60	86
TOT. SINGLE DX	268	9.6	71	2	3	7	12	19	23	43
" MULTIPLE DX	665	22.8	374	4	5	17	32	57	75	99+
TOTAL 0-19 YRS	454	14.1	308	2	3	8	14	29	66	99
20-34	65	19.9	487	4	5	11	23	72	99+	99+
35-49	64	22.3	385	5	7	15	28	61	95	99+
50-64	108	23.5	325	6	9	18	30	56	89	99+
65+	242	25.1	200	8	9	22	33	47	52	76
GRAND TOTAL	**933**	**19.0**	**323**	**3**	**4**	**13**	**26**	**48**	**67**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	8.0	67	2	2	5	9	16	22	44
20-34	54	14.3	271	2	2	8	18	37	49	84
35-49	22	8.0	47	2	3	6	11	14	22	33
50-64	18	9.4	41	1	2	9	11	16	24	29
65+	19	14.4	201	2	3	9	16	41	49	51
2. MULTIPLE DX										
0-19 YRS	580	12.3	225	2	2	7	14	34	50	98
20-34	125	17.4	319	2	4	11	22	53	65	99+
35-49	100	18.1	198	2	4	15	22	39	47	68
50-64	77	25.2	439	4	5	19	37	59	67	87
65+	98	23.0	310	5	8	17	32	49	83	99+
TOT. SINGLE DX	501	9.0	97	2	2	6	10	18	29	50
" MULTIPLE DX	980	15.6	279	2	3	9	20	41	56	99+
TOTAL 0-19 YRS	968	10.6	166	2	2	6	11	25	41	84
20-34	179	16.5	306	2	3	10	21	43	64	99+
35-49	122	16.2	185	2	3	13	20	35	46	63
50-64	95	22.2	402	3	4	15	31	52	65	87
65+	117	21.6	301	3	7	16	30	47	72	99+
GRAND TOTAL	**1481**	**13.4**	**227**	**2**	**3**	**8**	**17**	**34**	**49**	**92**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	9.9	24	3	4	9	12	15	22	25
20-34	222	10.5	49	4	5	8	12	19	24	38
35-49	497	9.9	32	4	5	9	12	16	20	34
50-64	509	10.9	37	4	5	9	13	18	22	32
65+	277	13.1	51	5	6	12	16	22	27	38
2. MULTIPLE DX										
0-19 YRS	43	19.1	265	3	5	11	24	45	56	68
20-34	235	14.3	132	5	6	11	17	25	43	99+
35-49	612	14.8	131	5	6	11	18	28	38	76
50-64	1003	15.9	116	6	7	13	19	29	42	99
65+	940	20.2	186	7	8	16	25	38	48	85
TOT. SINGLE DX	1535	10.9	41	4	5	9	13	19	23	35
" MULTIPLE DX	2833	17.0	152	6	7	13	21	33	44	86
TOTAL 0-19 YRS	73	15.3	185	3	4	11	16	34	47	67
20-34	457	12.4	96	5	5	9	15	23	31	71
35-49	1109	12.6	93	5	5	10	15	22	32	57
50-64	1512	14.2	95	5	6	11	17	26	34	66
65+	1217	18.6	165	6	8	15	23	35	44	81
GRAND TOTAL	**4368**	**14.9**	**121**	**5**	**6**	**12**	**18**	**28**	**38**	**71**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	10.2	114	2	2	8	11	17	27	64
20-34	323	5.7	42	1	2	4	7	11	17	30
35-49	357	6.3	42	1	2	4	8	13	17	26
50-64	184	7.8	39	2	2	6	11	18	21	26
65+	52	8.5	79	1	2	4	13	19	32	39
2. MULTIPLE DX										
0-19 YRS	112	17.0	181	2	5	13	22	34	41	73
20-34	296	9.4	131	2	2	6	11	22	37	90
35-49	431	10.0	134	1	2	7	12	21	30	72
50-64	392	14.3	211	2	2	9	21	34	50	87
65+	240	22.0	306	2	3	17	31	49	56	84
TOT. SINGLE DX	994	6.8	51	1	2	4	9	15	19	32
" MULTIPLE DX	1471	13.5	205	2	2	9	18	33	47	79
TOTAL 0-19 YRS	190	14.2	164	2	3	10	18	28	39	66
20-34	619	7.4	89	1	2	4	9	16	26	61
35-49	788	8.3	96	1	2	5	10	18	25	55
50-64	576	12.2	165	2	2	8	16	28	43	70
65+	292	19.6	292	2	2	15	28	48	55	80
GRAND TOTAL	**2465**	**10.8**	**154**	**2**	**2**	**6**	**14**	**26**	**38**	**68**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	3.4	8	1	1	3	4	9	10	14
20-34	275	3.0	5	1	1	2	3	5	7	13
35-49	321	3.1	6	1	1	3	3	5	8	13
50-64	410	3.5	12	1	1	2	4	7	10	17
65+	217	4.0	14	1	2	3	4	8	11	19
2. MULTIPLE DX										
0-19 YRS	64	6.2	94	1	1	3	6	13	23	51
20-34	196	5.0	36	1	1	3	5	10	16	35
35-49	280	6.1	53	1	2	3	6	13	23	38
50-64	388	6.1	55	1	2	4	6	13	19	41
65+	218	9.2	188	1	2	4	9	18	41	83
TOT. SINGLE DX	1289	3.4	9	1	1	3	4	6	9	16
" MULTIPLE DX	1146	6.5	81	1	2	3	7	14	22	50
TOTAL 0-19 YRS	130	4.8	52	1	1	3	5	10	13	50
20-34	471	3.8	20	1	1	3	4	7	10	25
35-49	601	4.5	30	1	1	3	4	10	14	31
50-64	798	4.7	35	1	1	3	5	10	14	33
65+	435	6.6	108	1	2	3	6	14	20	69
GRAND TOTAL	**2435**	**4.8**	**45**	**1**	**1**	**3**	**5**	**10**	**15**	**37**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	2.3	3	<1	1	2	3	4	5	11
20-34	1083	2.3	3	1	1	2	3	4	5	9
35-49	1505	2.5	4	1	1	2	3	4	5	11
50-64	1411	2.6	5	1	1	2	3	4	6	11
65+	770	2.5	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	262	3.8	58	1	1	2	3	6	10	39
20-34	729	4.0	27	1	1	2	4	8	12	25
35-49	1117	4.8	29	1	1	3	5	11	15	26
50-64	1564	4.9	25	1	1	3	6	11	15	24
65+	1128	5.5	35	1	2	3	7	13	18	30
TOT. SINGLE DX	4935	2.5	5	1	1	2	3	4	5	11
" MULTIPLE DX	4800	4.8	31	1	1	3	5	11	15	28
TOTAL 0-19 YRS	428	3.2	37	1	1	2	3	6	8	37
20-34	1812	3.0	16	1	1	2	3	5	8	19
35-49	2622	3.5	17	1	1	2	4	7	11	21
50-64	2975	3.8	17	1	1	2	4	8	12	21
65+	1898	4.3	25	1	1	3	4	10	14	27
GRAND TOTAL	9735	3.6	19	1	1	2	4	8	11	23

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.5	3	3	3	6	7	8	8	8
20-34	55	6.0	6	1	2	6	8	10	13	14
35-49	38	9.0	38	1	2	8	11	16	23	30
50-64	39	7.8	26	1	3	6	11	15	17	26
65+	29	13.7	94	5	6	12	15	22	26	57
2. MULTIPLE DX										
0-19 YRS	7	6.3	10	3	3	6	9	11	11	11
20-34	59	7.7	13	3	5	7	8	14	17	18
35-49	41	12.1	55	3	4	10	17	25	26	28
50-64	120	16.7	165	5	6	13	19	35	48	60
65+	291	17.2	154	6	7	14	21	30	40	61
TOT. SINGLE DX	169	8.4	41	1	2	7	10	15	18	29
" MULTIPLE DX	518	15.5	141	5	6	12	18	28	40	64
TOTAL 0-19 YRS	15	5.9	6	3	3	6	7	10	11	11
20-34	114	6.9	12	2	3	6	8	12	14	18
35-49	79	10.6	49	2	3	9	13	23	25	29
50-64	159	14.5	145	4	5	12	17	28	47	59
65+	320	16.9	149	6	7	14	21	30	39	80
GRAND TOTAL	687	13.7	126	3	5	11	17	26	36	60

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.6	7	2	2	6	8	9	9	9
20-34	53	6.0	20	<1	<1	5	9	12	13	22
35-49	63	5.7	22	<1	<1	4	8	12	17	19
50-64	72	5.3	32	<1	<1	4	8	11	14	33
65+	22	7.4	69	1	2	5	10	17	22	29
2. MULTIPLE DX										
0-19 YRS	10	10.4	99	1	1	8	15	26	32	33
20-34	80	8.3	78	<1	1	5	10	23	26	43
35-49	116	9.1	70	1	2	6	12	20	27	43
50-64	132	11.2	101	2	3	9	14	24	27	50
65+	112	11.9	72	2	3	10	16	22	30	61
TOT. SINGLE DX	218	5.8	27	<1	<1	4	8	12	16	24
" MULTIPLE DX	450	10.3	63	1	2	8	14	22	29	42
TOTAL 0-19 YRS	18	8.3	62	1	2	7	9	18	28	33
20-34	133	7.4	56	<1	1	5	9	17	24	38
35-49	179	7.9	56	<1	1	5	11	17	23	38
50-64	204	9.1	85	<1	<1	6	12	20	26	39
65+	134	11.1	71	2	3	9	16	21	29	61
GRAND TOTAL	668	8.0	69	<1	1	7	11	20	25	40

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	4.1	6	1	2	4	5	6	7	15
20-34	766	4.2	3	2	2	4	5	6	7	11
35-49	860	4.3	4	2	3	4	5	6	8	14
50-64	648	4.6	5	2	3	4	5	6	8	13
65+	277	5.1	8	2	3	5	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	65	5.9	17	2	3	5	7	12	15	89
20-34	415	5.7	13	2	3	5	6	10	12	20
35-49	652	6.0	20	3	3	5	6	11	14	26
50-64	689	6.6	23	3	3	5	7	12	16	28
65+	506	9.9	100	3	3	6	11	21	28	56
TOT. SINGLE DX	2682	4.4	5	2	3	4	5	6	8	13
" MULTIPLE DX	2327	7.0	40	3	3	5	7	13	18	36
TOTAL 0-19 YRS	196	4.7	11	1	2	4	5	7	11	28
20-34	1181	4.7	7	2	3	4	5	7	9	16
35-49	1512	5.0	12	2	3	4	5	8	11	20
50-64	1337	5.6	16	2	3	5	6	9	13	23
65+	783	8.2	73	3	3	5	8	16	23	47
GRAND TOTAL	**5009**	**5.6**	**23**	**2**	**3**	**4**	**6**	**9**	**13**	**26**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	268	2.3	1	1	1	2	3	4	4	7
20-34	143	3.5	4	1	1	3	4	6	9	19
35-49	106	3.6	3	1	2	3	4	5	7	10
50-64	112	5.1	8	1	2	5	6	8	11	17
65+	75	5.8	17	2	3	5	6	10	16	25
2. MULTIPLE DX										
0-19 YRS	41	5.2	47	1	1	3	5	13	22	34
20-34	116	7.6	59	1	2	5	9	16	22	41
35-49	150	6.9	43	2	2	5	9	11	14	34
50-64	218	8.6	86	2	3	6	10	16	24	54
65+	239	12.6	106	3	4	9	16	26	35	62
TOT. SINGLE DX	704	3.5	7	1	1	3	4	6	8	15
" MULTIPLE DX	764	9.2	84	2	2	6	11	19	26	52
TOTAL 0-19 YRS	309	2.7	8	1	1	2	3	4	5	17
20-34	259	5.3	34	1	1	4	6	11	16	33
35-49	256	5.5	29	1	2	4	7	10	12	22
50-64	330	7.4	63	2	3	5	8	14	18	44
65+	314	10.9	94	3	3	8	14	23	33	55
GRAND TOTAL	**1468**	**6.5**	**55**	**1**	**2**	**4**	**7**	**13**	**20**	**38**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	9.4	20	4	5	9	11	14	18	26
20-34	60	9.6	22	5	5	8	11	15	21	26
35-49	42	10.5	23	5	6	9	12	17	20	29
50-64	51	12.4	64	6	6	10	14	22	28	48
65+	28	12.9	39	4	6	11	18	21	26	26
2. MULTIPLE DX										
0-19 YRS	23	17.5	389	6	6	10	15	43	66	90
20-34	75	16.0	181	5	6	11	17	35	57	92
35-49	97	15.6	142	6	7	11	19	27	34	77
50-64	128	16.9	167	4	6	14	22	37	53	99+
65+	73	22.2	226	6	8	19	28	41	49	87
TOT. SINGLE DX	213	10.9	36	5	6	9	12	18	24	32
" MULTIPLE DX	396	17.4	191	5	7	13	23	35	48	94
TOTAL 0-19 YRS	55	12.8	186	4	6	9	12	23	38	88
20-34	135	13.2	120	5	6	10	14	26	37	74
35-49	139	14.1	112	6	7	10	17	26	30	64
50-64	179	15.7	142	5	6	12	19	33	44	90
65+	101	19.6	191	5	8	16	26	36	45	74
GRAND TOTAL	**609**	**15.1**	**146**	**5**	**6**	**11**	**18**	**30**	**38**	**78**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	1.5		<1	<1	1	2	2	3	6
20-34	29	1.9	4	<1	<1	1	2	3	4	12
35-49	31	1.7		<1	<1	1	2	3	3	4
50-64	64	2.0	1	<1	<1	2	2	3	5	7
65+	77	2.6	4	<1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	38	2.8	6	<1	1	2	4	8	9	99+
20-34	33	4.1	18	<1	<1	2	5	10	16	18
35-49	63	7.0	30	1	1	5	10	14	18	25
50-64	112	6.9	57	<1	1	4	9	14	17	43
65+	220	6.4	43	1	1	4	9	14	17	35
TOT. SINGLE DX	319	1.9	2	<1	<1	2	2	3	4	9
" MULTIPLE DX	466	6.1	42	1	1	4	8	14	17	35
TOTAL 0-19 YRS	156	1.8	3	<1	<1	1	2	3	6	9
20-34	62	3.0	13	<1	<1	2	3	6	12	18
35-49	94	5.2	27	1	1	3	8	12	16	23
50-64	176	5.1	43	<1	1	3	7	12	14	34
65+	297	5.4	36	1	1	3	7	13	16	32
GRAND TOTAL	**785**	**4.4**	**30**	**<1**	**1**	**2**	**5**	**11**	**14**	**29**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	359	1.8	1	<1	<1	2	2	3	4	7
20-34	124	2.0	1	<1	<1	2	2	3	4	7
35-49	158	2.0	1	1	1	2	2	3	4	6
50-64	283	2.1	2	<1	1	2	2	3	4	9
65+	353	2.0	3	<1	1	2	2	3	3	8
2. MULTIPLE DX										
0-19 YRS	357	3.5	47	1	1	2	3	6	10	34
20-34	413	3.5	16	1	1	2	4	6	10	24
35-49	345	3.9	29	1	1	2	4	7	11	34
50-64	570	4.0	44	1	1	2	4	7	12	35
65+	745	5.1	47	1	1	3	5	13	18	34
TOT. SINGLE DX	1277	2.0	2	<1	1	2	2	3	4	7
" MULTIPLE DX	2430	4.2	39	1	1	2	4	8	14	32
TOTAL 0-19 YRS	716	2.6	25	<1	1	2	2	4	6	18
20-34	537	3.1	13	<1	1	2	4	6	9	21
35-49	503	3.3	21	1	1	2	3	6	9	31
50-64	853	3.4	31	1	1	2	3	5	9	25
65+	1098	4.1	35	1	1	2	4	10	16	31
GRAND TOTAL	**3707**	**3.4**	**28**	**1**	**1**	**2**	**3**	**6**	**11**	**26**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	1.8	1	<1	1	2	2	3	3	8
20-34	56	2.1	1	1	1	2	2	3	5	9
35-49	39	2.4	2	1	1	2	3	3	4	11
50-64	63	2.1		1	1	2	2	3	4	5
65+	85	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	43	2.2	3	<1	1	2	2	3	5	13
20-34	33	2.3		<1	1	2	3	4	4	5
35-49	33	2.4	1	1	1	2	3	4	4	6
50-64	66	2.8	3	1	2	2	3	4	6	12
65+	130	3.4	7	1	2	3	3	6	11	14
TOT. SINGLE DX	304	2.2	1	1	1	2	2	3	4	8
" MULTIPLE DX	305	2.9	5	1	1	2	3	4	7	13
TOTAL 0-19 YRS	104	1.9	2	<1	1	2	2	3	4	11
20-34	89	2.2	2	1	1	2	2	3	4	8
35-49	72	2.4	2	1	1	2	3	3	4	10
50-64	129	2.5	2	1	1	2	3	4	5	10
65+	215	3.0	5	1	2	2	3	4	8	13
GRAND TOTAL	**609**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.2	6	<1	<1	1	2	5	9	11
20-34	12	2.3	4	<1	<1	2	2	4	8	9
35-49	7	7.4	32	2	2	7	11	16	17	17
50-64	4	1.8		1	1	2	2	2	2	2
65+	16	4.8	21	1	1	2	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	16	5.1	40	<1	1	3	6	15	22	24
20-34	20	5.4	32	<1	1	3	7	15	17	19
35-49	9	2.7	1	1	1	3	3	4	4	4
50-64	19	7.2	66	1	2	3	9	22	25	28
65+	48	6.6	81	1	1	3	6	16	27	42
TOT. SINGLE DX	58	3.5	15	<1	1	2	3	10	13	17
" MULTIPLE DX	112	5.9	58	1	1	3	6	15	24	41
TOTAL 0-19 YRS	35	3.5	23	<1	<1	2	3	8	15	24
20-34	32	4.2	24	<1	1	2	4	14	15	19
35-49	16	4.8	19	1	2	3	6	12	15	17
50-64	23	6.2	59	1	1	2	6	22	24	28
65+	64	6.1	67	1	1	3	6	14	25	42
GRAND TOTAL	**170**	**5.1**	**45**	**1**	**1**	**2**	**6**	**14**	**19**	**38**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.5	2	2	2	3	5	6	7	8
20-34	113	3.4	2	1	2	3	4	5	6	10
35-49	77	3.7	3	1	2	3	5	6	7	10
50-64	81	3.3	2	1	2	3	4	5	7	9
65+	310	3.7	3	2	2	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	19	5.5	36	1	2	4	6	9	20	29
20-34	38	4.5	8	1	1	4	6	9	10	15
35-49	64	5.8	25	1	2	4	7	11	19	28
50-64	139	4.3	6	2	2	4	5	8	10	24
65+	566	4.9	21	2	2	4	5	8	11	26
TOT. SINGLE DX	612	3.6	3	2	2	3	4	6	7	10
" MULTIPLE DX	826	4.9	19	2	2	4	5	8	11	27
TOTAL 0-19 YRS	50	4.2	16	2	2	3	5	7	8	29
20-34	151	3.7	4	1	2	3	4	6	8	11
35-49	141	4.7	14	1	2	4	5	8	11	22
50-64	220	3.9	5	2	2	3	4	7	9	15
65+	876	4.5	15	2	2	4	5	7	9	21
GRAND TOTAL	1438	4.3	13	2	2	4	5	7	9	20

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	3.2	5	<1	1	3	4	6	8	11
20-34	108	2.7	2	1	1	2	3	5	6	7
35-49	71	2.7	3	<1	1	2	3	5	7	10
50-64	56	2.2	4	<1	1	2	2	4	6	14
65+	63	2.9	3	<1	1	2	4	5	8	9
2. MULTIPLE DX										
0-19 YRS	93	4.3	5	1	2	4	5	7	8	13
20-34	73	5.3	45	2	2	3	6	9	13	47
35-49	44	6.5	89	1	2	4	7	11	13	64
50-64	53	5.1	89	1	1	2	5	8	18	65
65+	119	6.0	52	1	1	3	8	15	18	39
TOT. SINGLE DX	402	2.8	4	1	1	2	3	5	7	10
" MULTIPLE DX	382	5.4	49	1	1	4	6	11	16	47
TOTAL 0-19 YRS	197	3.7	6	1	1	3	5	7	8	12
20-34	181	3.7	21	1	1	3	5	6	8	17
35-49	115	4.1	39	1	1	3	5	7	11	33
50-64	109	3.6	47	1	1	2	3	6	9	39
65+	182	4.9	38	1	1	3	5	11	16	30
GRAND TOTAL	784	4.0	27	1	1	3	5	8	11	20

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	3.3	13	1	1	2	4	7	12	19
20-34	38	2.7	1	1	1	3	4	4	5	6
35-49	67	3.1	4	1	1	2	4	5	6	15
50-64	132	3.2	2	1	1	3	4	6	7	8
65+	284	3.2	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	33	4.3	35	1	1	3	4	8	14	33
20-34	27	5.0	16	1	1	4	6	12	13	16
35-49	52	4.7	27	1	1	3	5	9	14	34
50-64	132	4.9	18	2	2	3	6	11	12	24
65+	352	5.2	31	1	2	3	6	10	12	36
TOT. SINGLE DX	585	3.2	4	1	1	3	4	5	7	11
" MULTIPLE DX	596	5.0	27	1	2	3	6	10	12	34
TOTAL 0-19 YRS	97	3.6	21	1	1	2	4	7	12	26
20-34	65	3.7	9	1	1	3	4	6	11	15
35-49	119	3.8	15	1	1	3	4	6	9	22
50-64	264	4.0	11	1	2	3	4	8	11	15
65+	636	4.3	20	1	2	3	5	8	11	22
GRAND TOTAL	1181	4.1	17	1	2	3	5	7	11	20

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.1	8	1	1	4	5	8	10	16
20-34	39	3.2	6	1	1	2	4	5	8	15
35-49	48	3.3	5	1	1	2	4	7	9	11
50-64	96	2.7	5	1	1	2	3	5	5	14
65+	178	3.2	6	1	1	2	4	6	7	16
2. MULTIPLE DX										
0-19 YRS	57	5.6	16	1	2	4	8	11	12	22
20-34	58	5.0	21	2	2	4	6	8	11	27
35-49	34	4.4	15	1	1	3	6	10	14	18
50-64	97	5.0	90	1	1	3	5	8	11	60
65+	292	5.1	30	1	2	3	6	10	15	50
TOT. SINGLE DX	417	3.2	6	1	1	2	4	6	8	15
" MULTIPLE DX	538	5.1	38	1	2	3	6	10	13	27
TOTAL 0-19 YRS	113	4.9	13	1	1	4	6	10	11	19
20-34	97	4.3	16	1	2	3	4	8	10	26
35-49	82	3.7	10	1	1	2	5	7	10	17
50-64	193	3.9	49	1	1	2	4	6	9	25
65+	470	4.4	22	1	1	3	5	8	12	26
GRAND TOTAL	955	4.3	25	1	1	3	5	8	11	25

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.0	4	1	1	2	4	6	8	11
20-34	19	5.1	57	1	1	3	5	9	23	35
35-49	303	2.4	1	1	2	2	3	3	4	7
50-64	2108	2.4	1	1	2	2	3	3	4	6
65+	8691	2.5	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	27	6.1	66	<1	1	2	7	17	26	37
20-34	28	4.3	12	1	1	3	5	7	12	18
35-49	197	3.6	11	1	2	3	4	7	10	22
50-64	1904	3.5	17	2	2	3	3	6	9	19
65+	9522	3.4	11	2	2	3	3	5	8	18
TOT. SINGLE DX	11159	2.5	1	1	2	2	3	3	4	7
" MULTIPLE DX	11678	3.4	13	2	2	3	3	5	8	19
TOTAL 0-19 YRS	65	4.3	32	1	1	2	5	8	13	35
20-34	47	4.6	30	1	1	3	5	8	12	35
35-49	500	2.9	6	1	2	2	3	4	6	12
50-64	4012	2.9	9	1	2	2	3	4	6	14
65+	18213	3.0	7	2	2	2	3	4	6	14
GRAND TOTAL	**22837**	**3.0**	**7**	**2**	**2**	**2**	**3**	**4**	**6**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	2.3	1	1	1	2	2	3	5	8
20-34	73	2.2	1	1	1	2	2	4	5	6
35-49	642	2.1		1	1	2	2	3	3	5
50-64	3328	2.1		1	1	2	2	3	3	5
65+	13005	2.2		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	73	3.5	9	1	1	2	5	6	10	18
20-34	79	3.3	52	1	1	2	3	4	5	49
35-49	451	2.7	3	1	1	2	3	4	6	10
50-64	2729	2.7	5	1	2	2	3	4	5	11
65+	12375	2.9	7	1	2	2	3	4	6	16
TOT. SINGLE DX	17189	2.2	1	1	1	2	2	3	3	5
" MULTIPLE DX	15707	2.9	8	1	2	2	3	4	6	14
TOTAL 0-19 YRS	214	2.7	5	1	1	2	3	5	7	12
20-34	152	2.8	28	1	1	2	3	4	5	7
35-49	1093	2.3	2	1	1	2	3	3	4	8
50-64	6057	2.4	3	1	1	2	3	3	4	9
65+	25380	2.5	4	1	2	2	3	3	4	11
GRAND TOTAL	**32896**	**2.5**	**4**	**1**	**1**	**2**	**3**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.4	12	1	1	3	3	9	11	11
20-34	15	2.2		1	1	2	3	3	4	4
35-49	88	2.1		1	1	2	2	3	3	7
50-64	499	2.1		1	1	2	2	3	3	5
65+	1638	2.3		1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	6	2.3	1	1	1	2	3	4	4	4
35-49	61	3.8	31	1	2	2	3	5	14	33
50-64	421	2.8	5	1	2	2	3	4	6	11
65+	1655	3.0	6	1	2	2	3	4	7	16
TOT. SINGLE DX	2247	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	2146	3.0	7	1	2	2	3	4	6	16
TOTAL 0-19 YRS	10	3.6	10	1	1	3	3	9	11	11
20-34	21	2.2	1	1	1	2	3	4	4	4
35-49	149	2.8	14	1	1	2	3	4	5	28
50-64	920	2.4	3	1	1	2	3	3	5	9
65+	3293	2.7	4	1	1	2	3	4	5	12
GRAND TOTAL	**4393**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	5.5	31	1	2	4	7	10	14	36
20-34	171	5.0	15	1	2	4	6	9	11	22
35-49	163	4.5	9	1	2	4	5	8	10	12
50-64	506	4.1	5	1	2	4	5	7	8	14
65+	515	4.5	7	2	2	4	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	84	6.0	43	2	2	4	7	11	14	44
20-34	196	5.4	17	1	2	4	7	10	12	24
35-49	176	5.4	23	1	2	4	6	10	14	23
50-64	592	5.2	15	2	2	4	6	9	12	22
65+	799	5.3	14	2	2	4	7	9	11	21
TOT. SINGLE DX	1457	4.5	10	1	2	4	5	8	10	16
" MULTIPLE DX	1847	5.3	17	2	2	4	6	9	12	22
TOTAL 0-19 YRS	186	5.7	37	2	2	4	7	10	14	37
20-34	367	5.2	17	1	2	4	7	9	12	22
35-49	339	5.0	17	1	2	4	6	9	12	22
50-64	1098	4.7	11	1	2	4	6	8	10	17
65+	1314	5.0	12	2	2	4	6	8	11	18
GRAND TOTAL	**3304**	**4.9**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.7	8	1	1	3	5	7	9	14
20-34	41	4.6	11	1	1	3	5	10	12	15
35-49	31	4.5	8	1	2	5	6	9	10	13
50-64	57	3.8	10	1	1	3	4	6	13	17
65+	125	3.8	9	1	1	3	4	8	10	15
2. MULTIPLE DX										
0-19 YRS	39	7.1	247	<1	1	3	5	13	29	95
20-34	112	5.9	44	2	2	4	6	9	15	39
35-49	91	5.9	19	1	2	5	7	11	13	26
50-64	228	5.5	27	2	2	4	6	10	13	28
65+	379	4.9	23	1	2	3	5	9	14	27
TOT. SINGLE DX	284	4.0	10	1	1	3	5	8	10	15
" MULTIPLE DX	849	5.4	37	1	2	4	6	10	14	28
TOTAL 0-19 YRS	69	5.6	145	1	1	3	5	8	15	82
20-34	153	5.5	36	1	2	4	6	10	14	23
35-49	122	5.5	17	1	2	5	7	10	12	25
50-64	285	5.2	25	1	2	4	6	10	13	25
65+	504	4.6	20	1	2	3	5	9	12	27
GRAND TOTAL	1133	5.0	31	1	2	4	6	10	13	27

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2129	1.5		<1	<1	1	2	2	2	3
20-34	324	1.7		1	1	2	2	2	3	4
35-49	159	1.8		<1	1	2	2	2	3	4
50-64	95	1.9		1	1	2	2	3	3	4
65+	50	2.1	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	445	1.7		<1	1	2	2	2	3	4
20-34	116	2.0	1	1	1	2	2	3	3	7
35-49	89	2.3	5	1	1	2	2	3	5	17
50-64	80	2.7	9	1	1	2	2	4	9	19
65+	63	2.9	13	1	1	2	2	4	5	23
TOT. SINGLE DX	2757	1.6		<1	<1	2	2	2	2	3
" MULTIPLE DX	793	2.0	3	1	1	2	2	3	3	10
TOTAL 0-19 YRS	2574	1.5		<1	<1	1	2	2	2	3
20-34	440	1.8	1	1	1	2	2	2	3	4
35-49	248	2.0	2	<1	1	2	2	2	3	5
50-64	175	2.3	5	1	1	2	2	3	4	15
65+	113	2.5	8	1	1	2	2	3	5	21
GRAND TOTAL	3550	1.7	1	<1	1	2	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	3	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	4	1.8		<1	<1	2	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	5	4.8	39	1	1	2	6	16	16	16
TOT. SINGLE DX	13	1.8	1	1	1	2	2	3	4	4
" MULTIPLE DX	15	2.9	14	<1	<1	2	3	4	13	16
TOTAL 0-19 YRS	10	1.6		<1	<1	2	2	2	2	2
20-34	5	2.0		2	2	2	2	2	2	2
35-49	5	2.2	2	1	1	2	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	6	4.7	32	1	1	3	4	15	16	16
GRAND TOTAL	28	2.4	8	<1	1	2	2	4	5	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	3.2	8	<1	1	2	4	8	10	14
20-34	121	3.8	13	1	2	3	4	7	9	26
35-49	83	3.7	6	1	2	3	4	7	8	15
50-64	116	3.3	7	1	1	3	4	6	8	16
65+	137	3.3	5	1	2	3	3	6	8	14
2. MULTIPLE DX										
0-19 YRS	100	4.8	21	1	2	3	6	10	14	27
20-34	167	5.8	42	1	2	4	6	13	21	35
35-49	125	4.8	17	2	2	4	6	9	13	27
50-64	152	5.9	31	2	2	4	7	13	14	32
65+	294	6.6	66	1	2	4	8	14	20	53
TOT. SINGLE DX	620	3.4	9	1	1	3	4	7	9	15
" MULTIPLE DX	838	5.8	43	1	2	4	7	12	17	35
TOTAL 0-19 YRS	263	3.8	14	1	1	2	4	9	11	19
20-34	288	4.9	31	1	2	3	5	10	18	31
35-49	208	4.4	14	2	2	3	5	8	11	21
50-64	268	4.8	23	1	2	3	5	10	14	30
65+	431	5.6	49	1	2	3	6	12	16	42
GRAND TOTAL	1458	4.8	30	1	2	3	5	10	14	28

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

535: Stapes mobilization and stapedectomy (19.0-19.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.2		1	1	2	3	3	4	5
20-34	364	2.3		1	1	2	3	3	4	5
35-49	459	2.3		1	1	2	3	3	4	5
50-64	491	2.3		1	1	2	3	3	4	6
65+	163	2.5		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	53	2.2	1	1	1	2	3	4	4	6
20-34	127	2.3	1	1	1	2	3	3	4	7
35-49	151	2.4	1	1	1	2	3	4	5	6
50-64	197	2.6	1	1	1	2	3	4	5	8
65+	81	3.1	13	1	1	2	3	5	7	26
TOT. SINGLE DX	1553	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	609	2.5	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	129	2.2	1	1	1	2	3	3	4	5
20-34	491	2.3	1	1	1	2	3	3	4	5
35-49	610	2.4	1	1	1	2	3	3	4	6
50-64	688	2.4	1	1	1	2	3	3	4	6
65+	244	2.7	5	1	1	2	3	4	5	9
GRAND TOTAL	2162	2.4	1	1	1	2	3	3	4	6

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	396	2.2	2	<1	1	2	2	4	5	9
20-34	102	2.3	2	<1	1	2	3	4	6	7
35-49	55	2.3	2	<1	1	2	3	4	5	10
50-64	69	2.8	3	<1	1	2	3	6	7	9
65+	103	3.0	12	<1	1	2	3	5	7	22
2. MULTIPLE DX										
0-19 YRS	325	3.7	18	1	1	3	4	7	9	31
20-34	164	5.0	45	1	1	3	6	10	16	42
35-49	116	5.5	32	1	1	3	7	13	18	27
50-64	121	6.7	73	1	1	4	8	13	22	51
65+	273	8.6	86	1	2	6	10	19	26	50
TOT. SINGLE DX	725	2.4	4	<1	1	2	3	4	6	9
" MULTIPLE DX	999	5.8	53	1	1	3	7	12	19	43
TOTAL 0-19 YRS	721	2.9	10	1	1	2	3	5	7	11
20-34	266	4.0	31	<1	1	2	4	9	11	30
35-49	171	4.5	25	1	1	3	5	11	15	25
50-64	190	5.3	51	1	1	3	6	10	16	48
65+	376	7.0	72	1	1	4	8	16	25	46
GRAND TOTAL	1724	4.4	35	1	1	2	5	9	14	31

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	833	1.8		1	1	2	2	2	3	4
20-34	596	2.0		1	1	2	2	3	3	5
35-49	386	2.0		1	1	2	2	3	3	4
50-64	390	2.1		1	1	2	2	3	3	5
65+	134	2.1		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	747	2.0	1	1	1	2	2	3	3	5
20-34	566	2.2	1	1	1	2	2	3	4	8
35-49	474	2.3	2	1	1	2	3	3	4	10
50-64	508	2.5	6	1	1	2	3	3	4	10
65+	199	2.6	2	1	1	2	3	4	5	10
TOT. SINGLE DX	2339	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	2494	2.2	3	1	1	2	2	3	4	9
TOTAL 0-19 YRS	1580	1.9	1	1	1	2	2	3	3	4
20-34	1162	2.1	1	1	1	2	2	3	3	6
35-49	860	2.2	2	1	1	2	2	3	3	6
50-64	898	2.3	3	1	1	2	3	3	4	6
65+	333	2.4	2	1	1	2	3	4	5	9
GRAND TOTAL	4833	2.1	2	1	1	2	2	3	3	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2301	1.2	1	<1	<1	1	1	1	2	6
20-34	96	2.0	2	<1	<1	2	2	3	4	10
35-49	75	2.0	2	<1	<1	2	2	3	5	11
50-64	70	2.0	1	<1	1	2	2	3	5	7
65+	28	2.2	2	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	2811	2.2	7	<1	<1	1	2	5	7	14
20-34	135	4.3	39	<1	1	2	4	10	14	42
35-49	101	4.3	24	<1	1	2	5	10	14	27
50-64	121	6.0	35	1	1	3	9	15	19	25
65+	115	8.5	107	1	1	4	12	19	28	55
TOT. SINGLE DX	2570	1.3	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	3283	2.7	16	<1	<1	2	2	6	10	19
TOTAL 0-19 YRS	5112	1.8	5	<1	<1	1	2	2	5	11
20-34	231	3.3	25	<1	<1	2	3	7	12	26
35-49	176	3.3	17	<1	<1	2	3	8	12	24
50-64	191	4.5	27	1	1	2	5	13	16	24
65+	143	7.2	93	<1	1	3	10	17	28	47
GRAND TOTAL	**5853**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**7**	**15**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	2.5	4	1	1	2	3	3	4	14
20-34	191	2.3	1	1	1	2	3	3	4	7
35-49	124	2.4	1	1	1	2	3	4	4	9
50-64	116	2.6	1	1	2	2	3	4	5	8
65+	48	2.8	3	1	2	2	3	5	5	12
2. MULTIPLE DX										
0-19 YRS	391	2.5	4	1	1	2	3	3	4	13
20-34	305	2.8	4	1	1	2	3	4	6	14
35-49	215	3.3	30	1	1	2	3	5	8	24
50-64	244	3.3	12	1	1	2	3	5	9	18
65+	125	5.0	42	1	2	3	5	11	17	37
TOT. SINGLE DX	715	2.5	3	1	1	2	3	3	5	11
" MULTIPLE DX	1280	3.1	14	1	1	2	3	4	7	19
TOTAL 0-19 YRS	627	2.5	4	1	1	2	3	3	4	14
20-34	496	2.6	3	1	1	2	3	4	5	12
35-49	339	3.0	20	1	1	2	3	4	6	17
50-64	360	3.1	9	1	1	2	3	5	6	16
65+	173	4.4	32	1	2	3	4	8	14	30
GRAND TOTAL	**1995**	**2.9**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	1.8	1	<1	<1	1	2	3	3	8
20-34	179	2.5	4	1	1	2	3	4	5	9
35-49	175	3.1	11	1	1	2	3	5	7	22
50-64	212	3.1	5	1	2	2	3	5	7	17
65+	78	3.1	4	1	1	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	276	2.1	6	<1	<1	1	2	3	5	18
20-34	156	2.9	11	1	1	2	3	5	7	19
35-49	128	2.9	9	1	1	2	3	5	9	15
50-64	151	4.1	20	1	1	3	4	10	13	26
65+	98	5.5	31	1	1	3	7	13	18	28
TOT. SINGLE DX	839	2.7	6	1	1	2	3	4	6	12
" MULTIPLE DX	809	3.2	15	<1	1	2	3	6	10	22
TOTAL 0-19 YRS	471	2.0	5	<1	<1	1	2	3	4	13
20-34	335	2.7	8	1	1	2	3	4	6	13
35-49	303	3.0	10	1	1	2	3	5	8	19
50-64	363	3.5	12	1	1	3	3	6	11	23
65+	176	4.4	21	1	1	3	5	9	13	22
GRAND TOTAL	**1648**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	2.3	1	1	1	2	3	4	4	5
20-34	365	2.4	1	1	1	2	3	4	4	5
35-49	185	2.4	1	1	1	2	3	4	4	8
50-64	103	2.6	3	1	1	2	3	4	5	11
65+	43	3.0	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	542	2.5	2	1	1	2	3	4	5	7
20-34	1072	3.1	6	1	1	3	3	5	6	13
35-49	668	3.3	8	1	1	3	4	5	7	15
50-64	409	3.4	8	1	1	3	4	6	8	16
65+	137	4.6	34	1	2	3	4	8	13	24
TOT. SINGLE DX	865	2.4	2	1	1	2	3	4	4	6
" MULTIPLE DX	2828	3.1	8	1	1	3	3	5	7	15
TOTAL 0-19 YRS	711	2.4	2	1	1	2	3	4	5	7
20-34	1437	2.9	5	1	1	3	3	4	5	12
35-49	853	3.1	7	1	1	3	3	5	7	14
50-64	512	3.3	8	1	1	3	4	5	7	15
65+	180	4.2	28	1	2	3	4	7	11	19
GRAND TOTAL	3693	3.0	7	1	1	3	3	5	6	13

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	927	2.1	1	1	1	2	3	3	4	5
20-34	1534	2.1	1	1	1	2	3	3	4	5
35-49	713	2.2	1	1	1	2	3	3	4	6
50-64	322	2.3	1	1	1	2	3	4	4	7
65+	60	2.7	5	1	1	2	3	6	7	13
2. MULTIPLE DX										
0-19 YRS	1529	2.7	4	1	1	2	3	4	5	10
20-34	3180	2.7	6	1	1	2	3	4	5	13
35-49	1829	3.0	6	1	1	2	3	4	6	15
50-64	1128	3.2	7	1	1	3	4	5	8	15
65+	375	4.1	14	1	2	3	5	8	11	22
TOT. SINGLE DX	3556	2.1	1	1	1	2	3	3	4	6
" MULTIPLE DX	8041	2.9	7	1	1	2	3	4	6	14
TOTAL 0-19 YRS	2456	2.4	3	1	1	2	3	4	4	7
20-34	4714	2.5	5	1	1	2	3	4	5	10
35-49	2542	2.7	5	1	1	2	3	4	5	12
50-64	1450	3.0	6	1	1	2	3	5	7	14
65+	435	3.9	14	1	1	3	4	8	10	21
GRAND TOTAL	11597	2.7	5	1	1	2	3	4	5	12

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	2.2	2	<1	1	2	3	4	5	8
20-34	119	2.5	4	<1	1	2	3	5	6	12
35-49	154	2.2	1	<1	1	2	3	4	5	6
50-64	185	2.6	7	<1	1	2	3	5	7	18
65+	208	3.1	9	1	1	2	3	5	8	16
2. MULTIPLE DX										
0-19 YRS	209	3.0	6	1	1	2	3	5	8	14
20-34	355	3.1	13	1	1	2	3	5	8	27
35-49	420	3.2	12	1	1	2	4	5	8	16
50-64	559	3.9	20	1	1	3	4	7	10	30
65+	597	6.9	81	1	1	4	8	15	21	48
TOT. SINGLE DX	793	2.6	6	<1	1	2	3	5	6	14
" MULTIPLE DX	2140	4.4	36	1	1	3	4	9	14	30
TOTAL 0-19 YRS	336	2.7	5	1	1	2	3	5	7	14
20-34	474	3.0	11	1	1	2	3	5	8	18
35-49	574	2.9	9	1	1	2	3	5	7	13
50-64	744	3.6	17	1	1	2	4	7	10	21
65+	805	5.9	65	1	1	3	7	13	19	39
GRAND TOTAL	2933	3.9	28	1	1	2	4	8	12	27

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	466	1.7	2	<1	<1	1	2	3	4	8
20-34	369	2.2	3	<1	1	2	3	5	6	9
35-49	154	3.5	6	1	1	3	5	7	9	14
50-64	167	4.4	7	1	1	4	6	8	9	14
65+	132	4.3	9	1	1	4	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	426	3.4	13	1	1	2	4	6	9	15
20-34	692	3.8	14	1	1	3	4	7	9	18
35-49	301	5.1	18	1	1	4	7	9	12	24
50-64	380	6.3	41	1	2	5	7	12	15	36
65+	492	6.6	34	1	2	5	8	12	17	29
TOT. SINGLE DX	1288	2.7	6	<1	<1	2	3	6	7	11
" MULTIPLE DX	2291	4.9	25	1	1	4	6	9	13	27
TOTAL 0-19 YRS	892	2.5	8	<1	<1	2	3	5	6	15
20-34	1061	3.3	11	1	1	2	4	6	8	16
35-49	455	4.6	15	1	1	4	6	9	12	19
50-64	547	5.7	32	1	2	4	7	11	13	30
65+	624	6.1	30	1	1	5	7	11	15	28
GRAND TOTAL	3579	4.1	19	1	1	3	5	8	11	22

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.7	3	1	1	2	3	5	6	11
20-34	165	2.5	1	1	1	2	3	4	5	6
35-49	160	2.9	5	1	1	2	3	5	7	15
50-64	144	3.0	2	1	2	3	4	5	6	8
65+	56	3.8	18	1	1	3	4	9	13	25
2. MULTIPLE DX										
0-19 YRS	73	3.6	22	1	1	2	4	6	10	30
20-34	218	4.0	19	1	1	3	4	9	10	23
35-49	235	4.0	13	1	1	3	4	7	13	22
50-64	265	4.7	24	1	2	3	5	9	15	29
65+	138	5.9	31	2	2	4	7	14	18	25
TOT. SINGLE DX	582	2.9	5	1	1	2	3	5	6	12
" MULTIPLE DX	929	4.5	22	1	1	3	5	9	14	26
TOTAL 0-19 YRS	130	3.2	15	1	1	2	3	5	7	28
20-34	383	3.4	12	1	1	3	4	5	9	17
35-49	395	3.5	11	1	1	3	4	6	9	20
50-64	409	4.1	17	1	2	3	4	7	11	26
65+	194	5.3	28	1	2	3	5	14	17	25
GRAND TOTAL	**1511**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**11**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	95th (11)
1. SINGLE DX										
0-19 YRS	110	2.9	11	<1	1	2	3	7	11	18
20-34	164	2.8	4	1	1	2	4	5	7	11
35-49	120	3.2	6	1	1	2	4	6	9	13
50-64	112	3.3	10	1	1	3	4	6	7	19
65+	72	3.8	34	1	1	2	4	7	10	40
2. MULTIPLE DX										
0-19 YRS	184	4.7	39	<1	1	2	5	11	16	36
20-34	279	4.8	25	1	1	3	5	10	16	26
35-49	292	5.2	42	1	1	3	6	11	16	27
50-64	297	5.8	37	1	1	4	7	13	18	35
65+	195	7.5	67	1	1	4	10	17	24	43
TOT. SINGLE DX	578	3.1	11	1	1	2	4	6	8	13
" MULTIPLE DX	1247	5.5	42	1	1	3	7	13	18	31
TOTAL 0-19 YRS	294	4.0	30	<1	1	2	5	9	14	33
20-34	443	4.0	18	1	1	3	5	9	13	23
35-49	412	4.6	33	1	1	3	5	10	14	25
50-64	409	5.1	31	1	1	3	6	11	16	30
65+	267	6.5	61	1	1	3	8	16	20	46
GRAND TOTAL	**1825**	**4.8**	**33**	**1**	**1**	**3**	**5**	**11**	**16**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1115	1.4		<1	<1	1	2	2	2	4
20-34	889	1.6	2	<1	<1	1	2	2	3	6
35-49	262	2.0	3	<1	<1	2	2	3	3	8
50-64	134	2.0		<1	1	2	2	3	4	6
65+	70	2.3	3	1	1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	637	3.2	42	1	1	2	2	5	8	31
20-34	942	4.5	50	1	1	2	4	10	20	41
35-49	909	4.8	45	1	1	2	5	11	17	34
50-64	1031	4.8	44	1	1	2	4	11	16	32
65+	940	6.8	69	1	2	3	9	17	22	41
TOT. SINGLE DX	2470	1.6	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	4459	4.9	52	1	1	2	4	12	18	38
TOTAL 0-19 YRS	1752	2.1	16	<1	<1	1	2	2	4	14
20-34	1831	3.1	29	<1	<1	2	2	5	11	33
35-49	1171	4.2	37	1	1	2	3	10	15	32
50-64	1165	4.5	40	1	1	2	4	10	15	31
65+	1010	6.5	66	1	2	3	8	16	22	39
GRAND TOTAL	**6929**	**3.7**	**37**	**<1**	**1**	**2**	**3**	**8**	**14**	**32**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	1.2		<1	<1	1	1	2	2	3
20-34	19	2.2	4	<1	1	1	2	6	8	9
35-49	6	1.7		<1	<1	1	2	3	3	3
50-64	4	2.3		2	2	2	3	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	180	2.3	32	<1	<1	1	2	3	5	40
20-34	45	5.4	67	1	1	2	6	12	22	42
35-49	23	4.7	73	<1	1	2	3	14	27	38
50-64	14	5.6	144	1	1	2	3	12	39	47
65+	11	2.1	1	<1	<1	2	3	4	5	5
TOT. SINGLE DX	184	1.3	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	273	3.2	47	<1	<1	1	2	5	10	46
TOTAL 0-19 YRS	333	1.8	18	<1	<1	1	2	2	3	14
20-34	64	4.4	51	1	1	2	4	9	14	41
35-49	29	4.0	59	<1	<1	2	3	9	22	38
50-64	18	4.9	113	1	1	2	3	7	31	47
65+	13	1.9	2	<1	<1	1	2	4	5	5
GRAND TOTAL	**457**	**2.4**	**29**	**<1**	**<1**	**1**	**2**	**3**	**7**	**38**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	2.1	1	<1	<1	2	3	4	5	5
20-34	83	2.5	3	<1	1	2	3	4	7	10
35-49	140	2.3	2	<1	1	2	3	4	5	8
50-64	145	2.5	1	1	1	2	3	4	4	8
65+	51	2.9	2	1	1	3	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	143	3.1	44	1	1	2	3	4	7	18
20-34	103	3.6	17	1	1	2	4	6	11	24
35-49	160	3.6	31	<1	1	2	3	6	11	38
50-64	208	5.2	66	1	1	3	4	10	18	50
65+	148	5.7	44	1	2	3	6	15	19	33
TOT. SINGLE DX	485	2.4	2	<1	1	2	3	4	5	8
" MULTIPLE DX	762	4.4	45	1	1	2	4	8	15	39
TOTAL 0-19 YRS	209	2.8	31	<1	1	2	3	4	5	13
20-34	186	3.1	11	1	1	2	3	6	8	23
35-49	300	3.0	18	<1	1	2	3	5	7	26
50-64	353	4.1	42	1	1	3	3	7	12	40
65+	199	5.0	35	1	2	3	5	12	16	31
GRAND TOTAL	1247	3.6	29	1	1	2	3	6	10	31

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	3.1	4	1	1	3	4	5	8	10
20-34	355	3.0	2	1	1	3	4	5	6	8
35-49	409	3.3	2	1	2	3	4	5	6	9
50-64	444	3.7	5	1	2	3	4	6	8	11
65+	350	4.3	8	2	2	4	5	7	10	15
2. MULTIPLE DX										
0-19 YRS	57	5.5	69	1	2	3	5	11	21	54
20-34	146	5.0	28	2	2	3	5	8	15	32
35-49	261	4.9	17	1	2	4	5	10	14	20
50-64	421	5.1	19	2	2	4	6	10	14	23
65+	447	7.1	54	2	2	5	8	16	21	40
TOT. SINGLE DX	1705	3.5	5	1	2	3	4	6	7	12
" MULTIPLE DX	1332	5.8	35	2	2	4	6	11	16	30
TOTAL 0-19 YRS	204	3.8	24	1	1	3	4	6	10	25
20-34	501	3.6	11	1	1	3	4	6	8	16
35-49	670	3.9	9	1	2	3	4	7	9	17
50-64	865	4.4	13	2	2	4	5	8	10	18
65+	797	5.9	36	2	2	4	7	11	17	30
GRAND TOTAL	3037	4.5	19	1	2	3	5	8	11	23

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	3.6	4	1	1	3	5	7	8	10
20-34	10	2.9	1	1	1	3	4	5	5	5
35-49	8	6.4	16	2	2	6	8	12	14	14
50-64	4	4.5	1	3	3	4	5	6	6	6
65+	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	365	4.2	5	2	2	4	5	7	8	13
20-34	12	3.8	6	1	1	3	6	8	9	9
35-49	9	5.4	17	1	1	3	9	12	12	12
50-64	7	7.6	32	2	2	6	13	16	16	16
65+	3	11.7	41	7	7	9	16	19	19	19
TOT. SINGLE DX	387	3.6	4	1	1	3	5	7	8	10
" MULTIPLE DX	396	4.4	7	2	2	4	6	7	9	16
TOTAL 0-19 YRS	728	3.9	5	1	2	3	5	7	8	11
20-34	22	3.4	4	1	1	3	4	6	8	9
35-49	17	5.9	16	1	2	5	8	12	13	14
50-64	11	6.5	22	2	2	5	7	15	16	16
65+	5	9.4	43	1	1	9	13	19	19	19
GRAND TOTAL	783	4.0	6	1	2	3	5	7	8	13

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	660	3.0	6	<1	1	2	4	7	8	11
20-34	160	4.0	9	1	1	3	5	8	10	14
35-49	167	3.8	14	1	1	2	5	8	11	17
50-64	294	4.6	38	1	1	3	5	9	13	29
65+	315	4.7	29	1	1	3	6	11	14	26
2. MULTIPLE DX										
0-19 YRS	627	3.8	30	1	1	3	4	7	8	18
20-34	361	5.3	49	1	1	3	6	11	15	32
35-49	271	6.6	83	1	1	4	7	13	21	50
50-64	589	9.1	119	1	2	5	12	22	29	62
65+	730	9.4	118	1	2	6	11	21	31	63
TOT. SINGLE DX	1596	3.8	18	1	1	2	5	8	10	19
" MULTIPLE DX	2578	7.1	90	1	1	4	8	16	25	50
TOTAL 0-19 YRS	1287	3.4	18	1	1	2	4	7	8	15
20-34	521	4.9	38	1	1	3	6	10	13	29
35-49	438	5.6	59	1	1	3	6	12	16	47
50-64	883	7.6	97	1	1	4	9	18	27	50
65+	1045	7.9	96	1	2	5	9	17	26	55
GRAND TOTAL	4174	5.8	65	1	1	3	7	13	19	44

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7595	1.8		1	1	2	2	2	3	4
20-34	4182	2.0	1	1	1	2	2	3	3	5
35-49	405	2.1	1	1	1	2	2	3	4	6
50-64	62	2.4	1	1	1	2	3	4	5	6
65+	28	2.3	2	1	1	2	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	2157	2.0	6	1	1	2	2	3	4	7
20-34	1034	2.6	5	1	1	2	3	4	6	13
35-49	186	3.0	6	1	1	2	3	5	10	13
50-64	52	5.1	39	1	1	3	6	10	15	34
65+	26	5.8	19	1	2	4	8	13	15	19
TOT. SINGLE DX	12272	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	3455	2.3	7	1	1	2	2	4	5	11
TOTAL 0-19 YRS	9752	1.8	2	1	1	2	2	3	3	5
20-34	5216	2.1	2	1	1	2	2	3	4	7
35-49	591	2.4	3	1	1	2	3	4	5	11
50-64	114	3.6	21	1	1	2	4	6	9	32
65+	54	3.9	14	1	1	2	4	9	13	19
GRAND TOTAL	15727	1.9	2	1	1	2	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14400	1.6		1	1	2	2	2	2	3
20-34	329	2.0		1	1	2	2	3	3	5
35-49	12	2.1		1	1	2	3	3	4	4
50-64	6	2.0		1	1	2	2	3	3	3
65+	5	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	11046	1.7	1	1	1	2	2	2	3	5
20-34	138	2.3	1	1	1	2	3	3	4	8
35-49	11	2.4	2	1	1	2	3	5	6	6
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	7	1.1		1	1	1	1	2	2	2
TOT. SINGLE DX	14752	1.7		1	1	2	2	2	2	3
" MULTIPLE DX	11207	1.7	1	1	1	2	2	2	3	5
TOTAL 0-19 YRS	25446	1.7	1	1	1	2	2	2	2	4
20-34	467	2.1	1	1	1	2	2	3	4	5
35-49	23	2.2	1	1	1	2	3	4	5	6
50-64	11	1.8	1	<1	<1	2	2	3	3	3
65+	12	1.4		1	1	1	2	3	3	3
GRAND TOTAL	25959	1.7	1	1	1	2	2	2	3	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1059	1.3		<1	<1	1	2	2	2	2
20-34	23	1.9		<1	1	2	2	3	4	4
35-49										
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	2735	1.4	1	<1	<1	1	2	2	2	5
20-34	17	2.6	7	1	1	2	2	3	9	13
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1086	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	2757	1.5	1	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	3794	1.4	1	<1	<1	1	2	2	2	4
20-34	40	2.2	3	<1	1	2	2	3	4	13
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	3843	1.4	1	<1	<1	1	2	2	2	4

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	621	2.2	2	<1	1	2	3	4	5	8
20-34	351	2.7	2	1	1	2	3	5	6	10
35-49	144	2.9	5	<1	1	2	3	5	7	17
50-64	133	3.8	9	1	1	3	5	9	11	14
65+	105	4.3	17	1	1	3	5	9	12	23
2. MULTIPLE DX										
0-19 YRS	228	3.6	10	1	1	3	5	7	10	13
20-34	143	4.4	26	1	1	3	5	7	13	30
35-49	138	6.1	46	1	1	4	8	14	19	37
50-64	229	8.4	98	1	2	5	11	19	24	57
65+	283	9.9	105	1	2	6	13	22	34	54
TOT. SINGLE DX	1354	2.7	5	1	1	2	3	5	7	12
" MULTIPLE DX	1021	6.9	70	1	1	4	8	16	23	45
TOTAL 0-19 YRS	849	2.6	5	1	1	2	3	5	7	11
20-34	494	3.2	10	1	1	2	4	6	7	21
35-49	282	4.5	28	1	1	3	5	10	14	28
50-64	362	6.7	71	1	1	4	8	15	20	48
65+	388	8.4	88	1	2	5	11	19	26	52
GRAND TOTAL	2375	4.5	37	1	1	3	5	10	15	33

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	2.3	2	<1	<1	2	3	5	6	8
20-34	41	2.5	1	<1	<1	3	3	4	5	5
35-49	48	3.7	6	1	1	3	5	7	7	15
50-64	65	3.4	5	1	1	3	4	7	8	12
65+	54	3.3	8	1	1	3	4	6	8	19
2. MULTIPLE DX										
0-19 YRS	222	4.1	7	1	2	3	5	6	9	19
20-34	34	4.2	15	1	1	3	5	8	11	21
35-49	72	5.5	14	1	2	5	8	10	12	20
50-64	158	6.8	35	2	2	5	8	14	20	31
65+	267	6.2	26	1	2	5	8	13	15	23
TOT. SINGLE DX	274	3.0	5	<1	1	3	4	6	7	12
" MULTIPLE DX	753	5.6	22	1	2	4	7	11	15	23
TOTAL 0-19 YRS	288	3.7	7	<1	1	3	5	6	8	18
20-34	75	3.3	8	<1	1	3	4	5	8	18
35-49	120	4.8	12	1	1	4	6	9	12	17
50-64	223	5.8	29	1	2	4	7	12	17	30
65+	321	5.7	24	1	1	4	7	12	15	22
GRAND TOTAL	**1027**	**4.9**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	1.9	4	<1	<1	1	2	3	4	13
20-34	200	1.7		<1	<1	2	2	2	3	4
35-49	370	1.8	1	<1	1	2	2	2	3	8
50-64	554	2.4	13	<1	1	2	2	3	5	17
65+	358	2.3	7	<1	1	2	2	3	6	16
2. MULTIPLE DX										
0-19 YRS	63	3.2	19	1	1	2	2	7	11	27
20-34	118	3.5	24	<1	1	2	3	8	12	28
35-49	301	4.2	37	1	1	2	3	10	16	32
50-64	684	5.5	53	1	1	2	7	14	21	43
65+	580	6.3	78	1	1	3	8	15	23	59
TOT. SINGLE DX	1619	2.1	7	<1	1	2	2	3	4	12
" MULTIPLE DX	1746	5.3	57	1	1	2	6	13	20	38
TOTAL 0-19 YRS	200	2.3	9	<1	1	2	2	3	8	16
20-34	318	2.4	10	<1	1	2	2	3	6	22
35-49	671	2.9	19	<1	1	2	2	5	9	21
50-64	1238	4.1	38	1	1	2	3	10	15	32
65+	938	4.8	55	1	1	2	4	11	18	36
GRAND TOTAL	**3365**	**3.8**	**35**	**<1**	**1**	**2**	**3**	**9**	**14**	**30**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.2	4	1	1	1	2	6	7	7
20-34	11	7.5	42	2	2	4	11	17	22	22
35-49	14	8.9	54	<1	1	9	13	19	22	23
50-64	49	9.8	50	2	2	8	14	22	24	25
65+	33	9.9	61	1	1	8	14	20	29	33
2. MULTIPLE DX										
0-19 YRS	14	5.5	43	1	1	3	6	13	23	26
20-34	13	7.2	49	2	2	3	9	21	22	22
35-49	21	14.0	164	1	2	11	26	40	65	99+
50-64	97	16.9	193	2	3	14	22	35	45	71
65+	90	15.9	239	2	2	11	23	43	59	99+
TOT. SINGLE DX	117	8.9	52	1	1	8	13	20	23	31
" MULTIPLE DX	235	15.0	200	2	2	11	22	35	46	99+
TOTAL 0-19 YRS	24	4.1	29	1	1	2	5	7	16	26
20-34	24	7.4	44	2	2	4	10	21	22	22
35-49	35	11.9	124	1	2	10	18	35	41	99+
50-64	146	14.5	156	2	2	11	20	27	40	67
65+	123	14.3	198	1	2	10	21	33	46	99+
GRAND TOTAL	**352**	**13.0**	**159**	**1**	**2**	**10**	**19**	**29**	**41**	**83**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	8	14.1	7	10	10	14	16	18	18	18
50-64	51	16.0	54	9	10	14	18	24	30	51
65+	49	17.6	45	8	10	17	21	27	31	36
2. MULTIPLE DX										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	2	18.0	18	15	15	18	21	21	21	21
35-49	20	23.0	151	10	11	22	28	41	50	58
50-64	160	23.9	237	10	12	21	29	41	72	99+
65+	118	23.5	215	10	12	19	28	46	74	99+
TOT. SINGLE DX	108	16.6	48	9	10	15	20	25	30	42
" MULTIPLE DX	302	23.5	221	10	11	20	28	43	72	99+
TOTAL 0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	2	18.0	18	15	15	18	21	21	21	21
35-49	28	20.4	125	10	10	17	23	37	44	58
50-64	211	22.0	204	10	11	18	26	36	57	99+
65+	167	21.8	172	10	11	19	26	38	55	99+
GRAND TOTAL	**410**	**21.7**	**184**	**10**	**11**	**18**	**26**	**37**	**54**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	5	9.8	97	2	2	7	13	27	27	27
50-64	11	16.2	190	3	3	15	22	40	43	43
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	29.0	395	12	12	30	60	98	99+	99+
20-34	8	17.9	161	3	3	22	31	73	99+	99+
35-49	21	21.6	422	2	3	14	42	78	99+	99+
50-64	46	28.5	640	5	5	25	56	95	99+	99+
65+	74	35.3	708	6	8	32	58	92	99+	99+
TOT. SINGLE DX	19	12.5	152	2	2	8	17	34	41	43
" MULTIPLE DX	154	30.3	631	4	6	26	55	93	99+	99+
TOTAL 0-19 YRS	6	24.5	438	2	4	24	54	92	99+	99+
20-34	8	17.9	161	3	3	22	31	73	99+	99+
35-49	26	19.3	376	2	3	13	29	71	99+	99+
50-64	57	26.1	573	3	5	22	43	90	99+	99+
65+	76	34.5	715	5	7	31	57	92	99+	99+
GRAND TOTAL	173	28.3	608	3	5	23	47	91	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	6.7	98	1	1	4	8	14	17	64
20-34	23	7.1	129	1	1	4	8	12	28	57
35-49	31	3.8	17	1	1	2	4	10	13	19
50-64	37	8.8	166	1	1	4	10	23	58	99+
65+	45	6.2	76	1	1	2	7	13	32	37
2. MULTIPLE DX										
0-19 YRS	120	19.0	373	1	2	14	30	57	81	99+
20-34	86	25.7	546	2	3	18	47	84	99+	99+
35-49	124	22.4	592	1	2	14	36	72	95	99+
50-64	309	27.6	600	2	2	25	50	79	99+	99+
65+	403	35.0	630	2	3	37	55	87	99+	99+
TOT. SINGLE DX	188	6.6	97	1	1	3	7	14	26	65
" MULTIPLE DX	1042	28.7	610	2	2	26	50	80	99+	99+
TOTAL 0-19 YRS	172	15.3	321	1	1	8	24	49	69	99+
20-34	109	21.8	515	1	2	15	43	76	99+	99+
35-49	155	18.7	533	1	1	10	25	59	91	99+
50-64	346	25.6	587	2	2	22	48	77	99+	99+
65+	448	32.1	650	2	2	34	52	85	99+	99+
GRAND TOTAL	1230	25.3	595	1	2	19	46	75	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.1	10	1	1	3	5	9	11	13
20-34	133	6.6	34	1	2	5	8	13	17	33
35-49	245	6.7	31	1	2	5	9	13	17	26
50-64	557	7.7	44	1	2	6	10	16	19	33
65+	545	8.5	62	1	2	7	11	17	22	43
2. MULTIPLE DX										
0-19 YRS	36	8.8	43	2	3	8	10	15	19	37
20-34	267	9.3	73	2	2	7	12	18	26	45
35-49	745	10.6	77	2	2	8	14	20	29	43
50-64	2601	12.1	98	2	3	10	15	23	30	52
65+	3943	13.7	120	2	4	11	17	26	34	61
TOT. SINGLE DX	1506	7.7	48	1	2	6	10	16	20	34
" MULTIPLE DX	7592	12.6	108	2	3	10	16	24	32	57
TOTAL 0-19 YRS	62	6.8	35	1	2	5	9	14	16	35
20-34	400	8.4	62	1	2	6	11	17	23	41
35-49	990	9.6	69	2	2	8	12	19	26	38
50-64	3158	11.3	91	2	3	9	14	22	29	50
65+	4488	13.1	116	2	3	10	17	25	32	60
GRAND TOTAL	9098	11.8	102	2	3	9	15	23	30	54

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	29.0	8	27	27	29	31	31	31	31
65+	2	17.5	145	9	9	26	81	99+	99+	99+
TOT. SINGLE DX	1	13.0		13	13	13	13	13	13	13
" MULTIPLE DX	5	18.8	170	1	2	26	31	93	99+	99+
TOTAL 0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	23.7	89	13	13	27	30	31	31	31
65+	2	17.5	145	9	9	26	81	99+	99+	99+
GRAND TOTAL	6	17.8	142	1	3	26	30	86	99+	99+

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	10.1	55	2	3	8	13	23	28	30
20-34	113	10.[illegible]	31	3	4	9	12	18	22	28
35-49	195	9.2	29	2	4	8	11	16	21	27
50-64	387	10.3	39	2	3	9	13	19	21	33
65+	313	11.1	63	1	3	10	15	21	27	46
2. MULTIPLE DX										
0-19 YRS	74	15.5	265	3	4	11	19	34	44	92
20-34	212	13.0	124	3	4	10	16	26	33	80
35-49	437	14.4	123	2	4	12	18	27	37	60
50-64	1300	15.6	135	3	4	13	20	29	38	63
65+	1668	16.3	135	3	4	13	21	31	38	60
TOT. SINGLE DX	1048	10.3	45	2	3	9	13	19	22	35
" MULTIPLE DX	3691	15.6	136	3	4	13	20	30	38	61
TOTAL 0-19 YRS	114	13.6	197	3	4	10	16	26	36	91
20-34	325	12.0	94	3	4	10	15	23	30	58
35-49	632	12.8	100	2	4	10	16	24	31	53
50-64	1687	14.4	118	3	4	11	18	27	35	59
65+	1981	15.4	128	3	4	13	20	29	37	58
GRAND TOTAL	**4739**	**14.4**	**121**	**3**	**4**	**11**	**19**	**28**	**35**	**58**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.0	19	5	5	9	12	17	18	18
20-34	12	8.8	3	6	7	8	10	12	12	12
35-49	74	12.4	29	7	8	11	14	18	20	40
50-64	203	14.3	49	8	8	13	17	22	27	44
65+	174	14.7	39	8	9	13	17	23	28	35
2. MULTIPLE DX										
0-19 YRS	14	23.4	545	8	9	12	30	77	94	99+
20-34	40	15.8	155	7	8	11	19	53	72	99+
35-49	140	17.2	99	8	8	16	20	28	41	99+
50-64	705	18.2	101	8	9	16	23	30	36	57
65+	707	20.0	99	9	10	18	24	33	41	64
TOT. SINGLE DX	470	14.0	42	7	8	12	16	22	27	36
" MULTIPLE DX	1606	18.9	107	8	9	17	23	31	39	73
TOTAL 0-19 YRS	21	19.0	403	6	7	11	22	76	86	99+
20-34	52	14.1	128	7	7	10	15	38	53	99+
35-49	214	15.5	81	7	8	13	18	26	36	84
50-64	908	17.3	93	8	9	15	21	29	35	54
65+	881	18.9	92	8	10	17	23	31	37	55
GRAND TOTAL	**2076**	**17.8**	**96**	**8**	**9**	**16**	**22**	**29**	**37**	**62**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	3.8	20	1	1	2	4	10	13	18
20-34	130	6.3	29	1	1	4	9	13	17	25
35-49	222	6.0	42	1	1	4	8	12	16	27
50-64	435	7.1	43	1	1	5	9	15	21	34
65+	336	8.7	60	1	2	7	11	18	23	40
2. MULTIPLE DX										
0-19 YRS	390	9.0	98	1	2	6	12	19	27	82
20-34	349	10.9	131	2	2	8	13	20	32	67
35-49	756	10.3	98	2	2	8	13	21	28	55
50-64	2083	11.9	113	2	3	9	15	25	31	52
65+	2839	14.5	139	2	3	11	19	29	38	61
TOT. SINGLE DX	1432	6.5	44	1	1	4	9	14	18	34
" MULTIPLE DX	6417	12.6	126	2	3	10	17	26	34	60
TOTAL 0-19 YRS	699	6.7	71	1	1	4	9	15	20	53
20-34	479	9.7	108	1	2	7	12	19	25	64
35-49	978	9.3	89	1	2	7	12	20	26	48
50-64	2518	11.1	105	2	2	8	14	23	30	51
65+	3175	13.9	134	2	3	11	18	28	37	60
GRAND TOTAL	**7849**	**11.5**	**117**	**1**	**2**	**9**	**15**	**24**	**32**	**55**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.4	11	1	1	4	6	10	11	14
20-34	62	5.0	9	2	2	4	6	8	11	17
35-49	21	6.0	14	2	3	5	7	9	15	19
50-64	22	11.6	176	2	2	7	15	24	43	60
65+	22	7.6	49	1	1	4	16	18	21	22
2. MULTIPLE DX										
0-19 YRS	38	10.0	76	1	3	6	14	24	31	36
20-34	59	10.9	64	4	4	9	14	23	28	94
35-49	48	10.5	101	1	2	8	14	19	24	64
50-64	86	15.1	132	2	5	12	20	28	46	85
65+	104	15.2	182	2	3	11	22	35	43	60
TOT. SINGLE DX	153	6.3	44	1	2	5	7	14	17	32
" MULTIPLE DX	335	13.2	129	2	3	10	17	27	40	64
TOTAL 0-19 YRS	64	7.7	57	1	1	5	9	18	24	36
20-34	121	7.9	45	2	2	6	10	17	23	60
35-49	69	9.1	78	1	2	7	12	18	20	57
50-64	108	14.4	142	2	3	11	19	28	45	76
65+	126	13.9	167	2	2	10	19	31	42	59
GRAND TOTAL	**488**	**11.0**	**112**	**2**	**2**	**7**	**15**	**24**	**34**	**60**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	6.3	30	2	2	5	8	10	15	34
20-34	651	5.8	12	2	3	5	7	10	13	20
35-49	232	6.3	21	2	2	5	8	11	15	25
50-64	157	8.4	25	3	3	7	11	16	19	25
65+	110	11.3	107	3	3	8	15	21	26	59
2. MULTIPLE DX										
0-19 YRS	368	13.8	241	3	3	9	14	26	51	87
20-34	626	9.8	74	3	3	7	11	18	25	48
35-49	499	11.4	85	3	4	9	15	23	29	45
50-64	971	14.4	150	3	4	10	18	30	38	69
65+	1195	16.1	147	4	5	13	21	31	43	75
TOT. SINGLE DX	1355	6.7	29	2	3	5	8	13	16	27
" MULTIPLE DX	3659	13.7	142	3	4	10	17	28	38	69
TOTAL 0-19 YRS	573	11.1	179	2	3	7	12	23	37	82
20-34	1277	7.7	47	2	3	6	9	14	19	40
35-49	731	9.8	71	2	3	8	12	20	25	43
50-64	1128	13.5	137	3	4	10	17	28	36	68
65+	1305	15.7	146	4	5	13	20	31	42	75
GRAND TOTAL	5014	11.8	121	3	3	8	15	25	33	63

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	6.4	18	1	2	6	8	11	14	24
20-34	159	7.3	31	1	2	7	9	14	19	25
35-49	132	7.9	36	1	2	7	11	16	20	28
50-64	167	8.0	30	2	2	7	12	16	19	24
65+	150	11.4	108	2	3	9	16	23	31	60
2. MULTIPLE DX										
0-19 YRS	98	11.8	92	2	4	9	14	26	32	46
20-34	247	12.8	121	2	2	10	17	25	35	54
35-49	321	12.4	121	2	2	9	16	25	31	60
50-64	747	13.8	142	2	3	11	18	28	35	65
65+	996	15.5	151	3	4	12	20	31	40	66
TOT. SINGLE DX	825	8.0	45	1	2	6	10	16	20	32
" MULTIPLE DX	2409	14.1	141	2	3	11	18	29	36	62
TOTAL 0-19 YRS	315	8.1	48	1	2	6	9	15	23	41
20-34	406	10.7	93	2	2	8	14	22	27	49
35-49	453	11.1	101	2	2	8	15	22	28	54
50-64	914	12.7	127	2	3	10	16	26	33	60
65+	1146	14.9	148	2	3	12	20	30	39	63
GRAND TOTAL	3234	12.6	123	2	3	9	16	26	33	59

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	343	9.3	11	6	6	9	10	13	16	22
20-34	64	11.4	16	7	7	10	13	17	21	23
35-49	112	12.8	46	8	9	11	14	17	20	45
50-64	145	14.2	31	8	9	13	16	21	25	30
65+	86	15.5	35	9	10	14	18	26	29	35
2. MULTIPLE DX										
0-19 YRS	435	13.7	92	7	7	11	16	24	34	76
20-34	130	19.3	189	8	9	13	27	45	51	56
35-49	268	17.5	128	8	9	14	19	28	37	66
50-64	769	18.9	120	9	10	16	22	32	44	63
65+	758	22.9	192	10	11	19	28	40	54	97
TOT. SINGLE DX	750	11.6	30	6	7	10	14	17	21	31
" MULTIPLE DX	2360	19.1	153	8	9	15	23	34	46	79
TOTAL 0-19 YRS	778	11.7	62	6	7	9	13	19	25	55
20-34	194	16.7	146	7	8	12	17	38	48	54
35-49	380	16.1	109	8	9	13	18	26	33	65
50-64	914	18.1	109	9	10	15	21	30	41	62
65+	844	22.1	182	10	11	18	27	39	52	95
GRAND TOTAL	3110	17.3	133	7	8	14	20	31	42	67

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	12	10.4	7	7	8	10	11	15	17	17
35-49	380	11.4	21	8	8	10	13	16	18	25
50-64	1222	12.1	19	8	8	11	14	17	20	29
65+	449	13.6	27	9	9	12	16	20	24	35
2. MULTIPLE DX										
0-19 YRS	3	19.7	69	13	13	17	26	29	29	29
20-34	67	13.6	44	7	8	12	15	21	31	35
35-49	1592	13.3	36	5	8	11	15	20	24	39
50-64	6372	14.7	56	8	9	13	17	23	29	47
65+	3815	18.0	109	9	10	15	21	30	39	68
TOT. SINGLE DX	2065	12.3	22	8	9	11	14	18	20	30
" MULTIPLE DX	11849	15.6	74	8	9	13	18	25	32	55
TOTAL 0-19 YRS	5	15.2	87	3	3	14	20	29	29	29
20-34	79	13.1	40	7	8	12	15	18	31	34
35-49	1972	13.0	34	8	8	11	15	19	23	38
50-64	7594	14.3	51	8	9	12	16	22	28	45
65+	4264	17.6	103	9	10	15	20	29	37	67
GRAND TOTAL	13914	15.1	68	8	9	13	17	24	30	52

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	791	2.2	8	1	1	2	2	3	4	13
20-34	348	3.4	9	1	1	2	4	7	11	16
35-49	2171	3.4	9	1	2	2	3	8	11	16
50-64	4265	3.3	9	1	2	2	3	7	10	16
65+	1502	3.6	14	1	2	2	3	8	11	19
2. MULTIPLE DX										
0-19 YRS	1247	2.8	11	1	1	2	2	5	9	17
20-34	686	5.7	49	1	2	3	7	13	16	29
35-49	6002	5.0	25	1	2	3	7	11	14	24
50-64	15921	5.3	28	2	2	3	7	12	16	25
65+	7881	6.8	46	2	2	4	10	15	19	32
TOT. SINGLE DX	9077	3.3	11	1	1	2	3	7	10	16
" MULTIPLE DX	31737	5.5	33	1	2	3	8	13	16	27
TOTAL 0-19 YRS	2038	2.6	10	1	1	2	2	4	8	16
20-34	1034	4.9	37	1	2	2	6	11	15	26
35-49	8173	4.6	21	1	2	2	6	11	14	22
50-64	20186	4.9	26	1	2	2	6	11	15	23
65+	9383	6.3	43	2	2	3	9	14	18	31
GRAND TOTAL	**40814**	**5.0**	**29**	**1**	**2**	**2**	**7**	**12**	**15**	**25**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	6.6	45	1	2	5	8	14	21	32
20-34	31	6.7	23	2	2	5	9	14	15	21
35-49	61	5.8	24	1	2	4	7	12	15	27
50-64	228	6.7	21	2	2	6	9	12	15	23
65+	838	6.7	25	2	2	5	9	12	15	27
2. MULTIPLE DX										
0-19 YRS	43	7.0	15	2	3	6	9	12	15	20
20-34	67	8.1	44	2	2	7	10	15	17	41
35-49	267	11.6	68	3	4	10	15	21	25	41
50-64	1561	12.6	76	3	4	11	16	22	27	46
65+	7749	12.9	82	3	4	11	17	24	29	46
TOT. SINGLE DX	1183	6.6	25	2	2	5	9	12	15	27
" MULTIPLE DX	9687	12.7	81	3	4	11	16	23	29	46
TOTAL 0-19 YRS-	68	6.9	26	2	2	6	9	12	18	30
20-34	98	7.6	38	2	2	6	10	15	17	37
35-49	328	10.5	65	2	3	9	14	20	24	38
50-64	1789	11.9	73	2	3	10	16	21	26	43
65+	8587	12.3	80	3	4	10	16	23	29	45
GRAND TOTAL	**10870**	**12.1**	**78**	**3**	**4**	**10**	**16**	**23**	**28**	**45**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	8.4	23	2	2	8	9	15	20	24
20-34	49	8.2	36	2	2	7	10	18	22	28
35-49	197	5.1	18	2	2	4	5	11	14	23
50-64	461	5.0	31	2	2	3	5	10	13	19
65+	173	6.0	28	2	2	4	8	13	17	27
2. MULTIPLE DX										
0-19 YRS	62	11.0	89	1	2	9	12	24	37	94
20-34	91	13.8	205	2	2	9	15	36	50	65
35-49	547	8.4	68	2	2	5	11	18	25	45
50-64	1325	8.9	69	2	2	6	11	18	25	45
65+	656	10.5	93	2	3	8	14	22	30	51
TOT. SINGLE DX	914	5.5	29	2	2	4	7	11	14	23
" MULTIPLE DX	2681	9.4	82	2	2	7	12	19	27	50
TOTAL 0-19 YRS	96	10.1	67	2	2	8	12	20	26	79
20-34	140	11.8	153	2	2	8	13	26	42	64
35-49	744	7.5	57	2	2	4	10	16	22	41
50-64	1786	7.8	63	2	2	5	10	16	22	41
65+	829	9.6	83	2	2	7	12	20	27	51
GRAND TOTAL	**3595**	**8.4**	**71**	**2**	**2**	**5**	**11**	**18**	**24**	**46**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	472	3.8	32	1	1	2	4	8	12	27
20-34	158	4.0	38	<1	1	2	4	9	12	22
35-49	208	3.9	18	<1	1	2	4	11	13	20
50-64	296	4.7	32	1	1	2	6	11	17	28
65+	300	5.1	30	1	1	3	6	12	18	25
2. MULTIPLE DX										
0-19 YRS	1192	6.1	77	1	2	4	6	11	19	61
20-34	287	9.0	68	1	1	7	13	22	26	47
35-49	622	8.8	88	1	1	6	12	19	28	48
50-64	1502	10.6	112	1	2	8	14	22	31	57
65+	3084	13.5	120	2	3	11	18	28	35	54
TOT. SINGLE DX	1434	4.3	31	1	1	2	5	10	14	26
" MULTIPLE DX	6687	10.9	114	1	2	8	15	24	32	55
TOTAL 0-19 YRS	1664	5.5	65	1	1	3	6	11	17	57
20-34	445	7.2	63	1	1	4	9	18	23	44
35-49	830	7.6	76	1	1	4	10	17	23	46
50-64	1798	9.7	104	1	2	7	13	21	28	53
65+	3384	12.8	118	2	2	10	17	27	34	54
GRAND TOTAL	**8121**	**9.8**	**105**	**1**	**2**	**6**	**13**	**22**	**30**	**53**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.9	4	2	2	3	5	6	8	13
20-34	795	3.8	3	1	2	4	5	6	7	11
35-49	1138	4.0	5	1	2	4	5	6	8	13
50-64	845	4.5	9	2	2	4	5	7	9	18
65+	212	6.0	21	2	2	4	7	12	15	26
2. MULTIPLE DX										
0-19 YRS	7	3.9	7	1	1	4	5	8	9	9
20-34	236	5.6	33	2	2	4	6	9	13	30
35-49	521	6.2	23	2	2	5	7	11	15	28
50-64	646	7.1	43	2	3	5	8	13	17	31
65+	304	9.4	92	2	3	6	11	19	24	60
TOT. SINGLE DX	3026	4.2	8	1	2	4	5	7	8	15
" MULTIPLE DX	1714	7.0	46	2	3	5	8	13	18	34
TOTAL 0-19 YRS	43	3.9	5	1	2	3	5	6	8	13
20-34	1031	4.2	11	1	2	4	5	6	8	16
35-49	1659	4.7	12	1	2	4	5	8	10	20
50-64	1491	5.6	26	2	2	4	6	10	14	25
65+	516	8.0	66	2	3	5	9	16	22	43
GRAND TOTAL	**4740**	**5.2**	**23**	**2**	**2**	**4**	**6**	**9**	**13**	**24**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	8.8	45	3	4	7	10	13	15	44
20-34	34	8.9	59	1	2	6	14	19	24	34
35-49	144	10.3	20	4	5	10	13	15	17	25
50-64	532	11.3	33	4	6	10	14	17	21	34
65+	453	12.8	40	6	7	12	15	19	23	40
2. MULTIPLE DX										
0-19 YRS	112	13.1	88	4	6	10	15	25	31	55
20-34	182	14.0	195	2	3	9	18	31	44	66
35-49	630	14.3	115	3	4	12	18	27	35	57
50-64	2387	16.6	151	5	7	13	19	31	40	77
65+	3092	19.7	173	6	8	16	24	37	48	79
TOT. SINGLE DX	1200	11.6	37	4	6	11	14	18	22	34
" MULTIPLE DX	6403	17.7	163	5	7	14	22	34	43	77
TOTAL 0-19 YRS	149	12.0	81	4	6	9	14	23	30	47
20-34	216	13.2	177	2	2	9	17	30	42	63
35-49	774	13.6	100	3	4	11	16	25	32	52
50-64	2919	15.6	134	5	7	12	18	29	37	72
65+	3545	18.8	162	6	8	15	23	35	46	76
GRAND TOTAL	**7603**	**16.8**	**148**	**5**	**7**	**13**	**20**	**32**	**41**	**73**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
0-19 YRS	3	13.7	4	12	12	13	15	16	16	16
20-34										
35-49	2	24.5	85	18	18	24	31	31	31	31
50-64	7	24.1	172	14	14	21	25	47	52	52
65+	7	17.7	53	7	8	18	24	26	26	26
TOT. SINGLE DX	3	9.7	4	8	8	9	11	12	12	12
" MULTIPLE DX	19	20.2	98	9	11	18	24	29	43	52
TOTAL 0-19 YRS	5	11.6	10	8	8	12	14	16	16	16
20-34										
35-49	2	24.5	85	18	18	24	31	31	31	31
50-64	8	22.6	166	12	13	19	25	44	52	52
65+	7	17.7	54	7	8	18	24	26	26	26
GRAND TOTAL	**22**	**18.7**	**98**	**8**	**9**	**17**	**24**	**28**	**39**	**52**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.0	7	<1	<1	<1	<1	4	9	15
20-34	27	4.4	21	<1	<1	3	6	10	13	22
35-49	18	2.9	5	<1	<1	2	4	6	9	10
50-64	26	9.4	162	<1	<1	7	9	21	49	49
65+	18	7.4	30	1	2	6	11	17	18	18
2. MULTIPLE DX										
0-19 YRS	101	6.3	41	1	1	4	8	14	16	39
20-34	534	6.1	35	<1	1	4	8	13	16	32
35-49	546	7.1	54	<1	1	5	9	15	19	35
50-64	1131	7.7	68	1	2	5	10	16	22	38
65+	1117	9.2	83	1	2	7	11	19	27	49
TOT. SINGLE DX	135	4.7	50	<1	<1	2	6	11	16	49
" MULTIPLE DX	3529	7.8	66	1	2	5	10	16	22	41
TOTAL 0-19 YRS	147	5.0	35	<1	<1	3	7	12	15	35
20-34	561	6.1	35	<1	1	4	8	13	16	31
35-49	664	7.0	53	<1	1	5	9	15	19	35
50-64	1157	7.8	70	1	2	5	10	16	22	43
65+	1135	9.2	83	1	2	7	11	19	27	48
GRAND TOTAL	**3664**	**7.7**	**66**	**<1**	**1**	**5**	**9**	**16**	**22**	**42**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	371	6.5	39	1	1	5	8	11	15	32
20-34	286	7.4	69	1	1	5	9	17	22	51
35-49	400	7.9	54	1	2	6	10	15	19	40
50-64	1430	8.9	50	2	3	7	11	15	19	35
65+	1967	9.2	35	3	4	8	12	16	20	32
2. MULTIPLE DX										
0-19 YRS	2473	21.0	443	3	4	13	30	60	81	99+
20-34	854	11.5	172	1	2	7	15	30	40	72
35-49	1524	12.3	148	1	2	9	16	27	39	74
50-64	6427	13.3	132	3	4	10	16	26	36	67
65+	10729	15.1	147	4	5	12	19	29	39	68
TOT. SINGLE DX	4454	8.6	45	2	3	7	11	16	19	35
" MULTIPLE DX	22007	14.9	183	3	4	11	18	31	44	82
TOTAL 0-19 YRS	2844	19.1	415	2	3	11	27	55	77	99+
20-34	1140	10.5	150	1	1	6	13	26	36	67
35-49	1924	11.4	132	1	2	8	15	25	36	72
50-64	7857	12.5	121	2	4	10	15	24	33	64
65+	12696	14.2	135	3	5	11	17	28	37	66
GRAND TOTAL	**26461**	**13.8**	**166**	**2**	**4**	**10**	**17**	**29**	**40**	**77**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	520	3.6	16	<1	1	2	4	8	11	17
20-34	530	4.0	12	1	1	3	5	9	11	16
35-49	343	4.8	19	1	1	3	6	10	14	22
50-64	416	6.3	39	1	2	4	8	12	17	30
65+	388	7.8	45	1	2	6	10	17	20	33
2. MULTIPLE DX										
0-19 YRS	290	6.5	53	1	1	5	9	13	17	34
20-34	482	7.9	77	1	2	6	10	15	20	47
35-49	572	8.7	71	1	2	6	11	17	25	44
50-64	1164	10.5	73	2	3	9	14	20	26	42
65+	1433	12.3	113	2	3	10	16	25	34	50
TOT. SINGLE DX	2197	5.1	28	1	1	3	7	11	15	25
" MULTIPLE DX	3941	10.3	90	2	2	8	13	21	28	47
TOTAL 0-19 YRS	810	4.7	31	1	1	3	6	10	14	24
20-34	1012	5.9	47	1	1	4	8	12	16	34
35-49	915	7.2	56	1	1	5	9	15	21	39
50-64	1580	9.4	68	2	2	7	12	20	24	40
65+	1821	11.4	103	2	2	9	15	24	31	49
GRAND TOTAL	**6138**	**8.5**	**74**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.5	46	1	2	3	8	16	23	27
20-34	38	5.6	18	1	1	5	8	10	12	23
35-49	63	7.6	21	2	2	7	9	14	18	23
50-64	66	10.4	87	2	3	8	11	22	32	49
65+	67	10.7	75	3	3	8	12	24	30	42
2. MULTIPLE DX										
0-19 YRS	21	12.4	110	2	3	10	15	20	34	51
20-34	66	9.7	65	3	4	8	12	16	18	52
35-49	115	12.7	183	2	3	8	14	26	45	72
50-64	259	14.6	221	3	4	9	17	30	46	86
65+	322	14.2	180	4	5	10	17	29	41	77
TOT. SINGLE DX	251	8.8	58	2	2	7	10	17	25	42
" MULTIPLE DX	783	13.7	184	3	4	9	16	27	42	75
TOTAL 0-19 YRS	38	9.7	89	1	2	7	14	19	25	51
20-34	104	8.2	52	1	2	7	10	14	17	48
35-49	178	10.9	132	2	3	8	12	21	30	69
50-64	325	13.8	197	2	4	9	16	30	44	84
65+	389	13.6	164	3	5	9	17	28	39	72
GRAND TOTAL	**1034**	**12.5**	**158**	**2**	**3**	**9**	**14**	**25**	**36**	**73**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.8	71	3	3	13	19	22	22	22
20-34										
35-49	3	15.0	111	5	5	14	23	26	26	26
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	3	35.3	858	2	2	47	54	57	57	57
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	31.0		31	31	31	31	31	31	31
50-64	1	17.0		17	17	17	17	17	17	17
65+	3	9.0	127	2	2	3	17	22	22	22
TOT. SINGLE DX	8	13.3	65	3	4	12	19	25	26	26
" MULTIPLE DX	9	21.2	407	2	2	17	35	53	57	57
TOTAL 0-19 YRS	7	22.4	467	2	2	17	41	55	57	57
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	19.0	138	5	5	20	28	31	31	31
50-64	2	13.5	25	10	10	13	17	17	17	17
65+	3	9.0	127	2	2	3	17	22	22	22
GRAND TOTAL	**17**	**17.5**	**249**	**2**	**2**	**14**	**23**	**44**	**53**	**57**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	36.5	1	36	36	36	37	37	37	37
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	41.3	54	30	32	42	44	62	92	99+
20-34	8	36.8	136	24	24	34	46	54	56	56
35-49	2	42.0	242	31	31	42	53	53	53	53
50-64										
65+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX	2	36.5	1	36	36	36	37	37	37	37
" MULTIPLE DX	24	38.7	115	21	25	39	45	56	68	99+
TOTAL 0-19 YRS	15	40.7	49	30	32	41	44	57	87	99+
20-34	8	36.8	136	24	24	34	46	54	56	56
35-49	2	42.0	242	31	31	42	53	53	53	53
50-64										
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**26**	**38.5**	**106**	**22**	**26**	**39**	**44**	**55**	**64**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	534	6.4	38	1	2	5	8	12	17	34
20-34	385	8.4	64	2	3	7	9	15	22	45
35-49	271	8.7	78	2	2	6	10	17	22	57
50-64	417	9.6	101	2	3	7	11	18	26	63
65+	578	9.3	64	2	3	7	12	19	25	39
2. MULTIPLE DX										
0-19 YRS	680	10.2	98	2	3	7	12	21	29	51
20-34	954	12.4	126	3	4	9	15	28	36	62
35-49	1124	12.7	137	3	4	9	15	28	39	61
50-64	2432	13.3	130	3	4	10	16	27	37	61
65+	6018	13.6	107	3	4	11	17	25	33	54
TOT. SINGLE DX	2185	8.4	68	2	2	6	10	16	23	44
" MULTIPLE DX	11208	13.1	118	3	4	10	16	26	35	57
TOTAL 0-19 YRS	1214	8.5	75	1	2	6	10	17	25	48
20-34	1339	11.3	112	2	3	8	13	24	33	58
35-49	1395	11.9	129	2	3	9	14	25	37	61
50-64	2849	12.8	128	3	4	9	16	26	36	61
65+	6596	13.2	106	3	4	11	16	25	33	53
GRAND TOTAL	**13393**	**12.4**	**113**	**2**	**4**	**9**	**15**	**25**	**33**	**56**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	11.1	133	1	2	8	14	26	36	92
20-34	76	11.3	138	1	1	7	15	29	34	53
35-49	67	10.9	161	1	2	6	14	24	37	70
50-64	70	11.0	149	<1	1	7	13	27	40	63
65+	41	11.1	152	2	3	7	14	20	35	69
2. MULTIPLE DX										
0-19 YRS	322	17.7	371	2	3	11	24	51	70	99+
20-34	365	17.3	294	2	3	11	24	39	49	87
35-49	448	15.1	199	2	3	10	20	35	45	76
50-64	931	15.4	209	2	3	11	22	34	45	76
65+	1026	19.0	238	3	5	14	26	41	52	77
TOT. SINGLE DX	336	11.1	144	1	2	7	14	27	36	70
" MULTIPLE DX	3092	17.0	247	2	3	12	23	38	50	85
TOTAL 0-19 YRS	404	16.3	329	2	3	10	21	44	67	99+
20-34	441	16.2	273	2	3	10	23	37	48	86
35-49	515	14.6	196	2	3	10	19	35	44	75
50-64	1001	15.1	206	2	3	10	21	33	45	75
65+	1067	18.7	238	3	4	14	26	41	51	77
GRAND TOTAL	**3428**	**16.4**	**240**	**2**	**3**	**11**	**23**	**37**	**49**	**84**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	4.5	37	<1	<1	2	6	9	19	33
20-34	85	4.4	16	1	1	3	5	9	11	23
35-49	109	6.1	21	1	1	5	9	13	16	20
50-64	214	7.4	84	1	1	5	9	15	20	42
65+	270	7.2	69	1	1	5	9	15	21	41
2. MULTIPLE DX										
0-19 YRS	132	8.7	146	1	1	4	10	17	36	55
20-34	303	8.8	84	2	3	6	10	16	26	50
35-49	737	8.6	59	1	2	7	10	18	25	40
50-64	1449	10.7	122	1	2	8	13	23	31	61
65+	2369	11.8	125	2	3	9	15	24	33	63
TOT. SINGLE DX	749	6.5	59	1	1	4	9	14	19	39
" MULTIPLE DX	4990	10.7	114	2	2	8	13	22	31	60
TOTAL 0-19 YRS	203	7.2	112	<1	1	4	8	15	30	46
20-34	388	7.9	73	1	2	6	9	15	22	45
35-49	846	8.3	55	1	2	6	10	17	22	40
50-64	1663	10.3	118	1	2	7	12	22	30	61
65+	2639	11.3	122	2	2	8	14	23	32	62
GRAND TOTAL	**5739**	**10.2**	**109**	**1**	**2**	**7**	**12**	**21**	**30**	**59**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	765	3.6	3	1	2	3	4	6	7	10
20-34	2	7.0		7	7	7	7	7	7	7
35-49	3	7.7	1	7	7	7	9	9	9	9
50-64	5	14.4	13	8	8	16	16	17	17	17
65+	3	9.3	2	8	8	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	220	5.4	21	2	2	4	6	9	12	18
20-34	15	11.7	81	4	4	10	13	19	35	40
35-49	22	11.6	42	5	6	10	13	19	26	35
50-64	27	15.3	25	9	10	15	18	24	25	28
65+	56	20.0	157	7	8	17	26	35	37	75
TOT. SINGLE DX	778	3.7	4	2	2	3	4	6	7	12
" MULTIPLE DX	340	9.3	60	2	3	6	12	18	27	42
TOTAL 0-19 YRS	985	4.0	8	2	2	3	5	6	8	13
20-34	17	11.2	74	4	4	9	12	19	33	40
35-49	25	11.1	39	6	6	9	12	17	24	35
50-64	32	15.1	23	9	10	15	17	23	24	28
65+	59	19.5	155	7	8	17	26	35	37	74
GRAND TOTAL	1118	5.4	34	2	2	4	6	10	16	31

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.9	94	2	3	8	12	26	35	35
20-34	2	25.0	450	10	10	25	40	40	40	40
35-49	5	10.2	36	5	5	7	14	20	20	20
50-64	19	12.6	149	2	3	10	15	27	43	54
65+	41	16.1	96	4	6	13	21	27	39	45
2. MULTIPLE DX										
0-19 YRS	82	18.7	276	4	4	15	30	55	99+	99+
20-34	47	29.3	798	5	6	16	48	90	99	99+
35-49	71	20.3	290	3	6	17	27	66	68	96
50-64	211	23.0	311	4	6	18	30	54	71	99+
65+	960	24.1	256	5	7	21	33	47	58	95
TOT. SINGLE DX	77	14.4	113	3	4	11	19	28	39	52
" MULTIPLE DX	1371	23.6	289	5	6	20	32	49	65	99+
TOTAL 0-19 YRS	92	17.9	261	4	4	13	29	51	99+	99+
20-34	49	29.1	776	5	6	16	47	89	99	99+
35-49	76	19.6	280	4	5	16	26	44	68	95
50-64	230	22.1	306	4	5	17	30	53	67	99+
65+	1001	23.8	252	5	7	20	32	46	58	91
GRAND TOTAL	1448	23.1	283	5	6	19	31	48	62	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	6.6	17	2	2	5	8	14	16	17
20-34	154	6.8	28	2	3	6	8	11	14	29
35-49	220	6.0	11	2	2	6	8	10	12	18
50-64	268	6.8	21	2	2	6	8	12	14	27
65+	293	8.1	36	2	2	7	10	15	18	24
2. MULTIPLE DX										
0-19 YRS	69	7.5	110	1	2	5	7	12	21	72
20-34	608	8.5	44	3	3	7	10	15	20	36
35-49	1461	9.0	41	3	4	7	11	16	21	34
50-64	2635	9.9	56	3	4	8	12	18	23	42
65+	4696	11.5	65	3	4	9	14	21	27	44
TOT. SINGLE DX	971	7.0	25	2	3	6	9	12	16	25
" MULTIPLE DX	9469	10.5	59	3	4	9	13	19	24	42
TOTAL 0-19 YRS	105	7.2	78	2	2	5	8	12	18	54
20-34	762	8.1	42	2	3	6	9	15	19	35
35-49	1681	8.6	38	3	3	7	11	15	20	31
50-64	2903	9.6	54	3	4	8	12	17	22	40
65+	4989	11.3	64	3	4	9	14	21	26	41
GRAND TOTAL	10440	10.1	57	3	4	8	12	19	24	40

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	66	12.3	38	6	7	11	13	19	25	38
35-49	116	12.5	44	7	7	11	14	19	27	40
50-64	174	13.9	41	8	8	11	16	22	25	41
65+	133	16.8	58	9	10	15	20	27	29	44
2. MULTIPLE DX										
0-19 YRS	12	20.8	416	7	8	14	22	43	77	83
20-34	113	16.7	181	7	8	13	20	27	54	99+
35-49	349	18.7	169	8	9	15	21	34	45	92
50-64	561	19.3	125	9	10	16	23	33	45	69
65+	872	23.8	177	10	11	20	29	41	51	82
TOT. SINGLE DX	492	14.1	49	7	8	12	16	23	28	40
" MULTIPLE DX	1907	21.1	169	9	10	18	25	38	49	88
TOTAL 0-19 YRS	15	17.7	369	3	4	13	20	26	69	83
20-34	179	15.1	133	6	7	12	17	25	37	96
35-49	465	17.2	146	7	8	14	19	32	43	87
50-64	735	18.0	111	8	9	15	21	32	42	63
65+	1005	22.8	168	9	11	20	27	40	49	78
GRAND TOTAL	**2399**	**19.7**	**152**	**8**	**9**	**16**	**24**	**35**	**45**	**79**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	16.3	108	8	8	13	24	28	28	28
35-49	11	16.0	8	12	12	15	18	20	20	20
50-64	17	17.5	43	8	10	17	21	28	30	31
65+	21	22.0	115	10	12	19	25	38	48	51
2. MULTIPLE DX										
0-19 YRS										
20-34	3	20.0	43	14	14	23	63	99+	99+	99+
35-49	22	29.5	432	11	12	22	40	80	87	99+
50-64	118	23.7	179	11	12	21	27	39	58	99+
65+	139	26.2	216	11	13	22	30	51	69	99+
TOT. SINGLE DX	52	18.9	72	9	11	17	22	29	33	51
" MULTIPLE DX	282	25.3	217	11	12	22	30	49	71	99+
TOTAL 0-19 YRS										
20-34	6	18.2	65	8	9	19	28	86	99+	99+
35-49	33	25.0	328	11	12	18	31	64	80	99+
50-64	135	22.9	166	10	12	20	27	37	50	99+
65+	160	25.6	205	11	13	22	30	50	64	99+
GRAND TOTAL	**334**	**24.3**	**199**	**11**	**12**	**21**	**28**	**46**	**66**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.8	10	5	5	8	12	13	13	13
20-34	59	9.1	11	5	6	9	10	14	16	19
35-49	101	10.7	23	6	7	9	12	17	21	31
50-64	80	11.0	17	6	7	10	12	16	19	27
65+	44	13.7	32	7	8	13	16	24	25	31
2. MULTIPLE DX										
0-19 YRS	3	18.7	110	8	8	19	26	29	29	29
20-34	88	13.6	107	7	7	11	15	20	32	70
35-49	188	14.1	52	7	8	12	17	23	27	41
50-64	252	16.3	100	8	8	13	19	27	33	63
65+	280	20.7	172	8	10	17	24	37	50	71
TOT. SINGLE DX	290	10.9	22	6	7	10	13	17	21	28
" MULTIPLE DX	811	17.0	123	8	8	14	20	29	38	68
TOTAL 0-19 YRS	9	12.1	58	5	5	9	14	25	29	29
20-34	147	11.8	74	6	7	10	13	18	24	49
35-49	289	12.9	45	6	7	10	16	21	26	36
50-64	332	15.0	86	7	8	12	17	25	31	61
65+	324	19.8	159	8	9	16	23	34	47	70
GRAND TOTAL	**1101**	**15.4**	**104**	**7**	**8**	**12**	**18**	**26**	**34**	**63**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	8.1	65	2	2	6	8	13	27	48
20-34	369	8.2	14	5	5	8	9	12	13	17
35-49	340	9.3	20	5	6	8	10	13	16	29
50-64	154	10.6	27	6	6	9	12	17	22	31
65+	123	14.6	68	6	8	12	18	27	35	40
2. MULTIPLE DX										
0-19 YRS	210	17.0	223	5	6	12	22	36	56	99+
20-34	756	11.3	81	5	6	9	11	18	27	63
35-49	1159	11.5	63	6	7	9	12	18	25	59
50-64	769	16.2	147	7	7	12	19	30	40	72
65+	932	21.0	198	7	9	17	26	41	49	71
TOT. SINGLE DX	1070	9.6	32	5	6	8	11	14	20	35
" MULTIPLE DX	3826	15.0	141	6	7	11	17	29	40	70
TOTAL 0-19 YRS	294	14.5	194	3	4	10	19	30	48	98
20-34	1125	10.2	62	5	6	8	11	15	22	55
35-49	1499	11.0	55	6	6	9	12	17	24	49
50-64	923	15.2	132	6	7	11	18	28	37	69
65+	1055	20.3	187	7	8	16	25	39	48	70
GRAND TOTAL	**4896**	**13.8**	**123**	**6**	**6**	**10**	**16**	**27**	**36**	**64**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	4.6	9	1	1	4	6	8	9	14
20-34	437	6.3	20	1	2	5	8	11	14	22
35-49	448	5.7	22	1	1	5	7	11	15	22
50-64	577	5.2	27	1	1	3	7	11	14	28
65+	588	5.5	42	1	1	3	7	13	18	30
2. MULTIPLE DX										
0-19 YRS	310	7.8	58	2	2	6	9	15	19	48
20-34	893	8.6	55	2	3	7	10	15	20	46
35-49	1408	8.8	50	2	2	7	11	16	21	40
50-64	2879	9.0	54	2	2	7	11	17	23	36
65+	5258	10.8	83	2	2	9	14	21	28	46
TOT. SINGLE DX	2299	5.5	27	1	1	4	7	11	15	25
" MULTIPLE DX	10748	9.8	69	2	2	8	12	19	25	43
TOTAL 0-19 YRS	559	6.4	39	1	2	5	8	12	16	29
20-34	1330	7.8	45	2	2	6	10	14	18	34
35-49	1856	8.0	45	1	2	6	10	15	20	34
50-64	3456	8.3	52	1	2	7	11	16	21	35
65+	5846	10.3	82	1	2	8	13	21	27	45
GRAND TOTAL	13047	9.0	64	1	2	7	11	18	23	41

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.3	10	5	6	9	10	13	15	20
20-34	41	11.2	32	6	7	9	13	17	27	30
35-49	56	11.6	25	7	7	10	13	19	22	30
50-64	83	13.0	48	7	7	11	16	21	29	40
65+	84	16.0	57	8	9	13	20	25	31	42
2. MULTIPLE DX										
0-19 YRS	78	19.4	420	6	6	11	27	71	99+	99+
20-34	216	16.4	161	6	7	12	20	29	45	83
35-49	284	18.0	181	7	7	13	21	36	47	73
50-64	451	20.8	225	8	9	16	25	41	56	99
65+	799	22.8	221	9	10	18	28	45	58	99+
TOT. SINGLE DX	295	13.0	45	6	7	11	16	22	27	40
" MULTIPLE DX	1828	20.6	222	7	8	16	25	42	56	99+
TOTAL 0-19 YRS	109	16.5	323	6	6	10	17	60	99	99+
20-34	257	15.6	144	6	7	12	19	29	39	76
35-49	340	16.9	161	7	7	12	20	34	44	71
50-64	534	19.6	206	7	8	15	24	38	53	96
65+	883	22.1	210	9	10	18	27	43	56	98
GRAND TOTAL	2123	19.6	205	7	8	15	24	38	53	97

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	11.4	37	6	6	9	13	18	24	37
20-34	165	12.2	33	5	6	11	14	21	24	31
35-49	265	11.6	21	7	8	11	13	16	19	31
50-64	711	12.8	32	8	8	11	15	19	22	31
65+	921	14.4	33	8	9	13	16	21	25	36
2. MULTIPLE DX										
0-19 YRS	103	15.0	138	6	6	10	20	32	41	99+
20-34	393	18.0	177	7	8	13	21	34	46	96
35-49	789	16.2	111	7	8	13	19	28	38	68
50-64	2717	17.3	99	8	9	15	20	28	36	63
65+	6574	20.2	121	9	10	17	24	34	42	64
TOT. SINGLE DX	2109	13.3	33	7	8	12	15	20	23	33
" MULTIPLE DX	10576	19.0	120	9	10	16	23	32	41	65
TOTAL 0-19 YRS	150	13.9	109	6	6	10	16	30	36	99
20-34	558	16.3	142	7	8	13	19	29	41	86
35-49	1054	15.0	93	7	8	12	16	25	34	61
50-64	3428	16.4	89	8	9	14	19	27	34	60
65+	7495	19.5	115	9	10	16	23	33	41	63
GRAND TOTAL	12685	18.1	110	8	9	15	21	31	39	63

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	7.7	14	3	3	7	10	13	15	17
20-34	7	15.0	147	4	5	11	22	35	38	38
35-49	26	10.7	27	5	5	9	13	17	24	27
50-64	39	12.2	30	6	6	11	14	18	24	32
65+	28	17.9	182	7	8	14	18	31	47	72
2. MULTIPLE DX										
0-19 YRS	27	22.4	329	4	5	15	35	53	61	63
20-34	54	16.0	141	4	5	12	18	30	47	52
35-49	65	17.7	147	7	9	15	23	28	34	83
50-64	166	19.9	197	7	8	16	24	36	52	73
65+	357	21.9	153	8	10	18	27	38	49	65
TOT. SINGLE DX	120	12.6	79	4	6	11	14	21	29	52
" MULTIPLE DX	669	20.6	173	7	9	17	25	37	49	67
TOTAL 0-19 YRS	47	16.1	246	3	4	10	18	41	54	63
20-34	61	15.9	140	4	5	11	19	31	46	52
35-49	91	15.7	122	5	7	13	20	26	31	70
50-64	205	18.4	175	7	8	14	22	32	46	72
65+	385	21.6	156	8	10	18	26	37	49	66
GRAND TOTAL	789	19.4	166	6	8	16	24	35	47	67

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	6.5	17	2	3	6	8	11	15	24
20-34	148	9.1	23	4	4	8	11	14	16	35
35-49	160	9.4	17	4	5	9	11	14	16	24
50-64	221	9.5	41	4	5	9	11	14	17	32
65+	260	10.8	22	5	6	10	13	17	19	27
2. MULTIPLE DX										
0-19 YRS	238	10.7	58	4	4	9	12	21	30	99+
20-34	373	13.0	121	5	6	10	14	24	31	87
35-49	443	15.0	146	6	7	11	17	28	38	73
50-64	743	15.0	124	5	7	12	17	28	41	74
65+	1222	16.6	139	5	7	13	19	31	40	65
TOT. SINGLE DX	954	9.3	27	3	4	9	11	15	17	26
" MULTIPLE DX	3019	15.0	131	5	7	12	17	28	39	74
TOTAL 0-19 YRS	403	9.0	46	3	3	7	11	17	23	78
20-34	521	11.9	97	4	5	9	13	21	28	81
35-49	603	13.5	118	5	6	10	15	24	33	71
50-64	964	13.7	111	5	6	11	15	25	35	73
65+	1482	15.5	124	5	7	12	18	29	38	59
GRAND TOTAL	**3973**	**13.6**	**112**	**4**	**6**	**11**	**15**	**25**	**35**	**66**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	16.8	332	5	5	12	18	26	64	81
20-34	10	13.8	53	4	7	13	13	25	32	32
35-49	18	15.8	40	7	8	14	22	24	27	28
50-64	43	14.0	36	5	7	13	17	22	24	32
65+	68	17.2	101	7	7	15	21	28	39	58
2. MULTIPLE DX										
0-19 YRS	40	20.9	407	6	6	15	31	87	99+	99+
20-34	69	24.9	410	6	7	18	33	68	79	99+
35-49	105	25.1	340	6	9	18	34	58	73	99+
50-64	359	21.7	187	8	9	19	27	39	49	87
65+	860	25.3	230	9	11	21	31	46	58	94
TOT. SINGLE DX	155	15.9	97	5	7	14	19	25	31	60
" MULTIPLE DX	1433	24.2	243	8	10	20	30	46	59	99+
TOTAL 0-19 YRS	56	19.7	383	6	6	15	25	70	97	99+
20-34	79	23.5	378	6	7	17	32	62	75	99+
35-49	123	23.8	307	7	9	18	33	55	71	99+
50-64	402	20.8	177	8	9	18	25	38	46	86
65+	928	24.7	226	9	11	20	30	45	57	88
GRAND TOTAL	**1588**	**23.4**	**235**	**8**	**9**	**19**	**29**	**44**	**58**	**97**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8507	4.1	4	2	2	4	5	7	8	12
20-34	5469	4.2	4	2	2	4	5	7	8	12
35-49	1707	5.0	7	2	2	4	6	9	10	15
50-64	805	6.5	12	3	3	6	8	11	13	19
65+	273	7.6	13	3	4	7	9	12	15	21
2. MULTIPLE DX										
0-19 YRS	2686	6.3	23	2	3	5	7	11	15	25
20-34	2094	6.4	23	2	3	5	7	11	14	23
35-49	974	8.4	30	3	4	7	10	14	17	30
50-64	809	10.8	55	4	4	9	13	19	23	39
65+	673	13.6	86	5	6	11	16	25	33	49
TOT. SINGLE DX	16761	4.4	6	2	2	4	5	7	9	13
" MULTIPLE DX	7236	7.8	39	3	3	6	9	14	19	34
TOTAL 0-19 YRS	11193	4.7	10	2	2	4	5	8	10	17
20-34	7563	4.8	11	2	2	4	6	8	10	17
35-49	2681	6.3	18	2	3	5	8	11	14	21
50-64	1614	8.6	38	3	4	7	11	15	20	33
65+	946	11.8	73	4	5	10	14	22	27	47
GRAND TOTAL	**23997**	**5.4**	**18**	**2**	**2**	**4**	**6**	**10**	**13**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	4.3	5	2	2	4	5	7	9	15
20-34	77	4.5	3	2	3	4	5	7	8	13
35-49	15	5.5	3	3	3	5	7	8	9	9
50-64	4	6.0	12	3	3	5	8	11	11	11
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	53	7.1	26	3	3	5	8	16	18	27
20-34	52	7.2	15	3	4	6	8	11	14	23
35-49	13	7.0	6	3	4	7	8	11	11	11
50-64	10	8.7	19	3	4	8	10	15	19	19
65+	21	14.0	34	6	8	13	18	23	24	26
TOT. SINGLE DX	182	4.5	5	2	2	4	5	7	9	13
" MULTIPLE DX	149	8.2	27	3	3	7	10	16	20	26
TOTAL 0-19 YRS	138	5.3	15	2	2	4	6	9	15	21
20-34	129	5.6	10	2	3	5	6	9	11	21
35-49	28	6.2	5	3	3	6	8	9	11	11
50-64	14	7.9	18	3	3	7	10	13	18	19
65+	22	13.9	34	6	8	13	17	23	24	26
GRAND TOTAL	**331**	**6.2**	**18**	**2**	**3**	**5**	**7**	**11**	**16**	**23**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.6	17	2	4	7	12	15	17	17
20-34	13	8.5	17	1	2	10	11	13	15	16
35-49	8	8.4	11	3	3	9	10	12	13	13
50-64	7	11.0	28	3	4	12	15	17	18	18
65+	7	10.9	8	8	8	10	13	15	16	16
2. MULTIPLE DX										
0-19 YRS	14	10.7	25	2	4	11	13	19	19	19
20-34	13	10.8	11	6	7	10	14	16	16	16
35-49	19	11.9	30	4	5	12	14	18	24	28
50-64	12	16.0	5	13	13	16	18	19	20	20
65+	11	23.5	61	13	15	23	25	34	42	43
TOT. SINGLE DX	54	9.1	17	2	3	9	12	15	16	18
" MULTIPLE DX	69	14.0	45	4	7	13	17	23	25	40
TOTAL 0-19 YRS	33	9.5	21	2	4	9	12	16	18	19
20-34	26	9.7	15	2	5	10	12	16	16	16
35-49	27	10.9	27	4	4	10	13	15	21	28
50-64	19	14.2	19	4	7	15	17	19	20	20
65+	18	18.6	79	8	8	17	24	27	37	43
GRAND TOTAL	**123**	**11.9**	**38**	**3**	**5**	**11**	**15**	**19**	**24**	**32**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	4.0	18	1	1	3	5	8	11	17
20-34	161	4.8	17	1	1	4	6	9	13	17
35-49	135	4.1	19	1	1	3	5	9	12	19
50-64	181	4.7	17	1	1	3	5	10	14	22
65+	305	5.7	33	1	2	4	7	11	17	31
2. MULTIPLE DX										
0-19 YRS	141	7.4	74	1	2	5	8	14	31	44
20-34	206	7.3	46	2	2	5	8	16	23	35
35-49	277	6.9	46	1	2	5	8	13	20	41
50-64	659	8.3	54	1	2	6	10	17	22	34
65+	1397	10.7	97	2	3	8	14	22	30	52
TOT. SINGLE DX	924	4.8	24	1	1	3	6	10	13	26
" MULTIPLE DX	2680	9.3	79	2	2	7	11	19	26	46
TOTAL 0-19 YRS	283	5.7	49	1	1	3	7	11	15	39
20-34	367	6.2	35	1	2	4	7	12	17	31
35-49	412	6.0	39	1	1	4	7	12	16	40
50-64	840	7.5	49	1	2	6	10	15	20	33
65+	1702	9.8	90	2	2	7	13	20	28	50
GRAND TOTAL	**3604**	**8.1**	**68**	**1**	**2**	**6**	**10**	**17**	**24**	**44**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	3.6	9	1	1	3	5	7	10	17
20-34	235	3.2	3	1	1	3	4	5	7	10
35-49	181	3.4	3	1	1	3	4	6	7	10
50-64	105	3.8	7	1	1	3	5	7	10	14
65+	39	4.9	12	1	2	4	6	11	13	16
2. MULTIPLE DX										
0-19 YRS	39	7.5	244	1	1	3	5	21	66	99+
20-34	151	5.1	19	1	2	4	6	10	13	26
35-49	179	5.7	38	1	2	4	7	10	14	43
50-64	198	7.0	42	1	2	5	8	16	19	42
65+	114	11.2	112	2	3	7	14	27	33	53
TOT. SINGLE DX	633	3.5	6	1	1	3	4	6	8	13
" MULTIPLE DX	681	7.0	63	1	2	5	8	14	20	46
TOTAL 0-19 YRS	112	5.0	93	1	1	3	5	8	13	92
20-34	386	3.9	11	1	1	3	5	7	9	17
35-49	360	4.6	22	1	1	3	5	8	11	24
50-64	303	5.9	33	1	2	4	7	12	17	34
65+	153	9.6	94	2	2	6	12	20	32	46
GRAND TOTAL	**1314**	**5.3**	**39**	**1**	**1**	**4**	**6**	**10**	**15**	**34**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	11.6	34	4	7	10	13	20	24	32
20-34	39	11.3	27	4	6	10	14	18	22	26
35-49	57	13.2	34	4	6	13	16	20	25	35
50-64	206	15.1	29	9	10	14	17	22	25	33
65+	265	16.3	48	7	10	15	19	24	31	43
2. MULTIPLE DX										
0-19 YRS	51	15.1	126	7	8	12	15	26	47	59
20-34	59	17.2	109	5	8	12	24	31	38	51
35-49	158	17.3	118	8	9	14	20	30	34	69
50-64	656	18.2	77	9	10	16	21	31	37	66
65+	1237	21.5	109	10	12	19	26	35	42	60
TOT. SINGLE DX	610	15.0	41	7	8	14	18	22	27	37
" MULTIPLE DX	2161	19.9	104	9	10	17	24	33	39	61
TOTAL 0-19 YRS	94	13.5	87	6	7	11	15	20	35	55
20-34	98	14.9	85	5	7	11	19	26	32	49
35-49	215	16.2	99	6	8	14	19	28	34	66
50-64	862	17.4	68	9	10	15	20	28	35	57
65+	1502	20.6	103	9	11	18	24	33	40	57
GRAND TOTAL	**2771**	**18.8**	**94**	**8**	**10**	**16**	**22**	**32**	**38**	**57**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	4.2	11	1	1	3	6	8	10	14
20-34	890	5.1	12	1	2	4	6	9	11	18
35-49	1006	5.4	13	1	2	5	7	10	12	18
50-64	940	6.1	25	1	2	5	8	11	15	26
65+	789	6.1	26	1	1	5	8	12	15	24
2. MULTIPLE DX										
0-19 YRS	539	6.2	48	1	2	5	7	11	14	33
20-34	2972	7.1	38	2	2	6	8	13	17	33
35-49	4670	8.0	41	2	3	6	10	15	19	32
50-64	6491	8.7	50	2	3	7	11	16	21	36
65+	9902	10.3	68	2	3	8	13	19	25	43
TOT. SINGLE DX	3934	5.5	19	1	1	5	7	10	13	22
" MULTIPLE DX	24574	9.0	56	2	3	7	11	17	22	38
TOTAL 0-19 YRS	848	5.4	36	1	1	4	7	10	12	26
20-34	3862	6.6	34	2	2	5	8	12	16	31
35-49	5676	7.6	37	2	2	6	9	14	18	31
50-64	7431	8.4	48	2	3	7	10	15	20	36
65+	10691	10.0	66	2	3	8	12	19	24	43
GRAND TOTAL	**28508**	**8.5**	**52**	**2**	**3**	**7**	**10**	**16**	**21**	**37**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.5	2	1	1	2	3	4	5	8
20-34	331	3.2	4	1	1	3	4	6	7	13
35-49	347	3.3	3	1	1	3	4	5	6	11
50-64	220	3.6	3	1	2	3	4	5	7	12
65+	81	4.4	11	2	2	4	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	25	3.4	8	<1	1	3	5	6	9	15
20-34	308	4.6	29	1	2	3	5	7	9	38
35-49	412	4.6	14	1	2	4	5	7	10	24
50-64	353	5.2	22	2	2	4	6	9	12	30
65+	194	7.4	67	2	3	5	8	14	27	45
TOT. SINGLE DX	1017	3.4	5	1	1	3	4	5	7	12
" MULTIPLE DX	1292	5.1	29	1	2	4	5	9	12	35
TOTAL 0-19 YRS	63	2.9	5	1	1	2	3	6	6	14
20-34	639	3.9	17	1	1	3	4	6	8	15
35-49	759	4.0	10	1	2	3	4	6	9	18
50-64	573	4.6	16	2	2	4	5	8	11	23
65+	275	6.5	53	2	2	4	7	11	19	43
GRAND TOTAL	**2309**	**4.4**	**19**	**1**	**2**	**3**	**5**	**7**	**10**	**26**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.8	3	<1	1	2	3	5	6	11
20-34	308	2.8	2	1	1	3	3	4	6	8
35-49	174	3.0	3	1	1	3	4	5	6	10
50-64	101	3.9	8	1	1	3	4	7	9	17
65+	58	4.3	7	1	2	4	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	37	4.1	4	1	1	4	5	7	8	8
20-34	353	4.4	15	1	2	4	5	7	10	20
35-49	390	4.9	25	1	2	4	5	7	11	33
50-64	383	5.2	19	2	2	4	6	9	12	22
65+	240	6.9	35	2	3	5	8	12	17	36
TOT. SINGLE DX	688	3.1	4	1	1	3	4	5	7	11
" MULTIPLE DX	1403	5.2	23	1	2	4	6	9	12	27
TOTAL 0-19 YRS	84	3.4	4	<1	1	3	4	6	8	10
20-34	661	3.7	10	1	1	3	4	6	8	14
35-49	564	4.3	19	1	2	4	5	7	9	20
50-64	484	5.0	17	1	2	4	6	9	12	20
65+	298	6.4	31	2	2	5	8	11	16	36
GRAND TOTAL	**2091**	**4.5**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**20**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.7	3	1	1	3	5	6	7	8
20-34	466	4.5	4	2	2	4	5	7	8	11
35-49	615	4.7	4	2	2	4	6	7	9	12
50-64	386	4.8	4	2	3	4	6	7	9	13
65+	139	4.7	4	2	2	4	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	78	5.4	8	2	3	5	6	9	11	16
20-34	2064	5.3	9	2	3	5	6	8	10	16
35-49	3217	5.6	12	2	3	5	6	9	11	18
50-64	2785	6.4	21	3	3	5	7	11	14	24
65+	1306	8.3	41	3	3	6	10	15	19	32
TOT. SINGLE DX	1640	4.6	4	2	2	4	6	7	9	12
" MULTIPLE DX	9450	6.1	19	2	3	5	7	10	13	23
TOTAL 0-19 YRS	112	4.9	7	1	2	4	6	8	10	16
20-34	2530	5.1	9	2	3	5	6	8	10	15
35-49	3832	5.5	11	2	3	5	6	8	10	18
50-64	3171	6.2	20	3	3	5	7	10	14	23
65+	1445	7.9	39	3	3	6	9	14	18	30
GRAND TOTAL	**11090**	**5.9**	**17**	**2**	**3**	**5**	**7**	**10**	**13**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	3.6	20	1	1	3	4	6	8	29
20-34	332	3.3	4	1	1	3	4	6	8	11
35-49	266	3.4	5	1	1	3	4	6	7	12
50-64	186	4.1	8	1	1	3	5	8	11	15
65+	81	4.6	9	1	2	4	5	9	11	15
2. MULTIPLE DX										
0-19 YRS	69	6.9	90	1	2	4	7	15	23	93
20-34	321	4.6	11	1	2	4	6	8	11	18
35-49	380	5.2	23	1	2	4	6	11	14	27
50-64	414	6.7	48	1	2	5	8	12	19	44
65+	346	9.1	80	2	3	6	11	20	28	54
TOT. SINGLE DX	960	3.6	8	1	1	3	4	7	9	14
" MULTIPLE DX	1530	6.5	46	1	2	4	7	13	19	40
TOTAL 0-19 YRS	164	5.0	52	1	1	3	5	9	14	62
20-34	653	4.0	8	1	1	3	5	7	9	14
35-49	646	4.5	17	1	1	3	5	8	12	21
50-64	600	5.9	38	1	2	4	7	11	16	32
65+	427	8.2	70	2	2	5	9	18	25	47
GRAND TOTAL	**2490**	**5.4**	**33**	**1**	**2**	**4**	**6**	**10**	**15**	**32**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	8	14.4	111	3	3	12	22	29	32	32
35-49	4	13.0	74	5	5	11	19	25	25	25
50-64	11	13.0	58	4	4	11	20	23	25	25
65+	6	9.0	82	2	2	6	11	24	26	26
2. MULTIPLE DX										
0-19 YRS	13	19.9	310	5	6	10	29	42	60	64
20-34	21	11.6	23	4	6	11	15	19	20	20
35-49	29	20.6	276	2	5	17	25	42	46	84
50-64	39	13.4	100	1	3	11	20	28	30	43
65+	48	21.3	152	4	5	19	30	36	41	61
TOT. SINGLE DX	31	12.3	71	3	3	10	20	25	26	32
" MULTIPLE DX	150	17.6	170	3	5	15	25	34	41	64
TOTAL 0-19 YRS	15	18.5	281	5	6	10	27	37	57	64
20-34	29	12.3	46	3	5	11	17	21	23	32
35-49	33	19.6	255	2	5	17	25	41	44	84
50-64	50	13.3	90	1	4	11	20	27	28	43
65+	54	19.9	158	3	4	18	29	35	40	60
GRAND TOTAL	**181**	**16.7**	**157**	**3**	**4**	**14**	**23**	**32**	**39**	**63**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	5.9	33	1	1	3	8	14	20	28
20-34	235	5.6	39	1	1	3	8	13	17	30
35-49	217	5.3	50	1	1	3	6	12	19	41
50-64	275	6.4	50	1	1	3	9	16	21	37
65+	142	7.1	33	1	1	5	10	15	19	25
2. MULTIPLE DX										
0-19 YRS	142	12.0	178	2	2	8	13	24	39	76
20-34	489	11.6	137	1	2	9	15	24	32	61
35-49	821	10.8	93	1	2	9	14	21	29	51
50-64	1406	12.2	111	1	2	10	16	24	33	57
65+	1500	14.2	115	2	3	12	18	27	34	56
TOT. SINGLE DX	938	6.0	44	1	1	3	8	14	19	33
" MULTIPLE DX	4358	12.6	116	1	2	10	16	25	33	58
TOTAL 0-19 YRS	211	10.0	139	1	2	7	12	20	32	66
20-34	724	9.7	113	1	1	7	13	21	28	58
35-49	1038	9.6	89	1	1	7	13	20	27	47
50-64	1681	11.3	106	1	2	9	15	23	31	52
65+	1642	13.6	113	2	2	12	18	26	33	54
GRAND TOTAL	**5296**	**11.4**	**110**	**1**	**2**	**9**	**15**	**24**	**31**	**54**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	428	6.5	5	4	4	6	7	10	11	14
20-34	5078	6.7	6	4	4	6	8	10	11	16
35-49	4434	7.0	7	4	5	6	8	10	12	16
50-64	3917	7.6	9	4	5	7	8	11	13	18
65+	2105	9.4	21	5	5	8	11	14	18	26
2. MULTIPLE DX										
0-19 YRS	352	9.5	26	4	5	8	11	17	21	29
20-34	4397	8.7	22	4	5	7	10	14	16	28
35-49	5795	9.3	27	5	5	8	11	15	19	28
50-64	8219	11.0	43	5	6	9	13	18	22	38
65+	9128	14.7	81	6	7	12	18	25	31	49
TOT. SINGLE DX	15962	7.4	10	4	5	7	8	11	13	19
" MULTIPLE DX	27891	11.5	55	5	6	9	14	20	25	41
TOTAL 0-19 YRS	780	7.9	17	4	5	7	9	13	16	27
20-34	9475	7.6	15	4	5	7	9	12	14	22
35-49	10229	8.3	20	4	5	7	9	13	16	24
50-64	12136	9.9	35	5	5	8	12	16	20	34
65+	11233	13.7	75	6	6	11	17	23	29	48
GRAND TOTAL	**43853**	**10.0**	**42**	**5**	**5**	**8**	**12**	**17**	**22**	**36**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	10.1	50	1	2	9	16	19	22	25
20-34	66	7.7	29	2	2	6	11	16	20	24
35-49	85	7.8	35	1	2	6	11	15	20	28
50-64	129	9.6	60	2	2	8	13	20	25	37
65+	148	12.8	76	2	3	13	17	23	27	34
2. MULTIPLE DX										
0-19 YRS	13	14.1	112	3	3	11	15	30	41	43
20-34	103	12.7	149	2	3	10	15	23	34	73
35-49	155	12.8	113	2	2	10	17	26	36	68
50-64	469	17.4	154	2	4	15	22	32	41	70
65+	1067	18.6	130	3	6	17	24	33	40	55
TOT. SINGLE DX	448	10.0	60	2	2	8	14	21	25	32
" MULTIPLE DX	1807	17.5	140	3	4	15	23	32	40	61
TOTAL 0-19 YRS	33	11.7	76	2	3	11	15	20	27	43
20-34	169	10.7	108	2	3	8	14	20	24	54
35-49	240	11.0	92	2	2	9	15	23	29	58
50-64	598	15.7	144	2	3	14	21	30	39	60
65+	1215	17.9	128	3	5	16	23	32	39	54
GRAND TOTAL	2255	16.0	133	2	3	14	21	30	38	57

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	10.7	65	2	2	9	15	23	28	28
20-34	114	6.7	40	1	1	5	8	13	18	39
35-49	138	7.5	60	1	1	5	9	16	23	39
50-64	151	8.6	74	1	1	6	11	20	27	44
65+	126	9.8	107	1	2	6	14	21	28	53
2. MULTIPLE DX										
0-19 YRS	21	13.1	220	1	2	9	16	23	46	70
20-34	214	12.2	119	2	2	9	16	27	38	57
35-49	427	14.7	206	2	2	11	18	38	47	85
50-64	639	15.9	235	2	3	12	20	33	47	86
65+	766	16.1	180	2	3	13	21	33	45	80
TOT. SINGLE DX	540	8.2	72	1	1	6	11	18	24	45
" MULTIPLE DX	2067	15.3	198	2	3	11	20	33	45	84
TOTAL 0-19 YRS	32	12.3	165	2	2	9	16	23	28	70
20-34	328	10.3	99	1	2	7	13	22	32	53
35-49	565	13.0	181	1	2	9	16	33	44	79
50-64	790	14.5	213	2	2	10	19	32	44	84
65+	892	15.2	175	2	3	12	20	31	44	76
GRAND TOTAL	2607	13.8	180	2	2	10	18	30	42	78

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	472	4.3	16	1	1	3	5	7	9	23
20-34	1027	5.1	13	1	2	4	6	9	11	21
35-49	885	5.1	14	1	2	4	7	10	13	18
50-64	1058	5.2	16	1	1	4	7	10	13	21
65+	1201	6.1	29	1	2	5	7	12	15	27
2. MULTIPLE DX										
0-19 YRS	566	6.2	39	1	2	5	7	12	16	38
20-34	2252	6.8	29	2	2	5	8	12	17	35
35-49	3352	7.1	36	2	2	5	9	13	18	32
50-64	6078	7.5	39	2	2	6	9	14	19	33
65+	13307	8.9	52	2	3	7	11	17	22	36
TOT. SINGLE DX	4643	5.3	19	1	2	4	7	10	13	22
" MULTIPLE DX	25555	8.1	47	2	3	6	10	15	21	36
TOTAL 0-19 YRS	1038	5.3	30	1	2	4	6	9	15	30
20-34	3279	6.2	32	2	2	5	7	11	15	30
35-49	4237	6.7	32	2	2	5	8	12	16	30
50-64	7136	7.1	37	2	2	6	9	13	17	32
65+	14508	8.7	51	2	3	7	11	16	22	36
GRAND TOTAL	30198	7.7	44	2	2	6	9	15	20	34

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3349	2.0	1	<1	1	2	3	3	4	6
20-34	4041	3.2	2	1	2	3	4	5	5	7
35-49	3382	3.5	2	1	2	3	4	5	6	8
50-64	4586	3.8	2	2	2	4	5	6	7	9
65+	3428	4.5	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	2094	2.7	27	<1	1	2	3	4	6	18
20-34	1576	4.0	8	1	2	3	5	6	8	16
35-49	2161	4.5	10	2	2	4	5	7	9	17
50-64	4317	5.3	15	2	2	4	6	9	12	20
65+	5819	7.2	32	2	3	6	8	13	18	31
TOT. SINGLE DX	18786	3.4	3	1	1	3	4	6	6	9
" MULTIPLE DX	15967	5.4	25	1	2	4	6	10	14	25
TOTAL 0-19 YRS	5443	2.3	12	<1	1	2	3	4	5	10
20-34	5617	3.4	4	1	2	3	4	5	6	9
35-49	5543	3.9	6	1	2	4	5	6	7	13
50-64	8903	4.5	10	2	2	4	5	7	9	16
65+	9247	6.2	24	2	3	5	7	11	15	27
GRAND TOTAL	34753	4.4	14	1	2	4	5	7	10	19

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	669	1.8	1	<1	1	2	2	3	4	5
20-34	349	3.7	1	1	2	4	5	6	6	7
35-49	523	4.2	2	2	2	4	5	6	7	8
50-64	699	4.4	3	2	2	4	5	6	7	10
65+	464	5.1	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	577	3.8	88	<1	1	2	3	5	11	88
20-34	186	4.4	5	2	2	4	5	6	8	16
35-49	378	5.2	7	2	3	5	6	8	10	15
50-64	790	5.6	10	2	3	5	6	9	11	17
65+	952	7.6	27	3	3	6	9	13	17	26
TOT. SINGLE DX	2704	3.8	4	1	1	4	5	6	7	10
" MULTIPLE DX	2883	5.7	33	1	2	5	7	10	13	27
TOTAL 0-19 YRS	1246	2.7	42	<1	1	2	2	4	5	48
20-34	535	3.9	3	2	2	4	5	6	7	9
35-49	901	4.6	5	2	2	4	5	7	8	12
50-64	1489	5.0	7	2	3	5	6	8	9	15
65+	1416	6.8	21	3	3	6	8	12	15	24
GRAND TOTAL	**5587**	**4.8**	**20**	**1**	**1**	**4**	**6**	**8**	**11**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.0	2	1	1	3	4	5	6	8
20-34	96	3.7	2	2	2	3	5	6	6	10
35-49	154	3.7	3	1	2	3	5	6	7	8
50-64	183	4.0	2	2	2	4	5	6	8	9
65+	199	5.6	13	2	2	5	7	9	12	21
2. MULTIPLE DX										
0-19 YRS	7	2.6		2	2	3	3	3	3	3
20-34	35	4.4	2	2	3	4	5	7	7	10
35-49	83	4.7	7	1	2	4	6	8	9	17
50-64	174	7.4	75	2	3	5	8	14	17	60
65+	477	9.5	42	3	3	8	12	18	22	34
TOT. SINGLE DX	656	4.3	7	2	2	4	5	7	8	13
" MULTIPLE DX	776	8.2	48	2	3	6	10	16	20	34
TOTAL 0-19 YRS	31	2.9	2	1	1	3	4	5	5	8
20-34	131	3.9	3	2	2	4	5	6	7	10
35-49	237	4.0	5	1	2	4	5	7	8	11
50-64	357	5.7	41	2	2	4	6	9	14	33
65+	676	8.3	37	2	3	7	11	16	20	31
GRAND TOTAL	**1432**	**6.4**	**33**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	585	1.9	1	<1	1	2	2	3	4	6
20-34	286	3.0	2	1	1	3	4	5	6	9
35-49	428	3.3	2	1	1	3	4	5	7	9
50-64	299	4.0	5	2	2	3	5	7	8	13
65+	144	5.2	12	2	2	5	6	8	11	18
2. MULTIPLE DX										
0-19 YRS	186	4.4	44	<1	1	2	5	8	14	45
20-34	168	4.6	8	1	2	4	5	9	11	15
35-49	388	5.5	20	1	2	4	7	10	13	27
50-64	546	6.7	36	2	2	5	8	12	17	29
65+	478	9.1	52	2	3	7	12	18	24	39
TOT. SINGLE DX	1742	3.1	4	1	1	3	4	5	7	10
" MULTIPLE DX	1766	6.7	38	2	2	5	8	13	18	32
TOTAL 0-19 YRS	771	2.5	13	<1	1	2	3	4	6	16
20-34	454	3.6	5	1	2	3	4	6	8	13
35-49	816	4.4	12	1	2	4	5	8	10	22
50-64	845	5.8	27	2	2	4	7	10	14	25
65+	622	8.2	46	2	3	6	10	17	22	37
GRAND TOTAL	**3508**	**4.9**	**25**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	2.5	2	<1	1	2	3	4	6	9
20-34	453	3.8	5	1	1	3	5	6	8	11
35-49	745	4.9	5	2	2	4	6	8	9	13
50-64	879	5.6	7	2	3	5	7	9	10	15
65+	577	6.6	10	2	3	6	8	10	13	19
2. MULTIPLE DX										
0-19 YRS	59	4.8	21	1	1	3	6	10	13	28
20-34	401	6.1	26	2	2	5	7	11	14	26
35-49	951	7.9	30	3	3	7	9	14	18	30
50-64	1631	8.9	40	3	4	7	10	15	21	34
65+	1556	10.7	54	3	4	9	13	19	24	38
TOT. SINGLE DX	2786	5.2	8	2	2	5	7	9	10	15
" MULTIPLE DX	4598	9.0	44	3	3	7	11	16	21	35
TOTAL 0-19 YRS	191	3.2	10	<1	1	2	4	6	9	14
20-34	854	4.9	17	1	2	4	6	8	11	21
35-49	1696	6.6	22	2	3	6	8	11	14	25
50-64	2510	7.7	32	2	3	6	9	13	18	30
65+	2133	9.6	46	3	4	8	11	17	21	36
GRAND TOTAL	**7384**	**7.5**	**34**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	4.7	7	1	2	5	6	9	10	11
20-34	21	5.8	11	1	2	6	8	10	12	14
35-49	45	7.5	10	3	4	7	9	12	13	17
50-64	57	9.5	30	2	4	8	11	16	21	31
65+	38	11.6	22	6	7	10	14	19	21	25
2. MULTIPLE DX										
0-19 YRS	46	13.5	278	1	1	9	15	23	42	98
20-34	80	11.0	56	4	5	9	13	18	22	51
35-49	188	11.7	67	5	6	9	13	19	22	50
50-64	294	12.6	53	6	7	11	15	21	29	46
65+	290	16.7	127	6	7	14	20	32	40	56
TOT. SINGLE DX	184	8.4	24	2	3	8	10	14	18	25
" MULTIPLE DX	898	13.6	96	5	6	11	16	23	33	55
TOTAL 0-19 YRS	69	10.6	204	1	1	7	11	22	36	90
20-34	101	9.9	52	2	3	8	12	16	20	47
35-49	233	10.9	59	4	5	9	12	18	21	44
50-64	351	12.1	51	5	6	10	14	20	27	44
65+	328	16.1	118	6	7	13	19	29	40	55
GRAND TOTAL	1082	12.7	88	4	5	10	15	22	31	54

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	266	4.7	33	<1	1	3	6	11	14	24
20-34	350	5.2	25	1	1	4	7	10	13	19
35-49	300	6.5	44	1	2	5	8	11	16	41
50-64	280	8.2	49	1	2	6	10	19	23	33
65+	237	11.1	108	1	2	8	15	24	32	50
2. MULTIPLE DX										
0-19 YRS	207	7.3	84	1	1	5	8	15	22	47
20-34	554	8.5	77	1	2	6	10	16	25	47
35-49	789	10.9	102	2	2	8	14	22	29	56
50-64	1396	13.1	115	2	3	10	17	26	35	54
65+	1846	15.4	152	2	4	12	20	30	39	65
TOT. SINGLE DX	1433	6.9	54	1	1	5	9	15	21	36
" MULTIPLE DX	4792	12.8	129	2	3	10	17	26	35	58
TOTAL 0-19 YRS	473	5.8	57	<1	1	4	7	12	17	39
20-34	904	7.2	60	1	2	5	9	14	19	43
35-49	1089	9.7	90	1	2	7	12	20	27	53
50-64	1676	12.3	108	2	3	10	16	25	32	52
65+	2083	14.9	149	2	3	12	19	30	38	64
GRAND TOTAL	6225	11.5	118	1	2	8	15	24	32	56

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	6.2	16	2	3	5	7	11	13	25
20-34	567	6.3	14	2	3	6	8	10	13	20
35-49	256	8.1	36	2	3	7	9	13	18	41
50-64	155	10.6	47	4	5	9	13	17	21	36
65+	153	14.2	114	3	5	12	16	28	34	62
2. MULTIPLE DX										
0-19 YRS	391	10.6	132	3	4	7	11	20	35	72
20-34	1017	9.4	82	3	4	7	10	17	26	51
35-49	565	12.9	105	4	5	9	16	26	35	51
50-64	692	17.7	162	5	7	14	23	35	45	85
65+	987	20.2	175	7	8	17	25	35	47	71
TOT. SINGLE DX	1459	7.9	39	2	3	6	9	14	17	34
" MULTIPLE DX	3652	14.6	152	4	4	10	18	30	39	66
TOTAL 0-19 YRS	719	8.6	84	2	3	6	9	16	24	59
20-34	1584	8.3	60	2	3	6	9	14	20	44
35-49	821	11.4	89	3	4	8	13	23	33	45
50-64	847	16.4	149	5	6	13	20	32	42	81
65+	1140	19.4	172	6	8	16	24	35	46	70
GRAND TOTAL	5111	12.6	129	3	4	9	16	27	35	61

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	464	3.5	6	1	1	3	5	7	9	11
20-34	1695	3.0	6	<1	1	2	4	6	8	12
35-49	270	2.8	7	1	1	2	3	6	9	13
50-64	53	4.2	22	1	1	2	5	8	15	23
65+	22	4.7	21	<1	1	3	8	10	16	20
2. MULTIPLE DX										
0-19 YRS	498	4.5	11	1	1	3	6	9	12	16
20-34	2565	3.9	13	1	1	2	5	8	11	17
35-49	561	4.6	32	1	1	2	6	10	14	24
50-64	134	6.1	33	1	1	3	8	14	19	26
65+	83	10.5	84	2	2	9	15	22	28	43
TOT. SINGLE DX	2504	3.1	7	<1	1	2	4	7	8	12
" MULTIPLE DX	3841	4.3	19	1	1	3	6	9	12	21
TOTAL 0-19 YRS	962	4.0	10	1	1	3	5	8	10	14
20-34	4260	3.5	11	1	1	2	5	8	10	16
35-49	831	4.0	25	1	1	2	5	9	12	21
50-64	187	5.6	31	1	1	3	8	12	19	25
65+	105	9.2	76	1	2	7	13	21	27	42
GRAND TOTAL	6345	3.8	15	1	1	2	5	8	11	18

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	6.8	13	1	2	7	9	11	12	22
20-34	485	6.0	16	1	2	5	8	11	14	21
35-49	363	8.4	34	2	2	7	10	15	18	30
50-64	302	10.0	25	3	5	9	13	17	20	27
65+	231	12.7	47	4	7	12	15	19	22	46
2. MULTIPLE DX										
0-19 YRS	247	10.3	86	2	3	8	12	20	25	43
20-34	1559	7.7	48	1	2	6	9	15	20	36
35-49	1071	11.9	120	2	3	9	14	24	32	62
50-64	1175	15.6	138	4	5	13	19	30	39	69
65+	1416	19.6	161	6	8	17	24	34	44	70
TOT. SINGLE DX	1529	8.5	32	2	2	7	11	15	18	28
" MULTIPLE DX	5468	13.4	134	2	4	10	17	27	35	62
TOTAL 0-19 YRS	395	9.0	62	2	3	7	11	16	22	40
20-34	2044	7.3	41	1	2	6	8	14	18	33
35-49	1434	11.0	101	2	3	8	13	21	29	58
50-64	1477	14.5	120	4	5	12	18	28	36	62
65+	1647	18.7	151	6	8	16	23	32	42	69
GRAND TOTAL	**6997**	**12.3**	**116**	**2**	**3**	**9**	**16**	**25**	**32**	**58**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	8.6	16	3	4	8	11	14	16	22
20-34	58	9.6	30	5	5	8	10	13	22	34
35-49	98	10.7	39	6	6	9	12	17	19	41
50-64	157	12.1	27	7	8	11	14	18	23	35
65+	142	13.9	41	8	8	12	16	22	28	37
2. MULTIPLE DX										
0-19 YRS	131	12.0	122	4	5	9	13	23	29	60
20-34	186	13.1	102	6	6	10	16	22	31	79
35-49	224	14.3	124	6	6	11	16	25	33	62
50-64	545	16.9	97	7	8	14	20	29	36	59
65+	815	19.2	129	8	9	16	24	33	41	69
TOT. SINGLE DX	517	11.6	35	6	6	10	13	18	23	35
" MULTIPLE DX	1901	16.8	123	6	8	14	21	30	38	62
TOTAL 0-19 YRS	193	10.9	91	4	4	9	12	18	26	50
20-34	244	12.3	88	5	6	9	14	21	25	53
35-49	322	13.2	101	6	6	10	15	23	30	61
50-64	702	15.8	86	7	8	13	19	26	34	52
65+	957	18.4	120	8	9	15	22	31	39	63
GRAND TOTAL	**2418**	**15.7**	**109**	**6**	**7**	**12**	**19**	**28**	**35**	**58**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	7.3	34	2	2	6	10	14	18	35
20-34	372	8.0	25	2	2	7	10	13	17	25
35-49	378	9.1	36	2	2	8	11	16	20	33
50-64	354	8.8	22	2	2	8	11	15	18	23
65+	152	9.4	46	1	2	9	12	19	21	34
2. MULTIPLE DX										
0-19 YRS	317	12.1	118	2	2	9	16	24	31	62
20-34	699	12.5	95	2	2	10	16	24	32	50
35-49	727	13.2	105	2	3	11	17	26	34	51
50-64	927	13.2	99	2	4	11	16	25	32	52
65+	798	14.8	123	2	3	12	19	28	36	57
TOT. SINGLE DX	1518	8.5	32	2	2	8	11	15	19	29
" MULTIPLE DX	3468	13.3	108	2	3	11	17	26	34	54
TOTAL 0-19 YRS	579	10.0	86	2	2	8	13	20	26	45
20-34	1071	10.9	75	2	2	9	14	21	28	43
35-49	1105	11.8	86	2	3	9	15	23	31	49
50-64	1281	12.0	82	2	3	10	15	21	29	48
65+	950	13.9	115	2	3	11	18	27	35	56
GRAND TOTAL	**4986**	**11.8**	**90**	**2**	**3**	**10**	**15**	**23**	**30**	**50**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	6.9	15	2	3	6	10	11	14	19
20-34	317	8.4	15	2	4	8	10	13	16	21
35-49	452	8.9	21	4	4	8	11	14	17	23
50-64	376	9.1	20	3	4	8	11	15	17	22
65+	139	10.6	23	4	5	10	14	17	20	26
2. MULTIPLE DX										
0-19 YRS	32	10.2	37	2	3	9	13	18	24	25
20-34	244	9.9	34	3	4	9	12	16	20	26
35-49	353	11.5	47	4	5	10	14	18	24	36
50-64	560	12.0	56	3	5	10	15	20	24	43
65+	459	14.1	88	3	5	12	17	25	31	55
TOT. SINGLE DX	1318	9.0	20	3	4	8	11	14	17	22
" MULTIPLE DX	1648	12.1	62	3	5	10	14	20	26	42
TOTAL 0-19 YRS	66	8.5	28	2	3	8	11	14	19	25
20-34	561	9.1	24	3	4	8	11	15	18	24
35-49	805	10.1	34	4	5	9	12	16	19	31
50-64	936	10.8	44	3	5	10	13	18	22	37
65+	598	13.3	76	3	5	11	16	23	29	45
GRAND TOTAL	**2966**	**10.7**	**46**	**3**	**5**	**9**	**13**	**18**	**22**	**36**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	7.3	10	3	4	7	9	11	13	19
20-34	18	10.3	14	4	6	9	12	15	18	20
35-49	17	14.0	47	7	8	12	15	20	31	37
50-64	23	14.0	47	6	7	12	18	22	27	36
65+	13	17.5	86	4	5	18	22	29	36	38
2. MULTIPLE DX										
0-19 YRS	274	9.2	28	4	4	8	11	14	16	42
20-34	93	13.7	80	6	7	11	15	24	32	53
35-49	54	16.5	90	7	8	16	19	34	47	99+
50-64	89	19.4	127	6	8	17	24	38	45	53
65+	109	23.8	214	10	11	20	27	43	53	81
TOT. SINGLE DX	340	8.7	26	3	4	8	10	14	19	27
" MULTIPLE DX	619	14.5	120	4	5	11	17	27	39	70
TOTAL 0-19 YRS	543	8.3	21	3	4	8	10	13	15	27
20-34	111	13.2	71	6	7	11	14	23	31	53
35-49	71	15.9	81	7	8	14	18	34	41	99+
50-64	112	18.3	115	6	7	15	23	36	42	52
65+	122	23.2	203	9	11	19	26	39	51	81
GRAND TOTAL	**959**	**12.5**	**94**	**4**	**5**	**10**	**15**	**23**	**33**	**54**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	5.1	10	<1	2	5	7	9	11	18
20-34	569	4.6	6	1	2	4	6	8	9	14
35-49	716	4.8	7	1	2	4	6	8	10	14
50-64	485	5.2	10	2	2	4	7	9	11	18
65+	173	6.0	17	2	2	5	7	12	14	21
2. MULTIPLE DX										
0-19 YRS	92	9.2	42	2	2	8	13	18	20	30
20-34	340	6.0	20	2	2	5	7	10	13	31
35-49	536	6.3	25	2	2	5	8	11	15	25
50-64	581	7.0	26	2	2	6	9	13	16	28
65+	487	9.4	54	2	3	7	12	18	23	34
TOT. SINGLE DX	2040	4.9	9	1	2	4	6	9	10	15
" MULTIPLE DX	2036	7.3	35	2	2	6	9	14	18	29
TOTAL 0-19 YRS	189	7.1	30	1	2	5	9	16	19	26
20-34	909	5.1	12	2	2	4	6	9	10	16
35-49	1252	5.4	16	1	2	5	7	9	12	20
50-64	1066	6.2	20	2	2	5	8	11	15	23
65+	660	8.5	47	2	2	7	11	16	21	33
GRAND TOTAL	**4076**	**6.1**	**23**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	624	2.8	7	<1	<1	2	3	6	9	13
20-34	977	4.1	17	1	1	3	5	8	10	16
35-49	1102	4.2	16	1	1	3	5	8	11	20
50-64	1366	3.9	14	1	1	3	5	8	10	19
65+	1463	4.4	19	1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	1106	4.3	31	<1	1	3	5	9	12	29
20-34	2105	7.1	46	1	2	5	9	15	19	39
35-49	3033	7.1	46	1	2	5	9	15	19	32
50-64	5439	8.0	64	1	2	6	10	17	22	43
65+	10473	9.8	85	1	2	7	13	21	28	45
TOT. SINGLE DX	5532	4.0	16	1	1	3	5	8	11	19
" MULTIPLE DX	22156	8.4	71	1	2	6	11	18	24	42
TOTAL 0-19 YRS	1730	3.8	23	<1	1	2	5	8	11	21
20-34	3082	6.1	39	1	1	4	8	13	17	34
35-49	4135	6.3	40	1	1	5	8	13	18	31
50-64	6805	7.2	57	1	1	5	9	15	21	39
65+	11936	9.1	80	1	2	7	12	20	26	43
GRAND TOTAL	**27688**	**7.6**	**63**	**1**	**1**	**5**	**10**	**16**	**22**	**39**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.3		1	1	2	3	3	3	3
20-34	70	3.0	4	1	1	2	3	6	7	11
35-49	218	3.3	6	1	1	3	4	7	9	13
50-64	764	3.7	6	1	1	3	5	6	8	12
65+	1809	4.3	11	1	2	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	32	4.5	12	1	1	3	6	9	11	16
20-34	163	5.0	26	1	1	4	6	10	13	30
35-49	435	5.3	36	1	1	3	6	11	16	32
50-64	1561	6.0	30	1	2	4	8	12	16	28
65+	4932	7.6	51	2	2	5	10	16	22	35
TOT. SINGLE DX	2869	4.0	10	1	1	3	5	8	10	17
" MULTIPLE DX	7123	7.1	46	1	2	5	9	15	20	34
TOTAL 0-19 YRS	40	4.0	11	1	1	3	6	9	10	16
20-34	233	4.4	21	1	1	3	6	8	12	22
35-49	653	4.7	27	1	1	3	5	9	13	26
50-64	2325	5.2	24	1	2	4	6	11	14	26
65+	6741	6.8	43	1	2	5	8	14	19	32
GRAND TOTAL	**9992**	**6.2**	**37**	**1**	**2**	**4**	**8**	**13**	**18**	**31**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	5.6	19	1	1	4	8	11	14	20
20-34	125	5.9	17	1	1	5	9	11	13	20
35-49	169	6.1	22	1	2	5	8	12	15	27
50-64	325	6.7	36	1	1	4	9	16	19	28
65+	525	6.9	39	1	2	5	10	16	19	26
2. MULTIPLE DX										
0-19 YRS	302	8.8	61	2	3	7	10	17	23	43
20-34	317	10.1	128	1	2	7	12	24	34	96
35-49	390	10.2	107	2	2	7	13	22	30	56
50-64	974	11.0	110	2	2	8	15	23	32	58
65+	2440	12.6	128	2	3	9	17	26	35	55
TOT. SINGLE DX	1249	6.5	32	1	2	4	9	14	18	25
" MULTIPLE DX	4423	11.6	119	2	2	8	15	25	32	56
TOTAL 0-19 YRS	407	8.0	53	1	2	6	10	14	21	40
20-34	442	8.9	100	1	2	6	11	19	30	74
35-49	559	8.9	85	2	2	6	11	18	27	47
50-64	1299	9.9	96	2	2	7	13	21	28	52
65+	2965	11.6	117	2	2	8	16	25	32	53
GRAND TOTAL	**5672**	**10.5**	**105**	**2**	**2**	**7**	**14**	**22**	**30**	**53**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	1.4		<1	<1	1	2	2	3	4
20-34	16	2.7	4	<1	<1	2	4	6	7	8
35-49	10	2.7	5	<1	1	2	2	6	9	9
50-64	19	2.8	3	<1	<1	2	4	5	7	9
65+	9	3.0	5	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	160	2.5	4	<1	<1	2	3	5	7	11
20-34	42	4.8	40	<1	1	3	5	11	19	32
35-49	40	6.1	47	1	1	3	7	17	18	32
50-64	65	4.8	13	1	2	4	7	10	13	17
65+	88	7.6	38	2	2	6	11	14	17	36
TOT. SINGLE DX	218	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	395	4.6	25	<1	1	3	6	11	14	29
TOTAL 0-19 YRS	324	2.0	3	<1	<1	1	2	4	6	10
20-34	58	4.2	31	<1	1	3	5	9	13	32
35-49	50	5.4	40	1	1	3	4	16	18	32
50-64	84	4.4	12	1	2	3	6	9	12	16
65+	97	7.2	37	2	2	5	10	14	17	35
GRAND TOTAL	**613**	**3.6**	**19**	**<1**	**<1**	**2**	**4**	**8**	**13**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	629	5.0	11	1	1	4	7	10	11	15
20-34	147	4.0	14	<1	1	3	5	8	10	16
35-49	127	5.0	13	1	1	5	7	9	13	19
50-64	133	5.0	10	1	2	4	7	9	10	17
65+	125	4.6	11	1	1	4	6	9	12	16
2. MULTIPLE DX										
0-19 YRS	393	5.4	19	1	1	5	7	10	13	23
20-34	162	5.4	26	1	1	4	7	11	16	28
35-49	192	7.1	23	1	2	6	9	13	17	23
50-64	308	7.0	40	1	2	5	9	14	19	32
65+	435	8.4	69	2	2	5	10	20	27	42
TOT. SINGLE DX	1161	4.8	12	1	1	4	7	9	11	16
" MULTIPLE DX	1490	6.8	41	1	2	5	9	14	19	33
TOTAL 0-19 YRS	1022	5.1	14	1	1	5	7	10	12	17
20-34	309	4.7	21	1	1	3	6	10	13	26
35-49	319	6.3	21	1	2	5	8	13	15	21
50-64	441	6.4	32	1	2	5	8	13	16	29
65+	560	7.6	59	1	2	5	9	17	24	38
GRAND TOTAL	**2651**	**6.0**	**29**	**1**	**1**	**5**	**8**	**11**	**15**	**28**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	2.3	9	<1	<1	1	2	4	7	11
20-34	163	3.0	5	<1	<1	2	4	7	8	11
35-49	146	3.4	6	<1	1	3	5	7	8	13
50-64	165	3.3	5	1	1	2	4	7	8	10
65+	190	4.0	20	1	1	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	501	2.9	20	<1	<1	2	4	5	7	29
20-34	631	6.9	61	1	1	5	9	14	21	39
35-49	871	7.3	65	1	1	5	10	15	21	46
50-64	1148	7.8	58	1	2	6	10	16	21	42
65+	2193	9.5	86	1	2	7	12	19	28	48
TOT. SINGLE DX	857	3.2	10	<1	1	2	4	7	8	13
" MULTIPLE DX	5344	7.8	71	1	1	5	10	17	23	46
TOTAL 0-19 YRS	694	2.7	17	<1	<1	2	3	5	7	20
20-34	794	6.1	52	<1	1	4	8	12	18	36
35-49	1017	6.7	59	1	1	4	9	14	20	45
50-64	1313	7.2	54	1	2	5	10	15	20	37
65+	2383	9.0	83	1	2	6	11	19	26	48
GRAND TOTAL	**6201**	**7.2**	**65**	**1**	**1**	**5**	**9**	**16**	**21**	**44**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	2.5	3	<1	1	2	3	5	6	10
20-34	194	3.6	7	1	1	3	4	8	9	13
35-49	132	4.3	10	1	1	3	5	9	12	14
50-64	120	4.9	14	1	1	4	7	10	12	19
65+	180	4.4	10	1	2	4	5	7	12	18
2. MULTIPLE DX										
0-19 YRS	178	3.4	32	<1	1	2	3	5	7	30
20-34	284	4.8	34	1	2	3	5	9	11	39
35-49	254	5.9	44	1	2	4	7	12	15	33
50-64	418	6.9	61	2	2	5	8	14	21	35
65+	769	7.3	41	2	2	5	9	15	20	33
TOT. SINGLE DX	758	3.9	10	1	1	3	5	8	11	16
" MULTIPLE DX	1903	6.3	46	1	2	4	8	13	18	33
TOTAL 0-19 YRS	310	3.0	20	<1	1	2	3	5	6	25
20-34	478	4.3	24	1	1	3	5	9	11	20
35-49	386	5.3	33	1	1	4	6	11	13	26
50-64	538	6.4	51	1	2	4	8	12	18	34
65+	949	6.8	37	2	2	5	8	14	19	30
GRAND TOTAL	**2661**	**5.6**	**37**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	102	6.9	6	3	4	7	8	10	12	15
35-49	317	7.5	4	4	5	7	9	10	11	14
50-64	299	8.5	9	5	5	8	10	12	14	22
65+	107	9.2	10	5	6	9	10	14	16	19
2. MULTIPLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	174	7.7	7	5	5	7	9	12	13	16
35-49	619	9.1	20	5	6	8	10	13	16	27
50-64	636	10.1	22	5	6	9	11	16	19	27
65+	352	11.6	34	6	7	10	14	18	24	33
TOT. SINGLE DX	827	8.0	8	4	5	8	9	11	13	17
" MULTIPLE DX	1783	9.8	24	5	6	9	11	15	18	30
TOTAL 0-19 YRS	4	6.5	11	2	2	7	9	9	9	9
20-34	276	7.4	7	4	5	7	9	11	13	15
35-49	936	8.6	16	5	5	8	10	12	14	24
50-64	935	9.6	19	5	6	9	11	15	17	26
65+	459	11.1	30	6	6	10	13	18	21	32
GRAND TOTAL	**2610**	**9.2**	**19**	**5**	**5**	**8**	**10**	**14**	**17**	**27**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	8.7	49	2	2	8	14	16	16	16
20-34	32	7.0	3	4	5	7	8	9	11	11
35-49	131	7.2	4	4	4	7	8	9	11	14
50-64	103	7.7	8	4	4	7	9	11	14	17
65+	59	9.0	12	4	5	9	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	35	9.8	206	4	5	7	10	11	14	91
35-49	146	8.4	12	4	5	8	10	12	13	24
50-64	192	9.5	24	4	5	8	11	15	19	30
65+	137	10.5	35	4	5	9	12	18	23	36
TOT. SINGLE DX	328	7.7	8	4	4	8	9	11	13	16
" MULTIPLE DX	511	9.5	36	4	5	8	11	15	19	29
TOTAL 0-19 YRS	4	8.0	35	2	2	7	12	16	16	16
20-34	67	8.5	110	4	5	7	8	11	11	78
35-49	277	7.8	9	4	5	8	9	11	12	22
50-64	295	8.9	19	4	5	8	10	14	17	26
65+	196	10.0	29	4	5	9	12	17	20	31
GRAND TOTAL	**839**	**8.8**	**26**	**4**	**5**	**8**	**10**	**13**	**17**	**24**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.0	46	<1	<1	4	8	16	23	24
20-34	15	4.7	7	2	2	5	6	9	10	11
35-49	29	6.0	12	2	2	5	9	11	13	13
50-64	24	7.0	21	1	2	6	10	15	17	17
65+	17	5.0	21	1	1	4	7	8	16	20
2. MULTIPLE DX										
0-19 YRS	16	4.3	17	<1	<1	3	5	12	12	14
20-34	52	7.2	36	1	2	6	9	13	16	39
35-49	61	7.8	44	1	2	6	10	15	25	33
50-64	97	9.4	83	2	2	7	11	18	24	57
65+	93	15.2	205	2	3	12	19	31	38	85
TOT. SINGLE DX	96	5.9	19	1	2	5	8	11	14	22
" MULTIPLE DX	319	10.2	111	2	2	7	13	21	29	56
TOTAL 0-19 YRS	27	5.0	29	<1	<1	3	6	12	15	24
20-34	67	6.6	31	2	2	5	9	12	14	35
35-49	90	7.2	35	1	2	6	9	13	16	32
50-64	121	8.9	72	2	2	7	11	17	23	56
65+	110	13.6	190	2	2	10	18	29	37	82
GRAND TOTAL	415	9.2	93	1	2	7	11	18	27	46

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.0	66	<1	<1	6	11	22	22	22
20-34	22	7.4	13	1	1	6	9	12	13	14
35-49	6	7.5	9	5	5	7	10	12	12	12
50-64	9	12.0	46	1	2	13	16	21	23	23
65+	5	8.6	16	4	4	8	10	15	15	15
2. MULTIPLE DX										
0-19 YRS	5	14.8	83	4	4	15	19	29	29	29
20-34	26	11.6	79	1	2	9	16	17	35	40
35-49	37	10.9	51	2	2	10	16	18	21	37
50-64	46	12.8	94	2	4	9	17	25	32	48
65+	52	16.1	217	3	4	12	19	42	49	69
TOT. SINGLE DX	47	8.5	25	1	1	8	10	15	19	23
" MULTIPLE DX	166	13.3	123	2	4	10	17	24	38	57
TOTAL 0-19 YRS	10	11.4	79	<1	2	9	15	25	29	29
20-34	48	9.6	53	1	2	9	11	16	19	40
35-49	43	10.5	46	2	3	9	15	18	21	37
50-64	55	12.7	86	2	4	10	17	25	30	47
65+	57	15.4	204	3	4	10	19	38	48	68
GRAND TOTAL	213	12.2	105	2	3	9	16	22	34	53

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.4	4	4	4	7	8	9	9	9
20-34	8	3.8	4	2	2	3	5	7	8	8
35-49	93	5.9	4	3	4	6	7	9	10	14
50-64	1898	6.3	6	4	4	6	7	9	11	16
65+	3904	7.1	13	4	4	6	8	11	13	27
2. MULTIPLE DX										
0-19 YRS	19	9.5	37	3	4	8	12	15	24	30
20-34	17	8.6	50	1	2	6	10	22	24	25
35-49	201	7.9	31	4	4	6	9	12	16	32
50-64	4831	8.7	35	4	4	7	10	15	19	32
65+	16442	11.0	61	4	5	9	13	20	26	42
TOT. SINGLE DX	5908	6.8	11	4	4	6	8	10	12	18
" MULTIPLE DX	21510	10.5	57	4	5	8	12	19	24	40
TOTAL 0-19 YRS	24	8.9	32	3	4	8	10	14	20	30
20-34	25	7.0	40	1	2	5	8	20	23	25
35-49	294	7.3	24	4	4	6	8	11	15	22
50-64	6729	8.1	29	4	4	7	9	13	17	28
65+	20346	10.3	55	4	5	8	12	19	24	39
GRAND TOTAL	27418	9.7	49	4	5	8	11	17	23	37

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	7	12.1	68	4	5	9	15	26	29	29
50-64	144	11.8	16	6	8	11	14	17	19	23
65+	234	12.5	22	6	7	12	15	20	21	26
2. MULTIPLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	14.0	18	11	11	14	17	17	17	17
35-49	10	11.9	75	2	2	11	20	24	24	24
50-64	312	14.1	38	7	8	13	17	22	24	37
65+	998	16.0	74	7	8	14	19	25	32	54
TOT. SINGLE DX	385	12.2	21	6	7	11	15	18	20	26
" MULTIPLE DX	1324	15.5	67	7	8	14	19	24	29	50
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	14.0	18	11	11	14	17	17	17	17
35-49	17	12.0	68	2	2	9	17	24	27	29
50-64	456	13.4	33	7	8	12	16	21	23	36
65+	1232	15.3	66	6	8	14	18	24	29	51
GRAND TOTAL	**1709**	**14.8**	**58**	**6**	**8**	**13**	**18**	**23**	**28**	**46**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	9	2.7	3	<1	<1	2	3	6	7	7
35-49	60	2.5	2	1	1	2	3	5	5	7
50-64	529	2.6	3	1	1	2	3	5	6	10
65+	673	3.4	10	1	1	2	4	6	9	19
2. MULTIPLE DX										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	21	7.0	61	1	1	4	9	20	27	29
35-49	109	5.5	29	1	1	4	7	12	16	28
50-64	810	6.0	37	1	2	4	7	13	18	31
65+	1881	8.0	64	1	2	5	11	17	23	41
TOT. SINGLE DX	1275	3.0	8	1	1	2	3	6	8	15
" MULTIPLE DX	2825	7.3	56	1	2	5	10	16	22	36
TOTAL 0-19 YRS	8	3.8	12	<1	1	3	4	10	12	12
20-34	30	5.7	47	1	1	3	6	14	26	29
35-49	169	4.4	22	1	1	3	5	9	14	25
50-64	1339	4.7	27	1	1	3	5	10	16	26
65+	2554	6.8	55	1	2	4	9	15	21	36
GRAND TOTAL	**4100**	**6.0**	**45**	**1**	**2**	**3**	**8**	**13**	**19**	**33**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	2.5	3	<1	1	2	3	5	6	10
20-34	140	2.9	5	1	1	2	3	5	7	15
35-49	122	3.6	10	1	1	3	4	8	11	17
50-64	102	3.5	4	1	1	3	4	6	8	12
65+	56	3.8	6	1	1	3	5	7	10	12
2. MULTIPLE DX										
0-19 YRS	119	3.1	10	<1	1	2	4	6	10	17
20-34	111	5.4	29	1	1	4	7	12	14	34
35-49	119	6.4	50	2	2	4	7	13	23	40
50-64	170	7.4	111	1	2	4	8	16	25	60
65+	196	8.8	95	2	2	5	11	19	25	50
TOT. SINGLE DX	566	3.2	6	1	1	2	4	6	8	13
" MULTIPLE DX	715	6.6	71	1	1	4	8	14	21	46
TOTAL 0-19 YRS	265	2.7	7	<1	1	2	3	5	8	16
20-34	251	4.0	17	1	1	3	5	9	12	17
35-49	241	5.0	32	1	1	3	6	10	14	31
50-64	272	6.0	75	1	2	4	6	11	18	51
65+	252	7.7	79	2	2	4	9	17	23	46
GRAND TOTAL	**1281**	**5.1**	**45**	**1**	**1**	**3**	**5**	**10**	**15**	**35**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	2.7	6	1	1	2	3	5	6	15
20-34	296	4.3	11	1	2	3	5	8	11	18
35-49	132	3.8	4	1	2	4	5	6	7	11
50-64	98	4.5	8	1	2	4	6	8	9	16
65+	246	5.0	17	2	2	3	6	10	14	23
2. MULTIPLE DX										
0-19 YRS	206	3.3	8	1	1	3	4	5	9	16
20-34	213	5.9	35	1	2	4	7	14	17	25
35-49	141	6.3	53	1	2	4	7	13	20	42
50-64	266	8.0	60	2	2	6	10	16	22	43
65+	1043	9.9	75	2	2	8	13	20	28	43
TOT. SINGLE DX	978	4.1	11	1	1	3	5	8	10	17
" MULTIPLE DX	1869	8.2	65	1	2	5	11	18	24	41
TOTAL 0-19 YRS	412	3.0	7	1	1	2	3	5	7	16
20-34	509	5.0	22	1	2	3	6	10	14	20
35-49	273	5.1	31	1	2	4	5	9	14	34
50-64	364	7.0	49	2	2	5	9	14	19	41
65+	1289	9.0	68	2	2	6	12	19	25	41
GRAND TOTAL	**2847**	**6.8**	**50**	**1**	**2**	**4**	**9**	**15**	**20**	**37**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	983	2.2	1	<1	1	2	3	4	5	7
20-34	118	2.6	2	1	1	2	3	4	5	11
35-49	12	2.4	2	1	1	2	3	5	5	5
50-64	5	2.6	1	2	2	2	3	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	716	2.5	2	1	1	2	3	4	6	9
20-34	51	2.9	3	1	1	3	4	5	7	9
35-49	9	3.7	6	2	2	2	5	8	9	9
50-64	4	5.8	38	2	2	3	9	15	15	15
65+	2	3.0	2	2	2	3	4	4	4	4
TOT. SINGLE DX	1119	2.2	2	1	1	2	3	4	5	7
" MULTIPLE DX	782	2.6	3	1	1	2	3	5	6	9
TOTAL 0-19 YRS	1699	2.3	2	1	1	2	3	4	5	7
20-34	169	2.7	3	1	1	2	3	5	6	10
35-49	21	3.0	4	1	1	2	4	6	8	9
50-64	9	4.0	18	2	2	3	3	11	15	15
65+	3	3.0	1	2	2	3	4	4	4	4
GRAND TOTAL	**1901**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	2.0	1	1	1	2	2	4	4	8
20-34	165	2.6	4	<1	1	2	3	5	6	11
35-49	53	3.0	4	<1	1	3	4	6	7	9
50-64	15	3.0	7	<1	1	2	3	7	10	11
65+	9	5.7	22	1	2	4	8	14	16	16
2. MULTIPLE DX										
0-19 YRS	92	3.0	9	1	1	2	3	6	11	16
20-34	90	3.6	14	<1	1	3	4	6	10	22
35-49	42	4.2	12	1	1	3	5	8	11	19
50-64	39	5.8	80	<1	1	3	5	12	16	55
65+	26	8.8	48	2	2	5	14	18	22	28
TOT. SINGLE DX	433	2.5	4	1	1	2	3	5	6	11
" MULTIPLE DX	289	4.2	27	1	1	3	5	10	14	22
TOTAL 0-19 YRS	283	2.3	5	1	1	2	3	4	6	12
20-34	255	2.9	8	<1	1	2	3	6	8	18
35-49	95	3.5	8	1	1	3	5	6	9	16
50-64	54	5.0	61	<1	1	3	5	11	14	53
65+	35	8.0	42	2	2	5	12	17	19	28
GRAND TOTAL	**722**	**3.2**	**14**	**1**	**1**	**2**	**3**	**6**	**10**	**18**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	62	1.3		<1	<1	1	1	2	3	5
35-49	25	2.3	9	<1	<1	1	2	5	8	16
50-64	11	5.8	11	1	2	5	8	11	13	13
65+	23	6.3	2	4	5	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	64	4.0	36	<1	1	2	4	9	17	34
35-49	66	4.5	38	<1	1	2	5	8	24	30
50-64	39	8.1	25	1	2	6	11	14	19	20
65+	92	9.4	30	5	5	8	11	16	20	32
TOT. SINGLE DX	126	2.8	8	<1	<1	1	5	7	9	14
" MULTIPLE DX	263	6.6	39	1	1	5	9	14	19	30
TOTAL 0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	126	2.7	21	<1	<1	1	2	5	9	30
35-49	91	3.9	31	<1	<1	2	5	7	16	29
50-64	50	7.6	23	1	2	6	10	14	19	20
65+	115	8.8	26	5	5	7	9	15	20	30
GRAND TOTAL	**389**	**5.4**	**32**	**<1**	**1**	**4**	**7**	**12**	**16**	**28**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	500	2.0	1	<1	1	2	2	3	4	6
20-34	724	2.4	2	1	1	2	3	4	5	7
35-49	518	2.4	1	1	1	2	3	4	5	7
50-64	474	3.0	3	1	1	3	4	5	6	9
65+	211	3.3	3	1	2	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	407	2.7	22	<1	1	2	3	4	6	17
20-34	601	2.8	6	1	1	2	3	5	7	11
35-49	419	3.5	8	1	1	3	4	6	9	17
50-64	524	4.6	12	1	2	3	5	9	11	19
65+	397	5.7	28	2	2	4	6	11	15	26
TOT. SINGLE DX	2427	2.5	3	1	1	2	3	4	5	8
" MULTIPLE DX	2348	3.8	16	1	1	3	4	7	10	19
TOTAL 0-19 YRS	907	2.3	11	<1	1	2	3	4	5	10
20-34	1325	2.6	4	1	1	2	3	4	6	9
35-49	937	2.9	5	1	1	2	3	5	7	13
50-64	998	3.8	9	1	2	3	4	7	9	16
65+	608	4.9	21	2	2	4	5	9	13	22
GRAND TOTAL	**4775**	**3.2**	**9**	**1**	**1**	**3**	**4**	**5**	**8**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	408	1.7	5	<1	<1	1	2	2	3	8
20-34	157	1.8		<1	1	2	2	3	3	5
35-49	129	1.8		<1	1	2	2	3	3	4
50-64	114	2.1	1	<1	1	2	2	3	5	7
65+	75	2.3	2	1	1	2	3	3	5	10
2. MULTIPLE DX										
0-19 YRS	213	4.0	47	<1	1	2	3	8	19	39
20-34	165	4.0	41	1	1	2	4	8	12	29
35-49	259	4.4	23	1	1	2	5	11	14	27
50-64	344	4.3	16	1	1	3	5	10	12	18
65+	329	6.0	37	1	2	4	8	14	17	33
TOT. SINGLE DX	1048	1.8	3	<1	<1	2	2	3	3	6
" MULTIPLE DX	1498	4.7	32	1	1	2	6	11	15	30
TOTAL 0-19 YRS	712	2.5	21	<1	<1	1	2	3	6	31
20-34	371	2.8	20	<1	1	2	3	5	8	22
35-49	436	3.5	18	1	1	2	3	9	12	22
50-64	552	3.7	15	1	1	2	4	9	11	19
65+	475	5.3	34	1	1	3	7	13	16	31
GRAND TOTAL	**2546**	**3.5**	**22**	**<1**	**1**	**2**	**3**	**8**	**12**	**26**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	3.9	6	1	1	3	5	8	9	12
20-34	126	3.8	12	<1	<1	3	4	8	12	17
35-49	85	4.8	8	1	2	4	7	9	10	14
50-64	202	4.5	6	1	2	4	6	8	9	15
65+	107	5.3	9	2	2	5	7	10	12	16
2. MULTIPLE DX										
0-19 YRS	115	4.1	14	<1	1	3	5	7	11	22
20-34	133	7.6	91	1	2	4	8	18	24	55
35-49	219	6.4	44	1	2	5	8	11	16	46
50-64	458	6.2	39	2	2	5	7	10	13	30
65+	249	7.2	43	2	2	5	9	14	19	38
TOT. SINGLE DX	637	4.4	9	1	1	4	6	8	10	15
" MULTIPLE DX	1174	6.4	46	1	2	5	7	12	17	35
TOTAL 0-19 YRS	232	4.0	10	1	1	3	5	7	10	17
20-34	259	5.8	57	<1	1	3	7	14	18	48
35-49	304	6.0	35	1	2	5	8	10	14	32
50-64	660	5.7	30	1	2	5	7	9	12	26
65+	356	6.6	34	2	2	5	8	13	17	31
GRAND TOTAL	**1811**	**5.7**	**34**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	5.2	4	2	3	5	6	8	9	12
20-34	1082	5.2	4	2	3	5	6	7	9	13
35-49	152	5.4	5	2	3	5	6	8	10	14
50-64	36	9.6	30	3	5	8	11	13	22	30
65+	16	13.8	63	5	6	11	19	26	29	31
2. MULTIPLE DX										
0-19 YRS	436	6.4	10	3	4	6	7	10	12	20
20-34	2305	6.1	10	3	4	6	7	9	11	17
35-49	426	7.4	27	2	3	6	8	13	16	32
50-64	88	12.7	102	5	5	9	14	26	34	56
65+	96	16.9	95	7	8	14	22	29	36	50
TOT. SINGLE DX	1625	5.4	7	2	3	5	6	8	9	14
" MULTIPLE DX	3351	6.8	21	3	4	6	7	10	14	27
TOTAL 0-19 YRS	775	5.9	8	3	3	5	7	9	11	17
20-34	3387	5.8	9	2	3	5	7	8	10	16
35-49	578	6.9	22	2	3	6	8	12	15	27
50-64	124	11.8	83	5	5	9	13	23	29	51
65+	112	16.4	92	7	7	14	21	29	34	49
GRAND TOTAL	**4976**	**6.3**	**17**	**2**	**3**	**6**	**7**	**9**	**13**	**24**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	5.9	4	3	4	6	7	8	9	14
20-34	1117	5.9	4	3	4	6	7	8	9	14
35-49	436	6.3	7	4	4	6	7	9	10	16
50-64	76	7.5	9	4	5	7	9	11	14	18
65+	41	10.6	25	5	6	10	12	19	22	24
2. MULTIPLE DX										
0-19 YRS	272	6.9	11	4	4	6	8	10	12	20
20-34	2475	6.8	11	4	4	6	7	10	13	20
35-49	1168	7.4	14	4	5	6	8	11	14	22
50-64	176	12.1	54	5	6	10	15	20	25	43
65+	184	17.0	105	6	8	14	21	32	40	49
TOT. SINGLE DX	1864	6.1	6	3	4	6	7	8	10	16
" MULTIPLE DX	4275	7.6	23	4	4	6	8	12	16	29
TOTAL 0-19 YRS	466	6.5	9	3	4	6	7	9	12	16
20-34	3592	6.5	9	4	4	6	7	9	11	18
35-49	1604	7.1	13	4	4	6	8	10	13	21
50-64	252	10.7	45	5	5	9	13	19	22	33
65+	225	15.8	97	6	7	12	20	31	37	48
GRAND TOTAL	**6139**	**7.2**	**19**	**4**	**4**	**6**	**8**	**11**	**14**	**25**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.6	6	3	3	6	8	10	11	11
20-34	102	6.0	3	3	4	6	7	8	9	12
35-49	166	6.8	4	4	5	6	8	10	11	15
50-64	94	8.0	9	4	5	7	9	12	14	20
65+	37	9.6	21	5	6	8	11	15	19	27
2. MULTIPLE DX										
0-19 YRS	10	6.0	3	4	4	6	7	9	10	10
20-34	528	7.4	13	4	4	6	8	12	15	23
35-49	990	8.3	26	4	5	7	9	13	17	27
50-64	422	11.2	59	5	6	8	14	19	24	40
65+	271	15.9	86	6	8	14	19	28	33	50
TOT. SINGLE DX	408	7.1	8	4	5	6	8	11	12	19
" MULTIPLE DX	2221	9.6	44	4	5	7	11	17	21	34
TOTAL 0-19 YRS	19	6.3	5	3	4	6	8	10	11	11
20-34	630	7.2	12	4	4	6	8	11	14	21
35-49	1156	8.1	24	4	5	7	9	12	16	26
50-64	516	10.6	52	5	6	8	12	18	22	36
65+	308	15.2	83	6	7	13	18	27	32	50
GRAND TOTAL	**2629**	**9.2**	**39**	**4**	**5**	**7**	**10**	**16**	**20**	**33**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.4	4	1	1	3	5	7	7	9
20-34	290	3.5	5	1	1	3	5	7	7	10
35-49	38	3.9	9	1	1	3	5	6	12	15
50-64	6	5.8	15	2	2	5	10	11	11	11
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	129	5.3	9	1	2	5	7	10	12	14
20-34	846	5.0	11	1	2	5	6	8	10	16
35-49	135	6.1	23	1	1	5	8	12	14	27
50-64	8	6.8	29	1	2	6	7	16	19	19
65+	5	9.4	19	6	6	8	11	17	17	17
TOT. SINGLE DX	415	3.6	6	1	1	3	5	7	7	12
" MULTIPLE DX	1123	5.2	13	1	2	5	6	9	11	18
TOTAL 0-19 YRS	209	4.6	8	1	1	4	6	8	10	13
20-34	1136	4.7	10	1	1	5	6	7	9	15
35-49	173	5.6	21	1	1	5	7	11	14	27
50-64	14	6.4	22	1	2	5	8	12	17	19
65+	6	8.0	27	1	1	7	9	16	17	17
GRAND TOTAL	**1538**	**4.8**	**12**	**1**	**1**	**5**	**6**	**8**	**10**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.6		<1	<1	1	2	3	3	3
20-34	1383	1.4		<1	<1	1	2	2	3	4
35-49	459	1.4		<1	<1	1	2	2	2	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	14	2.9	16	<1	<1	1	2	7	14	16
20-34	1622	2.0	4	<1	<1	2	2	3	4	11
35-49	642	2.2	7	<1	<1	2	2	4	6	14
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
TOT. SINGLE DX	1851	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	2281	2.1	5	<1	<1	2	2	3	5	12
TOTAL 0-19 YRS	21	2.4	11	<1	<1	1	2	5	10	16
20-34	3005	1.7	3	<1	<1	1	2	3	4	8
35-49	1101	1.9	5	<1	<1	1	2	3	4	12
50-64	5	1.4		<1	<1	1	2	2	2	2
65+										
GRAND TOTAL	**4132**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.5	3	1	1	4	5	6	6	6
20-34	1934	2.5	2	1	1	2	3	4	5	7
35-49	590	2.3	2	1	1	2	3	4	5	7
50-64	6	4.5	7	2	2	4	6	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	27	4.3	7	1	2	4	5	8	11	14
20-34	3356	3.5	7	1	1	3	4	5	6	13
35-49	931	3.3	8	1	1	3	4	6	7	13
50-64	10	7.5	5	4	4	7	10	11	11	11
65+										
TOT. SINGLE DX	2545	2.4	3	1	1	2	3	4	5	7
" MULTIPLE DX	4324	3.5	7	1	1	3	4	6	7	13
TOTAL 0-19 YRS	42	4.0	6	1	1	4	5	6	9	14
20-34	5290	3.1	6	1	1	3	4	5	6	11
35-49	1521	2.9	6	1	1	2	4	5	7	11
50-64	16	6.4	8	2	2	6	9	10	11	11
65+										
GRAND TOTAL	6869	3.1	6	1	1	3	4	5	6	11

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	5.3	3	3	3	5	6	8	8	10
20-34	2039	4.9	2	2	3	5	6	7	7	10
35-49	198	4.7	3	1	1	5	6	7	8	9
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	2	9.5	13	7	7	9	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	173	5.7	5	3	3	5	7	9	10	13
20-34	2602	5.4	6	2	3	5	6	8	9	13
35-49	371	6.1	8	2	3	6	7	9	11	7
50-64	8	10.9	55	3	4	8	16	22	25	25
65+	7	16.6	417	3	3	10	18	53	61	61
TOT. SINGLE DX	2385	4.9	3	2	3	5	6	7	8	10
" MULTIPLE DX	3161	5.5	8	2	3	5	6	8	9	15
TOTAL 0-19 YRS	317	5.5	4	3	3	5	7	8	10	12
20-34	4641	5.1	5	2	3	5	6	7	8	12
35-49	569	5.6	8	1	2	5	7	8	10	17
50-64	10	9.4	54	2	2	6	16	21	25	25
65+	9	15.0	324	3	3	10	14	45	61	61
GRAND TOTAL	5546	5.2	6	2	3	5	6	7	9	13

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	2.4	1	1	1	2	3	4	5	5
20-34	765	2.0	1	1	1	2	2	3	4	6
35-49	287	2.1	1	1	1	2	3	3	4	8
50-64	98	2.2	1	1	1	2	3	3	5	9
65+	42	2.9	4	<1	1	2	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	29	2.0		1	1	2	2	3	4	5
20-34	674	2.6	5	1	1	2	3	4	6	14
35-49	333	3.1	11	1	1	2	3	5	8	20
50-64	176	3.7	37	1	1	2	3	7	11	20
65+	96	6.3	65	1	1	3	6	18	25	40
TOT. SINGLE DX	1221	2.1	2	1	1	2	3	3	4	7
" MULTIPLE DX	1308	3.1	16	1	1	2	3	5	9	20
TOTAL 0-19 YRS	58	2.2	1	1	1	2	3	4	5	5
20-34	1439	2.3	3	1	1	2	3	4	5	9
35-49	620	2.7	7	1	1	2	3	5	6	15
50-64	274	3.2	25	1	1	2	3	5	9	19
65+	138	5.2	49	1	1	3	5	12	20	38
GRAND TOTAL	2529	2.6	9	1	1	2	3	4	6	16

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	1.8		<1	1	2	2	3	3	3
20-34	335	2.3	4	<1	1	2	3	4	6	9
35-49	244	2.3	3	<1	<1	2	3	4	6	10
50-64	164	2.7	6	<1	<1	2	3	6	8	15
65+	137	4.8	13	1	2	3	7	10	12	17
2. MULTIPLE DX										
0-19 YRS	44	4.1	12	1	1	3	5	9	13	99+
20-34	706	3.8	28	1	1	2	4	7	12	25
35-49	763	3.8	22	<1	1	2	4	8	11	29
50-64	562	4.7	28	1	1	2	5	11	15	26
65+	458	7.4	52	1	2	6	9	15	23	40
TOT. SINGLE DX	909	2.7	7	<1	<1	2	3	6	8	12
" MULTIPLE DX	2533	4.6	33	<1	1	3	5	10	15	29
TOTAL 0-19 YRS	73	3.2	9	1	1	2	4	7	10	81
20-34	1041	3.3	21	<1	1	2	3	6	9	23
35-49	1007	3.4	18	<1	<1	2	4	7	10	24
50-64	726	4.2	24	<1	1	2	5	10	14	23
65+	595	6.8	44	1	2	5	9	13	20	36
GRAND TOTAL	3442	4.1	26	<1	1	2	5	9	13	27

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	3.0	2	1	1	3	4	5	6	7
20-34	1113	2.7	2	1	1	2	3	4	5	7
35-49	83	2.3	1	1	1	2	3	4	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	28	4.6	7	1	2	4	6	8	9	14
20-34	371	4.3	21	1	1	3	5	8	10	21
35-49	33	2.8	5	1	1	2	3	7	8	10
50-64	5	4.4	10	1	1	4	7	9	9	9
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	1258	2.7	2	1	1	2	3	4	5	7
" MULTIPLE DX	438	4.2	19	1	1	3	5	8	10	19
TOTAL 0-19 YRS	88	3.5	4	1	1	3	4	6	7	12
20-34	1484	3.1	8	1	1	3	4	5	7	12
35-49	116	2.5	3	1	1	2	3	4	6	9
50-64	6	4.3	8	1	1	4	6	9	9	9
65+	2	5.5	13	3	3	5	8	8	8	8
GRAND TOTAL	**1696**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.6	11	1	1	4	7	9	11	13
20-34	290	5.0	5	1	1	5	6	8	9	11
35-49	90	4.6	5	1	1	5	6	7	8	10
50-64	17	2.3	1	1	1	2	3	4	5	6
65+	17	4.5	19	1	2	3	5	13	16	17
2. MULTIPLE DX										
0-19 YRS	22	5.3	16	<1	1	4	8	9	13	18
20-34	608	5.6	7	1	2	6	7	9	10	15
35-49	221	5.8	25	1	2	5	7	10	12	27
50-64	106	6.7	70	1	1	4	9	13	19	52
65+	100	9.2	93	2	2	6	12	18	33	47
TOT. SINGLE DX	433	4.8	7	1	1	5	6	8	8	12
" MULTIPLE DX	1057	6.1	27	1	2	6	7	10	13	31
TOTAL 0-19 YRS	41	5.0	14	1	1	4	7	9	11	18
20-34	898	5.4	7	1	2	6	7	8	10	13
35-49	311	5.5	20	1	1	5	7	9	11	19
50-64	123	6.1	63	1	1	3	8	12	16	51
65+	117	8.5	85	2	2	5	11	17	29	45
GRAND TOTAL	**1490**	**5.7**	**21**	**1**	**2**	**5**	**7**	**9**	**11**	**22**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	6.9	4	4	5	6	8	9	12	13
20-34	1429	6.8	4	5	5	6	7	8	10	15
35-49	2392	7.1	4	5	5	7	8	9	10	14
50-64	771	7.9	9	5	6	7	9	11	13	20
65+	424	9.4	21	6	6	8	10	13	16	26
2. MULTIPLE DX										
0-19 YRS	61	8.4	17	4	5	7	9	12	16	26
20-34	8337	7.4	10	5	5	7	8	10	12	19
35-49	18716	7.7	9	5	5	7	8	10	12	19
50-64	5034	8.9	20	5	6	8	10	13	16	27
65+	2017	12.1	52	6	7	10	14	21	26	42
TOT. SINGLE DX	5031	7.3	7	5	5	7	8	10	11	16
" MULTIPLE DX	34165	8.1	15	5	5	7	8	11	14	24
TOTAL 0-19 YRS	76	8.1	15	4	5	7	9	12	14	26
20-34	9766	7.3	9	5	5	7	8	10	12	19
35-49	21108	7.6	9	5	5	7	8	10	12	19
50-64	5805	8.8	19	5	6	8	9	13	16	27
65+	2441	11.7	48	6	7	9	13	19	24	42
GRAND TOTAL	**39196**	**8.0**	**14**	**5**	**5**	**7**	**8**	**11**	**14**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7	5	2	2	6	6	6	6	6
20-34	657	5.6	2	4	4	5	6	7	8	12
35-49	704	6.1	3	4	4	6	7	8	9	11
50-64	404	7.9	6	5	5	7	9	11	12	18
65+	315	8.5	7	6	6	8	9	12	13	20
2. MULTIPLE DX										
0-19 YRS	9	7.0	22	3	3	5	7	15	18	18
20-34	2839	6.4	5	4	4	6	7	9	10	15
35-49	4758	6.9	7	4	5	6	8	10	11	17
50-64	1796	8.3	9	5	5	8	9	12	14	19
65+	1330	9.7	19	6	6	9	11	14	18	25
TOT. SINGLE DX	2083	6.7	5	4	4	6	8	9	11	15
" MULTIPLE DX	10732	7.3	10	4	5	7	8	11	13	19
TOTAL 0-19 YRS	12	6.4	18	2	3	5	6	13	17	18
20-34	3496	6.2	5	4	4	6	7	8	10	14
35-49	5462	6.8	7	4	4	6	8	10	11	17
50-64	2200	8.2	9	5	5	8	9	12	14	19
65+	1645	9.5	17	6	6	8	11	14	17	24
GRAND TOTAL	**12815**	**7.2**	**10**	**4**	**5**	**7**	**8**	**10**	**12**	**19**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	21	11.0	14	6	7	10	12	18	19	19
35-49	47	11.2	8	7	7	12	13	15	16	17
50-64	17	13.4	26	8	8	12	16	22	24	24
65+	15	15.6	41	8	10	14	18	27	30	31
2. MULTIPLE DX										
0-19 YRS										
20-34	53	14.0	90	7	8	12	14	21	28	68
35-49	58	15.6	116	7	8	11	17	32	42	55
50-64	72	16.0	96	7	8	14	17	30	45	90
65+	41	21.1	178	8	9	17	25	40	49	72
TOT. SINGLE DX	100	12.2	20	7	8	12	14	18	20	29
" MULTIPLE DX	224	16.4	119	7	8	13	17	31	43	70
TOTAL 0-19 YRS										
20-34	74	13.2	70	7	8	12	14	19	21	62
35-49	105	13.6	72	7	8	11	14	21	33	51
50-64	89	15.5	84	7	8	13	17	28	42	83
65+	56	19.6	147	8	10	16	24	31	46	71
GRAND TOTAL	**324**	**15.1**	**92**	**7**	**8**	**12**	**17**	**27**	**35**	**60**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	1.8	1	1	1	1	2	4	4	4
20-34	109	1.9	2	<1	1	1	2	3	6	8
35-49	11	1.7	1	1	1	1	2	3	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	7.8	207	1	1	4	6	14	41	71
20-34	134	4.3	27	1	1	3	5	9	14	25
35-49	28	3.4	14	1	1	2	3	7	12	19
50-64										
65+										
TOT. SINGLE DX	136	1.9	2	<1	1	1	2	3	6	8
" MULTIPLE DX	189	4.7	52	1	1	3	5	9	14	42
TOTAL 0-19 YRS	43	5.5	138	1	1	2	5	9	22	71
20-34	243	3.2	18	<1	1	2	3	7	10	18
35-49	39	2.9	11	1	1	2	3	6	9	19
50-64										
65+										
GRAND TOTAL	**325**	**3.5**	**33**	**1**	**1**	**2**	**3**	**7**	**11**	**25**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2460	1.8	3	<1	<1	1	2	3	4	7
20-34	15746	1.7	1	<1	<1	1	2	3	4	7
35-49	4264	1.7	1	<1	<1	1	2	3	4	7
50-64	1407	2.0	2	<1	1	2	2	3	4	10
65+	554	2.6	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	1167	3.3	8	1	1	2	4	7	9	13
20-34	9446	3.3	13	<1	1	2	4	7	9	17
35-49	7001	3.3	15	<1	1	2	3	7	10	21
50-64	3378	3.8	22	1	1	2	4	9	12	23
65+	1832	5.5	40	1	1	3	7	13	17	32
TOT. SINGLE DX	24431	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	22824	3.6	18	1	1	2	4	8	11	21
TOTAL 0-19 YRS	3627	2.3	5	<1	1	2	3	4	6	11
20-34	25192	2.3	7	<1	<1	2	2	5	7	12
35-49	11265	2.7	11	<1	1	2	3	5	8	17
50-64	4785	3.2	18	<1	1	2	3	7	10	21
65+	2386	4.8	33	1	1	2	6	11	16	30
GRAND TOTAL	**47255**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	519	1.1		<1	<1	1	1	1	2	3
20-34	894	1.2		<1	<1	1	1	2	2	4
35-49	83	1.3		<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	80	4.4	63	<1	1	2	4	10	15	51
20-34	310	4.2	32	<1	1	2	5	9	14	32
35-49	97	3.3	18	<1	<1	2	4	7	9	27
50-64										
65+										
TOT. SINGLE DX	1496	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	487	4.1	35	<1	1	2	4	9	13	33
TOTAL 0-19 YRS	599	1.5	10	<1	<1	1	1	2	3	11
20-34	1204	2.0	11	<1	<1	1	2	3	6	16
35-49	180	2.4	11	<1	<1	1	3	5	7	15
50-64										
65+										
GRAND TOTAL	**1983**	**1.9**	**10**	**<1**	**<1**	**1**	**1**	**3**	**6**	**15**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	285	1.5	1	<1	<1	1	2	3	4	6
20-34	1731	1.5	1	<1	<1	1	2	2	3	5
35-49	147	1.6	1	<1	<1	1	2	3	4	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	62	2.0	1	<1	<1	2	3	4	5	5
20-34	458	2.6	9	<1	1	2	3	5	7	17
35-49	72	2.7	7	<1	<1	2	3	6	10	15
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	8	7.3	6	2	3	8	9	10	10	10
TOT. SINGLE DX	2165	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	603	2.6	9	<1	1	2	3	5	8	15
TOTAL 0-19 YRS	347	1.6	1	<1	<1	1	2	3	4	5
20-34	2189	1.7	3	<1	<1	1	2	3	4	9
35-49	219	2.0	4	<1	<1	1	2	4	5	10
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	9	6.8	7	2	2	7	9	10	10	10
GRAND TOTAL	**2768**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	3	4	4	6	7	8	8	8
20-34	33	5.8	10	1	3	5	7	8	14	16
35-49	6	8.8	1	7	7	9	10	10	10	10
50-64	4	8.0	12	4	4	8	11	11	11	11
65+	3	18.3	236	8	8	11	30	36	36	36
2. MULTIPLE DX										
0-19 YRS	7	6.0	4	3	3	6	7	9	9	9
20-34	139	5.6	8	1	2	5	6	9	11	16
35-49	22	6.2	7	2	3	6	8	10	11	13
50-64	8	6.6	9	1	2	8	9	9	9	9
65+	8	11.6	49	3	4	9	15	23	25	25
TOT. SINGLE DX	50	7.1	27	1	4	6	8	11	15	36
" MULTIPLE DX	184	6.0	11	1	2	6	7	9	12	19
TOTAL 0-19 YRS	11	6.0	3	3	3	6	7	8	9	9
20-34	172	5.7	9	1	2	5	6	9	12	16
35-49	28	6.8	7	2	4	6	9	10	11	13
50-64	12	7.1	10	1	2	8	9	11	11	11
65+	11	13.5	92	3	6	9	17	29	35	36
GRAND TOTAL	**234**	**6.3**	**14**	**1**	**3**	**6**	**8**	**10**	**12**	**20**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.3	10	<1	1	2	5	7	11	15
20-34	190	3.2	4	<1	<1	3	5	6	7	9
35-49	59	3.8	5	<1	1	3	5	8	9	10
50-64	55	3.9	5	1	2	4	4	4	5	18
65+	43	4.7	5	2	3	4	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	27	4.1	7	1	1	3	6	8	9	12
20-34	279	4.2	12	1	1	3	6	8	10	15
35-49	74	4.4	7	1	2	4	5	9	11	11
50-64	90	4.6	14	2	2	3	5	8	11	23
65+	121	4.4	11	2	3	4	4	8	11	22
TOT. SINGLE DX	380	3.6	6	<1	1	3	5	6	8	12
" MULTIPLE DX	591	4.3	12	1	1	3	5	8	11	18
TOTAL 0-19 YRS	60	3.7	9	<1	1	2	5	8	10	15
20-34	469	3.8	10	<1	1	3	5	7	9	14
35-49	133	4.1	7	1	1	3	5	9	10	11
50-64	145	4.3	11	2	2	4	4	7	10	21
65+	164	4.5	10	2	3	4	4	8	11	21
GRAND TOTAL	**971**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	93	5.7	5	3	3	6	7	8	10	14
35-49	301	6.4	6	3	4	6	8	10	11	14
50-64	553	6.8	6	3	4	6	8	10	12	15
65+	397	7.4	7	4	4	7	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	7	7.1	11	4	4	6	8	13	14	14
20-34	202	6.8	7	3	4	6	8	10	11	19
35-49	775	8.3	23	4	5	7	9	13	15	27
50-64	1162	8.4	16	4	5	8	10	13	15	20
65+	983	9.1	20	4	5	8	10	15	18	26
TOT. SINGLE DX	1346	6.8	7	3	4	6	8	10	12	15
" MULTIPLE DX	3129	8.5	19	4	5	8	10	13	16	23
TOTAL 0-19 YRS	9	6.1	13	2	2	5	8	12	14	14
20-34	295	6.5	7	3	4	6	7	9	11	17
35-49	1076	7.7	19	3	4	7	9	12	14	23
50-64	1715	7.9	14	4	5	7	9	12	14	19
65+	1380	8.6	18	4	5	8	10	14	17	24
GRAND TOTAL	**4475**	**8.0**	**16**	**4**	**4**	**7**	**9**	**12**	**15**	**21**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.0	7	<1	1	2	4	7	8	13
20-34	217	4.0	7	1	1	4	5	7	9	11
35-49	88	4.2	11	<1	1	3	6	8	9	20
50-64	44	6.2	13	1	1	6	8	9	15	18
65+	37	8.0	37	2	2	7	9	14	18	36
2. MULTIPLE DX										
0-19 YRS	45	5.4	31	1	1	3	7	13	19	24
20-34	126	5.2	13	1	2	4	7	10	12	20
35-49	95	6.2	19	1	2	5	8	13	16	20
50-64	103	9.1	53	2	3	8	12	16	18	46
65+	93	10.6	99	2	3	9	13	19	29	99+
TOT. SINGLE DX	449	4.5	13	1	1	4	6	8	10	18
" MULTIPLE DX	462	7.4	47	1	2	6	9	14	18	44
TOTAL 0-19 YRS	108	4.0	19	1	1	2	6	9	13	23
20-34	343	4.4	10	1	1	4	6	8	10	17
35-49	183	5.2	16	1	1	4	7	10	14	20
50-64	147	8.2	43	2	3	7	10	15	17	32
65+	130	9.8	83	2	3	8	12	18	27	99+
GRAND TOTAL	**911**	**5.9**	**32**	**1**	**1**	**5**	**8**	**12**	**15**	**25**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	3.2	7	<1	1	2	4	7	10	12
20-34	375	3.5	11	<1	1	2	5	8	9	17
35-49	130	3.9	10	1	1	3	5	8	10	17
50-64	100	3.9	28	<1	1	3	6	9	14	31
65+	114	6.3	22	2	2	6	8	12	14	26
2. MULTIPLE DX										
0-19 YRS	149	5.2	61	1	1	3	6	9	11	44
20-34	469	5.2	23	1	1	4	6	10	13	24
35-49	264	6.5	30	1	2	5	9	12	15	28
50-64	306	8.1	65	2	2	6	10	15	20	50
65+	490	9.7	105	2	3	7	10	19	29	61
TOT. SINGLE DX	859	4.0	15	<1	1	3	5	8	11	19
" MULTIPLE DX	1678	7.2	63	1	2	5	8	13	19	44
TOTAL 0-19 YRS	289	4.2	36	1	1	3	5	8	11	22
20-34	844	4.4	19	1	1	3	6	9	12	20
35-49	394	5.6	26	1	1	4	7	12	14	27
50-64	406	7.3	58	1	2	5	9	14	19	46
65+	604	9.1	92	2	2	7	9	18	27	59
GRAND TOTAL	**2537**	**6.2**	**49**	**1**	**1**	**5**	**8**	**12**	**17**	**38**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	2.5	4	<1	1	2	3	5	6	13
20-34	564	2.4	4	<1	1	2	3	4	5	8
35-49	316	2.4	2	<1	1	2	3	4	5	8
50-64	124	2.7	4	<1	1	2	3	5	6	12
65+	78	3.4	16	1	1	2	4	6	9	26
2. MULTIPLE DX										
0-19 YRS	119	3.6	7	1	1	3	5	7	9	14
20-34	379	4.4	25	1	1	3	5	8	11	29
35-49	290	5.8	58	1	1	3	6	14	19	39
50-64	214	7.0	58	1	2	4	9	14	22	41
65+	255	9.7	129	2	2	6	11	22	27	73
TOT. SINGLE DX	1231	2.5	5	<1	1	2	3	4	6	10
" MULTIPLE DX	1257	6.2	62	1	1	4	7	13	20	38
TOTAL 0-19 YRS	268	3.0	6	1	1	2	4	6	7	13
20-34	943	3.2	14	<1	1	2	4	6	8	19
35-49	606	4.0	32	<1	1	2	4	8	14	31
50-64	338	5.4	43	1	1	3	6	12	17	35
65+	333	8.2	110	1	2	4	10	19	26	63
GRAND TOTAL	**2488**	**4.3**	**37**	**1**	**1**	**3**	**4**	**9**	**14**	**33**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2		<1	<1	2	3	3	3	3
20-34	20	7.3	93	<1	<1	4	9	17	32	42
35-49	27	7.4	20	1	1	7	10	14	16	19
50-64	22	8.4	40	1	1	7	10	20	23	23
65+	47	10.9	80	2	3	8	15	26	27	39
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	7.0	68	1	1	5	7	13	27	38
35-49	23	12.0	71	3	4	9	17	26	28	29
50-64	49	12.3	87	2	3	9	19	27	31	41
65+	100	16.0	116	4	5	14	22	30	36	53
TOT. SINGLE DX	121	8.7	62	1	1	7	10	21	25	40
" MULTIPLE DX	192	13.6	106	2	3	10	21	27	33	44
TOTAL 0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	39	7.1	79	<1	1	4	8	13	31	42
35-49	50	9.5	49	1	2	8	12	21	25	29
50-64	71	11.1	76	2	3	8	15	24	29	39
65+	147	14.4	110	3	4	11	21	27	34	47
GRAND TOTAL	**313**	**11.7**	**94**	**1**	**2**	**8**	**17**	**26**	**31**	**41**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.1	1	1	1	2	3	4	5	7
20-34	68	3.1	4	1	1	3	4	6	6	11
35-49	19	3.4	3	1	2	3	5	6	7	8
50-64	15	4.1	9	1	1	3	4	10	11	11
65+	5	3.8	8	2	2	3	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	34	3.8	18	<1	1	3	5	7	10	24
20-34	50	3.8	5	1	2	3	5	7	10	11
35-49	10	5.3	18	1	1	4	7	12	14	14
50-64	22	7.2	29	2	2	6	9	15	18	22
65+	21	6.4	24	2	2	5	8	11	17	24
TOT. SINGLE DX	158	3.0	4	1	1	3	3	6	7	11
" MULTIPLE DX	137	4.8	18	1	1	3	6	10	13	24
TOTAL 0-19 YRS	85	2.8	9	<1	1	2	3	5	7	19
20-34	118	3.4	5	1	1	3	4	6	8	11
35-49	29	4.1	9	1	1	3	5	8	10	14
50-64	37	5.9	23	1	2	4	8	14	16	22
65+	26	5.9	22	2	2	4	8	11	14	24
GRAND TOTAL	**295**	**3.8**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.7	4	<1	<1	2	3	6	8	8
20-34	10	4.2	14	<1	<1	3	5	10	13	13
35-49	7	2.0	1	<1	<1	2	3	4	4	4
50-64	4	5.0	18	1	1	4	8	11	11	11
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	6	3.0	1	1	1	3	4	4	4	4
20-34	23	10.7	212	1	1	7	12	27	49	63
35-49	11	6.9	51	1	1	4	12	18	22	22
50-64	13	8.1	161	1	1	2	8	30	41	43
65+	15	9.3	134	1	1	7	10	18	40	48
TOT. SINGLE DX	32	3.8	16	<1	<1	3	4	9	13	19
" MULTIPLE DX	68	8.6	140	1	1	5	9	21	42	60
TOTAL 0-19 YRS	16	2.8	3	<1	<1	3	4	4	7	8
20-34	33	8.7	159	<1	1	5	8	16	39	63
35-49	18	5.0	37	<1	1	2	6	15	20	22
50-64	17	7.4	127	1	1	3	8	24	37	43
65+	16	9.9	131	1	1	7	11	19	39	48
GRAND TOTAL	**100**	**7.1**	**105**	**<1**	**1**	**4**	**8**	**15**	**25**	**55**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2671	3.2	2	2	2	3	4	4	5	6
20-34	12972	3.3	1	2	2	3	4	4	5	6
35-49	527	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2430	3.6	2	2	2	3	4	5	6	9
20-34	11391	3.8	5	2	2	4	4	5	6	9
35-49	704	4.1	4	2	3	4	5	6	7	13
50-64										
65+										
TOT. SINGLE DX	16170	3.3	2	2	2	3	4	4	5	6
" MULTIPLE DX	14525	3.8	5	2	2	4	4	5	6	9
TOTAL 0-19 YRS	5101	3.4	3	2	2	3	4	5	5	8
20-34	24363	3.6	3	2	2	3	4	5	5	8
35-49	1231	3.8	3	2	2	4	4	5	6	10
50-64										
65+										
GRAND TOTAL	**30695**	**3.6**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.1	1	1	2	3	4	4	5	5
20-34	271	3.1	1	2	2	3	4	4	5	6
35-49	17	3.1		2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	74	3.3	4	1	2	3	4	6	7	13
20-34	578	3.5	6	1	2	3	4	5	6	11
35-49	52	3.7	6	1	2	3	4	5	6	20
50-64										
65+										
TOT. SINGLE DX	312	3.1	1	2	2	3	4	4	5	6
" MULTIPLE DX	704	3.5	6	1	2	3	4	5	6	11
TOTAL 0-19 YRS	98	3.2	3	1	2	3	4	5	6	12
20-34	849	3.4	5	1	2	3	4	5	5	9
35-49	69	3.6	5	2	2	3	4	5	6	17
50-64										
65+										
GRAND TOTAL	**1016**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	365	3.2		2	2	3	4	4	5	6
20-34	2441	3.5	1	2	2	3	4	5	5	7
35-49	132	3.6		2	2	4	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	570	3.7	2	2	2	3	4	5	6	10
20-34	3598	4.0	3	2	3	4	4	5	6	10
35-49	239	4.4	35	2	2	4	5	6	7	12
50-64										
65+										
TOT. SINGLE DX	2938	3.5	1	2	2	3	4	5	5	6
" MULTIPLE DX	4407	4.0	5	2	3	4	4	5	6	10
TOTAL 0-19 YRS	935	3.5	2	2	2	3	4	5	5	8
20-34	6039	3.8	3	2	3	4	4	5	6	8
35-49	371	4.1	23	2	2	4	5	5	6	9
50-64										
65+										
GRAND TOTAL	7345	3.8	4	2	2	4	4	5	6	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15215	3.0	1	2	2	3	3	4	4	6
20-34	93732	3.1	1	2	2	3	4	4	5	6
35-49	4319	3.2	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4821	3.4	2	2	2	3	4	5	6	10
20-34	33320	3.6	3	2	2	3	4	5	6	9
35-49	2556	3.9	9	2	2	4	4	5	7	12
50-64										
65+										
TOT. SINGLE DX	113266	3.1	1	2	2	3	4	4	5	6
" MULTIPLE DX	40697	3.6	4	2	2	3	4	5	6	10
TOTAL 0-19 YRS	20036	3.1	2	2	2	3	4	4	5	7
20-34	127052	3.2	2	2	2	3	4	4	5	7
35-49	6875	3.4	5	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	153963	3.2	2	2	2	3	4	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1515	5.5	2	4	4	5	6	7	8	11
20-34	15182	5.7	3	4	4	6	6	7	8	10
35-49	727	6.0	2	4	4	6	7	7	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3904	6.3	9	4	4	6	7	9	11	17
20-34	30715	6.3	11	4	4	6	7	8	10	19
35-49	2639	6.8	13	4	5	6	7	9	11	24
50-64										
65+										
TOT. SINGLE DX	17424	5.7	3	4	4	6	6	7	8	10
" MULTIPLE DX	37258	6.3	11	4	4	6	7	8	10	19
TOTAL 0-19 YRS	5419	6.1	7	4	4	6	7	8	10	16
20-34	45897	6.1	9	4	4	6	6	8	9	16
35-49	3366	6.6	11	4	5	6	7	8	10	22
50-64										
65+										
GRAND TOTAL	54682	6.1	9	4	4	6	7	8	9	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	5.3	1	3	4	5	6	7	7	8
20-34	911	5.6	1	4	4	6	6	7	8	10
35-49	42	5.8	4	4	4	5	7	7	8	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	251	6.8	19	4	4	6	7	10	12	24
20-34	1818	6.4	13	4	4	6	7	8	10	19
35-49	166	7.3	27	4	5	6	8	10	13	43
50-64										
65+										
TOT. SINGLE DX	1076	5.6	2	4	4	5	6	7	8	10
" MULTIPLE DX	2235	6.5	15	4	4	6	7	8	10	20
TOTAL 0-19 YRS	374	6.3	14	4	4	6	7	9	11	17
20-34	2729	6.1	10	4	4	6	6	8	9	17
35-49	208	7.0	23	4	5	6	7	10	12	33
50-64										
65+										
GRAND TOTAL	3311	6.2	11	4	4	6	7	8	9	18

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	70	5.1	2	3	3	5	6	7	8	9
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	88	6.0	5	3	4	6	7	9	10	14
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64										
65+										
TOT. SINGLE DX	76	5.1	3	3	3	5	6	8	8	13
" MULTIPLE DX	93	6.0	5	3	4	6	7	9	10	14
TOTAL 0-19 YRS	6	5.0	7	2	2	4	7	9	9	9
20-34	158	5.6	4	3	4	5	6	8	9	13
35-49	5	6.0	24	2	2	4	9	14	14	14
50-64										
65+										
GRAND TOTAL	**169**	**5.6**	**5**	**3**	**4**	**5**	**7**	**8**	**9**	**14**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	1.6		1	1	2	2	2	3	3
20-34	382	1.6		1	1	2	2	3	3	4
35-49	17	1.6		1	1	2	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	96	1.9		1	1	2	2	3	4	5
20-34	137	2.2	2	1	1	2	2	3	4	11
35-49	18	2.1		1	1	2	2	3	4	5
50-64										
65+										
TOT. SINGLE DX	792	1.6		1	1	2	2	2	3	3
" MULTIPLE DX	251	2.1	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	489	1.6		1	1	2	2	2	3	4
20-34	519	1.8	1	1	1	2	2	3	3	5
35-49	35	1.9	1	1	1	2	2	3	3	5
50-64										
65+										
GRAND TOTAL	**1043**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	4.7	26	<1	1	3	5	9	14	30
20-34	397	4.0	22	<1	<1	3	5	8	13	22
35-49	23	9.2	362	<1	1	4	8	16	45	94
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	69	6.6	47	1	1	4	8	16	20	35
20-34	339	5.9	34	<1	1	4	7	14	19	26
35-49	24	6.9	100	<1	1	4	7	14	27	50
50-64										
65+										
TOT. SINGLE DX	508	4.3	39	<1	<1	3	5	9	14	24
" MULTIPLE DX	432	6.1	40	<1	1	4	7	14	19	29
TOTAL 0-19 YRS	157	5.5	36	<1	1	4	7	13	18	35
20-34	736	4.9	29	<1	1	3	6	11	16	26
35-49	47	8.0	225	1	1	4	7	16	23	94
50-64										
65+										
GRAND TOTAL	**940**	**5.1**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**28**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1565	2.4	2	<1	<1	2	3	4	4	6
20-34	8361	2.7	1	<1	<1	3	3	4	5	6
35-49	387	2.7	4	<1	<1	3	3	4	5	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	620	3.2	3	<1	1	3	4	5	6	11
20-34	3581	3.5	9	1	1	3	4	5	6	13
35-49	234	3.9	12	1	2	3	4	6	8	25
50-64										
65+										
TOT. SINGLE DX	10313	2.6	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	4435	3.5	9	1	1	3	4	5	6	13
TOTAL 0-19 YRS	2185	2.6	3	<1	<1	3	3	4	5	8
20-34	11942	2.9	4	<1	<1	3	3	4	5	8
35-49	621	3.1	7	<1	<1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**14748**	**2.9**	**4**	**<1**	**<1**	**3**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2102	2.8	1	1	2	3	3	4	4	5
20-34	12893	2.9	1	1	2	3	3	4	4	6
35-49	786	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1962	3.3	2	2	2	3	4	5	6	8
20-34	11984	3.3	2	2	2	3	4	5	5	8
35-49	881	3.7	4	1	2	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	15781	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	14827	3.3	3	2	2	3	4	5	5	8
TOTAL 0-19 YRS	4064	3.1	2	2	2	3	3	4	5	7
20-34	24877	3.1	2	1	2	3	4	4	5	7
35-49	1667	3.3	3	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	30608	3.1	2	1	2	3	4	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.9	11	1	1	3	4	9	10	16
20-34	49	3.4	5	1	1	3	4	7	9	10
35-49	36	4.4	23	1	1	3	5	9	11	29
50-64	37	6.0	32	1	1	4	7	14	21	24
65+	22	7.0	39	1	2	4	9	16	21	28
2. MULTIPLE DX										
0-19 YRS	18	3.6	3	1	2	3	5	6	8	9
20-34	46	6.0	61	1	1	3	6	16	22	37
35-49	35	10.6	145	1	2	5	19	32	39	44
50-64	114	10.4	173	1	2	5	15	25	40	91
65+	93	11.0	166	2	2	9	14	20	30	77
TOT. SINGLE DX	195	4.6	20	1	1	3	6	9	14	26
" MULTIPLE DX	306	9.6	145	1	2	5	13	21	36	75
TOTAL 0-19 YRS	69	3.8	9	1	1	3	4	8	10	16
20-34	95	4.7	34	1	1	3	5	9	16	37
35-49	71	7.5	92	1	1	4	7	20	32	43
50-64	151	9.3	143	1	2	5	13	22	35	85
65+	115	10.3	144	2	2	8	14	18	28	75
GRAND TOTAL	501	7.6	102	1	2	4	9	17	25	59

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	623	3.6	1	1	2	3	4	5	6	7
20-34	917	3.4	1	1	2	3	4	5	6	7
35-49	328	3.5	3	1	2	3	4	5	6	10
50-64	130	3.5	3	1	2	3	4	6	7	12
65+	26	3.3	4	1	1	2	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	435	4.1	4	2	3	4	5	6	7	13
20-34	557	4.6	27	2	3	4	5	6	8	18
35-49	222	4.7	18	2	2	4	5	7	12	30
50-64	133	5.2	19	2	2	4	6	10	13	24
65+	48	7.9	104	2	2	4	9	17	24	64
TOT. SINGLE DX	2024	3.5	2	1	2	3	4	5	6	8
" MULTIPLE DX	1395	4.7	21	2	2	4	5	7	9	24
TOTAL 0-19 YRS	1058	3.8	3	2	2	4	4	5	6	9
20-34	1474	3.9	12	2	2	3	4	5	6	11
35-49	550	4.0	10	1	2	3	5	6	7	18
50-64	263	4.4	12	1	2	4	5	8	11	22
65+	74	6.3	74	1	2	4	6	13	19	56
GRAND TOTAL	3419	4.0	10	1	2	4	4	6	7	14

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	2.6	2	1	1	2	3	5	6	10
20-34	357	2.7	3	1	1	2	3	5	6	11
35-49	43	3.3	4	1	2	3	4	6	7	12
50-64	10	6.1	48	1	1	3	8	17	24	24
65+	7	3.9	2	2	2	3	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	265	4.4	34	1	1	3	5	8	10	18
20-34	404	5.3	40	1	1	3	7	11	13	36
35-49	148	7.2	67	2	2	5	8	14	21	48
50-64	54	6.7	36	1	2	5	8	14	19	30
65+	42	13.8	159	2	3	11	15	27	41	68
TOT. SINGLE DX	629	2.8	4	1	1	2	3	5	6	11
" MULTIPLE DX	913	5.8	52	1	2	4	7	12	15	41
TOTAL 0-19 YRS	477	3.6	21	1	1	3	4	6	9	16
20-34	761	4.1	25	1	1	3	5	8	11	20
35-49	191	6.4	56	1	2	4	7	13	16	43
50-64	64	6.6	38	1	2	5	8	14	20	29
65+	49	12.4	149	2	3	9	14	24	40	68
GRAND TOTAL	1542	4.6	35	1	1	3	5	9	13	29

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS.	169	3.2	4	1	1	3	4	5	6	14
20-34	491	3.0	4	1	1	3	4	5	7	11
35-49	170	3.3	4	1	1	3	4	6	8	10
50-64	60	3.9	9	1	1	3	5	6	8	20
65+	16	4.4	9	1	2	4	5	7	12	14
2. MULTIPLE DX										
0-19 YRS.	284	6.4	54	1	2	4	8	13	19	43
20-34	684	6.1	40	1	2	4	7	11	16	38
35-49	273	7.3	50	1	2	5	9	14	19	40
50-64	142	6.9	35	2	2	6	9	13	17	33
65+	78	11.8	104	2	3	9	16	24	27	61
TOT. SINGLE DX	886	3.2	5	1	1	3	4	6	7	12
" MULTIPLE DX	1461	6.8	49	1	2	5	8	13	19	39
TOTAL 0-19 YRS.	433	5.4	40	1	2	4	6	10	18	37
20-34	1175	4.8	27	1	1	3	6	10	12	25
35-49	443	5.8	37	1	1	4	7	11	15	31
50-64	202	6.0	30	1	2	4	7	12	15	32
65+	94	10.6	96	2	2	7	14	22	26	55
GRAND TOTAL	2347	5.4	36	1	1	4	7	11	15	32

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS.	29	3.6	6	<1	1	3	4	7	9	12
20-34	36	3.5	7	<1	1	3	4	6	9	16
35-49	31	3.5	6	1	1	3	5	8	9	10
50-64	40	3.5	6	1	1	3	4	6	10	11
65+	18	2.7	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS.	22	4.8	25	<1	1	3	6	8	15	25
20-34	38	4.6	17	2	1	3	5	9	15	22
35-49	39	6.5	37	1	1	4	8	11	18	27
50-64	56	5.9	37	1	2	4	8	15	21	26
65+	33	6.0	24	2	2	4	8	13	18	21
TOT. SINGLE DX	154	3.4	6	1	1	3	4	7	9	12
" MULTIPLE DX	188	5.7	29	1	2	4	6	13	18	26
TOTAL 0-19 YRS.	51	4.1	14	<1	1	3	5	7	9	25
20-34	74	4.1	13	1	1	3	4	7	13	22
35-49	70	5.2	26	1	1	4	6	12	18	25
50-64	96	4.9	26	1	2	3	6	12	17	26
65+	51	4.8	19	1	2	3	5	10	15	21
GRAND TOTAL	342	4.7	20	1	1	3	5	9	15	25

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS.	476	5.7	39	1	2	4	6	10	16	31
20-34	648	4.9	33	1	2	3	5	9	11	39
35-49	355	4.9	25	1	2	4	6	9	11	31
50-64	479	6.3	28	2	2	5	8	11	13	17
65+	154	7.4	39	2	3	6	9	13	16	34
2. MULTIPLE DX										
0-19 YRS.	476	7.8	93	2	2	5	7	16	29	66
20-34	522	6.7	77	1	2	4	7	13	23	42
35-49	568	6.8	87	1	2	4	6	13	23	56
50-64	759	8.0	64	2	3	6	9	15	22	45
65+	376	12.7	158	2	3	8	15	30	41	66
TOT. SINGLE DX	2112	5.7	33	1	2	4	7	10	14	32
" MULTIPLE DX	2701	8.1	93	2	2	5	9	16	29	51
TOTAL 0-19 YRS.	1152	6.5	63	1	2	4	7	13	20	45
20-34	970	5.8	58	1	2	4	6	10	16	41
35-49	923	6.1	64	1	2	4	6	10	17	52
50-64	1238	7.3	50	2	2	6	9	13	18	37
65+	530	11.2	129	2	3	7	13	24	37	63
GRAND TOTAL	4813	7.0	69	2	2	5	8	13	20	45

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS.	349	3.4	2	1	2	3	4	5	6	8
20-34	699	3.3	2	1	2	3	4	5	6	9
35-49	670	3.7	3	1	2	3	4	6	7	10
50-64	778	3.7	2	2	2	3	5	6	7	9
65+	331	4.3	8	2	2	4	5	7	9	17
2. MULTIPLE DX										
0-19 YRS.	406	3.8	4	2	2	3	4	5	7	10
20-34	1041	4.0	6	2	2	4	5	6	7	10
35-49	1462	4.3	11	2	2	4	5	6	8	16
50-64	2566	4.6	9	2	2	4	5	7	9	16
65+	1615	5.4	22	2	2	4	6	8	11	26
TOT. SINGLE DX	2827	3.6	3	1	2	3	4	6	7	9
" MULTIPLE DX	7090	4.6	12	2	2	4	5	7	9	17
TOTAL 0-19 YRS.	755	3.6	3	2	2	3	4	5	6	9
20-34	1740	3.7	5	2	2	3	4	6	7	10
35-49	2132	4.1	9	2	2	4	5	6	8	15
50-64	3344	4.4	8	2	2	4	5	7	8	14
65+	1946	5.2	20	2	2	4	6	8	11	25
GRAND TOTAL	9917	4.1	10	2	2	4	5	7	8	16

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1792	3.6	18	1	1	3	4	6	9	22
20-34	1910	4.0	24	1	1	3	4	7	9	25
35-49	1412	4.3	24	1	1	3	5	8	11	24
50-64	1125	4.7	30	1	1	3	5	9	13	27
65+	542	6.4	47	1	2	4	8	14	20	36
2. MULTIPLE DX										
0-19 YRS	795	7.2	104	1	1	3	7	20	29	49
20-34	1693	7.8	134	1	1	4	8	18	32	63
35-49	1729	7.5	109	1	2	4	8	18	30	66
50-64	2045	9.1	125	1	2	5	11	21	31	64
65+	1615	13.9	195	2	3	9	19	32	43	70
TOT. SINGLE DX	6781	4.3	26	1	1	3	5	8	11	27
" MULTIPLE DX	7877	9.3	142	1	2	5	11	23	34	65
TOTAL 0-19 YRS	2587	4.7	47	1	1	3	4	9	16	39
20-34	3603	5.8	80	1	1	3	5	11	19	52
35-49	3141	6.0	74	1	1	3	6	12	20	51
50-64	3170	7.6	96	1	2	4	8	18	25	55
65+	2157	12.1	169	2	2	7	16	28	38	66
GRAND TOTAL	**14658**	**7.0**	**95**	**1**	**1**	**4**	**7**	**16**	**26**	**53**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	736	6.8	62	1	2	4	7	15	22	39
20-34	453	4.9	19	1	1	4	6	9	13	32
35-49	204	6.3	27	1	2	5	8	13	16	26
50-64	168	7.5	34	1	2	6	10	15	19	28
65+	265	14.1	60	4	5	14	17	23	28	44
2. MULTIPLE DX										
0-19 YRS	352	9.0	129	2	2	5	9	22	35	65
20-34	330	11.9	220	1	2	6	14	33	45	82
35-49	183	11.7	180	1	2	7	15	24	43	70
50-64	299	16.0	257	2	3	10	21	38	51	84
65+	840	18.7	153	5	6	16	22	32	42	76
TOT. SINGLE DX	1826	7.4	54	1	2	5	9	16	21	35
" MULTIPLE DX	2004	14.8	193	2	3	12	19	31	43	76
TOTAL 0-19 YRS	1088	7.5	86	1	2	4	8	17	25	48
20-34	783	7.8	117	1	2	4	8	16	32	59
35-49	387	8.8	107	1	2	5	11	18	25	64
50-64	467	12.9	193	2	2	9	15	30	44	70
65+	1105	17.6	135	5	7	15	21	30	40	68
GRAND TOTAL	**3830**	**11.3**	**140**	**2**	**2**	**7**	**15**	**24**	**34**	**62**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	965	3.1	17	1	1	2	3	5	7	25
20-34	1313	2.9	8	1	1	2	3	5	7	14
35-49	649	3.1	8	1	1	2	4	6	8	15
50-64	578	4.1	22	1	1	3	4	8	12	26
65+	500	5.7	34	1	2	4	7	13	17	30
2. MULTIPLE DX										
0-19 YRS	472	4.6	47	1	1	3	4	8	13	36
20-34	573	6.3	80	1	1	3	6	14	22	47
35-49	413	7.2	101	1	1	4	7	16	27	60
50-64	489	7.9	111	1	2	4	9	17	29	61
65+	823	13.4	177	2	2	9	18	30	42	67
TOT. SINGLE DX	4005	3.5	17	1	1	2	4	6	9	22
" MULTIPLE DX	2770	8.6	123	1	2	4	10	21	31	59
TOTAL 0-19 YRS	1437	3.6	28	1	1	2	4	6	9	31
20-34	1886	3.9	33	1	1	2	4	7	11	32
35-49	1062	4.7	48	1	1	3	5	9	15	42
50-64	1067	5.8	67	1	1	3	6	12	19	50
65+	1323	10.5	137	2	2	6	14	25	33	59
GRAND TOTAL	**6775**	**5.6**	**66**	**1**	**1**	**3**	**5**	**12**	**20**	**46**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	16.9	148	2	3	14	25	34	40	51
20-34	35	13.5	75	4	5	12	17	20	35	44
35-49	27	11.4	52	5	6	8	13	21	27	34
50-64	76	11.8	49	5	6	11	13	19	27	43
65+	362	14.8	47	7	9	14	17	21	26	49
2. MULTIPLE DX										
0-19 YRS	91	22.9	215	7	8	20	31	40	61	90
20-34	82	19.5	231	6	7	15	24	35	49	97
35-49	53	20.9	342	5	6	14	24	51	70	99+
50-64	139	20.3	229	6	8	16	24	44	53	91
65+	1177	19.1	106	8	10	17	22	31	41	61
TOT. SINGLE DX	632	14.7	73	5	6	13	18	24	32	47
" MULTIPLE DX	1542	19.5	139	8	9	17	23	34	45	76
TOTAL 0-19 YRS	223	19.3	184	3	5	17	27	36	45	75
20-34	117	17.7	192	5	7	15	21	33	46	95
35-49	80	17.7	263	5	6	13	20	45	59	97
50-64	215	17.3	182	6	6	13	19	39	48	77
65+	1539	18.1	96	8	10	16	21	29	38	60
GRAND TOTAL	**2174**	**18.1**	**125**	**6**	**8**	**15**	**21**	**32**	**41**	**72**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	10.7	61	3	3	9	14	22	27	43
20-34	155	13.1	92	4	5	11	16	20	27	67
35-49	129	12.4	125	4	5	10	14	19	22	71
50-64	370	12.6	42	6	6	12	15	19	23	39
65+	1736	15.6	43	8	9	15	18	23	27	38
2. MULTIPLE DX										
0-19 YRS	233	17.3	142	5	7	14	21	35	47	76
20-34	375	21.1	264	6	7	16	25	43	60	92
35-49	218	21.7	271	7	8	17	26	40	61	97
50-64	789	19.0	140	7	9	16	22	35	48	82
65+	6342	20.3	121	9	10	18	24	33	42	66
TOT. SINGLE DX	2581	14.5	54	6	7	14	17	22	27	42
" MULTIPLE DX	7957	20.2	136	8	10	17	24	34	43	73
TOTAL 0-19 YRS	424	14.3	116	3	4	12	18	28	37	59
20-34	530	18.8	227	5	6	14	22	36	51	91
35-49	347	18.2	237	5	6	14	21	34	47	96
50-64	1159	16.9	118	6	6	14	19	30	41	72
65+	8078	19.3	109	8	10	17	23	31	39	54
GRAND TOTAL	10538	18.8	122	7	9	16	22	31	40	68

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	12.7	141	1	1	8	21	28	34	52
20-34	36	15.3	261	1	1	7	24	44	50	52
35-49	12	13.3	169	1	2	9	19	30	45	48
50-64	22	15.5	161	2	4	12	21	27	43	60
65+	64	15.8	167	3	4	13	19	32	44	65
2. MULTIPLE DX										
0-19 YRS	130	20.8	298	2	3	18	30	47	59	99+
20-34	73	26.1	383	4	6	22	45	57	75	99+
35-49	33	28.8	446	3	6	23	42	53	64	99
50-64	46	22.4	343	3	4	18	38	49	59	99+
65+	200	23.3	350	5	6	16	31	51	65	98
TOT. SINGLE DX	423	13.6	158	1	2	9	21	29	40	55
" MULTIPLE DX	482	23.3	349	3	5	18	33	51	67	99+
TOTAL 0-19 YRS	419	15.2	204	1	2	11	24	34	44	81
20-34	109	22.5	367	2	3	16	38	51	67	99+
35-49	45	24.6	415	2	4	19	40	52	58	99
50-64	68	20.1	292	3	4	15	27	48	53	99
65+	264	21.5	316	4	6	15	29	46	58	96
GRAND TOTAL	905	18.8	283	1	2	14	26	45	54	98

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	465	5.2	56	<1	1	2	5	15	20	38
20-34	350	3.4	17	<1	1	2	4	6	9	19
35-49	233	4.3	25	1	1	3	5	9	13	33
50-64	255	4.2	31	1	1	2	5	8	12	35
65+	200	4.3	16	1	1	3	5	10	13	20
2. MULTIPLE DX										
0-19 YRS	147	8.9	108	1	1	4	13	21	30	58
20-34	230	7.8	108	1	1	4	9	16	28	57
35-49	153	9.3	150	1	2	5	10	20	34	65
50-64	218	9.9	108	1	2	6	12	26	33	56
65+	281	10.2	99	1	2	7	13	22	28	55
TOT. SINGLE DX	1503	4.3	33	1	1	2	5	9	15	29
" MULTIPLE DX	1029	9.3	113	1	2	6	12	21	31	55
TOTAL 0-19 YRS	612	6.1	72	1	1	3	7	18	22	45
20-34	580	5.2	58	<1	1	3	6	10	16	48
35-49	386	6.3	81	1	1	4	7	13	20	47
50-64	473	6.8	75	1	1	4	8	16	27	48
65+	481	7.8	74	1	1	5	11	17	24	49
GRAND TOTAL	2532	6.4	72	1	1	3	7	15	21	48

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2131	3.4	9	1	1	3	4	6	8	14
20-34	2674	4.1	9	1	1	3	5	8	10	14
35-49	1597	4.9	15	1	2	4	6	9	11	18
50-64	1238	6.1	24	1	2	5	8	11	13	24
65+	874	8.1	35	2	3	7	10	15	19	30
2. MULTIPLE DX										
0-19 YRS	950	6.7	68	1	2	4	8	14	21	48
20-34	1936	8.3	103	1	2	5	9	17	27	56
35-49	1285	8.5	84	2	2	6	10	17	25	55
50-64	1432	9.6	102	2	3	7	11	19	27	61
65+	1685	12.8	100	3	4	10	16	25	33	53
TOT. SINGLE DX	8514	4.8	17	1	1	4	6	9	12	20
" MULTIPLE DX	7288	9.4	99	2	2	6	11	20	28	55
TOTAL 0-19 YRS	3081	4.4	30	1	1	3	5	8	12	28
20-34	4610	5.9	53	1	1	4	7	11	16	43
35-49	2882	6.5	49	1	2	5	8	12	17	42
50-64	2670	8.0	70	2	2	6	9	15	21	47
65+	2559	11.2	84	2	3	9	14	22	29	48
GRAND TOTAL	15802	6.5	60	1	2	5	8	14	20	43

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4778	2.2	8	<1	1	1	2	4	6	18
20-34	1102	3.6	14	<1	1	3	5	7	9	19
35-49	705	3.9	14	1	1	3	5	8	10	19
50-64	886	3.5	13	1	1	2	4	7	10	16
65+	888	4.4	23	1	1	3	6	10	13	22
2. MULTIPLE DX										
0-19 YRS	1275	5.1	48	1	1	3	6	12	19	36
20-34	873	6.8	79	1	1	4	8	15	19	48
35-49	653	8.0	96	1	2	5	9	16	27	56
50-64	951	8.0	105	1	1	5	9	18	25	53
65+	1799	9.1	90	1	2	6	11	19	26	48
TOT. SINGLE DX	8359	2.9	13	1	1	2	3	6	9	19
" MULTIPLE DX	5551	7.5	85	1	1	5	9	16	24	47
TOTAL 0-19 YRS	6053	2.8	19	<1	1	2	3	5	10	24
20-34	1975	5.0	46	1	1	3	6	10	15	38
35-49	1358	5.9	58	1	1	4	7	12	17	44
50-64	1837	5.9	67	1	1	3	7	12	19	41
65+	2687	7.6	73	1	1	5	10	16	23	43
GRAND TOTAL	**13910**	**4.8**	**47**	**1**	**1**	**2**	**5**	**11**	**16**	**34**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	335	4.9	41	<1	1	2	6	14	18	32
20-34	257	2.4	6	<1	<1	1	3	5	7	15
35-49	123	3.7	32	<1	1	1	3	6	20	31
50-64	151	3.9	57	<1	1	2	4	7	11	41
65+	221	5.9	46	1	1	3	7	18	22	29
2. MULTIPLE DX										
0-19 YRS	152	7.2	91	1	1	4	8	18	23	52
20-34	225	8.8	143	1	1	4	10	20	24	67
35-49	143	10.0	187	1	1	5	11	25	40	74
50-64	188	8.7	94	1	1	5	11	20	27	50
65+	392	10.1	125	1	1	6	13	22	34	57
TOT. SINGLE DX	1087	4.2	37	<1	1	2	4	11	18	30
" MULTIPLE DX	1100	9.2	128	1	1	5	11	21	30	58
TOTAL 0-19 YRS	487	5.6	58	<1	1	2	7	15	20	41
20-34	482	5.3	81	<1	1	2	5	14	20	50
35-49	266	7.1	126	<1	1	3	7	20	29	61
50-64	339	6.6	83	1	1	3	7	16	23	45
65+	613	8.6	101	1	1	5	11	21	27	52
GRAND TOTAL	**2187**	**6.7**	**89**	**1**	**1**	**3**	**8**	**18**	**23**	**49**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	228	3.9	15	1	1	3	4	7	11	20
20-34	384	3.4	9	1	1	3	4	5	7	16
35-49	129	4.5	19	1	2	3	5	9	10	27
50-64	57	6.9	63	2	2	5	7	12	17	50
65+	32	10.1	72	2	3	7	14	25	28	37
2. MULTIPLE DX										
0-19 YRS	86	8.1	88	1	1	5	8	24	30	42
20-34	140	7.1	64	1	1	4	8	16	24	43
35-49	76	6.4	29	1	2	4	9	13	16	27
50-64	81	7.8	48	1	2	6	10	14	24	39
65+	87	16.0	149	3	3	14	21	34	43	51
TOT. SINGLE DX	830	4.2	21	1	1	3	4	8	11	26
" MULTIPLE DX	470	8.9	87	1	2	5	11	22	29	44
TOTAL 0-19 YRS	314	5.0	39	1	1	3	5	10	19	37
20-34	524	4.4	27	1	1	3	4	8	12	93
35-49	205	5.2	24	1	2	3	6	10	14	27
50-64	138	7.4	55	2	2	5	9	13	23	44
65+	119	14.4	134	2	3	11	20	30	40	50
GRAND TOTAL	**1300**	**5.9**	**50**	**1**	**1**	**4**	**6**	**13**	**20**	**38**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1019	3.8	18	1	1	3	4	6	12	24
20-34	834	3.6	11	1	1	3	4	6	9	16
35-49	418	4.1	19	1	1	3	5	8	12	26
50-64	259	6.1	54	1	2	4	7	14	16	44
65+	180	11.0	148	2	2	7	13	27	37	57
2. MULTIPLE DX										
0-19 YRS	606	6.3	78	1	1	3	6	16	25	43
20-34	701	5.3	57	1	1	3	5	10	16	41
35-49	469	6.6	71	1	1	4	7	16	24	42
50-64	453	10.2	158	1	2	5	12	27	41	65
65+	461	18.4	284	2	3	14	26	47	61	99+
TOT. SINGLE DX	2710	4.5	32	1	1	3	5	8	14	31
" MULTIPLE DX	2690	8.9	142	1	1	4	10	24	37	67
TOTAL 0-19 YRS	1625	4.7	42	1	1	3	5	9	18	34
20-34	1535	4.4	33	1	1	3	5	8	12	28
35-49	887	5.4	48	1	1	3	6	11	19	40
50-64	712	8.7	124	1	2	4	10	21	35	57
65+	641	16.3	257	2	3	11	23	42	54	99+
GRAND TOTAL	**5400**	**6.6**	**91**	**1**	**1**	**3**	**6**	**16**	**26**	**52**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	8.1	35	2	3	6	11	14	21	27
20-34	3291	8.3	31	2	3	7	10	15	19	28
35-49	5122	8.9	31	3	3	8	11	16	20	29
50-64	2482	9.9	37	3	4	9	12	18	22	31
65+	558	11.8	47	4	5	11	15	20	23	34
2. MULTIPLE DX										
0-19 YRS	49	10.8	108	3	3	8	12	19	29	68
20-34	1077	11.1	69	3	4	9	14	21	26	54
35-49	2551	11.9	62	4	5	10	15	21	27	46
50-64	2537	13.7	83	4	5	12	17	24	30	49
65+	1259	17.7	125	5	7	15	22	31	39	60
TOT. SINGLE DX	11600	9.1	35	3	3	8	11	16	20	29
" MULTIPLE DX	7473	13.4	86	4	5	11	17	24	31	50
TOTAL 0-19 YRS	196	8.8	55	3	3	7	11	15	21	37
20-34	4368	9.0	43	2	3	8	11	16	21	32
35-49	7673	9.9	44	3	4	8	12	18	22	34
50-64	5019	11.8	64	3	4	10	15	21	27	42
65+	1817	15.9	109	5	6	14	20	29	36	56
GRAND TOTAL	**19073**	**10.7**	**59**	**3**	**4**	**9**	**13**	**20**	**25**	**40**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	848	2.6	2	1	1	2	3	5	6	9
20-34	2097	2.7	3	1	1	2	3	5	6	9
35-49	1247	2.9	4	<1	1	2	4	5	6	10
50-64	787	3.4	15	1	1	3	4	6	8	16
65+	251	3.7	12	1	1	3	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	701	2.9	8	1	1	2	4	5	6	13
20-34	1703	3.1	5	1	1	2	4	6	8	12
35-49	1444	3.5	10	1	1	2	4	7	9	16
50-64	1685	4.0	14	1	1	3	5	8	11	18
65+	837	4.9	28	1	2	3	6	10	15	27
TOT. SINGLE DX	5230	2.9	6	1	1	2	4	5	6	10
" MULTIPLE DX	6370	3.6	13	1	1	3	4	7	10	18
TOTAL 0-19 YRS	1549	2.7	6	1	1	2	3	5	6	10
20-34	3800	2.9	4	1	1	2	4	5	7	11
35-49	2691	3.2	8	1	1	2	4	6	8	14
50-64	2472	3.8	15	1	1	3	5	7	9	18
65+	1088	4.6	25	1	2	3	5	9	14	27
GRAND TOTAL	**11600**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1522	2.5	12	<1	1	2	3	4	6	16
20-34	2129	2.4	5	<1	1	2	3	4	5	10
35-49	1142	2.8	5	1	1	2	3	5	6	12
50-64	759	3.4	10	1	1	2	4	6	9	18
65+	331	4.8	29	1	2	3	5	11	15	26
2. MULTIPLE DX										
0-19 YRS	873	3.7	33	1	1	2	3	7	12	33
20-34	1569	3.7	27	1	1	2	4	7	11	29
35-49	1163	4.7	48	1	1	3	5	9	14	42
50-64	1260	5.7	53	1	1	3	6	11	18	44
65+	761	8.8	108	1	2	4	11	23	32	55
TOT. SINGLE DX	5883	2.8	10	<1	1	2	3	5	6	15
" MULTIPLE DX	5626	5.0	52	1	1	3	5	11	18	43
TOTAL 0-19 YRS	2395	3.0	20	<1	1	2	3	5	7	22
20-34	3698	3.0	15	<1	1	2	3	5	7	21
35-49	2305	3.7	28	1	1	2	4	7	10	27
50-64	2019	4.8	39	1	1	3	5	9	14	38
65+	1092	7.6	88	1	2	4	9	18	29	53
GRAND TOTAL	**11509**	**3.9**	**32**	**1**	**1**	**2**	**4**	**7**	**12**	**31**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	12.4	32	6	8	11	14	17	22	40
20-34	280	11.7	59	5	6	10	13	19	26	42
35-49	446	10.4	38	4	5	9	12	18	22	34
50-64	238	10.1	36	4	5	8	13	17	22	34
65+	39	12.4	59	5	5	11	15	19	31	40
2. MULTIPLE DX										
0-19 YRS	223	17.5	151	7	8	14	21	32	44	97
20-34	251	17.1	185	5	7	12	21	37	48	99+
35-49	417	13.8	123	5	6	11	16	24	33	88
50-64	373	15.2	129	5	6	12	19	29	36	90
65+	115	23.1	269	6	8	18	31	48	61	88
TOT. SINGLE DX	1252	11.1	43	4	5	10	13	18	23	38
" MULTIPLE DX	1379	16.2	159	5	6	12	19	32	43	95
TOTAL 0-19 YRS	472	14.8	95	7	8	12	16	25	33	65
20-34	531	14.3	126	5	6	11	16	28	39	84
35-49	863	12.0	82	4	5	10	14	21	27	65
50-64	611	13.2	99	4	5	10	16	26	32	73
65+	154	20.4	237	6	7	15	25	42	54	82
GRAND TOTAL	**2631**	**13.7**	**110**	**5**	**6**	**11**	**16**	**25**	**34**	**77**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	4.0	6	1	2	3	5	7	9	13
20-34	309	4.3	7	1	2	4	6	8	9	13
35-49	289	5.0	16	1	2	4	6	9	12	17
50-64	381	4.6	11	1	2	4	6	9	11	17
65+	178	5.7	25	1	1	4	8	13	18	22
2. MULTIPLE DX										
0-19 YRS	163	5.6	20	2	2	4	6	9	11	26
20-34	286	6.7	64	1	2	5	8	12	21	35
35-49	314	6.9	54	2	2	5	8	14	18	41
50-64	483	6.4	34	2	2	5	8	12	16	38
65+	351	9.2	107	2	2	5	11	20	31	59
TOT. SINGLE DX	1342	4.7	13	1	2	4	6	9	11	18
" MULTIPLE DX	1597	7.1	60	2	2	5	8	14	20	40
TOTAL 0-19 YRS	348	4.7	14	2	2	4	6	8	10	21
20-34	595	5.5	36	1	2	4	6	9	13	29
35-49	603	6.0	37	1	2	5	7	12	15	29
50-64	864	5.6	25	1	2	4	7	10	14	26
65+	529	8.1	83	1	2	5	10	18	25	48
GRAND TOTAL	2939	6.0	40	1	2	4	7	11	16	33

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	14.9	65	4	8	12	15	30	3.	32
20-34	80	13.5	24	7	8	12	16	20	24	28
35-49	206	13.0	27	7	8	12	16	18	20	30
50-64	961	13.9	27	8	9	13	16	19	23	34
65+	1754	15.3	32	9	10	14	17	21	25	36
2. MULTIPLE DX										
0-19 YRS	10	18.3	41	12	12	16	22	28	33	33
20-34	133	14.4	48	7	8	13	16	23	29	43
35-49	286	16.5	87	8	9	14	19	28	32	63
50-64	1188	16.8	70	9	10	15	19	26	33	57
65+	3528	19.3	96	10	11	17	22	31	38	60
TOT. SINGLE DX	3012	14.7	31	8	9	14	16	20	24	35
" MULTIPLE DX	5145	18.5	91	9	11	16	21	30	37	60
TOTAL 0-19 YRS	21	16.5	54	7	10	15	18	30	32	33
20-34	213	14.0	40	7	8	13	16	22	26	40
35-49	492	15.0	65	8	8	13	17	23	30	55
50-64	2149	15.5	54	9	10	14	17	23	29	52
65+	5282	18.0	79	10	11	16	20	27	35	57
GRAND TOTAL	8157	17.1	72	9	10	15	19	26	33	54

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	9.2	41	2	2	7	14	20	20	20
20-34	27	11.7	51	4	6	10	14	18	22	41
35-49	40	11.4	21	6	7	10	13	16	19	31
50-64	216	13.9	34	8	8	13	16	20	23	39
65+	1152	16.5	40	8	10	15	18	23	27	36
2. MULTIPLE DX										
0-19 YRS	18	16.5	216	2	5	12	16	35	54	64
20-34	47	17.3	217	6	8	12	17	40	49	76
35-49	70	17.3	97	9	10	15	18	36	41	91
50-64	416	19.1	131	9	10	16	22	31	39	69
65+	3920	19.9	96	9	11	18	23	31	39	59
TOT. SINGLE DX	1451	15.4	41	8	9	14	18	22	26	37
" MULTIPLE DX	4471	19.7	102	9	11	17	23	31	40	63
TOTAL 0-19 YRS	34	13.1	144	2	3	11	15	23	36	64
20-34	74	15.3	163	5	7	11	16	33	44	72
35-49	110	15.2	78	7	8	12	17	27	40	74
50-64	632	17.3	104	8	9	15	19	27	35	66
65+	5072	19.0	87	9	10	17	22	30	36	56
GRAND TOTAL	5922	18.7	90	9	10	16	22	29	36	57

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	729	4.3	10	2	2	4	5	7	7	11
20-34	854	4.7	6	1	2	4	6	8	9	13
35-49	333	7.3	39	1	2	5	10	16	18	36
50-64	910	12.5	38	2	4	12	16	19	23	29
65+	1680	15.4	34	8	9	15	18	22	25	35
2. MULTIPLE DX										
0-19 YRS	661	4.9	10	2	2	4	6	8	9	16
20-34	1053	5.7	21	2	2	5	6	9	13	21
35-49	520	7.6	53	1	2	5	10	16	20	36
50-64	1318	14.1	81	2	3	13	17	24	30	43
65+	3169	17.8	77	8	10	16	20	27	33	57
TOT. SINGLE DX	4506	10.4	49	2	3	10	15	19	22	31
" MULTIPLE DX	6721	13.1	89	2	3	12	17	24	30	44
TOTAL 0-19 YRS	1390	4.6	11	2	2	4	5	7	8	15
20-34	1907	5.2	15	1	2	5	6	8	11	20
35-49	853	7.5	48	1	2	5	10	16	19	35
50-64	2228	13.4	65	2	3	13	17	22	26	41
65+	4849	16.9	64	8	10	16	19	25	31	48
GRAND TOTAL	11227	12.0	75	2	3	11	16	22	26	40

725: Repair of other joint (81.3; 81.48-81.49, 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	890	3.1	2	1	1	3	4	5	5	7
20-34	1583	3.5	3	1	2	3	4	5	6	11
35-49	731	3.8	4	1	2	3	4	6	8	12
50-64	802	4.8	12	1	2	4	5	7	10	19
65+	346	6.5	25	2	2	5	8	13	16	28
2. MULTIPLE DX										
0-19 YRS	285	3.8	11	1	2	3	4	6	8	18
20-34	595	4.4	17	1	2	3	5	8	10	24
35-49	592	5.0	34	1	2	4	5	8	12	25
50-64	1014	6.3	38	2	2	5	7	11	16	37
65+	699	7.6	48	2	3	5	9	16	22	35
TOT. SINGLE DX	4352	3.9	8	1	2	3	4	6	8	15
" MULTIPLE DX	3185	5.8	35	2	2	4	6	11	16	30
TOTAL 0-19 YRS	1175	3.3	5	1	2	3	4	5	6	12
20-34	2178	3.7	6	1	2	3	4	6	7	14
35-49	1323	4.3	18	1	2	3	5	7	10	18
50-64	1816	5.5	28	1	2	4	6	10	13	29
65+	1045	7.2	41	2	2	5	9	15	19	32
GRAND TOTAL	7537	4.7	20	1	2	4	5	8	12	24

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	496	3.6	11	1	1	3	4	7	10	22
20-34	392	3.7	11	<1	1	3	5	8	10	20
35-49	346	3.5	10	<1	1	3	4	6	9	20
50-64	252	3.5	13	<1	1	2	4	6	11	21
65+	96	4.1	12	1	1	3	5	9	12	18
2. MULTIPLE DX										
0-19 YRS	459	5.7	42	1	2	4	6	11	16	25
20-34	327	8.0	137	1	2	4	9	16	27	65
35-49	267	7.3	90	1	2	4	8	17	25	69
50-64	347	8.3	86	1	2	5	11	19	26	42
65+	217	10.8	109	1	2	7	16	24	31	47
TOT. SINGLE DX	1582	3.6	12	1	1	3	4	7	10	21
" MULTIPLE DX	1617	7.7	90	1	2	4	9	17	25	53
TOTAL 0-19 YRS	955	4.6	28	1	1	3	5	9	13	28
20-34	719	5.6	73	1	1	3	6	12	17	47
35-49	613	5.1	49	1	1	3	5	11	16	34
50-64	599	6.2	62	1	1	3	7	16	22	36
65+	313	8.7	89	1	2	5	12	20	28	54
GRAND TOTAL	3199	5.7	56	1	1	3	6	12	18	36

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	672	2.3	6	<1	<1	2	2	4	5	13
20-34	871	2.5	6	<1	1	2	3	4	6	17
35-49	629	2.7	6	<1	1	2	3	5	7	16
50-64	469	3.1	7	1	1	2	4	5	9	13
65+	226	4.8	26	1	1	3	5	11	15	27
2. MULTIPLE DX										
0-19 YRS	162	6.4	122	1	1	3	6	14	23	90
20-34	396	6.4	98	1	1	3	6	15	26	60
35-49	489	6.7	84	1	1	4	6	15	23	52
50-64	687	8.3	107	1	2	5	10	18	27	56
65+	553	11.4	132	2	2	8	15	25	34	62
TOT. SINGLE DX	2867	2.8	9	<1	1	2	3	5	8	17
" MULTIPLE DX	2287	8.3	111	1	1	4	10	18	26	55
TOTAL 0-19 YRS	834	3.1	32	<1	1	2	3	5	10	24
20-34	1267	3.7	38	<1	1	2	3	7	12	31
35-49	1118	4.5	45	1	1	2	4	10	15	33
50-64	1156	6.2	73	1	1	3	7	14	21	51
65+	779	9.5	111	1	2	6	13	22	31	49
GRAND TOTAL	5154	5.2	62	<1	1	3	5	12	18	43

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.1	2	<1	<1	2	2	5	6	7
20-34	59	3.0	16	1	1	2	3	5	7	29
35-49	157	2.5	2	1	1	2	3	4	5	11
50-64	420	2.3	1	1	1	2	3	3	4	7
65+	263	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	20	2.6	1	1	1	2	3	4	4	7
20-34	50	3.4	5	1	2	3	4	6	7	15
35-49	115	3.7	15	1	1	2	4	6	11	23
50-64	301	3.8	11	1	1	3	4	7	11	20
65+	239	4.1	21	1	2	3	4	10	12	22
TOT. SINGLE DX	941	2.4	3	1	1	2	3	4	5	8
" MULTIPLE DX	725	3.8	15	1	1	3	4	6	11	21
TOTAL 0-19 YRS	62	2.3	2	<1	<1	2	3	5	6	7
20-34	109	3.2	11	1	1	2	3	5	7	22
35-49	272	3.0	6	1	1	2	3	5	8	17
50-64	721	2.9	4	1	1	2	3	5	7	14
65+	502	3.3	12	1	1	2	3	5	6	17
GRAND TOTAL	1666	3.0	8	1	1	2	3	5	8	15

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	543	1.9	2	<1	1	2	2	3	4	8
20-34	801	2.4	6	<1	1	2	3	4	6	13
35-49	318	2.4	3	<1	1	2	3	4	6	11
50-64	221	2.4	4	<1	1	2	3	4	6	13
65+	46	2.2	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	402	2.4	5	<1	1	2	3	4	6	10
20-34	750	2.9	21	<1	1	2	3	5	7	25
35-49	307	2.9	10	1	1	2	3	5	8	12
50-64	231	3.1	13	1	1	2	3	6	8	23
65+	103	4.0	24	1	1	3	4	7	10	32
TOT. SINGLE DX	1929	2.3	5	<1	1	2	3	4	5	11
" MULTIPLE DX	1793	2.9	15	1	1	2	3	5	7	19
TOTAL 0-19 YRS	945	2.1	4	<1	1	2	2	4	5	9
20-34	1551	2.7	14	<1	1	2	3	5	7	16
35-49	625	2.6	7	<1	1	2	3	5	6	11
50-64	452	2.7	9	1	1	2	3	5	7	15
65+	149	3.4	18	1	1	2	4	7	8	24
GRAND TOTAL	3722	2.6	10	<1	1	2	3	4	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	311	2.4	2	<1	1	2	3	4	5	9
20-34	589	2.9	5	1	1	2	4	5	6	11
35-49	506	3.7	12	1	1	3	4	6	8	17
50-64	599	4.1	5	1	2	4	5	7	9	14
65+	179	4.6	11	1	2	4	5	9	11	18
2. MULTIPLE DX										
0-19 YRS	209	3.9	25	1	1	3	4	8	11	24
20-34	434	4.4	22	1	1	3	5	9	13	24
35-49	406	6.0	62	1	2	4	6	10	18	40
50-64	529	6.7	60	2	2	4	7	13	22	42
65+	321	8.7	112	2	2	6	9	17	28	67
TOT. SINGLE DX	2184	3.5	8	1	1	3	4	6	8	14
" MULTIPLE DX	1899	6.1	59	1	1	4	7	12	19	41
TOTAL 0-19 YRS	520	3.0	12	<1	1	2	3	5	8	15
20-34	1023	3.5	13	1	1	3	4	7	9	21
35-49	912	4.7	36	1	1	3	5	8	12	34
50-64	1128	5.3	33	1	2	4	6	9	13	30
65+	500	7.2	80	2	2	5	8	14	22	55
GRAND TOTAL	4083	4.7	33	1	1	3	5	9	12	30

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	698	3.4	5	1	1	3	4	5	7	14
20-34	494	3.8	10	1	1	3	4	6	8	19
35-49	345	3.4	5	1	1	3	4	6	8	11
50-64	210	4.2	13	1	1	3	5	8	11	19
65+	89	5.0	12	2	2	4	6	9	11	22
2. MULTIPLE DX										
0-19 YRS	607	4.1	19	1	2	3	5	7	9	18
20-34	318	6.2	67	1	1	4	7	13	20	68
35-49	188	7.3	123	1	2	4	7	13	24	81
50-64	190	8.4	116	2	2	5	9	18	33	74
65+	117	11.3	143	2	3	7	13	23	42	60
TOT. SINGLE DX	1836	3.7	8	1	1	3	4	6	8	15
" MULTIPLE DX	1420	6.2	72	1	2	4	6	12	19	58
TOTAL 0-19 YRS	1305	3.7	12	1	1	3	4	6	8	16
20-34	812	4.7	35	1	1	4	5	8	13	34
35-49	533	4.8	50	1	1	3	5	8	12	47
50-64	400	6.2	66	1	2	4	6	13	19	51
65+	206	8.6	96	2	2	5	10	18	24	56
GRAND TOTAL	3256	4.8	37	1	1	3	5	8	13	35

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	1.9	6	<1	1	1	2	3	5	13
20-34	207	2.4	8	<1	1	2	3	4	6	18
35-49	129	3.2	39	1	1	2	3	6	10	30
50-64	133	2.5	11	<1	1	1	3	4	8	24
65+	47	2.8	8	<1	1	2	3	5	9	16
2. MULTIPLE DX										
0-19 YRS	66	3.7	28	1	1	2	4	7	11	36
20-34	161	4.7	40	1	1	3	5	10	17	41
35-49	133	5.9	69	1	1	3	6	14	20	47
50-64	178	7.2	140	1	1	3	8	16	32	62
65+	133	10.7	175	1	1	4	14	30	39	57
TOT. SINGLE DX	632	2.5	15	<1	1	2	3	4	7	21
" MULTIPLE DX	671	6.7	103	1	1	3	7	16	29	54
TOTAL 0-19 YRS	182	2.5	15	1	1	2	3	4	7	23
20-34	368	3.4	24	1	1	2	3	7	11	27
35-49	262	4.6	57	1	1	2	4	11	15	47
50-64	311	5.2	90	1	1	2	4	11	20	61
65+	180	8.6	144	1	1	3	10	27	33	54
GRAND TOTAL	1303	4.7	65	1	1	2	4	10	19	46

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.8	39	2	2	3	7	17	18	18
20-34	16	11.3	96	1	1	8	18	23	32	36
35-49	10	7.1	59	1	1	4	7	21	24	24
50-64	6	4.5	12	1	1	4	8	9	9	9
65+	3	4.3	17	1	1	3	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	7.4	14	1	1	9	10	10	10	10
20-34	8	7.5	79	2	2	4	7	23	29	29
35-49	18	14.7	205	1	2	8	22	39	46	50
50-64	19	16.4	116	3	5	15	20	28	40	50
65+	31	21.4	198	4	6	17	29	44	53	56
TOT. SINGLE DX	41	8.0	65	1	1	6	9	20	23	36
" MULTIPLE DX	81	16.5	175	2	3	12	22	37	47	55
TOTAL 0-19 YRS	11	6.5	26	1	1	7	10	13	18	18
20-34	24	10.0	90	1	1	7	14	24	31	36
35-49	28	12.0	163	1	2	6	17	32	41	50
50-64	25	13.6	117	1	1	11	18	27	33	50
65+	34	19.9	205	3	4	16	27	43	51	56
GRAND TOTAL	**122**	**13.6**	**154**	**1**	**2**	**10**	**19**	**30**	**41**	**54**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.4	5	1	1	3	4	7	8	12
20-34	48	5.2	20	1	2	4	6	10	16	22
35-49	33	5.5	23	1	1	5	6	13	16	21
50-64	56	7.8	47	2	2	6	10	16	24	36
65+	86	8.9	101	1	2	6	10	18	34	53
2. MULTIPLE DX										
0-19 YRS	37	8.6	96	<1	1	4	13	24	30	43
20-34	109	13.7	202	2	2	9	20	33	48	62
35-49	195	17.6	198	2	3	15	26	38	45	76
50-64	561	18.7	219	3	4	15	25	39	48	71
65+	918	20.3	243	3	5	16	28	41	51	75
TOT. SINGLE DX	279	6.6	52	1	2	4	8	15	19	40
" MULTIPLE DX	1820	18.9	230	2	4	15	26	39	49	71
TOTAL 0-19 YRS	93	5.5	48	1	1	3	6	13	19	38
20-34	157	11.1	162	1	2	6	14	28	39	61
35-49	228	15.8	191	1	2	12	23	36	44	70
50-64	617	17.7	214	3	3	14	24	37	46	71
65+	1004	19.3	241	3	4	15	27	40	49	73
GRAND TOTAL	**2099**	**17.2**	**224**	**2**	**3**	**13**	**24**	**38**	**47**	**71**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	22.8	436	5	5	16	35	53	53	53
35-49	17	19.1	241	6	7	13	20	42	55	62
50-64	22	23.2	283	9	10	18	25	42	61	83
65+	49	20.7	142	7	9	17	28	37	42	57
2. MULTIPLE DX										
0-19 YRS	10	15.2	226	4	5	9	13	42	50	50
20-34	41	25.5	215	10	11	22	38	55	75	99+
35-49	129	25.3	232	9	10	21	34	48	53	90
50-64	423	29.0	315	9	11	24	37	54	73	99+
65+	1082	29.8	298	11	13	25	38	57	68	93
TOT. SINGLE DX	92	21.1	199	6	9	17	27	40	52	74
" MULTIPLE DX	1685	29.0	298	10	12	25	37	55	68	98
TOTAL 0-19 YRS	10	15.2	227	4	5	9	13	42	50	50
20-34	45	25.3	227	8	11	21	38	54	68	99+
35-49	146	24.6	235	8	10	20	33	47	54	87
50-64	445	28.7	315	9	11	24	37	53	73	99+
65+	1131	29.4	295	10	13	25	37	56	68	93
GRAND TOTAL	**1777**	**28.6**	**296**	**10**	**12**	**24**	**37**	**54**	**68**	**98**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	11.1	156	[illegible]	4	6	13	29	44	47
20-34	4	17.3	69	10	10	15	23	29	29	29
35-49	7	10.6	42	5	5	7	12	22	24	24
50-64	17	20.5	212	7	8	16	24	48	53	54
65+	73	19.5	165	4	7	16	24	37	51	[illegible]
2. MULTIPLE DX										
0-19 YRS	12	18.5	179	5	6	18	20	32	53	57
20-34	23	29.4	402	9	12	26	33	50	81	95
35-49	41	27.8	242	9	10	26	39	98	99+	[illegible]
50-64	212	29.9	402	8	10	26	45	67	97	[illegible]
65+	1300	25.3	265	8	10	21	33	49	61	99
TOT. SINGLE DX	113	18.1	167	4	5	15	24	36	50	57
" MULTIPLE DX	1588	26.0	287	8	10	22	34	53	66	99+
TOTAL 0-19 YRS	24	14.8	175	4	4	13	19	24	50	57
20-34	27	27.6	368	9	11	26	32	43	77	95
35-49	48	25.3	249	7	8	25	37	87	99+	99+
50-64	229	29.2	394	8	9	25	44	65	95	99+
65+	1373	25.0	261	8	10	21	32	48	60	98
GRAND TOTAL	**1701**	**25.4**	**282**	**7**	**9**	**21**	**33**	**52**	**65**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	12.8	129	1	2	8	25	30	30	30
20-34	6	15.3	196	2	2	11	25	37	38	38
35-49	5	24.8	775	5	5	17	35	73	73	73
50-64	9	14.0	275	3	3	10	14	42	56	56
65+	9	16.6	148	2	3	16	26	33	36	36
2. MULTIPLE DX										
0-19 YRS	10	11.9	212	5	5	7	10	32	53	53
20-34	26	27.8	384	6	7	23	40	62	85	99+
35-49	49	26.5	325	6	8	21	37	45	65	85
50-64	149	27.0	314	6	8	23	39	54	69	99+
65+	236	30.7	344	8	11	25	43	58	69	99+
TOT. SINGLE DX	41	15.7	236	2	3	10	25	33	46	73
" MULTIPLE DX	470	28.5	339	6	9	24	41	56	69	99+
TOTAL 0-19 YRS	22	12.4	159	2	4	7	11	30	39	53
20-34	32	25.5	367	4	6	22	38	57	79	99+
35-49	54	26.4	354	5	7	21	37	48	71	85
50-64	158	26.3	319	5	7	22	38	54	69	99+
65+	245	30.2	344	8	10	25	42	56	68	99+
GRAND TOTAL	**511**	**27.5**	**343**	**5**	**7**	**23**	**39**	**55**	**69**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.3	6	1	1	2	5	7	8	9
20-34	30	5.2	12	1	1	4	7	11	13	13
35-49	20	4.3	8	1	1	4	6	9	9	9
50-64	7	6.0	12	<1	<1	7	9	10	10	10
65+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	15	6.5	18	1	2	7	10	15	74	99+
20-34	21	7.8	77	<1	1	5	9	21	31	33
35-49	13	8.2	49	1	2	6	10	18	25	27
50-64	12	9.3	65	2	2	6	14	22	26	27
65+	6	11.7	96	1	1	10	17	27	28	28
TOT. SINGLE DX	88	4.4	10	1	1	4	6	9	10	13
" MULTIPLE DX	67	8.2	57	1	1	6	12	19	28	88
TOTAL 0-19 YRS	43	4.4	13	1	1	3	7	10	14	99+
20-34	51	6.3	40	1	1	5	8	13	15	33
35-49	33	5.8	27	1	1	5	7	10	15	27
50-64	19	8.1	46	1	2	6	10	18	24	27
65+	9	9.0	77	1	1	5	13	24	28	28
GRAND TOTAL	**155**	**6.0**	**33**	**1**	**1**	**5**	**8**	**13**	**17**	**33**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.3	2	<1	<1	2	3	4	5	9
20-34	68	4.5	12	1	1	3	6	10	12	16
35-49	43	3.8	9	<1	1	3	6	8	10	14
50-64	59	6.4	41	1	1	3	9	18	20	22
65+	38	10.0	52	1	1	9	15	21	24	27
2. MULTIPLE DX										
0-19 YRS	23	5.4	95	1	1	3	5	12	25	48
20-34	40	8.5	135	1	1	4	9	23	37	51
35-49	64	11.1	110	1	2	8	17	33	42	99+
50-64	107	13.6	125	2	3	10	18	32	42	99+
65+	191	17.1	219	3	5	12	21	39	47	70
TOT. SINGLE DX	250	5.3	29	<1	1	3	7	13	16	24
" MULTIPLE DX	425	13.9	176	2	2	10	18	34	44	99+
TOTAL 0-19 YRS	65	3.4	37	<1	1	2	3	5	10	43
20-34	108	6.0	61	1	1	3	7	13	18	50
35-49	107	8.2	82	1	1	5	11	24	33	99+
50-64	166	11.1	107	1	2	9	16	27	34	99+
65+	229	15.9	199	2	4	12	20	36	44	68
GRAND TOTAL	**675**	**10.7**	**139**	**1**	**1**	**7**	**14**	**26**	**38**	**70**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	13.5	145	5	5	13	22	22	22	22
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	10	5.1	8	1	1	5	8	9	9	9
50-64	8	4.9	27	<1	<1	3	5	14	17	17
65+	3	12.7	114	6	6	7	20	25	25	25
2. MULTIPLE DX										
0-19 YRS	3	10.7	34	4	4	13	14	15	15	15
20-34	3	10.3	9	7	7	11	12	13	13	13
35-49	3	7.7	14	5	5	6	10	12	12	12
50-64	8	13.0	125	2	2	7	23	29	31	31
65+	10	13.7	55	5	6	12	16	26	27	27
TOT. SINGLE DX	27	6.2	36	1	1	5	7	15	22	25
" MULTIPLE DX	27	12.1	61	3	4	11	15	26	28	31
TOTAL 0-19 YRS	5	11.8	56	4	4	13	17	22	22	22
20-34	7	6.1	20	1	1	5	10	13	13	13
35-49	13	5.7	10	1	2	6	8	10	12	12
50-64	16	8.9	89	<1	1	5	12	24	29	31
65+	13	13.5	61	5	6	12	18	26	27	27
GRAND TOTAL	**54**	**9.1**	**57**	**1**	**2**	**7**	**12**	**23**	**26**	**31**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	2.1	2	<1	1	2	2	3	5	7
20-34	1151	2.2	5	<1	1	2	2	3	4	8
35-49	2708	2.3	2	<1	1	2	2	3	5	8
50-64	1612	2.7	5	1	1	2	3	5	7	13
65+	975	3.4	9	1	1	2	4	7	10	14
2. MULTIPLE DX										
0-19 YRS	92	5.0	62	<1	1	3	5	10	14	52
20-34	768	4.3	33	1	1	2	5	9	12	30
35-49	2141	4.0	19	1	1	3	4	9	12	20
50-64	2049	5.5	43	1	2	3	7	12	17	33
65+	2035	8.1	81	1	2	5	10	17	24	45
TOT. SINGLE DX	6724	2.5	5	<1	1	2	3	4	6	11
" MULTIPLE DX	7085	5.7	49	1	1	3	7	12	17	33
TOTAL 0-19 YRS	370	2.8	19	<1	1	2	3	5	7	19
20-34	1919	3.0	18	<1	1	2	3	5	9	23
35-49	4849	3.0	11	1	1	2	3	6	9	16
50-64	3661	4.3	29	1	1	2	4	10	13	28
65+	3010	6.6	63	1	2	4	8	14	20	38
GRAND TOTAL	**13809**	**4.1**	**30**	**1**	**1**	**2**	**4**	**9**	**13**	**27**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.6	1	1	1	2	3	4	5	7
20-34	70	3.3	4	1	1	3	4	6	7	12
35-49	104	4.6	14	1	2	4	6	8	10	25
50-64	105	4.9	7	1	1	5	6	9	10	11
65+	187	6.7	22	2	2	6	8	12	14	27
2. MULTIPLE DX										
0-19 YRS	17	7.1	140	2	2	3	4	27	40	44
20-34	33	4.8	5	2	2	5	6	8	9	11
35-49	123	6.0	14	2	2	5	8	12	13	20
50-64	222	8.7	64	2	3	7	10	18	23	45
65+	488	11.2	97	3	4	9	13	22	28	56
TOT. SINGLE DX	550	4.9	15	1	2	4	6	9	12	16
" MULTIPLE DX	883	9.5	79	2	3	7	11	18	24	51
TOTAL 0-19 YRS	101	3.4	27	1	1	2	3	5	6	38
20-34	103	3.8	5	1	2	3	5	7	8	12
35-49	227	5.4	15	1	2	4	7	10	12	22
50-64	327	7.5	49	1	2	6	9	15	20	39
65+	675	9.9	81	2	3	8	12	18	25	51
GRAND TOTAL	**1433**	**7.8**	**59**	**2**	**2**	**6**	**9**	**15**	**21**	**41**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	117	7.2	7	4	4	7	8	11	13	16
35-49	692	7.1	5	4	4	7	8	10	11	14
50-64	1018	7.7	9	4	5	7	9	11	13	17
65+	1012	8.4	9	5	5	8	10	12	14	19
2. MULTIPLE DX										
0-19 YRS	5	6.4	47	1	1	4	10	18	18	18
20-34	140	7.7	12	4	4	7	9	11	14	19
35-49	920	8.3	14	4	5	8	10	12	15	21
50-64	1790	9.8	31	5	5	9	11	15	19	32
65+	2452	11.1	40	5	6	9	13	18	23	37
TOT. SINGLE DX	2842	7.8	9	4	5	7	9	11	13	17
" MULTIPLE DX	5307	10.1	33	5	5	9	12	16	20	33
TOTAL 0-19 YRS	8	5.9	30	1	1	5	7	15	18	18
20-34	257	7.5	10	4	4	7	9	11	13	18
35-49	1612	7.8	11	4	5	7	9	11	13	19
50-64	2808	9.0	24	5	5	8	10	14	17	28
65+	3464	10.3	33	5	6	9	12	16	20	33
GRAND TOTAL	**8149**	**9.3**	**26**	**4**	**5**	**8**	**11**	**14**	**18**	**30**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	366	3.0	2	1	1	3	4	5	5	8
20-34	751	3.4	3	1	1	3	4	6	7	9
35-49	658	3.8	3	1	1	4	5	6	8	10
50-64	330	4.0	5	1	2	4	5	7	8	13
65+	68	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	130	3.7	12	1	1	3	4	6	8	17
20-34	603	4.3	9	1	2	4	5	7	9	18
35-49	938	4.7	10	1	2	4	6	8	10	16
50-64	586	5.3	22	2	2	4	6	8	11	26
65+	144	6.7	48	2	2	5	8	12	18	38
TOT. SINGLE DX	2173	3.5	4	1	1	3	4	6	7	10
" MULTIPLE DX	2401	4.8	16	1	2	4	6	8	10	20
TOTAL 0-19 YRS	496	3.2	5	1	1	3	4	5	6	9
20-34	1354	3.8	6	1	1	3	5	6	8	12
35-49	1596	4.3	8	1	2	4	5	7	9	14
50-64	916	4.8	17	2	2	4	6	8	10	20
65+	212	5.7	36	2	2	4	6	11	16	30
GRAND TOTAL	**4574**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	852	3.5	3	1	1	3	4	6	7	10
20-34	1566	3.4	3	1	1	3	4	5	6	10
35-49	274	3.8	5	1	2	3	4	6	8	13
50-64	55	4.3	6	1	1	4	5	8	10	12
65+	8	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	122	4.8	30	1	2	4	6	7	9	35
20-34	328	4.7	13	1	2	4	5	8	12	21
35-49	126	5.7	35	1	2	4	6	10	16	37
50-64	69	7.7	89	2	2	5	7	15	24	52
65+	20	8.2	197	1	1	4	6	16	41	65
TOT. SINGLE DX	2755	3.5	4	1	1	3	4	6	7	11
" MULTIPLE DX	665	5.3	35	1	2	4	6	9	13	32
TOTAL 0-19 YRS	974	3.7	7	1	2	3	4	6	7	11
20-34	1894	3.6	5	1	1	3	4	6	7	13
35-49	400	4.4	15	1	2	3	5	8	10	18
50-64	124	6.2	55	1	2	4	6	11	16	50
65+	28	6.8	145	1	2	4	5	14	21	65
GRAND TOTAL	**3420**	**3.8**	**10**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1252	2.7	7	<1	1	2	3	5	8	15
20-34	1121	3.6	18	<1	1	2	4	7	10	23
35-49	895	3.8	22	<1	1	2	4	8	11	22
50-64	843	3.9	27	<1	1	2	4	8	11	29
65+	638	5.7	71	1	1	3	6	12	19	38
2. MULTIPLE DX										
0-19 YRS	675	7.6	164	1	1	3	7	17	37	70
20-34	1204	9.2	154	1	2	5	10	22	32	92
35-49	1784	8.9	99	1	2	6	11	20	28	54
50-64	2533	9.0	87	1	2	6	11	18	27	48
65+	3284	11.2	113	2	2	8	14	24	33	56
TOT. SINGLE DX	4749	3.8	26	<1	1	2	4	8	12	24
" MULTIPLE DX	9480	9.7	114	1	2	6	12	21	30	57
TOTAL 0-19 YRS	1927	4.4	68	<1	1	2	4	8	14	45
20-34	2325	6.5	97	1	1	3	7	15	24	54
35-49	2679	7.2	79	1	1	4	8	16	25	46
50-64	3376	7.7	78	1	1	5	10	16	24	46
65+	3922	10.3	111	1	2	7	13	23	32	52
GRAND TOTAL	**14229**	**7.7**	**92**	**1**	**1**	**4**	**9**	**17**	**26**	**50**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1930	4.0	25	1	1	2	5	8	12	24
20-34	1921	4.6	30	<1	1	3	5	9	14	29
35-49	1017	5.5	33	1	1	4	7	12	19	28
50-64	801	6.7	47	1	1	4	9	15	22	35
65+	615	8.7	76	1	2	6	11	19	26	45
2. MULTIPLE DX										
0-19 YRS	3012	6.1	76	1	1	3	6	13	24	50
20-34	4403	7.2	95	1	1	4	8	17	27	53
35-49	2699	9.9	135	1	1	6	12	24	36	67
50-64	3156	12.1	162	1	2	8	16	28	38	70
65+	4910	15.5	217	2	2	11	21	35	47	81
TOT. SINGLE DX	6284	5.2	38	1	1	3	6	12	17	31
" MULTIPLE DX	18180	10.5	156	1	1	6	13	26	37	66
TOTAL 0-19 YRS	4942	5.3	58	1	1	3	6	11	18	42
20-34	6324	6.4	77	1	1	3	7	15	23	49
35-49	3716	8.7	111	1	1	5	10	21	30	57
50-64	3957	11.0	144	1	2	7	15	26	35	64
65+	5525	14.7	206	2	2	10	20	34	45	78
GRAND TOTAL	**24464**	**9.1**	**131**	**1**	**1**	**5**	**11**	**23**	**33**	**60**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	338	6.4	65	1	1	3	8	14	24	36
20-34	309	7.3	50	1	1	5	11	16	23	36
35-49	188	7.7	71	1	1	4	10	21	29	36
50-64	187	9.3	84	1	1	7	13	21	28	51
65+	167	13.8	116	1	2	12	20	29	35	43
2. MULTIPLE DX										
0-19 YRS	323	16.6	235	1	2	12	23	38	47	73
20-34	418	16.3	214	2	2	12	22	35	48	76
35-49	284	17.0	178	2	3	14	24	37	44	62
50-64	447	20.2	308	2	3	16	28	45	59	91
65+	793	23.7	280	3	5	21	33	46	62	90
TOT. SINGLE DX	1189	8.3	78	1	1	5	11	21	28	39
" MULTIPLE DX	2265	19.8	265	2	3	16	27	43	55	85
TOTAL 0-19 YRS	661	11.4	174	1	1	7	15	29	39	68
20-34	727	12.5	164	1	2	9	17	28	37	66
35-49	472	13.3	156	1	2	9	18	33	39	55
50-64	634	17.0	267	1	2	12	24	38	55	91
65+	960	22.0	266	2	4	19	30	45	56	84
GRAND TOTAL	**3454**	**15.9**	**230**	**1**	**2**	**11**	**23**	**36**	**47**	**78**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	3.3	19	<1	<1	2	3	7	12	26
20-34	133	4.9	69	1	1	3	6	10	15	48
35-49	73	4.5	32	<1	1	3	4	9	20	28
50-64	66	6.5	88	<1	1	3	6	19	31	47
65+	23	15.1	229	1	2	9	22	40	45	52
2. MULTIPLE DX										
0-19 YRS	82	5.5	51	1	1	3	6	13	24	35
20-34	166	15.1	424	1	2	5	25	57	83	99+
35-49	111	16.0	377	1	1	8	22	47	69	91
50-64	98	16.7	364	2	2	10	27	52	88	99+
65+	110	21.0	439	2	2	14	34	59	76	99+
TOT. SINGLE DX	405	5.2	68	<1	1	2	5	12	20	42
" MULTIPLE DX	567	15.3	372	1	2	7	23	48	72	99+
TOTAL 0-19 YRS	192	4.3	34	<1	1	2	5	10	15	33
20-34	299	10.5	291	1	1	4	10	36	70	99+
35-49	184	11.4	271	1	1	4	15	33	53	85
50-64	164	12.6	278	1	1	5	18	38	54	99+
65+	133	19.9	406	1	2	13	33	52	69	99+
GRAND TOTAL	**972**	**11.1**	**270**	**1**	**1**	**4**	**13**	**35**	**54**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	548	2.4	5	<1	1	2	3	4	6	12
20-34	294	3.4	8	<1	1	3	4	7	8	13
35-49	263	3.2	7	1	1	2	4	6	7	15
50-64	318	2.9	4	1	1	2	4	5	7	12
65+	154	4.1	26	1	1	2	4	8	15	27
2. MULTIPLE DX										
0-19 YRS	365	4.9	59	1	1	3	5	10	14	54
20-34	403	5.9	54	1	1	4	6	13	20	43
35-49	534	6.6	67	1	2	4	8	13	19	40
50-64	717	6.1	38	1	2	4	7	12	19	33
65+	645	9.9	80	1	2	8	13	19	28	46
TOT. SINGLE DX	1577	3.0	8	1	1	2	4	6	7	15
" MULTIPLE DX	2664	6.9	63	1	2	4	8	14	21	43
TOTAL 0-19 YRS	913	3.4	28	1	1	2	3	6	10	29
20-34	697	4.8	36	1	1	3	5	9	15	34
35-49	797	5.5	50	1	1	4	6	10	16	34
50-64	1035	5.1	30	1	1	4	6	10	15	30
65+	799	8.8	76	1	2	6	12	18	25	44
GRAND TOTAL	**4241**	**5.5**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**36**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	4.2	11	1	1	3	5	9	10	20
20-34	48	5.8	36	1	1	4	8	13	18	34
35-49	39	4.6	22	1	1	3	5	14	14	24
50-64	31	4.5	16	1	1	3	6	10	15	17
65+	18	6.1	36	1	1	4	10	14	20	24
2. MULTIPLE DX										
0-19 YRS	155	10.1	171	2	2	5	9	23	45	65
20-34	172	6.9	28	1	1	6	8	14	17	32
35-49	169	8.4	35	3	3	7	10	15	21	30
50-64	243	9.5	55	4	3	7	12	17	23	41
65+	395	12.0	62	3	4	10	15	22	28	33
TOT. SINGLE DX	198	4.9	23	1	1	3	6	11	14	24
" MULTIPLE DX	1134	9.9	70	2	3	7	12	19	25	42
TOTAL 0-19 YRS	217	8.4	133	1	2	5	8	18	34	62
20-34	220	6.6	30	1	1	5	8	12	17	33
35-49	208	7.7	35	1	1	6	10	14	20	29
50-64	274	8.9	54	2	3	7	11	16	22	40
65+	413	11.7	63	3	4	10	15	22	28	33
GRAND TOTAL	1332	9.1	66	2	2	7	12	18	24	39

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	303	4.3	17	1	1	3	5	10	13	20
20-34	3667	5.0	21	1	1	3	7	11	14	22
35-49	5036	5.0	21	1	1	3	7	11	14	22
50-64	2842	5.4	24	1	1	3	7	12	16	23
65+	777	5.9	34	1	1	4	8	14	17	29
2. MULTIPLE DX										
0-19 YRS	217	6.7	57	1	1	4	8	15	21	34
20-34	2364	7.2	37	1	2	5	10	15	19	31
35-49	4245	7.8	43	1	2	6	11	16	20	31
50-64	4055	8.5	59	2	2	6	11	18	22	35
65+	2234	10.8	93	2	3	8	15	23	29	48
TOT. SINGLE DX	12625	5.1	23	1	1	3	7	12	15	22
" MULTIPLE DX	13115	8.4	58	1	2	6	11	18	23	36
TOTAL 0-19 YRS	520	5.3	35	1	1	3	7	12	16	27
20-34	6031	5.9	29	1	1	4	8	13	16	25
35-49	9281	6.3	34	1	1	4	9	14	17	27
50-64	6897	7.2	47	1	2	5	10	16	20	31
65+	3011	9.6	83	1	2	7	13	21	27	43
GRAND TOTAL	25740	6.8	43	1	2	4	9	15	19	31

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	4.2	15	1	2	3	5	8	12	22
20-34	375	5.1	29	1	2	3	6	11	16	26
35-49	518	4.9	23	1	2	3	6	10	14	27
50-64	940	4.7	21	1	2	3	6	10	13	21
65+	947	4.9	23	1	2	3	6	10	14	28
2. MULTIPLE DX										
0-19 YRS	151	7.4	64	1	2	5	9	16	27	40
20-34	491	7.4	62	1	2	5	10	14	21	46
35-49	1019	8.3	60	2	2	6	11	18	24	40
50-64	3416	8.7	74	2	2	6	11	17	25	47
65+	5230	9.0	70	2	2	7	11	18	24	46
TOT. SINGLE DX	2918	4.8	23	1	2	3	6	10	14	24
" MULTIPLE DX	10307	8.7	70	2	2	6	11	17	24	46
TOTAL 0-19 YRS	287	5.9	44	1	2	3	7	12	20	35
20-34	866	6.4	49	1	2	4	8	13	18	35
35-49	1537	7.1	50	1	2	5	9	15	22	38
50-64	4356	7.8	66	2	2	5	10	16	22	44
65+	6177	8.4	65	2	2	6	11	17	22	43
GRAND TOTAL	13223	7.9	63	2	2	6	10	16	22	42

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	19	5.4	26	1	2	3	7	13	18	21
35-49	146	3.2	6	1	2	2	3	6	9	12
50-64	272	3.5	11	1	2	2	4	7	10	19
65+	91	3.3	9	1	1	2	4	5	10	16
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	46	6.0	46	1	2	4	7	12	16	46
35-49	433	5.1	21	1	2	3	7	11	15	22
50-64	1120	5.6	25	1	2	3	8	13	15	26
65+	494	7.1	45	1	2	5	10	15	20	36
TOT. SINGLE DX	530	3.4	10	1	2	2	4	7	10	17
" MULTIPLE DX	2094	5.9	30	1	2	3	8	13	16	26
TOTAL 0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	65	5.8	40	1	2	4	7	12	16	38
35-49	579	4.6	18	1	2	3	6	10	14	20
50-64	1392	5.2	24	1	2	3	7	12	15	23
65+	585	6.5	41	1	2	4	9	14	19	33
GRAND TOTAL	2624	5.4	27	1	2	3	7	13	19	25

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	95th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	245	4.3	16	1	1	3	6	9	13	17
20-34	902	5.6	24	1	1	4	8	12	14	21
35-49	1098	5.7	27	1	1	4	8	12	15	23
50-64	1571	4.9	18	1	1	3	7	11	13	21
65+	1431	5.4	24	1	2	3	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	211	7.8	76	1	2	5	10	16	20	46
20-34	1295	8.4	68	1	2	6	11	16	23	44
35-49	2640	7.7	51	2	2	6	10	15	20	39
50-64	6633	7.8	50	2	2	6	10	16	21	34
65+	8466	9.8	70	2	2	8	13	19	25	40
TOT. SINGLE DX	5247	5.3	23	1	1	3	8	11	14	22
" MULTIPLE DX	19245	8.7	62	2	2	7	12	17	23	39
TOTAL 0-19 YRS	456	5.9	47	1	1	3	8	13	16	37
20-34	2197	7.3	52	1	2	5	10	14	18	35
35-49	3738	7.1	45	1	2	5	10	14	18	36
50-64	8204	7.2	46	2	2	5	10	15	19	31
65+	9897	9.1	66	2	2	7	12	18	24	39
GRAND TOTAL	**24492**	**8.0**	**56**	**1**	**2**	**6**	**11**	**16**	**21**	**36**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	21372	3.8	16	1	1	3	4	7	9	19
20-34	26255	4.4	22	1	1	3	5	8	11	25
35-49	17776	5.2	23	1	1	4	6	10	14	26
50-64	14036	5.9	27	1	2	4	7	11	15	27
65+	12514	7.1	38	1	2	5	9	14	18	32
2. MULTIPLE DX										
0-19 YRS	29571	5.3	42	1	1	4	6	9	14	38
20-34	39934	6.1	36	1	2	4	7	12	16	32
35-49	45345	7.0	37	2	2	5	9	13	18	32
50-64	73393	8.0	44	2	3	6	10	15	19	35
65+	141622	9.6	55	2	3	8	12	18	23	39
TOT. SINGLE DX	91953	5.0	26	1	1	4	6	10	13	26
" MULTIPLE DX	329865	8.1	49	2	2	6	10	16	21	36
TOTAL 0-19 YRS	50943	4.7	32	1	1	3	5	8	12	31
20-34	66189	5.4	32	1	1	4	6	10	15	30
35-49	63121	6.5	34	1	2	5	8	12	17	30
50-64	87429	7.7	42	2	2	6	9	14	19	34
65+	154136	9.4	55	2	3	7	12	18	23	38
GRAND TOTAL	**421818**	**7.4**	**46**	**1**	**2**	**6**	**9**	**15**	**20**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	7734	7.1	114	1	1	4	6	18	30	59
20-34	4990	8.7	79	1	2	6	10	19	28	44
35-49	4734	8.6	57	2	2	7	10	17	24	38
50-64	3663	8.0	49	2	2	6	10	16	22	36
65+	2935	9.1	63	2	2	7	12	17	24	44
2. MULTIPLE DX										
0-19 YRS	9125	7.8	114	1	2	4	7	18	31	63
20-34	8059	9.6	87	2	2	7	11	20	29	48
35-49	9783	9.4	68	2	3	7	11	18	25	44
50-64	14087	9.7	67	2	3	8	12	18	24	44
65+	28602	11.4	76	3	4	9	14	21	28	46
TOT. SINGLE DX	24056	8.1	80	1	2	5	10	17	26	46
" MULTIPLE DX	69656	10.1	81	2	3	8	12	20	27	47
TOTAL 0-19 YRS	16859	7.5	115	1	2	4	7	18	30	61
20-34	13049	9.3	85	1	2	6	11	20	28	46
35-49	14517	9.1	65	2	3	7	11	18	24	42
50-64	17750	9.4	64	2	3	7	11	18	24	42
65+	31537	11.2	75	3	4	9	14	21	27	46
GRAND TOTAL	**93712**	**9.6**	**82**	**2**	**2**	**7**	**12**	**19**	**27**	**47**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12971	4.0	16	1	1	3	5	7	8	20
20-34	6335	4.9	39	1	1	3	5	9	14	33
35-49	4692	5.7	33	1	1	4	7	12	16	30
50-64	4807	6.7	41	1	2	5	8	13	18	31
65+	4814	7.3	41	1	2	6	9	14	18	33
2. MULTIPLE DX										
0-19 YRS	22190	5.5	48	1	2	4	6	9	14	42
20-34	12095	6.4	53	1	2	4	7	13	19	38
35-49	15437	7.0	43	1	2	5	8	14	19	33
50-64	29669	7.9	46	2	2	6	10	15	19	35
65+	61901	9.5	57	2	3	8	12	18	24	39
TOT. SINGLE DX	33619	5.3	32	1	1	4	6	10	14	29
" MULTIPLE DX	141292	8.0	54	2	2	6	10	16	21	38
TOTAL 0-19 YRS	35161	4.9	37	1	2	4	5	8	12	35
20-34	18430	5.9	49	1	1	4	7	12	18	36
35-49	20129	6.7	41	1	2	5	8	13	18	32
50-64	34476	7.7	46	2	2	6	10	15	19	34
65+	66715	9.4	56	2	3	7	12	18	23	39
GRAND TOTAL	**174911**	**7.5**	**51**	**1**	**2**	**5**	**9**	**15**	**20**	**36**

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
569	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal-tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Division (continued)
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage – *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
  - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (electroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin
- 753 Encephalography
- Endoscopy
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin